

Guide to Standardized Hooks - System Functions

Guide to Standardized Hooks

Hookable Events

[Convert Addon Functions](#)

[Cpanel Functions](#)

[PkgAcct Functions](#)

[Passwd Functions](#)

[RPM:Versions Functions](#)

[Stats Functions](#)

[System Functions](#)

[Whostmgr Functions](#)

[Hook Action Code](#)

[The describe\(\) Method](#)

[The manage_hooks Utility](#)

[Debug Mode](#)

Advanced Use

[Rollbacks](#)

[Checks](#)

[Exceptions](#)

[Privilege Escalation](#)

[Hookable Events in Custom Modules](#)

Deprecated Systems

[Custom Event Handlers](#)

[Function Hooks](#)

[Script Hooks](#)

[Universal Password Trap](#)

Introduction

The `System` category's events occur during system updates or backups.

upcp

This event takes place when cPanel & WHM updates.

Available Stages:

- `pre` — Hook action code runs before the update process.

Important


Unlike other `pre` stages, the success or failure of this event's hook action code **cannot** block execution of the cPanel & WHM event. The Standardized Hooks System **cannot** affect the cPanel & WHM update process.

- `post` — Hook action code runs after the update process.

Standardized Hooks

Related Documentation

- [Manage Hooks](#)
- [Manage Hooks](#)
- [Manage Hooks](#)
- [Take Settings - Development](#)

Action Code Runs As:	root
Blocking Attribute:	
Escalate Privileges Attribute:	N/A

Output parameters

This event does not return output.


Backup

This event takes place when the system performs backups.

Available Stages:

- `pre` — Hook action code runs before the system performs backups.
- `post` — Hook action code runs after the system performs backups.

Note:
Hooks for this event do **not** trigger when the *Legacy Backup System* runs.

```
Action Code Runs As: root
Blocking Attribute: 
Escalate Privileges Attribute: N/A
```

Output parameters

This event does not return output.

You can select the following options:

-
-
-
-
-

This setting defaults to *Debug mode is off*.

[Yellow highlighted box]

Note: If, instead of `/var/cpsrv/daemc`

- WH
M
API
1
Func
tions
-
reord
er_h
ooks

—
This
functi
on
chan
ges
the
order
of
script
hook
s.