

# cPanel API 1 Functions - ImageManager::scale

## Guide to cPanel API 1

Return Data

cPanel Tags  
(deprecated)

Bandwidth:  
displayheader

er

Bandwidth:  
displaybw

Bandwidth:  
displayday

Bandwidth:  
displaymainbwheder

### ▼ BoxTrapper

BoxTrapper:  
change status

BoxTrapper:  
clean configfilelist

BoxTrapper:  
edit msg

BoxTrapper:  
fetch configfile

BoxTrapper:  
getboxconfdir

BoxTrapper:  
listmsgsgs

BoxTrapper:  
logcontrols

BoxTrapper:  
messageaction

BoxTrapper:  
multimessageaction

BoxTrapper:  
resetmsg

BoxTrapper:  
saveconfigfile

BoxTrapper:  
saveconf

BoxTrapper:  
showautowhitelist

BoxTrapper:  
showemails

BoxTrapper:  
showfromname

BoxTrapper:  
showlog

## Description

This function scales a specified image.

### Warning:

cPanel API 1 is **deprecated**. We **strongly** recommend that you **do not use** cPanel API 1. However, no equivalent function exists in our newer APIs.

### Important:

In cPanel & WHM version 76 and later, when you disable the `WebServerRole`, the system **disables** this function. For more information, read our [How to Use Server Profiles](#) documentation.

## Examples

### ▼ LiveAPI PHP Class

```
$cpanel = new  
CPANEL(); // Connect  
to cPanel - only do  
this once.  
$image_scale =  
$cpanel->apil('ImageM  
anager', 'scale', array  
( 'images', 'image.jpg'  
, 'none', '200', '300', '  
0' )); // Call the  
function.
```

### Note:

For more information, read our [Guide to the LiveAPI System](#).

## Function information

## About this module

The ImageManager module creates thumbnails, resizes images, and performs other image manipulation functions.

## About cPanel API 1

```
BoxTrapper:: show
message

BoxTrapper:: show
queue

BoxTrapper:: show
queuesearch

BoxTrapper:: show
queuetime

BoxTrapper:: statu
s

BoxTrapper:: statu
sbutton
```

▼ Branding

```
Branding:: file

Branding:: image

Branding:: killing

Branding:: setbran
dingpkg

Branding:: setmya
cctspkg

Branding:: setupdir
s

Branding:: tempset
brandingpkg
```

▼ Cgi

```
Cgi:: backuplink

Cgi:: displayurchin

Cgi:: phpmyadminl
ink
```

▼ Chkservd

```
Chkservd:: getexi
mport

Chkservd:: getexi
mport_ssl
```

▼ ClamScanner

```
ClamScanner:: bar
s
```

▼ cPAddons

```
cPAddons:: mainp
g
```

▼ Cron

```
Cron:: crontab_per
ms
```

▼ CustInfo

```
CustInfo:: getemail
```

▼ Denylp

```
Denylp:: adddenyi
p

Denylp:: deldenyip

Denylp:: listdenyi
ps
```

▼ LiveAPI Perl Module

```
my $cpliveapi =
Cpanel::LiveAPI->new(
); # Connect to
cPanel - only do this
once.
my $image_scale =
$cpliveapi->apil('Ima
geManager','scale',[
'images','image.jpg','
none','200','300','0'
] ] ); # Call the
function.
```

**Note:**  
For more information, read our [Guide to the LiveAPI System](#).

▼ cPanel Tag System (deprecated)

**Warning:**  
In cPanel & WHM version 11.30 and later, cPanel tags are **deprecated**. We provide this example to help developers move from the old cPanel tag system to our [LiveAPI](#) system. We **strongly** recommend that you **only** use the [LiveAPI](#) system to call the cPanel APIs.

```
<cpanel
Module="ImageManager:
:scale($FORM('dir','f
ile','oldimage','widt
h','height','keepold'
))">
```

cPanel API 1 accesses information about cPanel accounts.

**Warning:**  
cPanel API **deprecated**. We **strongly** recommend [cPanel API](#) or [UAPI](#) instead.

**Notes:**

- Th  
Fe
- Ur  
mi  
us  
20  
or  
20  
)`  
20  
or  
20  
)

**Find a function**



Email: [getarsstart](#)  
 Email: [getarsstop](#)  
 Email: [getarssubject](#)  
 Email: [getmailserver](#)  
 Email: [getmailserveruser](#)  
 Email: [getpopquota](#)  
 Email: [has\\_spam\\_as\\_acl](#)  
 Email: [has\\_spam\\_autodelete](#)  
 Email: [listmaildomains](#)  
 Email: [listmaildomainsopt](#)  
 Email: [listmaildomainsoptndef](#)  
 Email: [mainacctdiskused](#)  
 Email: [passwdlist](#)  
 Email: [passwdpop](#)  
 Email: [setmxaccept](#)  
 Email: [spamboxstatus](#)  
 Email: [spamstatus](#)  
 Email: [tracefilter](#)

▼ [Fileman](#)

Fileman: [changeperm](#)  
 Fileman: [delfile](#)  
 Fileman: [dofileop](#)  
 Fileman: [emptytrash](#)  
 Fileman: [extractfile](#)  
 Fileman: [fileimg](#)  
 Fileman: [fmmkdir](#)  
 Fileman: [fmmkfile](#)  
 Fileman: [fmpushfile](#)  
 Fileman: [fmrename](#)  
 Fileman: [fmsavefile](#)  
 Fileman: [fmsaveht](#)

width	<i>integer</i>	<b>Required</b> The format to which to convert the images.	The width of the file, in pixels.	200
height	<i>integer</i>	<b>Required</b> The format to which to convert the images,	The height of the file, in pixels.	300
keepold	<i>Boolean</i>	Whether to copy the original image file to the name in the oldimage parameter's value.	<ul style="list-style-type: none"> <li>1 — Copy the original image.</li> <li>0 — Delete the old file.</li> </ul>	0

## Returns

This function returns a confirmation message.

- [cPanel API 1 Functions - ImageManager::dimensions](#) — This function returns the dimensions of the image file that you specify.
- [cPanel API 1 Functions - ImageManager::height](#) — This function returns the height of an image in pixels.

## mfile

Fileman::fullbacku  
p

Fileman::getfile

Fileman::htmledito  
r

Fileman::killdir

Fileman::listfiles

Fileman::listfullba  
ckups

Fileman::listtempl  
ates

Fileman::restoreaf

Fileman::restored  
b

Fileman::restorefil  
e

Fileman::restorefil  
es

Fileman::savehtml  
file

Fileman::showper  
m

Fileman::uploadfil  
es

Fileman::viewfile

## Frontpage

FrontPage::addfp

FrontPage::delfp

FrontPage::fpstat  
us

## Ftp

Ftp::addftp

Ftp::delftp

Ftp::ftpquota

Ftp::ftpservnam  
e

Ftp::ftpstatslogin

Ftp::get\_anonftp

Ftp::get\_anonftpip

Ftp::get\_welcome  
msg

Ftp::getftpquota

Ftp::kill\_ftp\_sessi  
on

Ftp::listftpstatsurl

Ftp::passwdfp

- cPanel API 1 Functions - ImageManager::scale  
— This function scales a specified image.

Ftp:: set\_anonftp

Ftp:: set\_anonftpin

Ftp:: set\_welcome  
msg

▼ Gpg

Gpg:: deletekey

Gpg:: exportkey

Gpg:: exportsecret  
key

Gpg:: genkey

Gpg:: importkeys

▼ Htaccess

Htaccess:: checkpr  
otected

Htaccess:: del\_use  
r

Htaccess:: getinde  
x

Htaccess:: htdirls

Htaccess:: number  
\_of\_users

Htaccess:: phpsele  
ctable

Htaccess:: resnam  
e

Htaccess:: set\_pas  
s

Htaccess:: set\_pro  
tect

Htaccess:: setinde  
x

Htaccess:: setphpr  
eference

Htaccess:: showus  
ers

▼ ImageManager

ImageManager:: c  
onvert

ImageManager:: di  
mensions

ImageManager:: h  
dimension

ImageManager:: s  
cale

ImageManager:: th  
umbnail

ImageManager:: w  
dimension

▼ LastLogin

LastLogin:: lastlogi  
n

▼ LeechProtect

LeechProtect:: disable

LeechProtect:: enable

LeechProtect:: setup

LeechProtect:: showpasswdfile

LeechProtect:: status

▼ LogManager

LogManager:: listdownloads

LogManager:: save settings

LogManager:: show settings

▼ MagicRevision

MagicRevision:: uri

▼ Mime

Mime:: add\_handler

Mime:: add\_hotlink

Mime:: add\_mime

Mime:: add\_redirect

Mime:: del\_handler

Mime:: del\_hotlink

Mime:: del\_mime

Mime:: del\_redirect

Mime:: linkallownull

Mime:: linkenable

Mime:: linkexts

Mime:: linkrurl

Mime:: linkurls

▼ Mysql

Mysql:: adddb

Mysql:: addhost

Mysql:: adduser

Mysql:: adduserdb

Mysql:: checkdb

Mysql:: deldb

Mysql:: delhost

Mysql:: deluser

Mysql:: deluserdb

Mysql:: gethost  
Mysql:: initcache  
Mysql:: listdbs  
Mysql:: listdbsopt  
Mysql:: listusers  
Mysql:: listusersopt  
Mysql:: number\_of  
\_dbs  
Mysql:: number\_of  
\_users  
Mysql:: repairdb  
Mysql:: routines  
Mysql:: updatepriv  
s

▼ Net

Net:: dnslookup  
Net:: dnszone  
Net:: sethastracero  
ute

▼ News

News:: displaynew  
s

▼ NVData

NVData:: set

▼ OptimizeWS

OptimizeWS:: load  
optimizesettings  
OptimizeWS:: load  
optimizesettings (b  
ytes)  
OptimizeWS:: opti  
mizews

▼ Park

Park:: disabledir  
ect  
Park:: getredirectu  
rl  
Park:: park  
Park:: setredirectur  
l  
Park:: unpark

▼ Postgres

Postgres:: adddb  
Postgres:: adduser  
Postgres:: adduser  
db  
Postgres:: deldb  
Postgres:: deluser



Postgres:: deluser  
db

Postgres:: initcach  
e

Postgres:: listdbso  
pt

Postgres:: listusers  
opt

Postgres:: number  
\_of\_dbs

Postgres:: number  
\_of\_users

#### ▼ ProxyUtils

ProxyUtils:: proxya  
ddress

#### ▼ Resellers

Resellers:: accoun  
tlistopt

Resellers:: themeli  
stopt

#### ▼ Serverinfo

Serverinfo:: servic  
estatus

#### ▼ SetLang

SetLang:: listlangs  
opt

SetLang:: setlang

#### ▼ SpamAssassin

SpamAssassin:: co  
nfig

SpamAssassin:: sa  
veconfig

#### ▼ SSH

SSH:: getport

#### ▼ SSL

SSL:: delete

SSL:: deletectr

SSL:: deletecsr

SSL:: deletekey

SSL:: genctr

SSL:: gencsr

SSL:: genkey

SSL:: getcabundle

SSL:: getcname

SSL:: install

SSL:: installedhost

SSL:: listkeysopt

SSL:: showcrt

SSL:: showcsr

SSL:: showkey

SSL:: sslsharedsta  
tus

SSL:: uploadcrt

SSL:: uploadkey

▼ StatManager

StatManager:: doF  
orm

StatManager:: upd  
ateUserConfig

▼ Stats

Stats:: analoglist

Stats:: awstats

Stats:: bwbar

Stats:: errlog

Stats:: lastvisitors

Stats:: showbandw  
idth

Stats:: webalizer

Stats:: webalizerftp

▼ SubDomain

SubDomain:: adds  
ubdomain

SubDomain:: cplist  
subdomains

SubDomain:: disab  
lesubrd

SubDomain:: listsu  
bdomainsop

SubDomain:: setsu  
burl

▼ UI

UI:: confirm

UI:: redirect

UI:: showresult