

# cPanel API 1 Functions - StatManager::updateUserConfig

## Guide to cPanel API 1

Return Data

cPanel Tags  
(deprecated)

Bandwidth:  
displaybandwidthheader

Bandwidth:  
displaybandwidth

Bandwidth:  
displaybandwidthday

Bandwidth:  
displaybandwidthmainbwhheader

### ▼ BoxTrapper

BoxTrapper:  
change\_status

BoxTrapper:  
cleanconfigfilelist

BoxTrapper:  
editmessage

BoxTrapper:  
fetchconfigfile

BoxTrapper:  
getboxconfdir

BoxTrapper:  
listmessages

BoxTrapper:  
logcontrols

BoxTrapper:  
messageaction

BoxTrapper:  
multimessageaction

BoxTrapper:  
resetmessage

BoxTrapper:  
saveconfigfile

BoxTrapper:  
saveconfig

BoxTrapper:  
showautowhitelist

BoxTrapper:  
showemails

BoxTrapper:  
showfromname

BoxTrapper:  
showlog

## Description

This function enables or disables a statistics program for a domain.

### Warning:

cPanel API 1 is **deprecated**. We **strongly** recommend that you **do not use** cPanel API 1. However, no equivalent function exists in our newer APIs.

### Important:

In cPanel & WHM version 76 and later, when you disable the `WebServerProfile`, the system **disables** this function. For more information, read our [How to Use Server Profiles](#) documentation.

## Examples

### ▼ LiveAPI PHP Class

```
$cpanel = new  
CPANEL(); // Connect  
to cPanel - only do  
this once.  
$doform_statmanager =  
$cpanel->api1('StatMa  
nager', 'updateUserCon  
fig',  
array('WEBALIZER-EXAM  
PLE.COM') ); // Call  
the function.
```

### Note:

For more information, read our [Guide to the LiveAPI System](#).

## Function information

## About this module

The StatManager module allows you to manage statistics programs.

## About cPanel API 1

cPanel API 1 accesses information about cPanel accounts.

```
BoxTrapper:: show
message

BoxTrapper:: show
queue

BoxTrapper:: show
queuesearch

BoxTrapper:: show
queuetime

BoxTrapper:: statu
s

BoxTrapper:: statu
sbutton
```

▼ Branding

```
Branding:: file

Branding:: image

Branding:: killing

Branding:: setbran
dingpkg

Branding:: setmya
cctspkg

Branding:: setupdir
s

Branding:: tempset
brandingpkg
```

▼ Cgi

```
Cgi:: backuplink

Cgi:: displayurchin

Cgi:: phpmyadminl
ink
```

▼ Chkservd

```
Chkservd:: getexi
mport

Chkservd:: getexi
mport_ssl
```

▼ ClamScanner

```
ClamScanner:: bar
s
```

▼ cPAddons

```
cPAddons:: mainp
g
```

▼ Cron

```
Cron:: crontab_per
ms
```

▼ CustInfo

```
CustInfo:: getemail
```

▼ Denylp

```
Denylp:: adddenyi
p

Denylp:: deldenyip

Denylp:: listdenyi
ps
```

▼ LiveAPI Perl Module

```
my $cpliveapi =
Cpanel::LiveAPI->new(
); # Connect to
cPanel - only do this
once.

my
$doform_statmanager =
$cpliveapi->apil('Sta
tManager', 'updateUser
Config',
['WEBALIZER-EXAMPLE.C
OM'] ); # Call the
function.
```

**Note:**  
For more information, read our [Guide to the LiveAPI System](#).

▼ cPanel Tag System (deprecated)

**Warning:**  
In cPanel & WHM version 11.30 and later, cPanel tags are **deprecated**. We provide this example to help developers move from the old cPanel tag system to our [LiveAPI](#) system. We **strongly** recommend that you **only** use the [LiveAPI](#) system to call the cPanel APIs.

```
<cpanel
Module="SubDomain::up
dateUserConfig(
$form('WEBALIZER-EXAM
PLE.COM') )">
```

**Warning:**  
cPanel API **depreca**  
**te**. We **strongly**  
recommen  
cPanel API  
or  
UAPI  
instead.

**Notes:**

- Th  
Fe
- int
- Ur  
mi  
us  
20  
or  
20  
)`  
20  
or  
20  
)

Find  
a  
funct  
ion

- DiskUsage:: show manager
- Email:: addautoresponder
  - Email:: addforward
  - Email:: addfilter
  - Email:: addlist
  - Email:: addmx
  - Email:: addpop
  - Email:: addspam
  - Email:: addspambox
  - Email:: addspamfilter
  - Email:: changemx
  - Email:: checkfastmail
  - Email:: checkpipeforward
  - Email:: clearspambox
  - Email:: delautoresponder
  - Email:: deldforward
  - Email:: delfilter
  - Email:: dellist
  - Email:: delmx
  - Email:: delpop
  - Email:: delspam
  - Email:: delspambox
  - Email:: disable\_spam\_autodelete
  - Email:: editquota
  - Email:: enable\_spam\_autodelete
  - Email:: getaging
  - Email:: getsbody
  - Email:: getscharset
  - Email:: getsfrom
  - Email:: getshtml
  - Email:: getsinterval

Command Line

```
cpapil
--user=username
StatManager
updateUserConfig yes
```

**Notes:**

- You **must** URI-encode values.
- For more information and additional output options, read our [Guide to WHM API 1](#) documentation or run the `whmapil --help` command.
- If you run CloudLinux™, you **must** use the full path of the `whmapil` command:

```
/usr/local
/cpanel/bin/whmapil
```

Output (none)

*This function does not return output.*

Parameters

Parameter	Type	Description	Possible values	Example
-----------	------	-------------	-----------------	---------

- cPanel API 1 Functions - Stats::lastvisitors — This function retrieves a list of a domain's most recent visitors.
- cPanel API 1 Functions - Stats::webalizer — This function retrieves the path to a domain's Webalizer data.

Email: [getarsstart](#)  
 Email: [getarsstop](#)  
 Email: [getarssubject](#)  
 Email: [getmailserver](#)  
 Email: [getmailserveruser](#)  
 Email: [getpopquota](#)  
 Email: [has\\_spam\\_as\\_acl](#)  
 Email: [has\\_spam\\_autodelete](#)  
 Email: [listmaildomains](#)  
 Email: [listmaildomainsopt](#)  
 Email: [listmaildomainsoptndef](#)  
 Email: [mainacctdiskused](#)  
 Email: [passwdlist](#)  
 Email: [passwdpop](#)  
 Email: [setmxaccept](#)  
 Email: [spamboxstatus](#)  
 Email: [spamstatus](#)  
 Email: [tracefilter](#)

STATSPROGRAM-DOMAIN.COM	<i>string</i>	<p><b>Required</b></p> <p>The statistics program and its domain.</p> <div style="border: 1px solid orange; padding: 5px; margin: 10px 0;"> <p><b>Note</b>          : The parameter's name is the statistics program's name in capital letters, a hyphen (-), the domain name in capital letters.</p> </div>	<ul style="list-style-type: none"> <li>• yes — Enabled.</li> <li>• no — Disabled.</li> </ul>	WEBALIZER-EXAMPLE.COM=yes
-------------------------	---------------	---	--	---------------------------

## Returns

This function does not return output.

### Fileman

Fileman: [changeperm](#)  
 Fileman: [delfile](#)  
 Fileman: [dofileop](#)  
 Fileman: [emptytrash](#)  
 Fileman: [extractfile](#)  
 Fileman: [fileimg](#)  
 Fileman: [fmmkdir](#)  
 Fileman: [fmmkfile](#)  
 Fileman: [fmpushfile](#)  
 Fileman: [fmrename](#)  
 Fileman: [fmsavefile](#)  
 Fileman: [fmsaveht](#)

- [cPanel API 1 Functions - Stats::showbandwidth](#) — This function displays bandwidth usage for the cPanel account's domains.
- [cPanel API 1 Functions - Stats::awsstats](#) — This function retrieves the relative URL path to a domain's AWS stats data.

mfile

Fileman:: fullbacku  
p

Fileman:: getfile

Fileman:: htmledito  
r

Fileman:: killdir

Fileman:: listfiles

Fileman:: listfullba  
ckups

Fileman:: listtempl  
ates

Fileman:: restoreaf

Fileman:: restored  
b

Fileman:: restorefil  
e

Fileman:: restorefil  
es

Fileman:: savehtml  
file

Fileman:: showper  
m

Fileman:: uploadfil  
es

Fileman:: viewfile

▼ Frontpage

FrontPage:: addfp

FrontPage:: delfp

FrontPage:: fpstat  
us

▼ Ftp

Ftp:: addftp

Ftp:: delftp

Ftp:: ftpquota

Ftp:: ftpservernam  
e

Ftp:: ftpstatslogin

Ftp:: get\_anonftp

Ftp:: get\_anonftpin

Ftp:: get\_welcome  
msg

Ftp:: getftpquota

Ftp:: kill\_ftp\_sessi  
on

Ftp:: listftpstatsurl

Ftp:: passwdftp

Ftp:: set\_anonftp

Ftp:: set\_anonftpin

Ftp:: set\_welcome  
msg

▼ Gpg

Gpg:: deletekey

Gpg:: exportkey

Gpg:: exportsecret  
key

Gpg:: genkey

Gpg:: importkeys

▼ Htaccess

Htaccess:: checkpr  
otected

Htaccess:: del\_use  
r

Htaccess:: getinde  
x

Htaccess:: htdirls

Htaccess:: number  
\_of\_users

Htaccess:: phpsele  
ctable

Htaccess:: resnam  
e

Htaccess:: set\_pas  
s

Htaccess:: set\_pro  
tect

Htaccess:: setinde  
x

Htaccess:: setphpr  
eference

Htaccess:: showus  
ers

▼ ImageManager

ImageManager:: c  
onvert

ImageManager:: di  
mensions

ImageManager:: h  
dimension

ImageManager:: s  
cale

ImageManager:: th  
umbnail

ImageManager:: w  
dimension

▼ LastLogin

LastLogin:: lastlogi  
n

▼ LeechProtect

LeechProtect:: disable

LeechProtect:: enable

LeechProtect:: setup

LeechProtect:: showpasswdfile

LeechProtect:: status

▼ LogManager

LogManager:: listdownloads

LogManager:: save settings

LogManager:: show settings

▼ MagicRevision

MagicRevision:: uri

▼ Mime

Mime:: add\_handler

Mime:: add\_hotlink

Mime:: add\_mime

Mime:: add\_redirect

Mime:: del\_handler

Mime:: del\_hotlink

Mime:: del\_mime

Mime:: del\_redirect

Mime:: linkallownull

Mime:: linkenable

Mime:: linkexts

Mime:: linkrurl

Mime:: linkurls

▼ Mysql

Mysql:: adddb

Mysql:: addhost

Mysql:: adduser

Mysql:: adduserdb

Mysql:: checkdb

Mysql:: deldb

Mysql:: delhost

Mysql:: deluser

Mysql:: deluserdb

Mysql:: gethost  
Mysql:: initcache  
Mysql:: listdbs  
Mysql:: listdbsopt  
Mysql:: listusers  
Mysql:: listusersopt  
Mysql:: number\_of  
\_dbs  
Mysql:: number\_of  
\_users  
Mysql:: repairdb  
Mysql:: routines  
Mysql:: updatepriv  
s

▼ Net

Net:: dnslookup  
Net:: dnszone  
Net:: sethastracero  
ute

▼ News

News:: displaynew  
s

▼ NVData

NVData:: set

▼ OptimizeWS

OptimizeWS:: load  
optimizesettings  
OptimizeWS:: load  
optimizesettings (b  
ytes)  
OptimizeWS:: opti  
mizews

▼ Park

Park:: disabledir  
ect  
Park:: getredirectu  
rl  
Park:: park  
Park:: setredirectur  
l  
Park:: unpark

▼ Postgres

Postgres:: adddb  
Postgres:: adduser  
Postgres:: adduser  
db  
Postgres:: deldb  
Postgres:: deluser



Postgres:: deluser  
db

Postgres:: initcach  
e

Postgres:: listdbso  
pt

Postgres:: listusers  
opt

Postgres:: number  
\_of\_dbs

Postgres:: number  
\_of\_users

▼ ProxyUtils

ProxyUtils:: proxya  
ddress

▼ Resellers

Resellers:: accoun  
tlistopt

Resellers:: themeli  
stopt

▼ Serverinfo

Serverinfo:: servic  
estatus

▼ SetLang

SetLang:: listlangs  
opt

SetLang:: setlang

▼ SpamAssassin

SpamAssassin:: co  
nfig

SpamAssassin:: sa  
veconfig

▼ SSH

SSH:: getport

▼ SSL

SSL:: delete

SSL:: deletectr

SSL:: deletecsr

SSL:: deletekey

SSL:: genctr

SSL:: gencsr

SSL:: genkey

SSL:: getcabundle

SSL:: getcname

SSL:: install

SSL:: installedhost

SSL:: listkeysopt

SSL:: showcrt

SSL:: showcsr

SSL:: showkey

SSL:: sslsharedsta  
tus

SSL:: uploadcrt

SSL:: uploadkey

▼ StatManager

StatManager:: doF  
orm

StatManager:: upd  
ateUserConfig

▼ Stats

Stats:: analoglist

Stats:: awstats

Stats:: bwbar

Stats:: errlog

Stats:: lastvisitors

Stats:: showbandw  
idth

Stats:: webalizer

Stats:: webalizerftp

▼ SubDomain

SubDomain:: adds  
ubdomain

SubDomain:: cplist  
subdomains

SubDomain:: disab  
lesubrd

SubDomain:: listsu  
bdomainsop

SubDomain:: setsu  
burl

▼ UI

UI:: confirm

UI:: redirect

UI:: showresult