

# UAPI Functions - Email::store\_filter

## Guide to UAPI

- Return Data
- Filter Output
- Sort Output
- Paginate Output
- Output Columns
- Calls from the WHM API
- Custom UAPI Modules

Backup  
Backup::  
fullbacku  
p\_to\_ftp

Backup:: fullbacku  
p\_to\_homedir

Backup:: fullbacku  
p\_to\_scp\_with\_key

Backup:: fullbacku  
p\_to\_scp\_with\_pa  
ssword

Backup:: list\_back  
ups

### Bandwidth

Bandwidth:: get\_e  
nabled\_protocols

Bandwidth:: get\_re  
tention\_periods

Bandwidth:: query

### Batch

Batch:: strict

### Brand

Brand:: read

### Branding

Branding:: file

Branding:: get\_app  
lications

Branding:: get\_app  
lication\_informatio  
n

Branding:: get\_ava  
ilable\_applications

Branding:: get\_info  
rmation\_for\_applic  
ations

## Description

This function creates a new email filter. For more information about Exim filters, read Exim's documentation.

### Important:

In cPanel & WHM version 76 and later, when you disable the `MailReceive` role, the system **disables** this function. For more information, read our [How to Use Server Profiles](#) documentation.

## Examples

### ▼ cPanel or Webmail Session URL

```
https://hostname.exam  
ple.com:2083/cpsess##  
#####/execute/Email/  
store_filter?filter  
name=coffee&account=u  
ser%40example.com&act  
ion1=deliver&dest1=ch  
eesecloth%40example.c  
om&part1=%24header_su  
bject%3A&match1=conta  
ins&vall=curds&opt1=o  
r&part2=%24message_bo  
dy&match2=is&val2=whe  
y
```

### Note:

This example calls the UAPI function via a cPanel session. For more information, read our [Guide to UAPI](#) documentation.

## Func tion infor mati on

## About this mod ule

The Email module modifies cPanel email account settings.

## About t UAPI

Branding:: image

Branding:: include

Branding:: spritelist

▼ CacheBuster

CacheBuster:: read

CacheBuster:: update

▼ Chkserverd

Chkserverd:: get\_exim\_ports

Chkserverd:: get\_exim\_ports\_ssl

▼ Chrome

Chrome:: get\_dom

▼ Contactus

Contactus:: is\_enabled

▼ cPAddons

cPAddons:: get\_available\_addons

cPAddons:: get\_instance\_settings

cPAddons:: list\_addon\_instances

▼ cPGreyList

cPGreyList:: disable\_all\_domains

cPGreyList:: disable\_domains

cPGreyList:: enable\_all\_domains

cPGreyList:: enable\_domains

cPGreyList:: has\_greylisting\_enabled

cPGreyList:: list\_domains

▼ DAV

DAV:: disable\_shared\_global\_addressbook

DAV:: enable\_shared\_global\_addressbook

DAV:: get\_calendar\_contacts\_config

DAV:: has\_shared\_global\_addressbook

DAV:: is\_dav\_service\_enabled

## ▼ LiveAPI PHP Class

```

$cpanel = new
CPANEL(); // Connect
to cPanel - only do
this once.

// Create a new
filter for
user@example.com.
$new_filter =
$cpanel->uapi(
    'Email',
    'store_filter',
    array(
        'filtername'
=> 'coffee',
        'account'
=>
'user@example.com',
        'action1'
=> 'deliver',
        'dest1'
=>
'cheesecloth@example.
com',
        'part1'
=>
'$header_subject:',
        'match1'
=> 'contains',
        'vall'
=> 'curds',
        'opt1'
=> 'or',
        'part2'
=> '$message_body',
        'match2'
=> 'is',
        'val2'
=> 'whey',
    )
);

```

### Note:

For more information, read our [Guide to the LiveAPI System](#).

UAPI  
accesses  
and  
modifies  
data for  
cPanel  
accounts.

### Notes:

- The `Fe`
- `int`
- `Ur`
- `mi`
- `us`
- `20`
- `or`
- `20`
- `).`
- `20`
- `or`
- `20`
- `).`

Find  
a  
funct  
ion

glob  
ally  
uniq  
ue  
identi  
fier ( GUI  
D) by  
folde  
r.

- DAV:: is\_horde\_enabled
- DCV
    - DCV:: check\_domains\_via\_dns
    - DCV:: check\_domains\_via\_http
    - DCV:: ensure\_domains\_can\_pass\_dcv
  - DomainInfo
  - DomainInfo:: domains\_data
  - DomainInfo:: list\_domains
  - DomainInfo:: main\_domain\_builtin\_subdomain\_aliases
  - DomainInfo:: single\_domain\_data
- DNS
  - DNS:: ensure\_domains\_reside\_only\_locally
  - DNS:: has\_local\_authority
- DNSSEC
  - DNSSEC:: disable\_dnssec
  - DNSSEC:: enable\_dnssec
  - DNSSEC:: fetch\_ds\_records
  - DNSSEC:: set\_nsec3
  - DNSSEC:: unset\_nsec3
- Email
  - Email:: account\_name
  - Email:: add\_auto\_responder
  - Email:: add\_domain\_forwarder
  - Email:: add\_forwarder
  - Email:: add\_list
  - Email:: add\_mailman\_delegates
  - Email:: add\_mx
  - Email:: add\_pop
  - Email:: add\_spam\_filter

## LiveAPI Perl Module

```

my $cpliveapi =
Cpanel::LiveAPI->new(
); # Connect to
cPanel - only do this
once.

# Create a new filter
for user@example.com.
my $new_filter =
$cpliveapi->uapi(
    'Email',
    'store_filter',
    {
        'filtername'
=> 'coffee',
        'account'
=>
'user@example.com',
        'action1'
=> 'deliver',
        'dest1'
=>
'cheesecloth@example.
com',
        'part1'
=>
'$header_subject:',
        'match1'
=> 'contains',
        'vall'
=> 'curds',
        'opt1'
=> 'or',
        'part2'
=> '$message_body',
        'match2'
=> 'is',
        'val2'
=> 'whey',
    }
);

```

### Note:

For more information, read our [Guide to the LiveAPI System](#).

- UAPI Modules - Mailboxes — The Mailboxes module manages email messages.
  - UAPI Functions - Email::edit\_pop\_quota — This function changes an email address's quota.
  - UAPI Functions - SpamAssassin::get\_user\_preferences — This function lists the Apache SpamAssassin™ settings for the account.

Email: browse\_mailbox  
Email: change\_mx  
Email: check\_fastmail  
Email: check\_pipe\_forwarder  
Email: delete\_auto\_responder  
Email: delete\_domain\_forwarder  
Email: delete\_filter  
Email: delete\_forwarder  
Email: delete\_held\_messages  
Email: delete\_list  
Email: delete\_mx  
Email: delete\_pop  
Email: disable\_filter  
Email: disable\_mailbox\_autocreate  
Email: disable\_spam\_assassin  
Email: disable\_spam\_autodelete  
Email: disable\_spam\_box  
Email: dispatch\_client\_settings  
Email: edit\_pop\_quota  
Email: enable\_filter  
Email: enable\_mailbox\_autocreate  
Email: enable\_spam\_assassin  
Email: enable\_spam\_box  
Email: fetch\_charmaps  
Email: fts\_rescan\_mailbox  
Email: generate\_mailman\_opt  
Email: get\_auto\_responder  
Email: get\_chase

## ▼ cPanel Template Toolkit

```
<!-- Create a new filter for user@example.com. -->[% execute( 'Email', 'store_filter', { 'filtername' => 'coffee', 'account' => 'user@example.com', 'action1' => 'deliver', 'dest1' => 'cheesecloth@example.com', 'part1' => '$header_subject:', 'match1' => 'contains', 'vall' => 'curds', 'opt1' => 'or', 'part2' => '$message_body', 'match2' => 'is', 'val2' => 'whey', } ) %]
```

**Note:**

For more information, read our [Guide to Template Toolkit](#) documentation.

- UAPI Functions - SpamAssassin::clear\_spam\_box - This function clears the spam box of all its contents for all email accounts.

ts

Email: get\_client\_settings

Email: get\_default\_email\_quota

Email: get\_default\_email\_quota\_mib

Email: get\_disk\_usage

Email: get\_filter

Email: get\_held\_message\_count

Email: get\_mailbox\_autocreate

Email: get\_mailman\_delegates

Email: get\_main\_account\_disk\_usage

Email: get\_main\_account\_disk\_usage\_bytes

Email: get\_max\_email\_quota

Email: get\_max\_email\_quota\_mib

Email: get\_pop\_quota

Email: get\_spam\_settings

Email: get\_webmail\_settings

Email: has\_delegated\_mailman\_lists

Email: has\_plaintext\_authentication

Email: hold\_outgoing

Email: is\_integer

Email: list\_autoresponders

Email: list\_default\_address

Email: list\_domain\_forwarders

Email: list\_filters

Email: list\_filters\_backups

Email: list\_forwarders

Email: list\_forward

## Command Line

```
uapi --user=username
Email store_filter
filtername=coffee
account=user%40example.com action1=deliver
dest1=cheesecloth%40example.com
part1=\$header_subject: match1=contains
val1=curds opt1=or
part2=\$message_body
match2=is val2=whey
```

### Notes:

- You **must** URI-encode values.
- username represents your account-level username.
- For more information and additional output options, read our [Guide to UAPI](#) documentation or run the `uapi --help` command.
- If you run CloudLinux™, you **must** use the full path of the `uapi` command:

```
/usr/local
/cpanel/bin/uapi
```

## Output (JSON)

```
{
  "messages": null,
  "errors": null,
  "status": 1,
  "data": {
    "account":
      "user@example.com"
  }
  "metadata": {
    "transformed": 1
  }
}
```

ers\_backups

Email:: list\_lists

Email:: list\_mail\_domains

Email:: list\_mx

Email:: list\_pops

Email:: list\_pops\_with\_disk

Email:: list\_system\_filter\_info

Email:: passwd\_list

Email:: passwd\_pop

Email:: release\_outgoing

Email:: remove\_mailman\_delegates

Email:: reorder\_filters

Email:: set\_always\_accept

Email:: set\_default\_address

Email:: set\_list\_privacy\_options

Email:: stats\_db\_status

Email:: store\_filter

Email:: suspend\_incoming

Email:: suspend\_login

Email:: suspend\_outgoing

Email:: trace\_filter

Email:: unsuspend\_incoming

Email:: unsuspend\_login

Email:: unsuspend\_outgoing

Email:: verify\_password

▼ EmailAuth

EmailAuth:: disable\_dkim

EmailAuth:: enable\_dkim

EmailAuth:: ensure\_dkim\_keys\_exist

**Note:**

Use cPanel's *API Shell* interface (*cPanel >> Home >> Advanced >> API Shell*) to directly test cPanel API calls.

## Parameters

**Important:**

For additional use information, read the [Create multiple rules](#) section.

Parameter	Type	Description	Possible values	Example
account	string	The email address, for user-level filters.  If you do not use this parameter, the function creates an account-level filter.	A valid email address on the account.	user@example.com
filtername	string	<b>Required</b> The filter name.	A string.	coffee
oldfiltername	string	The name of an existing filter, to rename it.  If you do not use this parameter, the function creates a new filter.	A filter on the account.	pool
action*	string	<b>Required</b> The filter's action.  <b>Important:</b> You <b>must</b> increment each action. For example, pass the first action as <code>action 1</code> and the second action as <code>action 2</code> .	<ul style="list-style-type: none"> <li><code>deliver</code> — Deliver the message to the <code>dest*</code> address.</li> <li><code>fail</code> — Force a delivery failure.</li> <li><code>finish</code> — Stop processing the message.</li> <li><code>save</code> — Save the message to the <code>dest*</code> file.</li> <li><code>pipe</code> — Pipe the message to the <code>dest*</code> application.</li> </ul>	deliver
dest*	string	The destination for filtered mail.  This parameter defaults to an empty string.  <b>Important:</b>	<ul style="list-style-type: none"> <li>A file path.</li> <li>An application path.</li> <li>A valid email address.</li> </ul>	cheesecloth@example.com

EmailAuth:: fetch\_ dkim\_private\_keys  
EmailAuth:: install\_ dkim\_private\_key s  
EmailAuth:: install\_ spf\_records  
EmailAuth:: validat e\_current\_dkims  
EmailAuth:: validat e\_current\_ptrs  
EmailAuth:: validat e\_current\_spfs

ExternalAuthenticat ion

ExternalAuthenticat ion:: add\_auth\_li nk  
ExternalAuthenticat ion:: configured\_ modules  
ExternalAuthenticat ion:: get\_authn\_lin ks  
ExternalAuthenticat ion:: has\_external\_ auth\_modules\_co nfigured  
ExternalAuthenticat ion:: remove\_auth n\_link

Features

Features:: has\_fea ture  
Features:: list\_feat ures

Fileman

Fileman:: autocom pletedir  
Fileman:: empty\_tr ash  
Fileman:: get\_file\_ content  
Fileman:: get\_file\_i nformation  
Fileman:: list\_files  
Fileman:: save\_file\_ content  
Fileman:: transcod e  
Fileman:: upload\_fi les

Ftp

Ftp:: add\_ftp

• You must increment the attached estimate for example, pass the first test and then these conditions

- Ftp:: allows\_anonymous\_ftp
- Ftp:: allows\_anonymous\_ftp\_incoming
- Ftp:: delete\_ftp
- Ftp:: ftp\_exists
- Ftp:: get\_ftp\_daemon\_info
- Ftp:: get\_port
- Ftp:: get\_quota
- Ftp:: get\_welcome\_message
- Ftp:: kill\_session
- Ftp:: list\_ftp
- Ftp:: list\_ftp\_with\_disk
- Ftp:: list\_sessions
- Ftp:: passwd
- Ftp:: server\_name
- Ftp:: set\_anonymous\_ftp
- Ftp:: set\_anonymous\_ftp\_incoming
- Ftp:: set\_homedir
- Ftp:: set\_quota
- Ftp:: set\_welcome\_message
- ▼ Integration
  - Integration:: fetch\_url
- ▼ KnownHosts
  - KnownHosts:: create
  - KnownHosts:: delete
  - KnownHosts:: update
  - KnownHosts:: verify
- ▼ LangPHP
  - LangPHP:: php\_get\_domain\_handler
  - LangPHP:: php\_get\_impacted\_domains
  - LangPHP:: php\_get\_installed\_versions
  - LangPHP:: php\_get



t\_system\_default\_version

LangPHP:: php\_get\_vhost\_versions

LangPHP:: php\_ini\_get\_user\_basic\_directives

LangPHP:: php\_ini\_get\_user\_content

LangPHP:: php\_ini\_get\_user\_paths

LangPHP:: php\_ini\_set\_user\_basic\_directives

LangPHP:: php\_ini\_set\_user\_content

LangPHP:: php\_set\_vhost\_versions

▼ LastLogin

LastLogin:: get\_last\_or\_current\_logged\_in\_ip

▼ Locale

Locale:: get\_attributes

▼ Mailboxes

Mailboxes:: expunge\_mailbox\_messages

Mailboxes:: expunge\_messages\_for\_mailbox\_guid

Mailboxes:: get\_mailbox\_status

Mailboxes:: has\_utf8\_mailbox\_names

Mailboxes:: set\_utf8\_mailbox\_names

▼ Market

Market:: cancel\_pending\_ssl\_certificate

Market:: create\_shopping\_cart

Market:: get\_all\_products

Market:: get\_certificate\_status\_details

Market:: get\_login\_url

Market:: get\_pending\_ssl\_certificates

Market:: get\_provi

2  
.  
• This parameter is required if the action is deleted, save, or pipe.

der\_specific\_dcv\_constraints

Market:: get\_providers\_list

Market:: get\_ssl\_certificate\_if\_available

Market:: process\_ssl\_pending\_queue

Market:: request\_ssl\_certificates

Market:: set\_status\_of\_pending\_queue\_items

Market:: set\_url\_after\_checkout

Market:: validate\_login\_token

▼ Mime

Mime:: add\_handler

Mime:: add\_hotlink

Mime:: add\_mime

Mime:: add\_redirect

Mime:: delete\_handler

Mime:: delete\_hotlink

Mime:: delete\_mime

Mime:: delete\_redirect

Mime:: list\_handlers

Mime:: list\_hotlinks

Mime:: list\_mime

Mime:: list\_redirects

Mime:: redirect\_info

▼ ModSecurity

ModSecurity:: disable\_all\_domains

ModSecurity:: disable\_domains

ModSecurity:: enable\_all\_domains

ModSecurity:: enable\_domains

ModSecurity:: has\_modsecurity\_inst

<p>match*</p>	<p>string</p> <p>or</p> <p>integer</p>	<p><b>Required</b></p> <p>The filter's match type.</p> <ul style="list-style-type: none"> <li>If the val* parameter is a string, use a string operator.</li> <li>If the val* parameter is an integer, use a numeric operator.</li> </ul> <div data-bbox="732 478 873 1079" style="border: 1px solid red; padding: 5px;"> <p><b>Important:</b> You must increment each match type. For example, pass the first match type as match1 and the second match type as match2.</p> </div>	<p>String operators:</p> <ul style="list-style-type: none"> <li>is</li> <li>matches</li> <li>contains</li> <li>does not contain</li> <li>begins</li> <li>does not begin</li> <li>ends</li> <li>does not end</li> <li>does not match</li> </ul> <p>Numeric operators:</p> <ul style="list-style-type: none"> <li>is above</li> <li>is not above</li> <li>is below</li> <li>is not below</li> </ul>	<p>contains</p>
<p>opt*</p>	<p>string</p>	<p>The connection between multiple conditions.</p> <p>This parameter defaults to and.</p> <div data-bbox="732 1251 873 1831" style="border: 1px solid red; padding: 5px;"> <p><b>Important:</b> You must increment each connection. For example, pass the first connection as opt1 and the second connection as opt2.</p> </div>	<ul style="list-style-type: none"> <li>and</li> <li>or</li> </ul>	<p>and</p>
<p>part*</p>	<p>string</p>			<p>\$message_body</p>

alled

ModSecurity:: list\_domains

MySQL

MySQL:: add\_host

MySQL:: add\_host\_note

MySQL:: check\_database

MySQL:: create\_database

MySQL:: create\_user

MySQL:: delete\_database

MySQL:: delete\_host

MySQL:: delete\_user

MySQL:: get\_host\_notes

MySQL:: get\_privileges\_on\_database

MySQL:: get\_restrictions

MySQL:: get\_server\_information

MySQL:: locate\_server

MySQL:: rename\_database

MySQL:: rename\_user

MySQL:: repair\_database

MySQL:: revoke\_access\_to\_database

MySQL:: set\_password

MySQL:: set\_privileges\_on\_database

Notifications

Notifications:: get\_notifications\_count

NVData

NVData:: get

NVData:: set

Parser

Parser:: firstfile\_relative\_uri

PassengerApps

Required

The email section to query.

**Important:** You must increment each section. For example, pass the first section as part1 and the second section as part2.

- \$h\_x-Spam-Bar — Match against the message's spam score value, measured in plus (+) characters.
- \$h\_x-Spam-Score — Match against the message's spam score value.
- \$h\_X-Spam-Status — Match against whether the system detected the message as spam.
- \$h\_List-ID — Match against the message's List-ID header value.
- \$header\_from: — Match against the From: section.
- \$header\_subject: — Match against the Subject: section.
- \$header\_to: — Match against the To: section.
- \$reply\_address: — Match against the Reply To: section.
- \$message\_body — Match against the message's body.
- \$message\_headers — Match against the message's headers.
- foranyaddress \$h\_to: , \$h\_cc: — Match against all message recipients.

**Note:** Generate all

- PassengerApps:: disable\_application
- PassengerApps:: edit\_application
- PassengerApps:: enable\_application
- PassengerApps:: list\_applications
- PassengerApps:: register\_application
- PassengerApps:: unregister\_application
- PasswdStrength
    - PasswdStrength:: get\_required\_strength
  - Personalization
    - Personalization::set
    - Personalization::get
- Postgresql
    - Postgresql:: create\_database
    - Postgresql:: create\_user
    - Postgresql:: delete\_database
    - Postgresql:: get\_restrictions
    - Postgresql:: grant\_all\_privileges
    - Postgresql:: rename\_database
    - Postgresql:: rename\_user
    - Postgresql:: rename\_user\_no\_password
    - Postgresql:: revoke\_all\_privileges
    - Postgresql:: set\_password
  - Pushbullet
    - Pushbullet:: send\_test\_message
  - Quota
    - Quota:: get\_quota\_info
  - Resellers
    - Resellers:: list\_accounts

y  
,  
t  
h  
e  
r  
e  
c  
i  
p  
i  
e  
n  
t  
d  
o  
e  
s  
n  
o  
t  
r  
e  
c  
e  
i  
v  
e  
t  
h  
e  
B  
C  
C  
f  
i  
e  
l  
d  
i  
n  
a  
n  
e  
m  
a  
i  
l  
,  
s  
h  
e  
a  
d  
e  
r  
.  
F  
o  
r  
t  
h  
i  
s  
r  
e  
a  
s  
o  
n  
,  
y  
o  
u  
c  
a  
n  
n  
o  
t  
u  
s  
e  
t  
h  
e  
B  
C  
C  
f

- ▼ ResourceUsage
  - ResourceUsage:: get\_usages
- ▼ Restore
  - Restore:: directory\_listing
  - Restore:: get\_users
  - Restore:: query\_file\_info
  - Restore:: restore\_file
- ▼ Session
  - Session:: create\_temp\_user
- ▼ SiteTemplates
  - SiteTemplates:: list\_site\_templates
  - SiteTemplates:: list\_user\_settings
  - SiteTemplates:: publish
- ▼ SpamAssassin
  - SpamAssassin :: clear\_spam\_box
  - SpamAssassin:: get\_symbolic\_test\_names
  - SpamAssassin:: get\_user\_preferences
  - SpamAssassin:: update\_user\_preference
- ▼ SSH
  - SSH:: get\_port
- ▼ SSL
  - SSL:: add\_autossl\_excluded\_domains
  - SSL:: check\_shared\_cert
  - SSL:: delete\_cert
  - SSL:: delete\_csr
  - SSL:: delete\_key
  - SSL:: delete\_ssl
  - SSL :: disable\_mail\_sni
  - SSL:: enable\_mail\_sni
  - SSL:: fetch\_best\_for\_domain

i  
e  
l  
d  
i  
n  
a  
f  
i  
l  
t  
e

SSL:: fetch\_cert\_info

SSL:: fetch\_certificates\_for\_fqdns

SSL:: fetch\_key\_and\_bundle\_for\_certificate

SSL:: find\_certificates\_for\_key

SSL:: find\_csrs\_for\_key

SSL:: generate\_certificate

SSL:: generate\_csr

SSL:: generate\_key

SSL:: get\_autossl\_excluded\_domains

SSL:: get\_autossl\_pending\_queue

SSL:: get\_autossl\_problems

SSL:: get\_bundle

SSL:: get\_cn\_name

SSL:: install\_ssl

SSL:: installed\_hosts

SSL:: installed\_hosts

SSL:: is\_autossl\_check\_in\_progress

SSL:: is\_mail\_sni\_supported

SSL:: is\_sni\_supported

SSL:: list\_certs

SSL:: list\_csrs

SSL:: list\_keys


SSL:: list\_ssl\_items

SSL:: mail\_sni\_status

SSL:: rebuild\_mail\_sni\_config

SSL:: rebuildssldb

SSL:: remove\_autossl\_excluded\_domains

			 <ul style="list-style-type: none"> <li>not delivered — Match if the message is not queued for delivery.</li> <li>error_message — Match if the incoming message bounced.</li> </ul>	
val*	<i>string</i> <b>or</b> <i>integer</i>	<b>Required</b> The value to match.	<ul style="list-style-type: none"> <li>Any string value.</li> <li>A positive integer.</li> </ul>	coconut
		<div style="border: 1px solid red; padding: 5px;"> <p><b>Important:</b> You must increment each value. For example, pass the first value as <code>val1</code> and the second value as <code>val2</code>.</p> </div>		

## Create multiple rules

You may create up to 4,096 separate sets of conditions in one filter. To do this, append numbers to the parameter names.

To create a filter with two sets of actions and conditions, use the following parameters:

- Assign the information for the first filter rule to the `action1`, `dest1`, `match1`, `opt1`, `part1`, and `val1` parameters.
- Assign the information for the second filter rule to the `action2`, `dest2`, `match2`, `opt2`, `part2`, and `val2` parameters.

To create a filter that uses one set of actions but two sets of conditions, use the following parameters:

- Assign the actions to the `action1` and `dest1` parameters.
- Assign the first set of conditions to the `match1`, `opt1`, `part1`, and `val1` parameters.
- Assign the second set of conditions to the `match2`, `opt2`, `part2`, and `val2` parameters.

## Returns

Return	Type	Description	Possible values	Example
--------	------	-------------	-----------------	---------

SSL:: set\_autossl\_excluded\_domains

SSL:: set\_cert\_friendly\_name

SSL:: set\_csr\_friendly\_name

SSL:: set\_key\_friendly\_name

SSL:: set\_primary\_ssl

SSL:: set\_ssl\_share

SSL:: show\_cert

SSL:: show\_csr

SSL:: show\_key

SSL:: start\_autossl\_check

SSL:: upload\_cert

SSL:: upload\_key

▼ StatsBar

StatsBar:: get\_stats

▼ Styles

Styles:: current

Styles:: list

Styles:: set\_default

Styles:: update

▼ SubDomain

SubDomain:: addsubdomain

▼ Themes

Themes:: get\_theme\_base

Themes:: list

Themes:: update

▼ TwoFactorAuth

TwoFactorAuth:: generate\_user\_configuration

TwoFactorAuth:: get\_user\_configuration

TwoFactorAuth:: remove\_user\_configuration

TwoFactorAuth:: set\_user\_configuration

▼ UserManager

UserManager:: check\_account\_conflict

account	string	The filter's email address.  The function only returns this value if it created a user-level filter.	The account input return's value.	user@example.com
---------	--------	--	-----------------------------------	------------------

ts

UserManager:: create\_user

UserManager:: delete\_user

UserManager:: dismiss\_user

UserManager:: edit\_user

UserManager:: list\_users

UserManager:: lookup\_service\_account

UserManager:: lookup\_user

UserManager:: merge\_service\_account

UserManager:: unlink\_service\_account

▼ UserTasks

UserTasks:: delete

UserTasks:: retrieve

▼ VersionControl

VersionControl:: create

VersionControl:: delete

VersionControl:: retrieve

VersionControl:: update

▼ VersionControlDeployment

VersionControlDeployment:: create

VersionControlDeployment:: delete

VersionControlDeployment:: retrieve

▼ WebDisk

WebDisk:: delete\_user

WebDisk:: set\_home\_dir

WebDisk:: set\_password

WebDisk:: set\_permissions

▼ WebmailApps



WebmailApps:: list  
webmailapps

▼ WebVhosts

WebVhost:: list\_do  
mains

WebVhost:: list\_ssl  
\_capable\_domains

▼ WordPressBackup

WordPressBackup  
:: any\_running

WordPressBackup  
:: cancel

WordPressBackup  
:: cleanup

WordPressBackup  
:: get\_available\_ba  
ckups

WordPressBackup  
:: is\_running

WordPressBackup  
:: start

▼ WordPressInstance

Manager

WordPressInstanc  
eManager:: cancel  
\_scan

WordPressInstanc  
eManager:: cleanu  
p\_scan

WordPressInstanc  
eManager:: chang  
e\_admin\_passwor  
d

WordPressInstanc  
eManager:: config  
ure\_autoupdate

WordPressInstanc  
eManager:: get\_ap  
i\_version

WordPressInstanc  
eManager:: get\_in  
stance\_by\_id

WordPressInstanc  
eManager:: get\_in  
stances

WordPressInstanc  
eManager:: get\_lat  
est\_wordpress\_ver  
sion\_from\_wordpr  
ess\_org

WordPressInstanc  
eManager:: get\_sc  
an\_results

WordPressInstanc  
eManager:: is\_inst  
allable\_addon\_ava  
ilable

WordPressInstanc  
eManager:: **start\_s  
can**

▼ **WordPressRestore**

WordPressRestore  
:: **any\_running**

WordPressRestore  
:: **cleanup**

WordPressRestore  
:: **start**