

# cPanel API 1 Functions - FrontPage::addfp

## Guide to cPanel API 1

Return Data

cPanel Tags  
(deprecated)

Bandwidth:  
displayheader

er

Bandwidth::displaybw

Bandwidth::displayday

Bandwidth::displaymainbwheder

### BoxTrapper

BoxTrapper::change\_status

BoxTrapper::clean\_cfgfilelist

BoxTrapper::edit\_msg

BoxTrapper::fetch\_cfgfile

BoxTrapper::getboxconfdir

BoxTrapper::listmsgsgs

BoxTrapper::logcontrols

BoxTrapper::messageaction

BoxTrapper::multimessageaction

BoxTrapper::resetmsg

BoxTrapper::save\_cfgfile

BoxTrapper::saveconf

BoxTrapper::showautowhitelist

BoxTrapper::showemails

BoxTrapper::showfromname

BoxTrapper::showlog

## Description

This function adds Microsoft® FrontPage® Extensions to the domain.

### Notes:

- In cPanel & WHM version 11.44, if you uninstalled FrontPage extensions, or if FrontPage was never installed on the server, the server will ignore all FrontPage settings.
- In cPanel & WHM version 11.46 and later, FrontPage extensions are no longer supported. These functions will **only** return 'not installed' or an error message.

### Warning:

cPanel API 1 is **deprecated**. We **strongly** recommend that you **do not use** cPanel API 1. However, no equivalent function exists in our newer APIs.

## Examples

### LiveAPI PHP Class

```
$cpanel = new  
CPANEL(); // Connect  
to cPanel - only do  
this once.  
$add_frontpage =  
$cpanel->apil('FrontP  
age', 'addfp',  
array('example.com', '  
example.com')) //  
Call the function.
```

### Note:

For more information, read our [Guide to the LiveAPI System](#).

## Function information

## About this module

The FrontPage module manages Microsoft® FrontPage®.

## About cPanel API 1

cPanel API 1 accesses information about cPanel accounts.

BoxTrapper:: show message  
BoxTrapper:: show queue  
BoxTrapper:: show queuesearch  
BoxTrapper:: show queuetime  
BoxTrapper:: status  
BoxTrapper:: statusbutton

#### Branding

Branding:: file  
Branding:: image  
Branding:: killing  
Branding:: setbrandingpkg  
Branding:: setmyacctspkg  
Branding:: setupdirs  
Branding:: tempsetbrandingpkg

#### Cgi

Cgi:: backuplink  
Cgi:: displayurchin  
Cgi:: phpmyadminlink

#### Chkserverd

Chkserverd:: getximport  
Chkserverd:: getximport\_ssl

#### ClamScanner

ClamScanner:: bars

#### cPAddons

cPAddons:: mainpg

#### Cron

Cron:: crontab\_perms

#### CustInfo

CustInfo:: getemail

#### Denylp

Denylp:: adddenyip  
Denylp:: deldenyip  
Denylp:: listdenyips

#### LiveAPI Perl Module

```
my $cpliveapi =  
Cpanel::LiveAPI->new(  
); # Connect to  
cPanel - only do this  
once.  
my $add_frontpage =  
$cpliveapi->apil('FrontPage', 'addfp',  
['example.com', 'example.com'] ); # Call  
the function.
```

**Note:**  
For more information, read our [Guide to the LiveAPI System](#).

#### cPanel Tag System (deprecated)

**Warning:**  
In cPanel & WHM version 11.30 and later, cPanel tags are **deprecated**. We provide this example to help developers move from the old cPanel tag system to our [LiveAPI](#) system. We **strongly** recommend that you **only** use the [LiveAPI](#) system to call the cPanel APIs.

```
<cpanel  
Module="FrontPage::addfp(  
$FORM('ftpdomain', 'psuedodomain') )">
```

**Warning:**  
cPanel API deprecated. We **strongly** recommend cPanel API or UAPI instead.

**Notes:**

- The
- Ur

Find a function

int  
us  
20  
or  
20  
)'.  
20  
or  
20  
)

•

## ▼ DiskUsage

DiskUsage:: show manager

## ▼ Email

Email:: addautoresponder

Email:: addforward

Email:: addfilter

Email:: addlist

Email:: addmx

Email:: addpop

Email:: addspam

Email:: addspambox

Email:: addspamfilter

Email:: changemx

Email:: checkfastmail

Email:: checkpipewd

Email:: clearspambox

Email:: delautoresponder

Email:: delforward

Email:: delfilter

Email:: dellist

Email:: delmx

Email:: delpop

Email:: delspam

Email:: delspambox

Email:: disable\_spam\_autodelete

Email:: editquota

Email:: enable\_spam\_autodelete

Email:: getaging

Email:: getarsbody

Email:: getarscharset

Email:: getarsfrom

Email:: getarshtml

Email:: getarsinterval

## ▼ Command Line

```
cpapil
--user=username
FrontPage addfp
ftpdomain=example.com
pseudodomain=example.com
```

### Notes:

- You **must** URI-encode these values.
- username represents your account-level username.
- For more information and additional output options, read our [Guide to cPanel API 1 documentation](#) or run the `cpapil --help` command.
- If you run CloudLinux™, you **must** use the full path of the `cpapil` command:

```
/usr/local
/cpanel/bin/cpapil
```

## ▼ Output (plaintext)

```
Saving .htaccess
file:
/home/example/public_html/.htaccess
Using Upgrade Mode
Saving .htaccess
file:
/home/example/public_html/_private/.htaccess
Saving .htaccess
file:
/home/example/public_html/secondary.com/.htaccess
Saving .htaccess
file:
/home/example/public_html/secondary.com/_private/.htaccess
Saving .htaccess
file:
```

• cPanel API 1 Functions - Front Page::delfp — This function removes Microsoft® Front Page® Extensions from the domain.

• cPanel API 1 Functions - Front Page::fpstatus — This function checks the domain's Microsoft® Front Page® Extensions status.

Email: getarsstart  
Email: getarsstop  
Email: getarssubject  
Email: getmailserver  
Email: getmailserveruser  
Email: getpopquota  
Email: has\_spam\_as\_acl  
Email: has\_spam\_autodelete  
Email: listmaildomains  
Email: listmaildomainsopt  
Email: listmaildomainsoptndef  
Email: mainacctdiskused  
Email: passwdlist  
Email: passwdpop  
Email: setmxaccept  
Email: spamboxstatus  
Email: spamstatus  
Email: tracefilter


▼ Fileman

Fileman: changeperm  
Fileman: delfile  
Fileman: dofileop  
Fileman: emptytrash  
Fileman: extractfile  
Fileman: fileimg  
Fileman: fmmkdir  
Fileman: fmmkfile  
Fileman: fmpushfile  
Fileman: fmrename  
Fileman: fmsavefile  
Fileman: fmsaveht

```
/home/example/public_html/tertiary.com/.htaccess
Starting install, port: 80.
Created: 01 Feb 2014 02:43:18 -0000
Version: 5.0.2.4803
Server extensions already installed on port 80.
Reverting to upgrade.
Starting upgrade, port: 80.
Created: 01 Feb 2014 02:43:18 -0000
Version: 5.0.2.4803
Port 80: Upgrade completed.
Upgraded Version: 5.0.2.4803.
Merging .htaccess file:
/home/example/public_html/.htaccess
Merging .htaccess file:
/home/example/public_html/_private/.htaccess
Merging .htaccess file:
/home/example/public_html/secondary.com/.htaccess
Merging .htaccess file:
/home/example/public_html/secondary.com/_private/.htaccess
Merging .htaccess file:
/home/example/public_html/tertiary.com/.htaccess
Setting Password Frontpage passthrough auth enabled in /home/example/public_html!
Frontpage was
```

- cPanel API 1 Modules - Front Page - The Front Page module manages Microsoft® Front Page®.

mfile  
 Fileman:: fullbacku  
 p  
 Fileman:: getfile  
 Fileman:: htmleديو  
 r  
 Fileman:: killdir  
 Fileman:: listfiles  
 Fileman:: listfullba  
 ckups  
 Fileman:: listtempl  
 ates  
 Fileman:: restoreaf  
 Fileman:: restored  
 b  
 Fileman:: restorefil  
 e  
 Fileman:: restorefil  
 es  
 Fileman:: savehtml  
 file  
 Fileman:: showper  
 m  
 Fileman:: uploadfil  
 es  
 Fileman:: viewfile



## Parameters

Parameter	Type	Description	Possible values	Example
ftpdomain	string	<b>Required</b> The domain name.	A valid domain name.	example.com
psuedodomain	string	<b>Required</b> The domain name.	A valid domain name.	example.com

## Returns

This function returns a set of FrontPage status information.

In cPanel & WHM version 11.46 and later, this function returns 'not installed' or an error message.

### Frontpage

FrontPage:: addfp  
 FrontPage:: delfp  
 FrontPage:: fpstat  
 us

### Ftp

Ftp:: addftp  
 Ftp:: delftp  
 Ftp:: ftpquota  
 Ftp:: ftpservernam  
 e  
 Ftp:: ftpstatslogin  
 Ftp:: get\_anonftp  
 Ftp:: get\_anonftp  
 pin  
 Ftp:: get\_welcome  
 msg  
 Ftp:: getftpquota  
 Ftp:: kill\_ftp\_sessi  
 on  
 Ftp:: listftpstatsurl  
 Ftp:: passwdfp

Ftp:: set\_anonftp

Ftp:: set\_anonftpin

Ftp:: set\_welcome  
msg

▼ Gpg

Gpg:: deletekey

Gpg:: exportkey

Gpg:: exportsecret  
key

Gpg:: genkey

Gpg:: importkeys

▼ Htaccess

Htaccess:: checkpr  
otected

Htaccess:: del\_use  
r

Htaccess:: getinde  
x

Htaccess:: htdirls

Htaccess:: number  
\_of\_users

Htaccess:: phpsele  
ctable

Htaccess:: resnam  
e

Htaccess:: set\_pas  
s

Htaccess:: set\_pro  
tect

Htaccess:: setinde  
x

Htaccess:: setphpr  
eference

Htaccess:: showus  
ers

▼ ImageManager

ImageManager:: c  
onvert

ImageManager:: di  
mensions

ImageManager:: h  
dimension

ImageManager:: s  
cale

ImageManager:: th  
umbnail

ImageManager:: w  
dimension

▼ LastLogin

LastLogin:: lastlogi  
n

▼ LeechProtect

LeechProtect:: disable

LeechProtect:: enable

LeechProtect:: setup

LeechProtect:: showpasswdfile

LeechProtect:: status

▼ LogManager

LogManager:: listdownloads

LogManager:: save settings

LogManager:: show settings

▼ MagicRevision

MagicRevision:: uri

▼ Mime

Mime:: add\_handler

Mime:: add\_hotlink

Mime:: add\_mime

Mime:: add\_redirect

Mime:: del\_handler

Mime:: del\_hotlink

Mime:: del\_mime

Mime:: del\_redirect

Mime:: linkallownull

Mime:: linkenable

Mime:: linkexts

Mime:: linkrurl

Mime:: linkurls

▼ Mysql

Mysql:: adddb

Mysql:: addhost

Mysql:: adduser

Mysql:: adduserdb

Mysql:: checkdb

Mysql:: deldb

Mysql:: delhost

Mysql:: deluser

Mysql:: deluserdb

Mysql:: gethost  
Mysql:: initcache  
Mysql:: listdbs  
Mysql:: listdbsopt  
Mysql:: listusers  
Mysql:: listusersopt  
Mysql:: number\_of  
\_dbs  
Mysql:: number\_of  
\_users  
Mysql:: repairdb  
Mysql:: routines  
Mysql:: updatepriv  
s

▼ Net

Net:: dnslookup  
Net:: dnszone  
Net:: sethastracero  
ute

▼ News

News:: displaynew  
s

▼ NVData

NVData:: set

▼ OptimizeWS

OptimizeWS:: load  
optimizesettings  
OptimizeWS:: load  
optimizesettings (b  
ytes)  
OptimizeWS:: opti  
mizews

▼ Park

Park:: disabledir  
ect  
Park:: getredirectu  
rl  
Park:: park  
Park:: setredirectur  
l  
Park:: unpark

▼ Postgres

Postgres:: adddb  
Postgres:: adduser  
Postgres:: adduser  
db  
Postgres:: deldb  
Postgres:: deluser



Postgres:: deluser  
db

Postgres:: initcach  
e

Postgres:: listdbso  
pt

Postgres:: listusers  
opt

Postgres:: number  
\_of\_dbs

Postgres:: number  
\_of\_users

#### ▼ ProxyUtils

ProxyUtils:: proxya  
ddress

#### ▼ Resellers

Resellers:: accoun  
tlistopt

Resellers:: themeli  
stopt

#### ▼ Serverinfo

Serverinfo:: servic  
estatus

#### ▼ SetLang

SetLang:: listlangs  
opt

SetLang:: setlang

#### ▼ SpamAssassin

SpamAssassin:: co  
nfig

SpamAssassin:: sa  
veconfig

#### ▼ SSH

SSH:: getport

#### ▼ SSL

SSL:: delete

SSL:: deletectr

SSL:: deletecsr

SSL:: deletekey

SSL:: genctr

SSL:: gencsr

SSL:: genkey

SSL:: getcabundle

SSL:: getcname

SSL:: install

SSL:: installedhost

SSL:: listkeysopt

SSL:: showcrt

SSL:: showcsr

SSL:: showkey

SSL:: sslsharedsta  
tus

SSL:: uploadcrt

SSL:: uploadkey

▼ StatManager

StatManager:: doF  
orm

StatManager:: upd  
ateUserConfig

▼ Stats

Stats:: analoglist

Stats:: awstats

Stats:: bwbar

Stats:: errlog

Stats:: lastvisitors

Stats:: showbandw  
idth

Stats:: webalizer

Stats:: webalizerftp

▼ SubDomain

SubDomain:: adds  
ubdomain

SubDomain:: cplist  
subdomains

SubDomain:: disab  
lesubrd

SubDomain:: listsu  
bdomainsop

SubDomain:: setsu  
burl

▼ UI

UI:: confirm

UI:: redirect

UI:: showresult