

WHM API 1 Functions - getzonerecord

Guide to WHM API 1

- Return Data
- Filter Output
- Sort Output
- Paginate Output
- Output Columns
- Call cPanel API 2 and UAPI

- Account Restoration
- restore_modules_summary
- restore_queue_activate
- restore_queue_add_task
- restore_queue_clear_all_completed_tasks
- restore_queue_clear_all_failed_tasks
- restore_queue_clear_all_pending_tasks
- restore_queue_clear_all_tasks
- restore_queue_clear_completed_tasks
- restore_queue_clear_pending_tasks
- restore_queue_is_active
- restore_queue_list_active
- restore_queue_list_completed
- restore_queue

Description

This function returns a line from a domain's DNS zone configuration.

Note:

On servers that run CentOS 7, you may see a named warning about the absence of SPF resource records on DNS.

- This warning is **not** relevant on CentOS 7 servers, because [RFC 7208 deprecated SPF records](#). CentOS 7 servers use TXT records instead of SPF records.
- Red Hat 7.1 and CentOS 7.1 both contain bind-9.9.4-23.el7, which is an updated version of BIND that complies with RFC 7208. To resolve this issue, update your operating system to a version that contains the updated version of BIND. For more information, read the [Red Hat Bugzilla case about SPF record errors](#).

Important:

In cPanel & WHM version 76 and later, when you disable the DNS role, the system **disables** this function. For more information, read our [How to Use Server Profiles](#) documentation.

Examples

JSON API

```
https://hostname.example.com:2087/cpsess#####/json-api/getzonerecord?api.version=1&domain=example.com&line=2
```

XML API

```
https://hostname.example.com:2087/cpsess#####/xml-api/getzonerecord?api.version=1&domain=example.com&line=2
```

Function information

About WHM API 1

WHM API 1 performs functions and accesses data in WHM.

Notes:

- Sc
- ro
- us
- Yc
- mi
- us
- 20
- or
- 20
-)tc

ue_list_pending
restore_queue_state
restoreaccount
verify_new_username_for_restore

Accounts

accountsummary
applist
createacct
domainuserdata
editquota
forcepasswordchange
get_domain_info
getdomainowner
has_digest_auth
has_my.cnf_for_cpuser
limitbw
list_users
listaccts
listlockedaccounts
listsuspended
modifyacct
myprivs
passwd
removeacct
set_digest_auth
showbw
suspendacct
unsuspendacct
untrack_acct_id
verify_new_username

Addon Domains

Command Line

```
whmapil getzonerecord  
domain=example.com  
line=2
```

Notes:

- You **must** URI-encode values.
- For more information and additional output options, read our [Guide to WHM API 1](#) documentation or run the `whmapil --help` command.
- If you run CloudLinux™, you **must** use the full path of the `whmapil` command:

```
/usr/local  
/cpanel/bin/whmapil
```

Find a function

- WHM API 1 Functions - setresolvers — This function configures the server's resolver nameservers.
- WHM API 1 Functions - resolvehostname — This function resolves a domain's IP address.

convert_add
on_fetch_co
nversion_de
tails

convert_add
on_fetch_do
main_details

convert_add
on_get_con
version_stat
us

convert_add
on_initiate_c
onversion

convert_add
on_list_add
on_domains

convert_add
on_list_conv
ersions

Authentication

api_token_c
reate

api_token_li
st

api_token_r
evoke

api_token_u
pdate

disable_aut
hentication_
provider

disable_fail
ing_authenti
cation_provi
ders

enable_auth
entication_p
rovider

get_availabl
e_authentic
ation_provid
ers

get_login_ur
l

get_provider
_client_confi
gurations

get_provider
_configurati
on_fields

get_provider
_display_co
nfigurations

get_users_a
uthn_linked
_accounts

Output (JSON)

```
{
  "data": {
    "record": [
      {
        "ttl":
"14400",
        "Line": 27,
        "name":
"webdisk.test.example
.com.",
        "address":
"192.168.0.20",
        "class":
"IN",
        "type": "A"
      }
    ]
  },
  "metadata": {
    "version": 1,
    "reason": "Record
obtained.",
    "result": 1,
    "command":
"getzonerecord"
  }
}
```

- WHM API 1 Functions - lookups — This function retrieves a nameserver's IPv4 and IPv6 addresses.
- WHM API 1 Sections - DNS — DNS functions allow you to manage your server's DNS zones and records.

link_user_authn_provider
 thn_provider
 set_provider_client_configurations
 set_provider_display_configurations
 twofactorauth_disable_policy
 twofactorauth_enable_policy
 twofactorauth_generate_tfa_config
 twofactorauth_get_issuer
 twofactorauth_get_user_configs
 twofactorauth_policy_status
 twofactorauth_remove_user_config
 twofactorauth_set_issuer
 twofactorauth_set_tfa_config
 unlink_user_authn_provider
 validate_login_token

▼ Output (XML)

```
<result>
  <data>
    <record>

    <ttd>14400</ttd>

    <Line>27</Line>

    <name>webdisk.test.example.com.</name>

    <address>192.168.0.20</address>

    <class>IN</class>

    <type>A</type>
  </record>
</data>
<metadata>

<version>1</version>

<reason>Record obtained.</reason>

<result>1</result>

<command>getzonerecord</command>
</metadata>
</result>
```

Note:
 Use WHM's *API Shell* interface (*WHM >> Home >> Development >> API Shell*) to directly test WHM API calls.

▼ Backups

backup_config_get
 backup_config_set
 backup_data_list
 backup_destination_add
 backup_destination_delete
 backup_destination_get
 backup_destination_list

Parameters

| Parameter | Type | Description | Possible values | Example |
|-----------|--------|--|------------------------------------|-------------|
| domain | string | Required The zone record's domain. | A valid domain name on the server. | example.com |

backup_destination_set

backup_destination_validate

backup_get_transport_status

backup_list_transported

backup_set_list

backup_skip_users_all

backup_skip_users_all_status

backup_user_list

convert_and_migrate_from_legacy_config

get_users_with_backup_metadata

list_cparchive_files

start_background_package

toggle_user_backup_status

▼ cPHulk

cphulk_status

create_cphulk_record

delete_cphulk_record

disable_cphulk

enable_cphulk

flush_cphulk_login_history

flush_cphulk_login_history_for_ips

get_countries_with_known_ip_ranges

| | | | | |
|------|---------|---|--|---|
| line | integer | Required The zone record's line number. | A positive integer that represents a line in the zone record file. | 2 |
|------|---------|---|--|---|

Returns

| Return | Type | Description | Possible values | Example |
|--------|-----------------|--|---|----------------------|
| record | array of hashes | An array of hashes of zone record data. | This array of hashes includes the name, Line, class, ttl, and type returns, with additional returns that the DNS zone's type determines. | |
| name | string | The record's name. The function returns this value in the record array. | A valid domain name or hostname. | hostname.example.com |
| Line | integer | The zone record's line number. The function returns this value in the record array. | A positive integer. | 1 |
| class | string | The record's class. The function returns this value in the record array. | <ul style="list-style-type: none"> IN Very rarely, another valid DNS record class. | IN |
| ttl | integer | The record's Time To Live (TTL). The function returns this value in the record array. | A positive integer that represents the TTL, in seconds. | 86400 |
| type | string | The DNS record type. The function returns this value in the record array. | <ul style="list-style-type: none"> A — A records store IPv4 addresses. Use them to map a hostname to an IPv4 address. A6 — A6 records store IPv6 addresses. AAAA — AAAA records store IPv6 addresses. AFSDB — AFSDB records store the location of an AFS cell's database servers. | A |

get_cphulk_brutes

get_cphulk_excessive_brutes

get_cphulk_failed_logins

get_cphulk_user_brutes

load_cphulk_config

read_cphulk_records

save_cphulk_config

set_cphulk_config_key

▼ Databases

background_mysql_upgrade_status

current_mysql_version

installable_mysql_versions

latest_available_mysql_version

list_database_users

list_databases

list_mysql_databases_and_users

remote_mysql_create_profile

remote_mysql_create_profile_via_ssh

remote_mysql_delete_profile

remote_mysql_initiate_profile_activation

remote_mysql_monitor_profile_activation

remote_mysql_read_profile

- CAA — CAA records control of which certificate authorities can issue SSL certificates for a domain.

Note: We added this DNS Record type previously in Pannel & WHM versions 6.6.

- CNAME — CNAME records create an alias to another hostname.
- DNAME — DNAME records create an alias for a hostname and its subnames.
- DS — DS records specify a record's delegation signer.
- HINFO — HINFO records specify a host's CPU and OS types.

ile

remote_mysql_read_profiles

remote_mysql_update_profile

remote_mysql_validate_profile

rename_mysql_database

rename_mysql_user

rename_postgresql_database

rename_postgresql_user

set_local_mysql_root_password

set_mysql_password

set_postgresql_password

start_background_mysql_upgrade

▼ DNS

addns

addzonerecord

addzonerecord (Reverse DNS)

dumpzone

editzonerecord

get_nameserver_config

getzonerecord

has_local_authority

killdns

listmxs

listzones

lookupnsip

lookupnsips

- LOC — LOC records store a hostname's geographical location.
- MX — MX records point a domain name to its MTAs.
- NS — NS records store a domain's authoritative nameservers.
- PTR — PTR records point to a CNAME.
- RP — RP records store a domain's Responsible Person's information.
- SOA — SOA records designate the beginning of a zone of authority.
- SRV — SRV records store the service location records for newer protocols (for example, Autodiscover).

removezone
record

resetzone

resolvedom
ainname

savemxs

setresolvers

update_nam
eservers_co
nfig

▼ EasyApache

ea4_get_cur
rently_install
ed_packages

ea4_get_ea
_pkgs_state

ea4_list_pro
files

ea4_migrati
on

ea4_pre_mi
grate_check

ea4_recom
mendations

ea4_save_p
rofile

ea4_tomcat
85_add

ea4_tomcat
85_list

ea4_tomcat
85_rem

▼ Greylisting

cpgreylist_is
_server_net
block_truste
d

cpgreylist_li
st_entries_f
or_common
_mail_provid
er

cpgreylist_lo
ad_common
_mail_provid
ers_config

cpgreylist_s
ave_commo
n_mail_provi
ders_config

cpgreylist_st
atus

cpgreylist_tr
ust_entries_

- SSHFP — S
SHFP
records store
a domain's
SSH public
host key's
fingerprint.

W
a
r
n
i
n
g
:
W
e
d
o
n
o
t
c
u
r
r
e
n
t
l
y
s
u
p
p
o
r
t
t
h
i
s
D
N
S
r
e
c
o
r
d
t
y
p
e
.

- TXT — TXT
records store
descriptive
text or useful
records (for
example,
SPF or
DKIM
records).

A Record Returns

▼ [Click to view...](#)

| Return | Type | Description | Possible values | Example |
|---------|---------------|---------------------------------|-----------------------|--------------|
| address | <i>string</i> | The zone record's IPv4 address. | A valid IPv4 address. | 192.168.0.20 |

Note:
For more information about A records, read [RFC 1035 at IANA](#).

for_common_mail_provider

cpgreylist_untrusted_entries_for_common_mail_provider

create_cpgreylist_trusted_host

delete_cpgreylist_trusted_host

disable_cpgreylist

enable_cpgreylist

load_cpgreylist_config

read_cpgreylist_deferred_entries

read_cpgreylist_trusted_host

save_cpgreylist_config

Integration

batch

cpanel

create_integration_group

create_integration_link

get_integration_link_user_config

list_integration_groups

list_integration_links

remove_integration_group

remove_integration_link

update_integration_link_token

IP Addresses

addips

delip

get_public_ip

A6 Record Returns

[Click to view...](#)

Important:

A6 records are **deprecated**. We **strongly** recommend that you use **AA** records to store IPv6 addresses.

| Return | Type | Description | Possible values | Example |
|--------|--------|------------------------------|------------------------------|---------|
| prefix | string | The record's prefix length. | A positive integer. | 48 |
| refer | string | The record's address suffix. | A valid IPv6 address suffix. | 0::0 |

AAAA Record Returns

[Click to view...](#)

| Return | Type | Description | Possible values | Example |
|---------|--------|---------------------------------|-----------------------|-----------------|
| address | string | The zone record's IPv6 address. | A valid IPv6 address. | 2001:1:42:1::2a |

Note:

For more information about AAAA records, read [RFC 3596 at IANA](#).

AFSDB Record Returns

[Click to view...](#)

| Return | Type | Description | Possible values | Example |
|----------|---------|---------------------------------|--|-----------------|
| subtype | integer | The AFS cell type. | A 16-bit integer that represents the type of AFS cell. For example, a value of 1 indicates an AFS version 3.0 Volume Location Server. | 1 |
| hostname | string | The database servers' hostname. | A valid hostname. | afs.example.com |

Note:

For more information about AFSDB records, read [RFC 1183 at IANA](#).

CAA Record Returns

[Click to view...](#)

Note:

We added these returns in cPanel & WHM version 66.

p

get_shared_ip

ipv6_disable_account

ipv6_enable_account

ipv6_range_add

ipv6_range_edit

ipv6_range_list

ipv6_range_remove

ipv6_range_usage

listips

nat_checkip

nat_set_public_ip

setsiteip

▼ Mail

disable_dkim

disable_mail_sni

emailtrack_search

emailtrack_stats

emailtrack_user_stats

enable_dkim

enable_mail_sni

ensure_dkim_keys_exist

exim_configuration_check

expunge_mailbox_messages

expunge_messages_for_mailbox_guid

fetch_dkim_private_keys

fetch_mail_

| Parameter | Type | Description | Possible values | Example |
|-----------|---------|--|--|--------------------|
| flag | integer | Whether the CA will issue an SSL certificate if the CAA resource record contains unknown property tags. For more information about CAA record flags and property tags, read the RFC 6844 documentation. | <ul style="list-style-type: none"> 0 — Non-critical. The CAA Resource Record contains unknown property tags, and the CA issued an SSL certificate. 1 — Critical. The CAA Resource Record contains unknown property tags, and the CA did not issue an SSL certificate. | 0 |
| tag | string | The CAA record's property type. | <ul style="list-style-type: none"> issue — A CA issued a certificate for the domain. issuewild — A CA issued a wildcard certificate for the domain. iodef — The user specified a URL to which a CA may report policy violations. | issue |
| value | string | The CA's domain or URL. | <ul style="list-style-type: none"> A valid SSL provider. A mailto URL or a standard URL. | totallyreal.ca.tld |

CNAME Record Returns

▼ [Click to view...](#)

| Return | Type | Description | Possible values | Example |
|--------|--------|-----------------------------------|-----------------|---------------------------|
| cname | string | The canonical name (CNAME) alias. | A valid alias. | sydneybristow.example.com |

queue
 generate_mobileconfig
 get_mailbox_status
 get_mailbox_status_list
 get_user_email_forward_destination
 hold_outgoing_email
 install_dkim_private_keys
 install_spf_records
 is_sni_supported
 list_pops_for_mail_sni_status
 rebuild_mail_sni_config
 release_outgoing_email
 save_spamd_config
 set_user_email_forward_destination
 suspend_outgoing_email
 unsuspend_outgoing_email
 validate_current_installed_exim_config
 validate_current_dkims
 validate_current_ptrs
 validate_current_spfs
 validate_exim_configuration_syntax
 Market
 disable_market_provider

| | | | | |
|------------|----------------|--|--|--------------|
| flatten | <i>Boolean</i> | Whether the specified CNAME value resolves with the record's IP address. | <ul style="list-style-type: none"> 1 — Resolves. 0 — Does not resolve. | 1 |
| flatten_to | <i>string</i> | The IP address to which the specified CNAME resolves. | A valid IPv4 or IPv6 address. | 192.168.0.20 |

Note:
For more information about CNAME records, read [RFC 1035 at IANA](#).

DNAME Record Returns

▼ [Click to view...](#)

| Return | Type | Description | Possible values | Example |
|--------|---------------|------------------------------------|-----------------|--------------------------|
| cname | <i>string</i> | The delegation name (DNAME) alias. | A valid alias. | hostname.dev.example.com |

Note:
For more information about DNAME records, read [RFC 2672 at IANA](#).

DS Record Returns

▼ [Click to view...](#)

| Return | Type | Description | Possible values | Example |
|------------|----------------|--------------------------------|--|---------|
| keyname | <i>integer</i> | The record's KeyTag value. | An unsigned decimal integer. | 2642 |
| algorithm | <i>integer</i> | The record's algorithm number. | <ul style="list-style-type: none"> 1 — RSAMD5 2 — Diffie-Hellman 3 — DSA/SHA-1 4 — Elliptic Curve 5 — RSA/SHA-1 252 — Indirect 253 — Private DNS 254 — Private OID | 5 |
| digesttype | <i>integer</i> | The record's digest type. | <ul style="list-style-type: none"> 1 — SHA-1 | 1 |

Note:
For more information about DS records, read [RFC 4034 at IANA](#).

enable_market_provider

get_adjusted_market_providers_products

get_market_providers_commission_config

get_market_providers_list

get_market_providers_product_metadata

get_market_providers_products

set_market_product_attribute

set_market_provider_commission_id

▼ ModSecurity™

modsec_added_rule

modsec_added_vendor

modsec_assemble_config_text

modsec_batch_settings

modsec_check_rule

modsec_clone_rule

modsec_deploy_all_rule_changes

modsec_deploy_rule_changes

modsec_deploy_settings_changes

modsec_disable_rule

modsec_disable_vendor

modsec_disable_vendor_configs

HINFO Record Returns

▼ [Click to view...](#)

| Return | Type | Description | Possible values | Example |
|--------|---------------|------------------------------|---------------------------|-----------|
| cpu | <i>string</i> | The host's CPU type. | A valid CPU type. | INTEL-386 |
| os | <i>string</i> | The host's operating system. | A valid operating system. | UNIX |

Note:

For more information about HINFO records, read [RFC 1700 at IANA](#).

LOC Record Returns

▼ [Click to view...](#)

| Return | Type | Description | Possible values | Example |
|-----------|----------------|---|--|----------------|
| version | <i>integer</i> | The record's version number. | You must set this value to 0. | 0 |
| size | <i>integer</i> | The diameter of a sphere that encloses the entire location. | A positive integer that represents a diameter, in meters. | 10 |
| horiz_pre | <i>integer</i> | The location's horizontal precision. | A positive integer that represents a distance, in meters. | 10 |
| vert_pre | <i>integer</i> | The location's vertical precision. | A positive integer that represents a distance, in meters. | 10 |
| latitude | <i>string</i> | The location's latitude. | A valid latitude. | 41 51 54.305 N |
| longitude | <i>string</i> | The location's longitude. | A valid longitude. | 87 36 47.95 W |
| altitude | <i>string</i> | The location's altitude. | The location's altitude above sea level, in meters, and the m character. | 178m |

Note:

For more information about LOC records, read [RFC 1876 at IANA](#).

MX Record Returns

▼ [Click to view...](#)

| Return | Type | Description | Possible values | Example |
|--------|------|-------------|-----------------|---------|
|--------|------|-------------|-----------------|---------|

[modsec_disable_vendor_updates](#)
[modsec_discard_all_rule_changes](#)
[modsec_discard_rule_changes](#)
[modsec_edit_rule](#)
[modsec_enable_vendor](#)
[modsec_enable_vendor_configs](#)
[modsec_enable_vendor_updates](#)
[modsec_get_config_text](#)
[modsec_get_configs](#)
[modsec_get_configs_with_changes_pending](#)
[modsec_get_log](#)
[modsec_get_rules](#)
[modsec_get_settings](#)
[modsec_get_vendors](#)
[modsec_is_installed](#)
[modsec_make_config_active](#)
[modsec_make_config_inactive](#)
[modsec_preview_vendor](#)
[modsec_remove_rule](#)
[modsec_remove_setting](#)
[modsec_remove_vendor](#)
[modsec_report_rule](#)

| | | | | |
|------------|---------|---|--|------------------|
| preference | integer | The record's preference. | An integer that represents the record's priority order. Note: Lower values have a higher priority order. | 10 |
| exchange | string | The server's location's canonical name (CNAME). | A valid CNAME. | mail.example.com |

Note: For more information about MX records, read [RFC 1035 at IANA](#).

NS Record Returns

▼ [Click to view...](#)

| Return | Type | Description | Possible values | Example |
|---------|--------|--|---------------------|-----------------|
| nsdname | string | The domain's authoritative nameserver. | A valid nameserver. | ns1.example.com |

Note: For more information about NS records, read [RFC 1035 at IANA](#).

PTR Record Returns

▼ [Click to view...](#)

| Return | Type | Description | Possible values | Example |
|----------|--------|--|-------------------|-----------------------|
| ptrdname | string | A pointer to a canonical name (CNAME). | A valid hostname. | hostname.example.com. |

Note: For more information about PTR records, read [RFC 1035 at IANA](#).

RP Record Returns

▼ [Click to view...](#)

| Return | Type | Description | Possible values | Example |
|--------|------|-------------|-----------------|---------|
|--------|------|-------------|-----------------|---------|

modsec_set_config_text
 modsec_set_setting
 modsec_un_disable_rule
 modsec_up_date_vendor

▼ Packages

_getpkgextensionform
 add_override_features_for_user
 addpkg
 addpkgext
 changepackage
 create_featurelist
 delete_featurelist
 delpkgext
 editpkg
 get_available_applications
 get_available_featurelists
 get_feature_metadata
 get_feature_names
 get_featurelist_data
 get_featurelists
 get_users_features_settings
 getfeaturelist
 getpkginfo
 killpkg
 listpkgs
 manage_features
 matchpkgs
 read_featurelist

| | | | | |
|----------|--------|--|------------------------|-----------------------|
| mbox | string | The Responsible Person's (RP's) email address. | A valid email address. | user@example.com. |
| txtcname | string | The RP's domain name. | A valid hostname. | mx1.host.example.com. |

Note:
 For more information about RP records, read [RFC 1183 at IANA](#).

SOA Record Returns

▼ [Click to view...](#)

| Return | Type | Description | Possible values | Example |
|---------|---------|--|---|-------------------|
| serial | integer | The zone file's revision number. | A valid revision number. | 2013122501 |
| mname | string | The domain's authoritative nameserver. | A valid nameserver. | ns1.example.com |
| retry | integer | The amount of time to wait before the secondary server retries a failed zone transfer. | A positive integer that represents an amount of time, in seconds. | 1440 |
| refresh | string | The amount of time to wait before the secondary DNS server queries the primary DNS server's SOA records for changes. | A positive integer that represents an amount of time, in seconds. | 1440 |
| Lines | string | The number of lines in the SOA section. | A positive integer that represents a number of lines. | 4 |
| expire | string | The amount of time to wait before the secondary server attempts to complete a zone transfer. | A positive integer that represents an amount of time, in seconds. | 3600000 |
| rname | string | The Responsible Person's (RP's) email address. | A valid email address. | user@example.com. |

Note:
 For more information about SOA records, read [RFC 1035 at IANA](#).

SRV Record Returns

▼ [Click to view...](#)

remove_override_features_for_user

update_featurelist

verify_user_has_feature

▼ PHP

convert_all_domains_to_fpm

get_fpm_count_and_utilization

is_conversion_in_progress

php_get_default_accounts_to_fpm

php_get_handlers

php_get_impacted_domains

php_get_installed_versions

php_get_old_fpm_flag

php_get_system_default_version

php_get_versions_by_version

php_get_versions

php_ini_get_content

php_ini_get_directives

php_ini_set_content

php_ini_set_directives

php_set_default_accounts_to_fpm

php_set_handler

php_set_old_fpm_flag

php_set_session_save_p

| Return | Type | Description | Possible values | Example |
|----------|---------|---|--|---------------------|
| priority | integer | The target host's preference. | An integer that represents the target host's priority order. Note: Lower numbers have a higher priority order. | 0 |
| weight | integer | A relative weight. The system uses this value to rank entries with the same priority value. | An integer that represents the target host's weight against other hosts with the same priority value. | 2 |
| port | integer | The target host's port. | A valid port number. | 389 |
| target | string | The service's target host. | A valid hostname. | service.example.com |

Note:

For more information about SRV records, read [RFC 2782 at IANA](#).

SSHFP Record Returns

▼ [Click to view...](#)

Warning:

We do **not** currently support this DNS record type.

| Return | Type | Description | Possible values | Example |
|-----------|--------|------------------------------------|--|---------|
| algorithm | string | The public key's algorithm number. | <ul style="list-style-type: none"> 1 — RSA 2 — DSS | 1 |
| fptype | string | The public key's fingerprint type. | <ul style="list-style-type: none"> 1 — SHA-1 | 1 |

Note:

For more information about SSHFP records, read [RFC 4255 at IANA](#).

TXT Record Returns

▼ [Click to view...](#)

ath

php_set_sys
tem_default
_version

php_set_vh
ost_versions

▼ Resellers

acctcounts

get_public_c
ontact

getresellerip
s

listacIs

listresellers

resellerstats

saveaclist

set_public_c
ontact

setacIs

setresellerip
s

setresellerli
mits

setresellerm
ainip

setresellern
ameservers

setresellerp
ackagelimit

setupreselle
r

suspendres
eller

terminateres
eller

unsetuprese
ller

unsuspendr
eseller

▼ RPM

delete_rpm_
version

edit_rpm_
rsion

get_rpm_
sion_data

install_rpm_
plugin

list_rpms

package_m

| Return | Type | Description | Possible values | Example |
|-----------|----------------|---|--|-----------------|
| txtdata | <i>string</i> | The TXT record's data. | A valid TXT record. | "v=spf1 a -all" |
| unencoded | <i>Boolean</i> | Whether the TXT record's data is encoded. | <ul style="list-style-type: none">• 1 — Encoded.• 0 — Not encoded. | 1 |

Note:

For more information about TXT records, read [RFC 1464](#) at IANA.

anager_fixc
ache

package_m
anager_get_
build_log

package_m
anager_get_
package_inf
o

package_m
anager_is_p
erforming_a
ctions

package_m
anager_list_
packages

package_m
anager_reso
lve_actions

package_m
anager_sub
mit_actions

package_m
anager_upgr
ade

uninstall_rp
m_plugin

▼ Script Hooks

delete_hook

edit_hook

list_hooks

reorder_hoo
ks

▼ Security

accesshash

authorizessh
key

check_remo
te_ssh_conn
ection

convertopen
shtoputty

deletesshke
y

generatessh
keypair

importsshke
y

listsshkeys

▼ Server

Administration

add_configcl
usterserver

configureba

ckgroundpro
cesskiller

configureser
vice

cors_proxy_
get

create_user
_session

delete_confi
gclusterserv
er

enable_mon
itor_all_ena
bled_service
s

get_all_cont
act_importa
nces

get_appconf
ig_applicatio
n_list

get_applicati
on_contact_
event_import
tance

get_applicati
on_contact_
importance

get_availabl
e_profiles

get_current_
profile

get_passwor
d_strength

get_remote_
access_has
h

get_service_
config

get_service_
config_key

get_tweakse
tting

get_update_
availability

get_users_li
nks

getdiskusag
e

gethostname

is_role_ena
bled

list_configcl
usterservers

loadavg
nvget
nvset
personalization_get
personalization_set
purchase_application_license
reboot
remove_in_progress_exim_configuration
restartservice
restore_configuration_from_file
restore_configuration_from_upload
run_cpkeyctl
send_test_posturl
send_test_pushbullet_notification
servicestatus
set_application_contact_event_importance
set_application_contact_importance
set_primary_servername
set_service_configuration_key
set_tweaking
sethostname
setminimumpasswordstrengths
start_profile_activation
systemneeds_reboot
systemloada

vg

update_conf
igclusterserv
er

update_cont
act_email

verify_aim_a
ccess

verify_icq_a
ccess

verify_oscar
_access

verify_postu
rl_access

verify_pushb
ullet_access

▼ SSL

disable_aut
ossl

fetch_servic
e_ssl_comp
onents

fetch_ssl_ce
rtificates_for
_fqdns

fetch_ssl_vh
osts

fetch_vhost
_ssl_compo
nents

fetchcrtinfo

fetchsslinfo

generatessl

get_autossl
_check_sch
edule

get_autossl
_log

get_autossl
_logs_catalo
g

get_autossl
_metadata

get_autossl
_pending_q
ueue

get_autossl
_pending_q
ueue_for_do
main

get_autossl
_pending_q
ueue_for_us
er

get_autossl
_problems_f
or_domain

get_autossl
_problems_f
or_user

get_autossl
_providers

get_best_ssl
domain_for_
service

install_servi
ce_ssl_certif
icate

installssl

listcrts

rebuildinstall
edssldb

rebuildusers
sldb

reset_autos
ssl_provider

reset_servic
e_ssl_certifi
cate

set_autossl_
metadata

set_autossl_
metadata_k
ey

set_autossl_
provider

start_autossl
_check_for_
all_users

start_autossl
_check_for_
one_user

▼ Styles and Themes

generate_cp
anel_plugin

list_styles

load_style

remove_log
o

remove_styl
e

save_style

set_default

▼ Support Tickets

ticket_creat
e_stub_ticke
t

ticket_get_s
upport_agre
ement

ticket_get_s
upport_info

ticket_grant

ticket_list

ticket_remov
e_closed

ticket_revok
e

ticket_ssh_t
est

ticket_ssh_t
est_start

ticket_updat
e_service_a
greement_a
pproval

ticket_valida
te_oauth2_c
ode

ticket_whitel
ist_check

ticket_whitel
ist_setup

ticket_whitel
ist_unsetup

▼ Transfers

abort_transf
er_session

analyze_tra
nsfer_sessio
n_remote

available_tr
ansfer_mod
ules

create_remo
te_root_tran
sfer_session

create_remo
te_user_tran
sfer_session

delete_accou
nt_archives

enqueue_tra
nsfer_item

fetch_transf
er_session_l
og

get_transfer
_session_st
ate

pause_trans
fer_session

remote_basi
c_credential
_check

retrieve_tran
sfer_session
_remote_an
alysis

start_transfe
r_session

transfer_mo
dule_schem
a

validate_sys
tem_user

▼ Updates

accept_eula

get_availabl
e_tiers

get_current_
lts_expiratio
n_status

get_lts_wex
pire

getlongterm
support

installed_ver
sions

set_cpanel_
updates

set_tier

update_upd
ateconf

version