

UAPI Functions - StatsBar::get_stats

Guide to UAPI

- Return Data
- Filter Output
- Sort Output
- Paginate Output
- Output Columns
- Calls from the WHM API
- Custom UAPI Modules

Backup
Backup::
fullbackup

p_to_ftp

Backup:: fullbackup
p_to_homedir

Backup:: fullbackup
p_to_scp_with_key

Backup:: fullbackup
p_to_scp_with_password

Backup:: list_backups

Bandwidth

Bandwidth:: get_enabled_protocols

Bandwidth:: get_retention_periods

Bandwidth:: query

Batch

Batch:: strict

Brand

Brand:: read

Branding

Branding:: file

Branding:: get_applications

Branding:: get_application_information

Branding:: get_available_applications

Branding:: get_information_for_applications

Description

This function retrieves a cPanel account's statistics.

Examples

▼ cPanel or Webmail Session URL

```
https://hostname.example.com:2083/cpsess#####/execute/StatsBar/get_stats?display=bandwidthusage%7Cdiskusage&warnings=0&warninglevel=high&warningut=0&infinityimg=%2Fhome%2Fexample%2Finfinity.png&infinitylang="infinity"&rowcounter=even
```

Note:

This example calls the UAPI function via a cPanel session. For more information, read our [Guide to UAPI documentation](#).

Function information

About this module

The StatsBar module retrieves information from the Statistics Bar.

About UAPI

UAPI accesses and modifies data for cPanel accounts.

- Branding:: image
- Branding:: include
- Branding:: spritelist
- CacheBuster
 - CacheBuster:: read
 - CacheBuster:: update
- Chkserverd
 - Chkserverd:: get_exim_ports
 - Chkserverd:: get_exim_ports_ssl
- Chrome
 - Chrome:: get_dom
- Contactus
 - Contactus:: is_enabled
- cPAddons
 - cPAddons:: get_available_addons
 - cPAddons:: get_instance_settings
 - cPAddons:: list_addon_instances
- cPGreyList
 - cPGreyList:: disable_all_domains
 - cPGreyList:: disable_domains
 - cPGreyList:: enable_all_domains
 - cPGreyList:: enable_domains
 - cPGreyList:: has_greylisting_enabled
 - cPGreyList:: list_domains
- DAV
 - DAV:: disable_shared_global_addressbook
 - DAV:: enable_shared_global_addressbook
 - DAV:: get_calendar_contacts_config
 - DAV:: has_shared_global_addressbook
 - DAV:: is_dav_service_enabled

LiveAPI PHP Class

```

$cpnl = new
CPANEL(); // Connect
to cPanel - only do
this once.

// Get account stats
for example.com
$get_stats =
$cpanel->uapi(
    'Statsbar',
    'get_stats',
    array(
        'display'
=>
'diskusage|bandwidthu
sage',
        'warnings'
=> '0',
        'warninglevel =>
'87'
        'warnout' => '0'
        'infinityimg' =>
'/home/example/infini
ty.png'
        'infinitylang' =>
'infinity'
        'rowcounter' =>
'even'
    )
);

```

Note:

For more information, read our [Guide to the LiveAPI System](#).

Notes:

- The
- Ur
- int
- Ur
- mu
- us
- 20
- or
- 20
-)\
- 20
- or
- 20
-)

Find a function

- UAPI Functions - Stats Bar:: get_stats - This function retrieves a cPanel account's statistics.

DAV:: is_horde_enabled

▼ DCV

DCV:: check_domains_via_dns

DCV:: check_domains_via_http

DCV:: ensure_domains_can_pass_dcv

▼ DomainInfo

DomainInfo:: domains_data

DomainInfo:: list_domains

DomainInfo:: main_domain_builtin_subdomain_aliases

DomainInfo:: single_domain_data

▼ DNS

DNS:: ensure_domains_reside_only_locally

DNS:: has_local_authority

▼ DNSSEC

DNSSEC:: disable_dnssec

DNSSEC:: enable_dnssec

DNSSEC:: fetch_dns_records

DNSSEC:: set_nsec3

DNSSEC:: unset_nsec3

▼ Email

Email:: account_name

Email:: add_auto_responder

Email:: add_domain_forwarder

Email:: add_forwarder

Email:: add_list

Email:: add_mailman_delegates

Email:: add_mx

Email:: add_pop

Email:: add_spam_filter

▼ LiveAPI Perl Module

```
my $cpliveapi =
Cpanel::LiveAPI->new(
); # Connect to
cPanel - only do this
once.

# Get account stats
for example.com
my $get_stats =
$cpliveapi->uapi(
  'Stats',
  'get_stats',
  {
    'display'
=>
'diskusage|bandwidthusage',
    'warnings'
=> '0',
    'warninglevel' =>
'87',
    'warnout' => '0'
    'infinityimg' =>
'/home/example/infinity.png'
    'infinitylang' =>
'infinity'
    'rowcounter' =>
'even'
  }
);
```

Note:

For more information, read our [Guide to the LiveAPI System](#).

- UAPI Modules - Stats Bar - The StatsBar module retrieves information from the Statistics Bar.

Email: browse_mailbox

Email: change_mx

Email: check_fast_mail

Email: check_pipe_forwarder

Email: delete_auto_responder

Email: delete_do_main_forwarder

Email: delete_filter

Email: delete_forwarder

Email: delete_held_messages

Email: delete_list

Email: delete_mx

Email: delete_pop

Email: disable_filter

Email: disable_mailbox_autocreate

Email: disable_spam_assassin

Email: disable_spam_autodelete

Email: disable_spam_box

Email: dispatch_client_settings

Email: edit_pop_quota

Email: enable_filter

Email: enable_mailbox_autocreate

Email: enable_spam_assassin

Email: enable_spam_box

Email: fetch_charmaps

Email: fts_rescan_mailbox

Email: generate_mailman_opt

Email: get_auto_responder

Email: get_chase

▼ cPanel Template Toolkit

```
<!-- Get a hash of
all the data, then
display the count
values. -->
[% data = execute(
'Stats', 'get_stats'
{display =>
'diskusage|bandwidthusage', 'warnings' =>
'0', 'warninglevel' =>
'87', 'warnout' =>
'0', 'infinityimg' =>
'/home/example/infinity.png',
'infinitylang' =>
'infinity',
'rowcounter' =>
'even'} ) ; %]
[% FOREACH q =
data.count %]
    <p>
        [% q %]
    </p>
[% END %]

<!-- Get only the
count value. -->
[%
execute('StatsBar',
'get_stats' {display
=>
'diskusage|bandwidthusage', 'warnings' =>
'0', 'warninglevel' =>
'87', 'warnout' =>
'0', 'infinityimg' =>
'/home/example/infinity.png',
'infinitylang' =>
'infinity',
'rowcounter' =>
'even'} ).data.count
%]
```

Note:
For more information, read our [Guide to Template Toolkit](#) documentation.

ts

Email: get_client_settings

Email: get_default_email_quota

Email: get_default_email_quota_mib

Email: get_disk_usage

Email: get_filter

Email: get_held_message_count

Email: get_mailbox_autocreate

Email: get_mailman_delegates

Email: get_main_account_disk_usage

Email: get_main_account_disk_usage_bytes

Email: get_max_email_quota

Email: get_max_email_quota_mib

Email: get_pop_quota

Email: get_spam_settings

Email: get_webmail_settings

Email: has_delegated_mailman_lists

Email: has_plaint_authentication

Email: hold_outgoing

Email: is_integer

Email: list_autoresponders

Email: list_default_address

Email: list_domain_forwarders

Email: list_filters

Email: list_filters_backups

Email: list_forwarders

Email: list_forward

Command Line

```
uapi --user=username
StatsBar get_stats
display="diskusage|bandwidthusage"
warnings=0
warninglevel=high
warnout=0
infinityimg=%2Fhome%2Fexample%2Finfinity.pnginfinitylang="infinity" rowcounter=even
```

Notes:

- You **must** URI-encode values.
- username represents your account-level username.
- For more information and additional output options, read our [Guide to UAPI](#) documentation or run the `uapi --help` command.
- If you run CloudLinux™, you **must** use the full path of the `uapi` command:

```
/usr/local
/cpanel/bin/uapi
```

Output (JSON)

```
{
  "result": {
    "errors": null,
    "messages": null,
    "warnings": null,
    "data": [
      {
        "_count": "0.00",
        "_max": "1024.00",
        "_maxed": 0,
        "count": "0 bytes",
```

ers_backups
Email: list_lists
Email: list_mail_domains
Email: list_mx
Email: list_pops
Email: list_pops_with_disk
Email: list_system_filter_info
Email: passwd_list
Email: passwd_pop
Email: release_outgoing
Email: remove_mailman_delegates
Email: reorder_filters
Email: set_always_accept
Email: set_default_address
Email: set_list_privacy_options
Email: stats_db_status
Email: store_filter
Email: suspend_incoming
Email: suspend_login
Email: suspend_outgoing
Email: trace_filter
Email: unsuspend_incoming
Email: unsuspend_login
Email: unsuspend_outgoing
Email: verify_password
▼ EmailAuth
EmailAuth: disable_dkim
EmailAuth: enable_dkim
EmailAuth: ensure_dkim_keys_exist

```
"feature": "bandwidth",  
,  
"id": "bandwidthusage",  
,  
"is_maxed": 0,  
  
"item": "Monthly  
Bandwidth Transfer",  
      "max": "1  
GB",  
  
"maxed_phrase": "You  
have transferred your  
maximum allotment of  
data  
([format_bytes,_1])  
for this month.",  
  
"module": "Stats",  
  
"percent": "0",  
  
"percent5": 0,  
  
"percent10": 0,  
  
"percent20": 0,  
  
"name": "bandwidthusage",  
  
"near_limit_phrase": "  
You have transferred  
[format_bytes,_1] of  
your  
[format_bytes,_2]  
data allotment for  
this month.",  
  
"normalized": 1,  
  
"phrase": "Monthly  
Bandwidth Transfer",  
  
"rowtype": "even",  
  
"units": "MB",  
  
"zeroisunlimited": 1  
  },
```

EmailAuth:: fetch_ dkim_private_keys

EmailAuth:: install_ dkim_private_key s

EmailAuth:: install_ spf_records

EmailAuth:: validat e_current_dkims

EmailAuth:: validat e_current_ptrs

EmailAuth:: validat e_current_spfs

ExternalAuthenticat ion

ExternalAuthenticat ion:: add_auth_li nk

ExternalAuthenticat ion:: configured_ modules

ExternalAuthenticat ion:: get_authn_lin ks

ExternalAuthenticat ion:: has_external_ auth_modules_co nfigured

ExternalAuthenticat ion:: remove_auth n_link

Features

Features:: has_fea ture

Features:: list_feat ures

Fileman

Fileman:: autocom pletedir

Fileman:: empty_tr ash

Fileman:: get_file_ content

Fileman:: get_file_i nformation

Fileman:: list_files

Fileman:: save_file_ content

Fileman:: transcod e

Fileman:: upload_fi les

Ftp

Ftp:: add_ftp

```
{
  "_count": "1.75",
  "_max": "1024.00",
  "_maxed": 0,
  "count": "1.75 MB",
  "id": "diskusage",
  "is_maxed": 0,
  "item": "Disk Space Usage",
  "langkey": "INDXDiskUs age",
  "max": "1 GB",
  "maxed_phrase": "You are using your maximum storage allotment, [format_bytes,_1].",
  "module": "Quota",
  "near_limit_phrase": "You are using [format_bytes,_1] of the [format_bytes,_2] of storage available to you.",
  "name": "diskusage",
  "normalized": 1,
  "percent": "0",
  "percent5": 0,
  "percent10": 0,
  "percent20": 0,
  "phrase": "Disk Space Usage",
  "rowtype": "odd",
```

Ftp:: allows_anonymous_ftp
Ftp:: allows_anonymous_ftp_incoming
Ftp:: delete_ftp
Ftp:: ftp_exists
Ftp:: get_ftp_daemon_info
Ftp:: get_port
Ftp:: get_quota
Ftp:: get_welcome_message
Ftp:: kill_session
Ftp:: list_ftp
Ftp:: list_ftp_with_disk
Ftp:: list_sessions
Ftp:: passwd
Ftp:: server_name
Ftp:: set_anonymous_ftp
Ftp:: set_anonymous_ftp_incoming
Ftp:: set_homedir
Ftp:: set_quota
Ftp:: set_welcome_message
▼ Integration
Integration:: fetch_url
▼ KnownHosts
KnownHosts:: create
KnownHosts:: delete
KnownHosts:: update
KnownHosts:: verify
▼ LangPHP
LangPHP:: php_get_domain_handler
LangPHP:: php_get_impacted_domains
LangPHP:: php_get_installed_versions
LangPHP:: php_get

```
"units": "MB",  
"zeroisunlimited": 1  
  }  
  ],  
  "status": 1,  
  "metadata": {  
  
"transformed": 1
```


t_system_default_ version

LangPHP:: php_ge t_vhost_versions

LangPHP:: php_ini _get_user_basic_d irectives


LangPHP:: php_ini _get_user_content

LangPHP:: php_ini _get_user_paths

LangPHP:: php_ini _set_user_basic_d irectives

LangPHP:: php_ini _set_user_content

LangPHP:: php_se t_vhost_versions



Parameters

▼ LastLogin

LastLogin:: get_las t_or_current_logge d_in_ip

▼ Locale

Locale:: get_attri butes

▼ Mailboxes

Mailboxes:: expun ge_mailbox_mess ages

Mailboxes:: expun ge_messages_for _mailbox_guid

Mailboxes:: get_m ailbox_status

Mailboxes:: has_ut f8_mailbox_names

Mailboxes:: set_utf 8_mailbox_names

▼ Market

Market:: cancel_pe nding_ssl_certifica te

Market:: create_sh opping_cart

Market:: get_all_pr oducts

Market:: get_certifi cate_status_detail s

Market:: get_login _url

Market:: get_pendi ng_ssl_certificates

Market:: get_provi

| Parameter | Type | Description | Possible values | Example |
|-----------|--------|--|---|--------------------------|
| display | string | Required A list of the account's statistics. | ▼ Click to view... <ul style="list-style-type: none"> addondomains — Information about the account's addondomains. apacheversion — The server's Apache version. autoresponders — Information about the account's autoresponders. bandwidthusage — Information about the account's bandwidth usage. cachedlistdiskusage — The amount of cached mailing list disk space the account currently uses. cachedmysqldiskusage — The amount of cached disk space that the account's MySQL® databases currently use. | bandwidthusage diskusage |

der_specific_dcv_constraints

Market:: get_providers_list

Market:: get_ssl_certificate_if_available

Market:: process_ssl_pending_queue

Market:: request_ssl_certificates

Market:: set_status_of_pending_queue_items

Market:: set_url_after_checkout

Market:: validate_login_token

▼ Mime

Mime:: add_handler

Mime:: add_hotlink

Mime:: add_mime

Mime:: add_redirect

Mime:: delete_handler

Mime:: delete_hotlink

Mime:: delete_mime

Mime:: delete_redirect

Mime:: list_handlers

Mime:: list_hotlinks

Mime:: list_mime

Mime:: list_redirects

Mime:: redirect_info

▼ ModSecurity

ModSecurity:: disable_all_domains

ModSecurity:: disable_domains

ModSecurity:: enable_all_domains

ModSecurity:: enable_domains

ModSecurity:: has_modsecurity_inst

- [cachedpostgresdiskusage](#) — The amount of cached disk space that the account's PostgreSQL database uses.
- [cpanelversion](#) — The server's cPanel version.
- [dedicatedip](#) — Account websites that use dedicated IP addresses.
- [diskusage](#) — Information on the account's disk space usage.
- [emailaccounts](#) — Information about the account's email accounts.
- [emailfilters](#) — Information on the account's email filters.
- [emailforwarders](#) — Information about the account's forwarders.
- [fileusage](#) — Information about the account's file usage.
- [ftppaccounts](#) — Information about the account's FTP accounts.
- [hostingpackage](#) — The account's hosting package.
- [hostname](#) — The server's hostname.
- [kernelversion](#) — The operating system's kernel version.

alled

ModSecurity:: list_domains

▼ Mysql

Mysql:: add_host

Mysql:: add_host_note

Mysql:: check_database

Mysql:: create_database

Mysql:: create_user

Mysql:: delete_database

Mysql:: delete_host

Mysql:: delete_user

Mysql:: get_host_notes

Mysql:: get_privileges_on_database

Mysql:: get_restrictions

Mysql:: get_server_information

Mysql:: locate_server

Mysql:: rename_database

Mysql:: rename_user

Mysql:: repair_database

Mysql:: revoke_access_to_database

Mysql:: set_password

Mysql:: set_privileges_on_database

▼ Notifications

Notifications:: get_notifications_count

▼ NVData

NVData:: get

NVData:: set

▼ Parser

Parser:: firstfile_relative_uri

▼ PassengerApps

- localip — Account websites that use local IP addresses.
- machine type — The type of operating system that the server uses.
- mailing lists — Information on the account's mailing lists.
- mysql_databases — The number of MySQL databases the account possesses.
- mysql_diskusage — The amount of disk space that the account's MySQL databases use.
- mysql_version — The server's MySQL version.
- operating_system — The server's operating system.
- parked_domains — Information about the account's parked domains (aliases).
- perl_path — The Perl binary's absolute path.
- perl_version — The server's Perl version.
- php_version — The server's PHP version.
- postgres_databases — The number of PostgreSQL databases the cPanel account possesses.

PassengerApps:: disable_application

PassengerApps:: edit_application

PassengerApps:: enable_application

PassengerApps:: list_applications

PassengerApps:: register_application

PassengerApps:: unregister_application

▼ PasswdStrength

PasswdStrength:: get_required_strength

▼ Personalization

Personalization:: set

Personalization:: get

▼ Postgresql

Postgresql:: create_database

Postgresql:: create_user

Postgresql:: delete_database

Postgresql:: get_restrictions

Postgresql:: grant_all_privileges

Postgresql:: rename_database

Postgresql:: rename_user

Postgresql:: rename_user_no_password

Postgresql:: revoke_all_privileges

Postgresql:: set_password

▼ Pushbullet

Pushbullet:: send_test_message

▼ Quota

Quota:: get_quota_info

▼ Resellers

Resellers:: list_accounts

- postgresdiskusage — The amount of disk space that the cPanel account's PostgreSQL database uses.
- sendmailpath — The path to the system's sendmail binary.
- sharedip — Any of the account's websites that use a shared IP address.
- shorthostname — The short version of your server's hostname.
- sqldatabases — Information about the all of the account's SQL databases.
- subdomains — Information about the account's subdomains.
- theme — The account's current theme.

Notes:

- ▼ ResourceUsage
 - ResourceUsage:: get_usages
- ▼ Restore
 - Restore:: directory_listing
 - Restore:: get_users
 - Restore:: query_file_info
 - Restore:: restore_file
- ▼ Session
 - Session:: create_temp_user
- ▼ SiteTemplates
 - SiteTemplates:: list_site_templates
 - SiteTemplates:: list_user_settings
 - SiteTemplates:: publish
- ▼ SpamAssassin
 - SpamAssassin :: clear_spam_box
 - SpamAssassin:: get_symbolic_test_names
 - SpamAssassin:: get_user_preferences
 - SpamAssassin:: update_user_preference
- ▼ SSH
 - SSH:: get_port
- ▼ SSL
 - SSL:: add_autossl_excluded_domains
 - SSL:: check_shared_cert
 - SSL:: delete_cert
 - SSL:: delete_csr
 - SSL:: delete_key
 - SSL:: delete_ssl
 - SSL :: disable_mail_sni
 - SSL:: enable_mail_sni
 - SSL:: fetch_best_for_domain

• S
e
p
a
r
a
t
e
e
a
c
h
v
a
l
u
e
w
i
t
h
a
p
i
p
e
c
h
a
r
a
c
t
e
r
(
|
)
.

• This function may require URI-encode format (%7C) or quotes (" ") in some contexts, such as the command line tool.

SSL:: fetch_cert_info
 SSL:: fetch_certificates_for_fqdns
 SSL:: fetch_key_and_bundle_for_certificate
 SSL:: find_certificates_for_key
 SSL:: find_csrs_for_key
 SSL:: generate_certificate
 SSL:: generate_csr
 SSL:: generate_key
 SSL:: get_autossl_excluded_domains
 SSL:: get_autossl_pending_queue
 SSL:: get_autossl_problems
 SSL:: get_bundle
 SSL:: get_cn_name
 SSL:: install_ssl
 SSL:: installed_hosts
 SSL:: installed_hosts
 SSL:: is_autossl_check_in_progress
 SSL:: is_mail_sni_supported
 SSL:: is_sni_supported
 SSL:: list_certs
 SSL:: list_csrs
 SSL:: list_keys
 SSL:: list_ssl_items
 SSL:: mail_sni_status
 SSL:: rebuild_mail_sni_config
 SSL:: rebuildssldb
 SSL:: remove_autossl_excluded_domains

| | | | | |
|--------------|----------------|---|---|----------------------------|
| | | | <ul style="list-style-type: none"> Some display parameters may be unavailable based on the server's configuration. | |
| warnings | <i>Boolean</i> | Whether to return all results with a warning. This value defaults to undef. | <ul style="list-style-type: none"> 1 — Return only warnings that exceed the warninglevel parameter's value. 0 — Return all results. | 0 |
| warninglevel | <i>integer</i> | The minimum level at which to return warnings. This value defaults to undef. | A positive integer. | 87 |
| warnout | <i>Boolean</i> | Whether to display results with a value of 100%. This value defaults to undef. | <ul style="list-style-type: none"> 1 — Display results with a value of 100%. 0 — Hide results with a value of 100%. | 0 |
| infinityimg | <i>string</i> | The full filepath to an alternative infinity symbol. This value defaults to undef. | A valid image's filepath. | /home/example/infinity.png |

SSL:: set_autossl_excluded_domains

SSL:: set_cert_friendly_name

SSL:: set_csrfriendly_name

SSL:: set_key_friendly_name

SSL:: set_primary_ssl

SSL:: set_ssl_share

SSL:: show_cert

SSL:: show_csrf

SSL:: show_key

SSL:: start_autossl_check

SSL:: upload_cert

SSL:: upload_key

StatsBar

StatsBar:: get_stats

Styles

Styles:: current

Styles:: list

Styles:: set_default

Styles:: update

SubDomain

SubDomain:: add_subdomain

Themes

Themes:: get_theme_base

Themes:: list

Themes:: update

TwoFactorAuth

TwoFactorAuth:: generate_user_configuration

TwoFactorAuth:: get_user_configuration

TwoFactorAuth:: remove_user_configuration

TwoFactorAuth:: set_user_configuration

UserManager

UserManager:: check_account_conflict

| | | | | |
|--------------|--------|---|---|----------|
| infinitylang | string | A phrase to represent infinity that the locales system can use. This value defaults to undef . | A string value. | infinity |
| rowcounter | string | The type of row. This value defaults to undef . | <ul style="list-style-type: none"> • odd • even | even |

Returns

| Return | Type | Description | Possible vales | Example |
|--------|-----------------|--|---|---------|
| data | array of hashes | This array of hashes contains results from the account's query. | This array of hashes contains the _count, _max, _maxed, count, condition, id, is_maxed, item, langkey, max, maxed_phrase, module, name, near_limit_phrase, normalized_percent, percent5, percent10, percent20, role, rowtype, units, and zeroisunlimited returns. | |
| _count | string | The queried data's value. This function returns this value in the data hash. | A string value. | 1.75 |
| _max | string | The queried parameter's limit. This function returns this value in the data hash. | A string value. | 1024.00 |
| _maxed | Boolean | Whether the queried value reached its maximum value. This function returns this value in the data hash. | <ul style="list-style-type: none"> • 1 — Reached maximum value. • 0 — Has not reached maximum value. | 0 |
| count | string | The queried data's value. This function returns this value in the data hash. | A string value. | 1.75 MB |

ts

UserManager:: create_user

UserManager:: delete_user

UserManager:: dismiss_user

UserManager:: edit_user

UserManager:: list_users

UserManager:: lookup_service_account

UserManager:: lookup_user

UserManager:: merge_service_account

UserManager:: unlink_service_account

▼ UserTasks

UserTasks:: delete

UserTasks:: retrieve

▼ VersionControl

VersionControl:: create

VersionControl:: delete

VersionControl:: retrieve

VersionControl:: update

▼ VersionControlDeployment

VersionControlDeployment:: create

VersionControlDeployment:: delete

VersionControlDeployment:: retrieve

▼ WebDisk

WebDisk:: delete_user

WebDisk:: set_home_dir

WebDisk:: set_password

WebDisk:: set_permissions

▼ WebmailApps

| | | | | |
|-----------|----------------|---|---|------------------|
| condition | <i>Boolean</i> | Whether the queried data's value possesses a conditional requirement. This function returns this value in the data hash. | <ul style="list-style-type: none"> 1 — Possesses a condition. 0 — Does not possess a condition. | 1 |
| id | <i>string</i> | The queried item's reference name. This function returns this value in the data hash. | A string value. | diskusage |
| is_maxed | <i>integer</i> | Whether the queried value has reached its maximum value. This function returns this value in the data hash. | An integer value. | 0 |
| item | <i>string</i> | A human-readable version of the queried item. This function returns this value in the data hash. | A string value. | Disk Space Usage |
| langkey | <i>string</i> | The queried value's display locale. This function returns this value in the data hash. | A string value. | INDEXDiskUsage |
| max | <i>string</i> | The queried value's limit. This function returns this value in the data hash. | A string value. | 1 GB |

- WebmailApps:: list_webmailapps
- WebVhosts
 - WebVhost:: list_domains
 - WebVhost:: list_ssl_capable_domains
- WordPressBackup
 - WordPressBackup:: any_running
 - WordPressBackup:: cancel
 - WordPressBackup:: cleanup
 - WordPressBackup:: get_available_backups
 - WordPressBackup:: is_running
 - WordPressBackup:: start
- WordPressInstanceManager
 - WordPressInstanceManager:: cancel_scan
 - WordPressInstanceManager:: cleanup_scan
 - WordPressInstanceManager:: change_admin_password
 - WordPressInstanceManager:: configure_autoupdate
 - WordPressInstanceManager:: get_api_version
 - WordPressInstanceManager:: get_instance_by_id
 - WordPressInstanceManager:: get_instances
 - WordPressInstanceManager:: get_latest_wordpress_version_from_wordpress_org
 - WordPressInstanceManager:: get_scan_results
 - WordPressInstanceManager:: is_installable_addon_available

| | | | | |
|--------------|--------|---|--|---|
| maxed_phrase | string | <p>The <code>maketext-</code>formatted message that the interface displays when the user reaches their maximum allowed value.</p> <div style="border: 1px solid orange; padding: 5px; margin: 10px 0;"> <p>Note : We introduced this return in cPanel & WHM version 56.</p> </div> <p>This function returns this value in the data hash.</p> | A string value with Template Toolkit tags. | You are using your maximum storage allotment, [format_bytes, _1]. |
| module | string | <p>The module that retrieved the information.</p> <p>This function returns this value in the data hash.</p> | A string value. | Quota |
| name | string | <p>The display key.</p> <p>This function returns this value in the data hash.</p> | A string value. | diskusage |

WordPressInstanceManager::start_scan

WordPressRestore

WordPressRestore::any_running

WordPressRestore::cleanup

WordPressRestore::start

| | | | | |
|-------------------|----------------|--|---|---|
| near_limit_phrase | <i>string</i> | <p>The <code>maketext_formatted</code> message that the interface displays when the user approaches their maximum allowed value.</p> <div style="border: 1px solid orange; padding: 5px; margin: 10px 0;"> <p>Note : We introduced this return in cPanel & WHM version 56.</p> </div> <p>This function returns this value in the data hash.</p> | A string value with Template Toolkit tags. | You are using <code>[format_bytes,1]</code> of the <code>[format_bytes,2]</code> of storage available to you. |
| normalized | <i>Boolean</i> | <p>Whether the function normalized the output values.</p> <p>This function returns this value in the data hash.</p> | <ul style="list-style-type: none"> 1 — Normalized. 0 — Did not normalize. | 1 |
| percent | <i>integer</i> | <p>The percentage of value, if applicable.</p> <p>This function returns this value in the data hash.</p> | An integer value. | 0 |
| percent5 | <i>integer</i> | <p>The percentage of value.</p> <p>This function returns this value in the data hash.</p> | An integer value that the system rounds to the nearest five, if applicable. | 0 |
| percent10 | <i>integer</i> | <p>The percentage of value.</p> <p>This function returns this value in the data hash.</p> | A positive integer that the system rounds to the nearest ten, if applicable. | 0 |
| percent20 | <i>integer</i> | <p>The percentage of value.</p> <p>This function returns this value in the data hash.</p> | A positive integer that the system rounds to the nearest twenty, if applicable. | 0 |

| | | | | |
|-----------------|---------|---|--|-----|
| role | string | <p>The queried value's role.</p> <div style="border: 1px solid orange; padding: 5px; margin: 5px 0;"> <p>Note : We introduced this return in cPanel & WHM version 76.</p> </div> <p>This function returns this value in the data hash.</p> | <ul style="list-style-type: none"> • Calendar • Contact • DNS • FileStorage • FTP • MailLocal • MailReceive • MailSend • MySQL • Postgres • SpamFilter • Webmail • WebDisk • WebServer | DNS |
| rowtype | string | <p>The queried value's row type.</p> <p>This function returns this value in the data hash.</p> | <ul style="list-style-type: none"> • even • odd | odd |
| units | string | <p>The queried value's unit of measure.</p> <p>This function returns this value in the data hash.</p> | A string value. | MB |
| zeroisunlimited | Boolean | <p>Whether a value of 0 means unlimited or zero.</p> <p>This function returns this value in the data hash.</p> | <ul style="list-style-type: none"> • 1 — Unlimited. • 0 — Zero. | 1 |