

# WHM API 1 Functions - convert\_addon\_list\_conversions

## Guide to WHM API 1

- Return Data
- Filter Output
- Sort Output
- Paginate Output
- Output Columns
- Use WHM API to Call cPanel API & UAPI

- Accounts accounts ummary
- applist
- createacct
- domainuser data
- editquota
- forcepasswordchange
- has\_digest\_auth
- has\_mycnf\_for\_cpuser
- limitbw
- listaccts
- listlockedaccounts
- listsuspended
- modifyacct
- myprivs
- passwd
- removeacct
- set\_digest\_auth
- showbw
- suspendacct
- unsuspendacct
- untrack\_acct

## Description

This function returns a list of addon domains converted into cPanel accounts.

## Examples

### JSON API

```
https://hostname.example.com:2087/cpsess#####/json-api/convert_addon_list_conversions?api.version=1
```

### XML API

```
https://hostname.example.com:2087/cpsess#####/xml-api/convert_addon_list_conversions?api.version=1
```

### Command Line

```
whmapil convert_addon_list_conversions
```

#### Notes:

- You **must** URI-encode values.
- username represents your account-level username.
- For more information and additional output options, read our [Guide to UAPI](#) documentation or run the `uapi --help` command.
- We introduced this functionality in cPanel & WHM version 56.

### Output (JSON)

```
{  "metadata": {    "reason": "OK",    "version": 1,  },  "command": "convert_addon_list_conversions",}
```

## Function information

## About WHM API 1

WHM API 1 performs functions and accesses data in WHM.

#### Notes:

- Sc
- ro
- us
- Yc
- mi
- us
- 20
- or
- 20
- )tc

```

_id
verify_new_
username
  Account
Restoration
  restore_mod
  ules_summa
  ry
  restore_que
  ue_activate
  restore_que
  ue_add_tas
  k
  restore_que
  ue_clear_all
  _completed
  _tasks
  restore_que
  ue_clear_all
  _failed_tas
  ks
  restore_que
  ue_clear_all
  _pending_ta
  sks
  restore_que
  ue_clear_all
  _tasks
  restore_que
  ue_clear_co
  mpleted_tas
  k
  restore_que
  ue_clear_pe
  nding_task
  restore_que
  ue_is_active
  restore_que
  ue_list_activ
  e
  restore_que
  ue_list_com
  pleted
  restore_que
  ue_list_pen
  ding
  restore_que
  ue_state
  restoreacco
  unt
  verify_new_
  username_f
  or_restore
  Addon Domains
  convert_add
  on_fetch_co
  nversion_de

```

```

    "result":1
  },
  "data":{
    "conversions":[
      {
        "job_id":1,
        "status":"DONE",
        "domain":"cptestaddon
175.tld",
        "target_acct":"user2"
      },
      "source_acct":"cptest
",
      "start_time":14622166
39,
      "end_time":1462216653
    },
    {
      "source_acct":"cptest
",
      "target_acct":"user2"
    },
      "end_time":1462218449
    },
      "start_time":14622184
28,
      "job_id":2,
      "status":"DONE",
      "domain":"cptestaddon
175.tld"
    },
    {
      "job_id":3,
      "status":"DONE",
      "domain":"cptestaddon

```

## Find a function

- WHM API 1 Functions - list\_mysql\_databases\_and\_users - This function retrieves the MySQL® database and user data for the specified account.

tails  
convert\_add  
on\_fetch\_do  
main\_details  
  
convert\_add  
on\_get\_con  
version\_stat  
us  
  
convert\_add  
on\_initiate\_c  
onversion  
  
convert\_add  
on\_list\_add  
on\_domains  
  
convert\_add  
on\_list\_conv  
ersions

▼ Authentication

api\_token\_c  
reate  
  
api\_token\_li  
st  
  
api\_token\_r  
evoke  
  
api\_token\_u  
pdate  
  
disable\_aut  
hentication\_  
provider  
  
disable\_fail  
ing\_authenti  
cation\_provi  
ders  
  
enable\_auth  
entication\_p  
rovider  
  
link\_user\_au  
thn\_provider  
  
get\_availabl  
e\_authentic  
ation\_provid  
ers  
  
get\_login\_ur  
l  
  
get\_provider  
\_client\_confi  
gurations  
  
get\_provider  
\_configurati  
on\_fields  
  
get\_provider  
\_display\_co  
nfigurations  
  
get\_users\_a  
uthn\_linked  
\_accounts

```
175.tld",  
  
"target_acct": "user2"  
,  
  
"source_acct": "cptest"  
,  
  
"end_time": 1462218934  
,  
  
"start_time": 14622189  
20  
        },  
        {  
  
"status": "DONE",  
  
"job_id": 4,  
  
"domain": "cptestaddon  
175.tld",  
  
"source_acct": "cptest"  
,  
  
"target_acct": "user2"  
,  
  
"end_time": 1462218997  
,  
  
"start_time": 14622189  
75  
        }  
    ]  
}
```

- WHM API 1 Functions - convert\_addon\_fetch\_details — This function retrieves domain data for an addon domain.
- WHM API 1 Functions - convert\_addon\_fetch\_conversion\_details — This function returns the details of the convert addon domain to account process.

set\_provider\_client\_configurations  
 set\_provider\_display\_configurations  
 twofactorauth\_disable\_policy  
 twofactorauth\_enable\_policy  
 twofactorauth\_generate\_tfa\_config  
 twofactorauth\_get\_issue\_r  
 twofactorauth\_get\_user\_configs  
 twofactorauth\_policy\_status  
 twofactorauth\_remove\_user\_config  
 twofactorauth\_set\_issuer  
 twofactorauth\_set\_tfa\_config  
 unlink\_user\_authn\_provider  
 validate\_login\_token

▼ Backups

backup\_config\_get  
 backup\_config\_set  
 backup\_date\_list  
 backup\_destination\_add  
 backup\_destination\_delete  
 backup\_destination\_get  
 backup\_destination\_list  
 backup\_destination\_set

```
]
}
}
```

▼ Output (XML)

```
<result>
  <metadata>
    <version>1</version>
  </metadata>
  <result>1</result>
  <command>convert_addon_list_conversions</command>
  <reason>OK</reason>
  </metadata>
  <data>
    <conversions>
      <job_id>1</job_id>
      <status>DONE</status>
      <domain>"cptestaddon175.tld</domain>
      <target_acct/>user2</target_acct>
      <source_acct>cptest</source_acct>
      <start_time>1462216639</start_time>
      <end_time>1462216653</end_time>
      <job_id>2</job_id>
      <status>DONE</status>
      <domain>"cptestaddon175.tld</domain>
      <target_acct/>user2</target_acct>
```

- WHM API 1 Functions - convert\_addon\_get\_version\_status - This function returns the status of the convert\_addon domain to account process for specified conversion jobs.

backup\_dest  
ination\_validate  
  
backup\_set\_  
list  
  
backup\_skip\_  
users\_all  
  
backup\_skip\_  
users\_all\_s  
tatus  
  
backup\_use  
r\_list  
  
convert\_and\_  
migrate\_fro  
m\_legacy\_c  
onfig  
  
list\_cparchiv  
e\_files  
  
start\_backgr  
ound\_pkgac  
ct  
  
toggle\_user\_  
backup\_sta  
te

▼ cPHulk

cphulk\_statu  
s  
  
create\_cphu  
lk\_record  
  
delete\_cphu  
lk\_record  
  
disable\_cph  
ulk  
  
enable\_cph  
ulk  
  
flush\_cphulk\_  
login\_histo  
ry  
  
flush\_cphulk\_  
login\_histo  
ry\_for\_ips  
  
get\_cphulk\_  
brutes  
  
get\_cphulk\_  
excessive\_b  
rutes  
  
get\_cphulk\_  
failed\_logins  
  
load\_cphulk\_  
config  
  
read\_cphulk\_  
records  
  
save\_cphulk\_  
config

```
<source_acct>cptest</  
source_acct>
```

```
<start_time>146221842  
8</start_time>
```

```
<end_time>1462218449<  
/end_time>
```

```
<job_id>3</job_id>
```

```
<status>DONE</status>
```

```
<domain>"cptestaddon1  
75.tld</domain>
```

```
<target_acct/>user2</  
target_acct>
```

```
<source_acct>cptest</  
source_acct>
```

```
<start_time>146221892  
0</start_time>
```

```
<end_time>1462218934<  
/end_time>
```

```
<job_id>4</job_id>
```

```
<status>DONE</status>
```

```
<domain>"cptestaddon1  
75.tld</domain>
```

```
<target_acct/>user2</  
target_acct>
```

```
<source_acct>cptest</  
source_acct>
```

```
<start_time>146221897  
5</start_time>
```

```
<end_time>1462218997<  
/end_time>
```

## ▼ Databases

background  
\_mysql\_upg  
rade\_status

current\_mys  
ql\_version

installable\_  
mysql\_versi  
ons

latest\_availa  
ble\_mysql\_v  
ersion

list\_databas  
e\_users

list\_databas  
es

list\_mysql\_d  
atabases\_a  
nd\_users

remote\_mys  
ql\_create\_pr  
ofile

remote\_mys  
ql\_create\_pr  
ofile\_via\_ss  
h

remote\_mys  
ql\_delete\_pr  
ofile

remote\_mys  
ql\_initiate\_p  
rofile\_activat  
ion

remote\_mys  
ql\_monitor\_  
profile\_activ  
ation

remote\_mys  
ql\_read\_prof  
ile

remote\_mys  
ql\_read\_prof  
iles

remote\_mys  
ql\_update\_p  
rofile

remote\_mys  
ql\_validate\_  
profile

rename\_my  
sql\_databas  
e

rename\_my  
sql\_user

rename\_pos  
tgresql\_data  
base

```
</conversions>  
  </data>  
</result>
```

### Note:

Use WHM's *API Shell* interface (*WHM >> Home >> Development >> API Shell*) to directly test WHM API calls.

## Parameters

This function does not accept parameters.

## Returns

Return	Type	Description	Possible values	Example
conversions	hash	A hash of the conversion data.	This hash includes the job_id, status, target_acct, source_acct, start_time, and end_time returns.	
job_id	integer	The conversion's job number.  The function returns this value in the conversions hash.	A valid positive integer.	1
status	string	The status of the conversion process.  The function returns this value in the conversions hash.	<ul style="list-style-type: none"><li>DONE</li><li>IN PROGRESS</li><li>FAILED</li></ul>	DONE
target_acct	string	The destination user account for the conversion.  The function returns this value in the conversions hash.	A valid cPanel user account.	user2

rename\_posgresql\_user  
 set\_local\_mysql\_root\_password  
 set\_mysql\_password  
 set\_postgresql\_password  
 start\_background\_mysql\_upgrade

source_acct	string	The cPanel account username that owned the domain at the time of conversion.  The function returns this value in the conversions hash.	A valid addon domain.	cpctest
start_time	integer	The time when the process started.  The function returns this value in the conversions hash.	A date in Unix time format.	1462216639
end_time	integer	The time when the process ended.  The function returns this value in the conversions hash.	A date in Unix time format.	1462216653

▼ DNS

adddns  
 addzonerecord  
 addzonerecord (Reverse DNS)  
 dumpzone  
 editzonerecord  
 get\_nameserver\_config  
 getzonerecord  
 killdns  
 listmxs  
 listzones  
 lookupnsip  
 lookupnsips  
 removezone record  
 resetzone  
 resolvedomainname  
 savemxs  
 setresolvers

▼ EasyApache

ea4\_get\_currently\_installed\_packages  
 ea4\_get\_ea\_pkgs\_state  
 ea4\_list\_profiles  
 ea4\_pre\_migrate\_check

ea4\_recom  
mendations

ea4\_save\_p  
rofile

▼ Greylisting

cpgreylist\_is  
\_server\_net  
block\_truste  
d

cpgreylist\_li  
st\_entries\_f  
or\_common  
\_mail\_provid  
er

cpgreylist\_lo  
ad\_common  
\_mail\_provid  
ers\_config

cpgreylist\_s  
ave\_commo  
n\_mail\_provi  
ders\_config

cpgreylist\_st  
atus

cpgreylist\_tr  
ust\_entries\_  
for\_common  
\_mail\_provid  
er

cpgreylist\_u  
ntrust\_entrie  
s\_for\_comm  
on\_mail\_pro  
vider

create\_cpgr  
eylist\_truste  
d\_host

delete\_cpgr  
eylist\_truste  
d\_host

disable\_cpgr  
eylist

enable\_cpgr  
eylist

load\_cpgrey  
list\_config

read\_cpgrey  
list\_deferred  
\_entries

read\_cpgrey  
list\_trusted\_  
host

save\_cpgrey  
list\_config

▼ Integration

batch

cpanel



create\_integ  
ration\_group

create\_integ  
ration\_link

get\_integrati  
on\_link\_user  
\_config

list\_integrati  
on\_groups

list\_integrati  
on\_links

remove\_inte  
gration\_grou  
p

remove\_inte  
gration\_link

update\_inte  
gration\_link  
\_token

▼ IP Addresses

addips

delip

get\_public\_i  
p

get\_shared\_  
ip

ipv6\_disable  
\_account

ipv6\_enable  
\_account

ipv6\_range\_  
add

ipv6\_range\_  
edit

ipv6\_range\_  
list

ipv6\_range\_  
remove

ipv6\_range\_  
usage

listips

nat\_checkip

nat\_set\_pub  
lic\_ip

setsiteip

▼ Mail

disable\_mail  
\_sni

emailtrack\_s  
earch

emailtrack\_s  
tats

emailtrack\_u  
ser\_stats

enable\_mail  
\_sni

exim\_config  
uration\_che  
ck

expunge\_m  
ailbox\_mess  
ages

expunge\_m  
essages\_for  
\_mailbox\_gu  
id

fetch\_mail\_  
queue

generate\_m  
obileconfig

get\_mailbox  
\_status

get\_mailbox  
\_status\_list

get\_user\_e  
mail\_forwar  
d\_destinatio  
n

hold\_outgoi  
ng\_email

is\_sni\_supp  
orted

list\_pops\_for

mail\_sni\_sta  
tus

rebuild\_mail  
\_sni\_config

release\_out  
going\_email

save\_spamd  
\_config

set\_user\_e  
mail\_forwar  
d\_destinatio  
n

suspend\_ou  
tgoing\_email

unsuspend\_  
outgoing\_e  
mail

validate\_cur  
rent\_installe  
d\_exim\_conf  
ig

validate\_exi  
m\_configura  
tion\_syntax

▼ Market

disable\_market\_provider

enable\_market\_provider

get\_adjusted\_market\_providers\_products

get\_market\_providers\_commission\_config

get\_market\_providers\_list

get\_market\_providers\_product\_metadata

get\_market\_providers\_products

set\_market\_product\_attribute

set\_market\_provider\_commission\_id

▼ ModSecurity™

modsec\_add\_rule

modsec\_add\_vendor

modsec\_batch\_settings

modsec\_clone\_rule

modsec\_deploy\_all\_rule\_changes

modsec\_deploy\_rule\_changes

modsec\_deploy\_settings\_changes

modsec\_discard\_rule\_changes

modsec\_disable\_rule

modsec\_disable\_vendor

modsec\_disable\_vendor\_configs

modsec\_disable\_vendor\_updates

modsec\_disable\_all\_rule\_changes

modsec\_edit\_rule

modsec\_enable\_vendor

modsec\_enable\_vendor\_configs

modsec\_enable\_vendor\_updates

modsec\_get\_config\_text

modsec\_get\_configs

modsec\_get\_configs\_with\_changes\_pending

modsec\_get\_log

modsec\_get\_rules

modsec\_get\_settings

modsec\_get\_vendors

modsec\_is\_installed

modsec\_make\_config\_active

modsec\_make\_config\_inactive

modsec\_preview\_vendor

modsec\_remove\_rule

modsec\_remove\_setting

modsec\_remove\_vendor

modsec\_report\_rule

modsec\_set\_config\_text

modsec\_set  
\_setting

modsec\_un  
disable\_rule

modsec\_up  
date\_vendor

▼ Packages

\_getpkgexte  
nsionform

add\_overrid  
e\_features\_f  
or\_user

addpkg

addpkgext

changepack  
age

create\_featu  
relist

delete\_featu  
relist

delpkgext

editpkg

get\_availabl  
e\_featurelist  
s

get\_feature\_  
metadata

get\_feature\_  
names

get\_featureli  
st\_data

get\_users\_f  
eatures\_sett  
ings

getfeaturelis  
t

getpkginfo

killpkg

listpkgs

manage\_fea  
tures

matchpkgs

package\_m  
anager\_fixc  
ache

package\_m  
anager\_get\_  
package\_inf  
o

package\_m  
anager\_reso  
lve\_actions

read\_feature  
list

remove\_override\_feature  
s\_for\_user

update\_featurelist

verify\_user\_has\_feature

▼ PHP

php\_get\_handlers

php\_get\_impacted\_domains

php\_get\_installed\_versions

php\_get\_system\_default\_version

php\_get\_versions\_by\_version

php\_get\_versions

php\_ini\_get\_content

php\_ini\_get\_directives

php\_ini\_set\_content

php\_ini\_set\_directives

php\_set\_handler

php\_set\_system\_default\_version

php\_set\_versions

php\_set\_old\_fpm\_flag

php\_get\_old\_fpm\_flag

get\_fpm\_count\_and\_utilization

php\_get\_default\_accounts\_to\_fpm

php\_set\_default\_accounts\_to\_fpm

convert\_all\_domains\_to\_fpm

▼ Public Contact

get\_public\_contact

set\_public\_contact

▼ Resellers

acctcounts

getresellers

listacts

listresellers

resellerstats

saveacllist

setacts

setresellers

setresellerlimits

setresellermainip

setresellernameservers

setresellerpackagelimit

setupreseller

suspendreseller

terminatereseller

unsetupreseller

unsuspendreseller

▼ Script Hooks

delete\_hook

edit\_hook

list\_hooks

reorder\_hooks

▼ Security

accesshash

authorizesshkey

check\_remote\_ssh\_connection

convertopen  
shtoputty

deletesshke  
y

generatessh  
keypair

importsshke  
y

listsshkeys

▼ Server

Administration

add\_configcl  
usterserver

configureba  
ckgroundpro  
cesskiller

configureser  
vice

cors\_proxy\_  
get

create\_user  
\_session

delete\_confi  
gclusterserv  
er

delete\_rpm\_  
version

edit\_rpm\_ve  
rsion

enable\_mon  
itor\_all\_ena  
bled\_service  
s

get\_appconf  
ig\_applicatio  
n\_list

get\_applicati  
on\_contact\_  
event\_import  
tance

get\_applicati  
on\_contact\_  
importance

get\_all\_cont  
act\_importa  
nces

get\_passwor  
d\_strength

get\_remote\_  
access\_has  
h

get\_rpm\_ver  
sion\_data

get\_service\_  
config



get\_service\_  
config\_key

get\_update\_  
availability

get\_tweakse  
tting

get\_users\_li  
nks

getdiskusag  
e

gethostnam  
e

install\_rpm\_  
plugin

list\_configcl  
usterservers

list\_rpms

loadavg

nvget

nvset

purchase\_a  
\_license

reboot

remove\_in\_  
progress\_ex  
im\_config\_e  
dit

restartservic  
e

run\_cpkeyclt

send\_test\_p  
osturl

send\_test\_p  
ushbullet\_n  
ote

servicestatu  
s

set\_applicati  
on\_contact\_  
event\_impor  
tance

set\_applicati  
on\_contact\_  
importance

set\_primary\_  
\_servername  
e

set\_service\_  
config\_key

set\_tweakse  
tting

sethostname

e

setminimum  
passwordstr  
engths

systemloada  
vg

system\_nee  
ds\_reboot

uninstall\_rp  
m\_plugin

update\_conf  
igclusterserv  
er

verify\_aim\_a  
ccess

verify\_icq\_a  
ccess

verify\_oscar  
\_access

verify\_postu  
rl\_access

verify\_pushb  
ullet\_access

▼ SSL

disable\_aut  
ossl

fetch\_servic  
e\_ssl\_comp  
onents

fetch\_ssl\_ce  
rtificates\_for  
\_fqdns

fetch\_ssl\_vh  
osts

fetch\_vhost  
\_ssl\_compo  
nents

fetchcrtinfo

fetchsslinfo

generatessl

get\_autoss  
l\_check\_sch  
edule

get\_autoss  
l\_log

get\_autoss  
l\_logs\_catalo  
g

get\_autoss  
l\_pending\_q  
ueue

get\_autoss  
l\_pending\_q  
ueue\_for\_do

main

get\_autoss  
\_pending\_  
queue\_for\_  
user

get\_autoss  
\_problems\_  
for\_domain

get\_autoss  
\_problems\_  
for\_user

get\_autoss  
\_providers

get\_best\_ssl  
domain\_for\_  
service

install\_servi  
ce\_ssl\_certif  
icate

installssl

listcerts

rebuildinstall  
edssldb

rebuildusers  
sldb

reset\_autos  
ssl\_provider

reset\_servic  
e\_ssl\_certifi  
cate

set\_autoss\_  
metadata

set\_autoss\_  
provider

start\_autoss  
\_check\_for\_  
all\_users

start\_autoss  
\_check\_for\_  
one\_user

▼ Styles and Themes

list\_styles

load\_style

remove\_log  
o

remove\_styl  
e

save\_style

set\_default

▼ Support Tickets

ticket\_creat  
e\_stub\_ticke  
t

ticket\_get\_  
support\_agr  
reement

ticket\_grant

ticket\_list

ticket\_remov  
e\_closed

ticket\_revok  
e

ticket\_ssh\_t  
est

ticket\_ssh\_t  
est\_start

ticket\_updat  
e\_service\_a  
greement\_a  
pproval

ticket\_valida  
te\_oauth2\_c  
ode

ticket\_whitel  
ist\_check

ticket\_whitel  
ist\_setup

ticket\_whitel  
ist\_unsetup

▼ Transfers

abort\_transf  
er\_session

analyze\_tra  
nsfer\_sessio  
n\_remote

available\_tr  
ansfer\_mod  
ules

create\_remo  
te\_root\_tran  
sfer\_session

create\_remo  
te\_user\_tran  
sfer\_session

enqueue\_tra  
nsfer\_item

fetch\_transf  
er\_session\_l  
og

get\_transfer  
\_session\_st  
ate

pause\_trans  
fer\_session

remote\_basi  
c\_credential  
\_check

retrieve\_tran

sfer\_session  
\_remote\_an  
alysis

start\_transfe  
r\_session

transfer\_mo  
dule\_schem  
a

validate\_sys  
tem\_user

▼ Updates

get\_availabl  
e\_tiers

get\_current\_  
lts\_expiratio  
n\_status

get\_lts\_wex  
pire

getlongterm  
support

installed\_ver  
sions

set\_cpanel\_  
updates

set\_tier

update\_upd  
ateconf

version