

_cPanelAPI2Menu

Guide to cPanel API 2

Return Data

Filter and Sort Output

Paginate Output

Output Columns

Calls from the WHM API

cPanel Tags

(deprecated)

▼ AddonDomain

AddonDomain:: [addaddondomain](#)

AddonDomain:: [deladdondomain](#)

AddonDomain:: [listaddondomains](#)

▼ Backups

Backups:: [listfullbackups](#)

▼ Bandwidth

Bandwidth:: [addhttpbandwidth](#)

Bandwidth:: [getbwdata](#)

Bandwidth:: [gethourlyaveragebwoveryear](#)

▼ BoxTrapper

BoxTrapper:: [accountmanagelist](#)

▼ Branding

Branding:: [addbrandingobj](#)

Branding:: [applist](#)

Branding:: [brandingeditor](#)

Branding:: [createpkg](#)

Branding:: [cssmerge](#)

Branding:: [delbrandingobj](#)

Branding:: [delpkg](#)

Branding:: [gensprites](#)

Branding:: [getbrandingpkg](#)

Branding:: [getbrandingpkgstatus](#)

Branding:: [getdefaultbrandingpkg](#)

Branding:: [installbrandingpkgs](#)

Branding:: [installimages](#)

Branding:: [killimgs](#)

Branding:: [listimgtypes](#)

Branding:: [listobjecttypes](#)

Branding:: [preloadconf](#)

Branding:: [resetall](#)

Branding:: resetcss

Branding:: resethtml

Branding:: resolve_file

Branding:: resolvelocalcss

Branding:: savelocalcss

Branding:: setbrandingpkgstatus

Branding:: showpkgs

Branding:: spritelist

▼ CSVImport

CSVImport:: columnchoices

CSVImport:: configimport

CSVImport:: data

CSVImport:: fetchimportdata

CSVImport:: isenabled

CSVImport:: loaddata

CSVImport:: procesdata

CSVImport:: sendcontact

CSVImport:: uploadimport

▼ Contactus

Contactus:: isenabled

Contactus:: sendcontact

▼ Cron

Cron:: add_line

Cron:: edit_line

Cron:: fetchcron

Cron:: get_email

Cron:: listcron

Cron:: remove_line

Cron:: set_email

▼ CustInfo

CustInfo:: contactemails

CustInfo:: contactprefs

CustInfo:: displaycontactinfo

CustInfo:: savecontactinfo

▼ DBmap

DBmap:: status

DBmap:: version

▼ DKIMUI

DKIMUI:: available

DKIMUI:: getrecords

DKIMUI:: install

DKIMUI:: installed

DKIMUI:: uninstall

▼ DenyIp

DenyIp:: listdenyips

▼ DiskCounter

DiskCounter:: disk_counter

▼ DiskUsage

DiskUsage:: buildcache

DiskUsage:: clearcache

DiskUsage:: fetch_raw_disk_usage

DiskUsage:: fetchdiskusage

DiskUsage:: fetchdiskusagewithextras

▼ DnsLookup

DnsLookup:: name2ip

▼ DomainLookup

DomainLookup:: countbaseddomains

DomainLookup:: getbasedomains

DomainLookup:: getdocroot

DomainLookup:: getdocroots

DomainLookup:: getmaindomain

▼ Email

Email:: accountname

Email:: adddomainforward

Email:: addforward

Email:: addmx

Email:: addpop

Email:: browseboxes

Email:: changemx

Email:: checkmaindiscard

Email:: clearpopcache

Email:: deletefilter

Email:: delforward

Email:: delmx

Email:: delpop

Email:: disablefilter

Email:: editquota

Email:: enablefilter

Email:: fetchautoresponder

Email:: fetchcharmmaps

Email:: filteractions

Email:: filterlist

Email:: filtername

Email:: filterrules

Email:: [get_archiving_configuration](#)
Email:: [get_archiving_default_configuration](#)
Email:: [get_archiving_types](#)
Email:: [get_default_email_quota](#)
Email:: [get_email_signing](#)
Email:: [get_max_email_quota](#)
Email:: [getabsbrowsedir](#)
Email:: [getalwaysaccept](#)
Email:: [getdiskusage](#)
Email:: [getmxcheck](#)
Email:: [has_delegated_mailman_lists](#)
Email:: [list_system_filter_info](#)
Email:: [listaliasbackups](#)
Email:: [listautoresponders](#)
Email:: [listdefaultaddresses](#)
Email:: [listdomainforwards](#)
Email:: [listfilterbackups](#)
Email:: [listfilters](#)
Email:: [listforwards](#)
Email:: [listlists](#)
Email:: [listmaildomains](#)
Email:: [listmx](#)
Email:: [listmxs](#)
Email:: [listpops](#)
Email:: [listpopssingle](#)
Email:: [listpopswithdisk](#)
Email:: [listpopswithimage](#)
Email:: [loadfilter](#)
Email:: [passwdpop](#)
Email:: [reorderfilters](#)
Email:: [set_archiving_configuration](#)
Email:: [set_archiving_default_configuration](#)
Email:: [set_email_signing](#)
Email:: [setalwaysaccept](#)
Email:: [setdefaultaddress](#)
Email:: [setmxcheck](#)
Email:: [storefilter](#)
Email:: [tracefilter](#)

▼ [EmailTrack](#)

EmailTrack:: [search](#)
EmailTrack:: [stats](#)

EmailTrack:: trace

▼ Encoding

Encoding:: get_encodings

Encoding:: guess_file

Encoding:: guess_file_opts

▼ FSTest

FSTest:: dirisempty

▼ Fileman

Fileman:: autocompletedir

Fileman:: fileop

Fileman:: getabsdir

Fileman:: getdir

Fileman:: getdiractions

Fileman:: getdiskinfo

Fileman:: getedittype

Fileman:: getfileactions

Fileman:: getpath

Fileman:: listfiles

Fileman:: mkdir

Fileman:: mkfile

Fileman:: savefile

Fileman:: search

Fileman:: statfiles

Fileman:: uploadfiles

Fileman:: viewfile

▼ ForcePassword

ForcePassword:: get_force_password_flags

ForcePassword:: update_force_password_flags

▼ Frontpage

Frontpage:: fpenabled

Frontpage:: list

▼ Ftp

Ftp:: addftp

Ftp:: delftp

Ftp:: listftp

Ftp:: listftpsessions

Ftp:: listftpwithdisk

Ftp:: passwd

Ftp:: setquota

▼ Gpg

Gpg:: listgpgkeys

Gpg:: listsecretgpgkeys

Gpg:: number_of_private_keys

Gpg:: number_of_public_keys

▼ **Htaccess**

Htaccess:: listuser
Htaccess:: listusers

▼ **HttpUtils**

HttpUtils:: getdirindices

▼ **ImageManager**

ImageManager:: thumbnail

▼ **LVEInfo**

LVEInfo:: getUsage

▼ **LangMods**

LangMods:: getarchname
LangMods:: getkey
LangMods:: getprefix
LangMods:: install
LangMods:: langlist
LangMods:: list_available
LangMods:: list_installed
LangMods:: magic_status
LangMods:: pre_run
LangMods:: search
LangMods:: setup
LangMods:: uninstall
LangMods:: update

▼ **LeechProtect**

LeechProtect:: setup

▼ **Locale**

Locale:: get_encoding
Locale:: get_html_dir_attr
Locale:: get_locale_name
Locale:: get_user_locale
Locale:: get_user_locale_name
Locale:: numf

▼ **Logaholic**

Logaholic:: adduser
Logaholic:: adduserprofile
Logaholic:: deleteuser
Logaholic:: deleteuserprofile
Logaholic:: edituser
Logaholic:: fetchuser
Logaholic:: listuserprofiles
Logaholic:: logaholiclink
Logaholic:: processtats

▼ Mime

Mime:: [list_hotlinks](#)

Mime:: [listhandlers](#)

Mime:: [listmime](#)

Mime:: [listredirects](#)

Mime:: [redirectname](#)

Mime:: [redirecturlname](#)

▼ MysqlFE

MysqlFE:: [authorizehost](#)

MysqlFE:: [changedbuserpassword](#)

MysqlFE:: [createdb](#)

MysqlFE:: [createdbuser](#)

MysqlFE:: [dbuserexists](#)

MysqlFE:: [deauthorizehost](#)

MysqlFE:: [deletedb](#)

MysqlFE:: [deletedbuser](#)

MysqlFE:: [getalldbinfo](#)

MysqlFE:: [getalldbusersanddbs](#)

MysqlFE:: [getdbuserprivileges](#)

MysqlFE:: [getdbusers](#)

MysqlFE:: [gethosts](#)

MysqlFE:: [getmysqlprivileges](#)

MysqlFE:: [getmysqlserverprivileges](#)

MysqlFE:: [has_mycnf_for_cpuser](#)

MysqlFE:: [listdbs](#)

MysqlFE:: [listdbsbackup](#)

MysqlFE:: [listhosts](#)

MysqlFE:: [listusers](#)

MysqlFE:: [listusersindb](#)

MysqlFE:: [revokedbuserprivileges](#)

MysqlFE:: [setdbuserprivileges](#)

MysqlFE:: [userdbprivs](#)

▼ MysqlOptimizer

MysqlOptimizer:: [fetch_slow_queries](#)

▼ NVData

NVData:: [get](#)

NVData:: [set](#)

NVData:: [setall](#)

▼ Net

Net:: [dnszone](#)

Net:: [traceroute](#)

▼ News

News:: does_news_exist

News:: does_news_type_exist

News:: get_news

▼ PHPINI

PHPINI:: getalloptions

PHPINI:: getoptions

▼ Park

Park:: listaddondomains

Park:: listparkedomains

Park:: park

Park:: unpark

▼ Passwd

Passwd:: change_password

Passwd:: set_digest_auth

▼ PasswdStrength

PasswdStrength:: appstrengths

PasswdStrength:: get_password_strength

PasswdStrength:: get_required_strength

▼ Postgres

Postgres:: listdbs

Postgres:: listusers

Postgres:: listusersindb

Postgres:: userexists

▼ Rand

Rand:: getranddata

▼ Resellers

Resellers:: get_sub_accounts

▼ RoR

RoR:: addapp

RoR:: changeapp

RoR:: importrails

RoR:: listapps

RoR:: listrewrites

RoR:: needsimport

RoR:: removeapp

RoR:: removerewrite

RoR:: restartapp

RoR:: setuprewrite

RoR:: softrestartapp

RoR:: startapp

RoR:: stopapp

▼ SetLang

SetLang:: setlocale

▼ SourceIPCheck

SourceIPCheck:: addip

SourceIPCheck:: delip

SourceIPCheck:: getaccount

SourceIPCheck:: listips

SourceIPCheck:: loadsecquestions

SourceIPCheck:: resetsecquestions

SourceIPCheck:: samplequestions

SourceIPCheck:: savesecquestions

▼ SPFUI

SPFUI:: available

SPFUI:: count_settings

SPFUI:: entries_complete

SPFUI:: get_raw_record

SPFUI:: getmainserverip

SPFUI:: install

SPFUI:: installed

SPFUI:: list_settings

SPFUI:: load_current_values

SPFUI:: uninstall

▼ SSH

SSH:: authkey

SSH:: converttoppk

SSH:: delkey

SSH:: fetchkey

SSH:: genkey

SSH:: genkey_legacy

SSH:: importkey

SSH:: listkeys

▼ SSL

SSL:: fetchcabundle

SSL:: fetchinfo

SSL:: genctr

SSL:: genscr

SSL:: genkey

SSL:: getcnname

SSL:: installssl

SSL:: listcrts

SSL:: listcsrs

SSL:: listkeys

SSL:: listsslitems

SSL:: uploadcrt

- SSL:: uploadkey
- ▼ SSLInfo
 - SSLInfo:: fetchinfo
- ▼ StatCache
 - StatCache:: clearcache
- ▼ Stats
 - Stats:: getmonthlybandwidth
 - Stats:: getmonthlydomainbandwidth
 - Stats:: getthismonthsbwusage
 - Stats:: lastapachehits
 - Stats:: lastvisitors
 - Stats:: listanalog
 - Stats:: listawstats
 - Stats:: listlastvisitors
 - Stats:: listrawlogs
 - Stats:: listurchin
 - Stats:: listwebalizer
- ▼ StatsBar
 - StatsBar:: getrowcounter
 - StatsBar:: rowcounter
 - StatsBar:: setrowcounter
 - StatsBar:: stat
- ▼ SubDomain
 - SubDomain:: addsubdomain
 - SubDomain:: changedocroot
 - SubDomain:: delsubdomain
 - SubDomain:: getreservedsubdomains
 - SubDomain:: listsubdomains
 - SubDomain:: validregex
- ▼ Themes
 - Themes:: apply_new_theme
 - Themes:: does_cpanel_theme_exist
 - Themes:: get_available_themes
 - Themes:: get_themes_list
 - Themes:: restore_saved_theme
- ▼ UI
 - UI:: dynamicincludelist
 - UI:: includelist
 - UI:: listform
 - UI:: paginate
 - UI:: paginate_list
- ▼ UserHttpUtils
 - UserHttpUtils:: getdirindices

▼ WebDisk

WebDisk:: [addwebdisk](#)

WebDisk:: [delwebdisk](#)

WebDisk:: [hasdigest](#)

WebDisk:: [listwebdisks](#)

WebDisk:: [passwdwebdisk](#)

WebDisk:: [set_digest_auth](#)

WebDisk:: [set_homedir](#)

WebDisk:: [set_perms](#)

WebDisk:: [setstatus](#)

▼ WebmailApps

WebmailApps:: [listwebmailapps](#)

▼ ZoneEdit

ZoneEdit:: [add_zone_record](#)

ZoneEdit:: [edit_zone_record](#)

ZoneEdit:: [fetch_cpanel_generated_domains](#)

ZoneEdit:: [fetchzone](#)

ZoneEdit:: [fetchzone_records](#)

ZoneEdit:: [fetchzones](#)

ZoneEdit:: [get_zone_record](#)

ZoneEdit:: [remove_zone_record](#)

ZoneEdit:: [resetzone](#)