

# UAPI Functions - Market::get\_certificate\_status\_details

## Guide to UAPI

- Return Data
- Filter Output
- Sort Output
- Paginate Output
- Output Columns
- Calls from the WHM API
- Custom UAPI Modules

Backup  
Backup::  
fullbacku

p\_to\_ftp

Backup:: fullbacku  
p\_to\_homedir

Backup:: fullbacku  
p\_to\_scp\_with\_key

Backup:: fullbacku  
p\_to\_scp\_with\_password

Backup:: list\_backups

### Bandwidth

Bandwidth:: get\_enabled\_protocols

Bandwidth:: get\_retention\_periods

Bandwidth:: query

### Batch

Batch:: strict

### Brand

Brand:: read

### Branding

Branding:: file

Branding:: get\_applications

Branding:: get\_application\_information

Branding:: get\_available\_applications

Branding:: get\_information\_for\_applications

## Description

This function returns the status of an SSL certificate request. The returns include actionable URLs for users to expedite the validation process, if applicable.

## Examples

### ▼ cPanel or Webmail Session URL

```
https://hostname.example.com:2083/cpsess#####/execute/Market/get_certificate_status_details?order_item_id=1234567890&provider=cPStore
```

#### Note:

This example calls the UAPI function via a cPanel session. For more information, read our [Guide to UAPI documentation](#).

## Function information

### About this module

The Market module manages connections to cPanel's Market providers.

### About UAPI

UAPI accesses and modifies data for cPanel accounts.

- Branding:: image
- Branding:: include
- Branding:: spritelist
- CacheBuster
  - CacheBuster:: read
  - CacheBuster:: update
- Chkservd
  - Chkservd:: get\_external\_ports
  - Chkservd:: get\_external\_ports\_ssl
- Chrome
  - Chrome:: get\_domain
- Contactus
  - Contactus:: is\_enabled
- cPAddons
  - cPAddons:: get\_available\_addons
  - cPAddons:: get\_instance\_settings
  - cPAddons:: list\_addon\_instances
- cPGreyList
  - cPGreyList:: disable\_all\_domains
  - cPGreyList:: disable\_domains
  - cPGreyList:: enable\_all\_domains
  - cPGreyList:: enable\_domains
  - cPGreyList:: has\_greylisting\_enabled
  - cPGreyList:: list\_domains
- DAV
  - DAV:: disable\_shared\_global\_addressbook
  - DAV:: enable\_shared\_global\_addressbook
  - DAV:: get\_calendar\_contacts\_config
  - DAV:: has\_shared\_global\_addressbook
  - DAV:: is\_dav\_service\_enabled

## LiveAPI PHP Class

```

$cPStore = new
cPStore(); // Connect
to cPStore - only do
this once.

// Display the status
of an SSL
certificate.
$list_pending =
$cPStore->uapi(
    'Market',
    'get_certificate_stat
us_details',
    array(

'order_item_id' =>
'1234567890',
        'provider' =>
'cPStore'
    )
);

```

**Note:**  
For more information, read our [Guide to the LiveAPI System](#).

**Notes:**

- The
- Ur
- int
- us
- 20
- or
- 20
- or
- 20
- or
- 20
- ).

## Find a function

- UAPI Functions - SSL:delete\_ssl | — This function removes SSL from a domain.

DAV:: is\_horde\_enabled

#### ▼ DCV

DCV:: check\_domains\_via\_dns

DCV:: check\_domains\_via\_http

DCV:: ensure\_domains\_can\_pass\_dcv

#### ▼ DomainInfo

DomainInfo:: domains\_data

DomainInfo:: list\_domains

DomainInfo:: main\_domain\_builtin\_subdomain\_aliases

DomainInfo:: single\_domain\_data

#### ▼ DNS

DNS:: ensure\_domains\_reside\_only\_locally

DNS:: has\_local\_authority

#### ▼ DNSSEC

DNSSEC:: disable\_dnssec

DNSSEC:: enable\_dnssec

DNSSEC:: fetch\_dns\_records

DNSSEC:: set\_nsec3

DNSSEC:: unset\_nsec3

#### ▼ Email

Email:: account\_name

Email:: add\_auto\_responder

Email:: add\_domain\_forwarder

Email:: add\_forwarder

Email:: add\_list

Email:: add\_mailman\_delegates

Email:: add\_mx

Email:: add\_pop

Email:: add\_spam\_filter

### ▼ LiveAPI Perl Module

```
my $cpliveapi =
cPStore::LiveAPI->new
(); # Connect to
cPStore - only do
this once.
```

```
# Display the status
of an SSL
certificate.
my $list_pending =
$cpliveapi->uapi(
'Market',
'get_certificate_status_details', {

'order_item_id' =>
'1234567890',
'provider' =>
'cPStore'
}
);
```

#### Note:

For more information, read our [Guide to the LiveAPI System](#).

### ▼ cPanel Template Toolkit

```
<!-- List pending SSL
certificates. -->
[% execute('Market',
'get_certificate_status_details', {
'order_item_id' =>
'1234567890',
'provider' =>
'cPStore' }) %]
```

#### Note:

For more information, read our [Guide to Template Toolkit documentation](#).

- UAPI Functions - SSL: :fetch\_best\_for\_domain — This function retrieves the best-available certificate for the domain.
- UAPI Functions - SSL: :fetch\_certificate\_info — This function retrieves all of a certificate's available information.

Email: browse\_mailbox  
Email: change\_mx  
Email: check\_fastmail  
Email: check\_pipe\_forwarder  
Email: delete\_auto\_responder  
Email: delete\_domain\_forwarder  
Email: delete\_filter  
Email: delete\_forwarder  
Email: delete\_held\_messages  
Email: delete\_list  
Email: delete\_mx  
Email: delete\_pop  
Email: disable\_filter  
Email: disable\_mailbox\_autocreate  
Email: disable\_spam\_assassin  
Email: disable\_spam\_autodelete  
Email: disable\_spam\_box  
Email: dispatch\_client\_settings  
Email: edit\_pop\_quota  
Email: enable\_filter  
Email: enable\_mailbox\_autocreate  
Email: enable\_spam\_assassin  
Email: enable\_spam\_box  
Email: fetch\_charmaps  
Email: fts\_rescan\_mailbox  
Email: generate\_mailman\_opt  
Email: get\_auto\_responder  
Email: get\_chase

## Command Line

```
uapi --user=username  
Market  
get_certificate_status_details  
order_item_id=1234567  
890 provider=cPStore
```

### Notes:

- You **must** URI-encode values.
- username represents your account-level username.
- For more information and additional output options, read our [Guide to UAPI](#) documentation or run the `uapi --help` command.
- If you run CloudLinux™, you **must** use the full path of the `uapi` command:

```
/usr/local  
/cpanel/bin/  
uapi
```

## Output (JSON)

```
{  
  "data": {  
    "actionUrls": {  
  
      "ovCallbackStatus": "https://example.com/action",  
  
      "evClickThroughStatus": "https://example.com/action"  
    },  
  
    "status_details": {  
  
      "brandValStatus": "in-progress",  
  
      "certificateStatus": "in-progress",  
  
      "csrStatus": "complete"
```

- UAPI Functions - SSL: fetch\_key\_and\_certificate — This function extracts the private key and CA bundle information from a certificate.

ts  
Email: get\_client\_settings  
Email: get\_default\_email\_quota  
Email: get\_default\_email\_quota\_mib  
Email: get\_disk\_usage  
Email: get\_filter  
Email: get\_held\_message\_count  
Email: get\_mailbox\_autocreate  
Email: get\_mailman\_delegates  
Email: get\_main\_account\_disk\_usage  
Email: get\_main\_account\_disk\_usage\_bytes  
Email: get\_max\_email\_quota  
Email: get\_max\_email\_quota\_mib  
Email: get\_pop\_quota  
Email: get\_spam\_settings  
Email: get\_webmail\_settings  
Email: has\_delegated\_mailman\_lists  
Email: has\_plaintext\_authentication  
Email: hold\_outgoing  
Email: is\_integer  
Email: list\_autoresponders  
Email: list\_default\_address  
Email: list\_domain\_forwarders  
Email: list\_filters  
Email: list\_filters\_backups  
Email: list\_forwarders  
Email: list\_forward

```
d",  
  "dcvStatus": "completed",  
  "evClickThroughStatus": "in-progress",  
  "freeDVUPStatus": "not applicable",  
  "organizationValidationStatus": "not applicable",  
  "ovCallbackStatus": "not applicable",  
  "validationStatus": "in-progress"  
    },  
  "domain_details": {  
    "domain": "www.example.com",  
    "status": "AWAITINGBRAND"  
  }  
  },  
  "error": "",  
  "message": "Certificate"
```

ers\_backups  
 Email:: list\_lists  
 Email:: list\_mail\_domains  
 Email:: list\_mx  
 Email:: list\_pops  
 Email:: list\_pops\_with\_disk  
 Email:: list\_system\_filter\_info  
 Email:: passwd\_list  
 Email:: passwd\_pop  
 Email:: release\_outgoing  
 Email:: remove\_mailman\_delegates  
 Email:: reorder\_filters  
 Email:: set\_always\_accept  
 Email:: set\_default\_address  
 Email:: set\_list\_privacy\_options  
 Email:: stats\_db\_status  
 Email:: store\_filter  
 Email:: suspend\_incoming  
 Email:: suspend\_login  
 Email:: suspend\_outgoing  
 Email:: trace\_filter  
 Email:: unsuspend\_incoming  
 Email:: unsuspend\_login  
 Email:: unsuspend\_outgoing  
 Email:: verify\_password  
 EmailAuth  
 EmailAuth:: disable\_dkim  
 EmailAuth:: enable\_dkim  
 EmailAuth:: ensure\_dkim\_keys\_exist

```

    "The request is still
    being processed"
  }

```

**Note:**

Use cPanel's *API Shell* interface (*cPanel >> Home >> Advanced >> API Shell*) to directly test cPanel API calls.

## Parameters

Parameter	Type	Description	Possible values	Example
order_item_id	<i>integer</i>	<b>Required</b> The order ID that the cPanel Market provider assigned.	A positive integer.	1234567890
provider	<i>string</i>	<b>Required</b> The cPanel Market provider's name.	A valid string.	cPStore

## Returns

**Note:**

The following table provides example returns. However, because this function returns data from a dynamic source, the returns in each hash can vary.

Return	Type	Description	Possible values	Example
action_urls	<i>hash</i>	A hash that contains actionable URLs.	This hash <b>may</b> include the <code>ovCallbackStatus</code> or <code>evClickThroughStatus</code> return.	

EmailAuth:: fetch\_dkim\_private\_keys

EmailAuth:: install\_dkim\_private\_keys

EmailAuth:: install\_spf\_records

EmailAuth:: validate\_current\_dkims

EmailAuth:: validate\_current\_ptrs

EmailAuth:: validate\_current\_spfs

ExternalAuthentication

ExternalAuthentication:: add\_auth\_link

ExternalAuthentication:: configured\_modules

ExternalAuthentication:: get\_auth\_links

ExternalAuthentication:: has\_external\_auth\_modules\_configured

ExternalAuthentication:: remove\_authn\_link

Features

Features:: get\_feature\_metadata

Features:: has\_feature

Features:: list\_features

Fileman

Fileman:: autocompletedir

Fileman:: empty\_trash

Fileman:: get\_file\_content

Fileman:: get\_file\_information

Fileman:: list\_files

Fileman:: save\_file\_content

Fileman:: transcoding

Fileman:: upload\_files

ovCallbackStatus	string	A URL that a user can use to expedite the validation process for Organization Validated (OV) certificates.  This function returns this value in the action_urls hash.	A valid URL.	https://example.com/action
evClickThroughStatus	string	A URL that a user can use to expedite the validation process for Extended Validation (EV) certificates.  This function returns this value in the action_urls hash.	A valid URL.	https://example.com/action
status_details	hash	A hash that contains specific information about the validation process.	This hash may include the brandValStatus, certificateStatus, csrStatus, dcVStatus, evClickThroughStatus, freeDVUPStatus, organizationValidationStatus, ovCallbackStatus, or validationStatus returns.	
brandValidStatus	string	Whether the brand validation status has completed.  This function returns this value in the status_details hash.	<ul style="list-style-type: none"> <li>not applicable</li> <li>completed</li> <li>in-progress</li> </ul>	in-progress
certificateStatus	string	Whether the provider has issued the SSL certificate.  This function returns this value in the status_details hash.	<ul style="list-style-type: none"> <li>not applicable</li> <li>not-completed</li> <li>completed</li> <li>in-progress</li> </ul>	in-progress
csrStatus	string	Whether the certificate signing request (CSR) has completed.  This function returns this value in the status_details hash.	<ul style="list-style-type: none"> <li>not applicable</li> <li>not-completed</li> <li>completed</li> <li>in-progress</li> </ul>	completed

- Ftp:: add\_ftp
    - Ftp:: allows\_anonymous\_ftp
    - Ftp:: allows\_anonymous\_ftp\_incoming
    - Ftp:: delete\_ftp
    - Ftp:: ftp\_exists
    - Ftp:: get\_ftp\_daemon\_info
    - Ftp:: get\_port
    - Ftp:: get\_quota
    - Ftp:: get\_welcome\_message
    - Ftp:: kill\_session
    - Ftp:: list\_ftp
    - Ftp:: list\_ftp\_with\_disk
    - Ftp:: list\_sessions
    - Ftp:: passwd
    - Ftp:: server\_name
    - Ftp:: set\_anonymous\_ftp
    - Ftp:: set\_anonymous\_ftp\_incoming
    - Ftp:: set\_homedir
    - Ftp:: set\_quota
    - Ftp:: set\_welcome\_message
  - Integration
    - Integration:: fetch\_url
  - KnownHosts
    - KnownHosts:: create
    - KnownHosts:: delete
    - KnownHosts:: update
    - KnownHosts:: verify
  - LangPHP
    - LangPHP:: php\_get\_domain\_handler
    - LangPHP:: php\_get\_impacted\_domains
    - LangPHP:: php\_get\_installed\_version

dcvStatus	string	Whether Domain Control Validation (DCV) has completed.  This function returns this value in the status_details hash.	<ul style="list-style-type: none"> <li>• not applicable</li> <li>• not-completed</li> <li>• completed</li> <li>• in-progress</li> </ul>	completed
evClickThroughStatus	string	Whether every requirement for the EV certificate has completed. For more information, read Sectigo's <a href="#">What is required for validation?</a> documentation.  This function returns this value in the status_details hash.	<ul style="list-style-type: none"> <li>• not applicable</li> <li>• not-completed</li> <li>• completed</li> <li>• in-progress</li> </ul>	in-progress
freeDVUPStatus	string	Whether every requirement for the Domain Validated (DV) certificate has completed.  This function returns this value in the status_details hash.	<ul style="list-style-type: none"> <li>• not applicable</li> <li>• not-completed</li> <li>• completed</li> <li>• in-progress</li> </ul>	not applicable
organizationValidationStatus	string	Whether every requirement for the OV certificate has completed.  This function returns this value in the status_details hash.	<ul style="list-style-type: none"> <li>• not applicable</li> <li>• not-completed</li> <li>• completed</li> <li>• in-progress</li> </ul>	not applicable
ovCallbackStatus	string	Whether the Certificate Authority (CA) has verified the organization's validity via a phone call.  This function returns this value in the status_details hash.	<ul style="list-style-type: none"> <li>• not applicable</li> <li>• not-completed</li> <li>• completed</li> <li>• in-progress</li> </ul>	not applicable
validationStatus	string	Whether the validation process has completed.  This function returns this value in the status_details hash.	<ul style="list-style-type: none"> <li>• not applicable</li> <li>• not-completed</li> <li>• completed</li> <li>• in-progress</li> </ul>	in-progress



S

LangPHP:: php\_get\_system\_default\_version

LangPHP:: php\_get\_vhost\_versions

LangPHP:: php\_ini\_get\_user\_basic\_directives

LangPHP:: php\_ini\_get\_user\_content

LangPHP:: php\_ini\_get\_user\_paths

LangPHP:: php\_ini\_set\_user\_basic\_directives

LangPHP:: php\_ini\_set\_user\_content

LangPHP:: php\_set\_vhost\_versions

domain_details	hash	A hash that contains information about the domain.	This hash <b>may</b> include the domain or status returns.	
domain	string	The Fully Qualified Domain Name (FQDN) that the function queries.  This function returns this value in the domain_details hash.	A valid string.	www.example.com
status	string	The status of the domain's certificate.  This function returns this value in the domain_details hash.	<ul style="list-style-type: none"> <li>VALIDATED</li> <li>NOTVALIDATED</li> <li>AWAITINGBRAND</li> </ul>	AWAITINGBRAND

▼ LastLogin

LastLogin:: get\_last\_or\_current\_logged\_in\_ip

▼ Locale

Locale:: get\_attributes

▼ Mailboxes

Mailboxes:: expunge\_mailbox\_messages

Mailboxes:: expunge\_messages\_for\_mailbox\_guid

Mailboxes:: get\_mailbox\_status

Mailboxes:: has\_utf8\_mailbox\_names

Mailboxes:: set\_utf8\_mailbox\_names

▼ Market

Market:: cancel\_pending\_ssl\_certificate

Market:: create\_shopping\_cart

Market:: get\_all\_products

Market:: get\_certificate\_status\_details

Market:: get\_login\_url

Market:: get\_pending\_ssl\_certificates

Market:: get\_provider\_specific\_dcv\_constraints

Market:: get\_providers\_list

Market:: get\_ssl\_certificate\_if\_available

Market:: process\_ssl\_pending\_queue

Market:: request\_ssl\_certificates

Market:: set\_status\_of\_pending\_queue\_items

Market:: set\_url\_after\_checkout

Market:: validate\_login\_token

#### ▼ Mime

Mime:: add\_handler

Mime:: add\_hotlink

Mime:: add\_mime

Mime:: add\_redirect

Mime:: delete\_handler

Mime:: delete\_hotlink

Mime:: delete\_mime

Mime:: delete\_redirect

Mime:: list\_handlers

Mime:: list\_hotlinks

Mime:: list\_mime

Mime:: list\_redirects

Mime:: redirect\_info

#### ▼ ModSecurity

ModSecurity:: disable\_all\_domains

ModSecurity:: disable\_domains

ModSecurity:: enable\_all\_domains

ModSecurity:: enable\_domains

ModSecurity:: has  
\_modsecurity\_inst  
alled

ModSecurity:: list\_  
domains

▼ Mysql

Mysql:: add\_host

Mysql:: add\_host\_  
note

Mysql :: check\_dat  
abase

Mysql:: create\_dat  
abase

Mysql:: create\_use  
r

Mysql:: delete\_dat  
abase

Mysql:: delete\_hos  
t

Mysql:: delete\_use  
r

Mysql:: get\_host\_n  
otes

Mysql:: get\_privile  
ges\_on\_database

Mysql:: get\_restrict  
ions

Mysql:: get\_server  
\_information

Mysql:: locate\_ser  
ver

Mysql:: rename\_d  
atabase

Mysql:: rename\_us  
er

Mysql:: repair\_dat  
abase

Mysql:: revoke\_ac  
cess\_to\_database

Mysql:: set\_passw  
ord

Mysql:: set\_privile  
ges\_on\_database

▼ Notifications

Notifications:: get\_  
notifications\_count

▼ NVData

NVData:: get

NVData:: set

▼ Parser

Parser:: firstfile\_rel  
ative\_uri

- ▼ PassengerApps
  - PassengerApps:: disable\_application
  - PassengerApps:: edit\_application
  - PassengerApps:: enable\_application
  - PassengerApps:: ensure\_deps
  - PassengerApps:: list\_applications
  - PassengerApps:: register\_application
  - PassengerApps:: unregister\_application
- ▼ PasswdStrength
  - PasswdStrength:: get\_required\_strength
- ▼ Personalization
  - Personalization::set
  - Personalization::get
- ▼ Postgresql
  - Postgresql:: create\_database
  - Postgresql:: create\_user
  - Postgresql:: delete\_database
  - Postgresql:: get\_restrictions
  - Postgresql:: grant\_all\_privileges
  - Postgresql:: rename\_database
  - Postgresql:: rename\_user
  - Postgresql:: rename\_user\_no\_password
  - Postgresql:: revoke\_all\_privileges
  - Postgresql:: set\_password
- ▼ Pushbullet
  - Pushbullet:: send\_test\_message
- ▼ Quota
  - Quota:: get\_quota\_info

- ▼ Resellers
  - Resellers:: list\_accounts
- ▼ ResourceUsage
  - ResourceUsage:: get\_usages
- ▼ Restore
  - Restore:: directory\_listing
  - Restore:: get\_users
  - Restore:: query\_file\_info
  - Restore:: restore\_file
- ▼ Session
  - Session:: create\_temp\_user
- ▼ SiteTemplates
  - SiteTemplates:: list\_site\_templates
  - SiteTemplates:: list\_user\_settings
  - SiteTemplates:: publish
- ▼ SpamAssassin
  - SpamAssassin :: clear\_spam\_box
  - SpamAssassin:: get\_symbolic\_test\_names
  - SpamAssassin:: get\_user\_preferences
  - SpamAssassin:: update\_user\_preference
- ▼ SSH
  - SSH:: get\_port
- ▼ SSL
  - SSL:: add\_autossl\_excluded\_domains
  - SSL:: can\_ssl\_redirect
  - SSL:: check\_shared\_cert
  - SSL:: delete\_cert
  - SSL:: delete\_csr
  - SSL:: delete\_key
  - SSL:: delete\_ssl
  - SSL :: disable\_mail\_sni

SSL:: enable\_mail  
\_sni

SSL:: fetch\_best\_f  
or\_domain

SSL:: fetch\_cert\_in  
fo

SSL:: fetch\_certific  
ates\_for\_fqdns

SSL:: fetch\_key\_a  
nd\_cabundle\_for\_  
certificate

SSL:: find\_certifica  
tes\_for\_key

SSL:: find\_csrs\_for  
\_key

SSL:: generate\_ce  
rt

SSL:: generate\_cs  
r

SSL:: generate\_ke  
y

SSL:: get\_autossl\_  
excluded\_domains

SSL:: get\_autossl\_  
pending\_queue

SSL:: get\_autossl\_  
problems

SSL:: get\_cabundl  
e

SSL:: get\_cn\_nam  
e

SSL:: install\_ssl

SSL:: installed\_ho  
st

SSL:: installed\_ho  
sts

SSL:: is\_autossl\_c  
heck\_in\_progress

SSL:: is\_mail\_sni\_  
supported

SSL:: is\_sni\_supp  
orted

SSL:: list\_certs

SSL:: list\_csrs

SSL:: list\_keys

SSL:: list\_ssl\_item  
s

SSL:: mail\_sni\_sta  
tus

SSL:: rebuild\_mail  
\_sni\_config

SSL:: rebuildssldb

SSL:: remove\_aut  
ossl\_excluded\_do  
mains

SSL:: set\_autossl\_  
excluded\_domains

SSL:: set\_cert\_frie  
ndly\_name

SSL:: set\_csr\_frien  
dly\_name

SSL:: set\_key\_frie  
ndly\_name

SSL:: set\_primary  
\_ssl

SSL:: set\_ssl\_shar  
e

SSL:: show\_cert

SSL:: show\_csr

SSL:: show\_key

SSL:: start\_autossl\_  
\_check

SSL:: toggle\_ssl\_r  
edirects\_for\_doma  
ins

SSL:: upload\_cert

SSL:: upload\_key

▼ StatsBar

StatsBar:: get\_stat  
s

▼ Styles

Styles:: current

Styles:: list

Styles:: set\_default

Styles:: update

▼ SubDomain

SubDomain:: adds  
ubdomain

▼ Themes

Themes:: get\_the  
me\_base

Themes:: list

Themes:: update

▼ Tokens

Tokens:: create\_fu  
ll\_access

Tokens:: list

Tokens:: rename

Tokens:: revoke

▼ TwoFactorAuth

TwoFactorAuth:: generate\_user\_configuration

TwoFactorAuth:: get\_user\_configuration

TwoFactorAuth:: remove\_user\_configuration

TwoFactorAuth:: set\_user\_configuration

▼ UserManager

UserManager:: check\_account\_conflicts

UserManager:: create\_user

UserManager:: delete\_user

UserManager:: dismiss\_user

UserManager:: edit\_user

UserManager:: list\_users

UserManager:: lookup\_service\_account

UserManager:: lookup\_user

UserManager:: merge\_service\_account

UserManager:: unlink\_service\_account

▼ UserTasks

UserTasks:: delete

UserTasks:: retrieve

▼ VersionControl

VersionControl:: create

VersionControl:: delete

VersionControl:: retrieve

VersionControl:: update

▼ VersionControlDeployment

VersionControlDeployment:: create



VersionControlDeployment:: delete

VersionControlDeployment:: retrieve

▼ WebDisk

WebDisk:: delete\_user

WebDisk:: set\_homedir

WebDisk:: set\_password

WebDisk:: set\_permissions

▼ WebmailApps

WebmailApps:: list\_webmailapps

▼ WebVhosts

WebVhost:: list\_domains

WebVhost:: list\_ssl\_capable\_domains

▼ WordPressBackup

WordPressBackup:: any\_running

WordPressBackup:: cancel

WordPressBackup:: cleanup

WordPressBackup:: get\_available\_backups

WordPressBackup:: is\_running

WordPressBackup:: start

▼ WordPressInstance

Manager

WordPressInstanceManager:: cancel\_scan

WordPressInstanceManager:: cleanup\_scan

WordPressInstanceManager:: change\_admin\_password

WordPressInstanceManager:: configure\_autoupdate

WordPressInstanceManager:: get\_api\_version

WordPressInstanceManager:: get\_in

stance\_by\_id

WordPressInstanceManager::get\_instances

WordPressInstanceManager::get\_latest\_wordpress\_version\_from\_wordpress\_org

WordPressInstanceManager::get\_scan\_results

WordPressInstanceManager::is\_installable\_addon\_available

WordPressInstanceManager::start\_scan

▼ WordPressRestore

WordPressRestore::any\_running

WordPressRestore::cleanup

WordPressRestore::start