

The sysinfo.config File

For cPanel & WHM version 60

- [Overview](#)
- [Initial settings](#)
- [Keys and default settings](#)
- [Additional documentation](#)

Overview

The `/var/cpanel/sysinfo.config` file stores the server's system information settings. cPanel & WHM uses this file to determine which RPMs to download during installation and upgrades.

If the detection system fails to correctly identify the distribution or version of Linux, you can manually override those settings.

Warning:

This feature is intended for advanced users. Changes that you make to the default configuration may render your server non-functional. Exercise caution when you edit this file.

Initial settings

cPanel & WHM runs the `/usr/local/cpanel/scripts/gensysinfo` script as part of nightly maintenance to automatically generate the `sysinfo.config` file. The system will **not** update the file if it is less than a day old.

If the `sysinfo.config` file does not exist or becomes corrupt, log into the server via SSH as the `root` user and run the `/usr/local/cpanel/scripts/gensysinfo` script to generate a new file.

Keys and default settings

The following table lists the keys that the system stores in the `/var/cpanel/sysinfo.config` file:

Key	Description	Possible Values	Example
<code>ises</code>	Whether the OS distribution is an Enterprise system. Note: This is a legacy parameter as of cPanel & WHM version 11.38.	<ul style="list-style-type: none">0 — Default value1 — The server distribution contains Corporate, Advanced Server, or Enterprise in its name.2 — The server distribution is either CloudLinux or CentOS.	2
<code>lock</code>	A list of RPM and <code>sysinfo.config</code> file keys that you do not want the system to update.	A comma-separated list of RPM or <code>sysinfo.config</code> file key names: <ul style="list-style-type: none"><code>release</code><code>rpm_arch</code><code>rpm_dist</code><code>rpm_dist_ver</code> Note: For more information about the <code>rpm.versions</code> system, read our Introduction to the rpm.versions system documentation.	<code>rpm_dist,rpm_arch</code>
<code>release</code>	The Linux distribution's release number.	A valid string.	6.6


rpm_arch	The OS's architecture.	<ul style="list-style-type: none"> x86_64 — 64-bit system. <p>Note: We deprecated the i386 value in cPanel & WHM version 58.</p>	x86_64
rpm_dist	The name of the system's OS distribution.	<ul style="list-style-type: none"> amazon centos rhel cloudlinux 	centos
rpm_dist_ver	The system's OS distribution's version number.	<ul style="list-style-type: none"> 6 7 unknown — If the rpm_dist_ver key uses this value, run the /usr/local/cpanel/scripts/gensysinfo script. <p>Warning The value for rpm_dist_ver must match the system's initial version of the OS distribution.</p> <p>Note: We deprecated the 5 value in cPanel & WHM version 58.</p>	6

Additional documentation

Suggested documentation For cPanel users For WHM users For developers


Content by label

There is no content with the specified labels




Content by label

There is no content with the specified labels



Content by label



There is no content with the specified labels



Content by label

There is no content with the specified labels

