

_UAPIMenu

Guide to UAPI

Return Data

Filter Output

Sort Output

Paginate Output

Output Columns

Calls from the WHM API

Custom UAPI Modules

▼ Backup

Backup:: fullbackup_to_ftp

Backup:: fullbackup_to_homedir

Backup:: fullbackup_to_scp_with_key

Backup:: fullbackup_to_scp_with_password

Backup:: list_backups

▼ Bandwidth

Bandwidth:: get_enabled_protocols

Bandwidth:: get_retention_periods

Bandwidth:: query

▼ Batch

Batch:: strict

▼ Brand

Brand:: read

▼ Branding

Branding:: file

Branding:: get_applications

Branding:: get_application_information

Branding:: get_available_applications

Branding:: get_information_for_applications

Branding:: image

Branding:: include

Branding:: spritelist

▼ CacheBuster

CacheBuster:: read

CacheBuster:: update

▼ Chkservd

Chkservd:: get_exim_ports

Chkservd:: get_exim_ports_ssl

▼ Chrome

Chrome:: get_dom

- ▼ **Contactus**
 - Contactus:: `is_enabled`
- ▼ **cPAddons**
 - cPAddons:: `get_available_addons`
 - cPAddons:: `get_instance_settings`
 - cPAddons:: `list_addon_instances`
- ▼ **cPGreyList**
 - cPGreyList:: `disable_all_domains`
 - cPGreyList:: `disable_domains`
 - cPGreyList:: `enable_all_domains`
 - cPGreyList:: `enable_domains`
 - cPGreyList:: `has_greylisting_enabled`
 - cPGreyList:: `list_domains`
- ▼ **DAV**
 - DAV:: `disable_shared_global_addressbook`
 - DAV:: `enable_shared_global_addressbook`
 - DAV:: `get_calendar_contacts_config`
 - DAV:: `has_shared_global_addressbook`
 - DAV:: `is_dav_service_enabled`
 - DAV:: `is_horde_enabled`
- ▼ **DCV**
 - DCV:: `check_domains_via_dns`
 - DCV:: `check_domains_via_http`
 - DCV:: `ensure_domains_can_pass_dcv`
- ▼ **DomainInfo**
 - DomainInfo:: `domains_data`
 - DomainInfo:: `list_domains`
 - DomainInfo:: `main_domain_built_in_subdomain_aliases`
 - DomainInfo:: `single_domain_data`
- ▼ **DNS**
 - DNS:: `ensure_domains_reside_only_locally`
 - DNS:: `has_local_authority`
- ▼ **DNSSEC**
 - DNSSEC:: `disable_dnssec`
 - DNSSEC:: `enable_dnssec`
 - DNSSEC:: `fetch_ds_records`
 - DNSSEC:: `set_nsec3`
 - DNSSEC:: `unset_nsec3`
- ▼ **Email**
 - Email:: `account_name`
 - Email:: `add_auto_responder`
 - Email:: `add_domain_forwarder`
 - Email:: `add_forwarder`

Email:: add_list
Email:: add_mailman_delegates
Email:: add_mx
Email:: add_pop
Email:: add_spam_filter
Email:: browse_mailbox
Email:: change_mx
Email:: check_fastmail
Email:: check_pipe_forwarder
Email:: delete_auto_responder
Email:: delete_domain_forwarder
Email:: delete_filter
Email:: delete_forwarder
Email:: delete_held_messages
Email:: delete_list
Email:: delete_mx
Email:: delete_pop
Email:: disable_filter
Email:: disable_mailbox_autocreate
Email:: disable_spam_assassin
Email:: disable_spam_autodelete
Email:: disable_spam_box
Email:: dispatch_client_settings
Email:: edit_pop_quota
Email:: enable_filter
Email:: enable_mailbox_autocreate
Email:: enable_spam_assassin
Email:: enable_spam_box
Email:: fetch_charmaps
Email:: fts_rescan_mailbox
Email:: generate_mailman_otp
Email:: get_auto_responder
Email:: get_charsets
Email:: get_client_settings
Email:: get_default_email_quota
Email:: get_default_email_quota_mib
Email:: get_disk_usage
Email:: get_filter
Email:: get_held_message_count
Email:: get_mailbox_autocreate
Email:: get_mailman_delegates

Email:: get_main_account_disk_usage
Email:: get_main_account_disk_usage_bytes
Email:: get_max_email_quota
Email:: get_max_email_quota_mib
Email:: get_pop_quota
Email:: get_spam_settings
Email:: get_webmail_settings
Email:: has_delegated_mailman_lists
Email:: has_plaintext_authentication
Email:: hold_outgoing
Email:: is_integer
Email:: list_auto_responders
Email:: list_default_address
Email:: list_domain_forwarders
Email:: list_filters
Email:: list_filters_backups
Email:: list_forwarders
Email:: list_forwarders_backups
Email:: list_lists
Email:: list_mail_domains
Email:: list_mxns
Email:: list_pops
Email:: list_pops_with_disk
Email:: list_system_filter_info
Email:: passwd_list
Email:: passwd_pop
Email:: release_outgoing
Email:: remove_mailman_delegates
Email:: reorder_filters
Email:: set_always_accept
Email:: set_default_address
Email:: set_list_privacy_options
Email:: stats_db_status
Email:: store_filter
Email:: suspend_incoming
Email:: suspend_login
Email:: suspend_outgoing
Email:: trace_filter
Email:: unsuspend_incoming
Email:: unsuspend_login

Email:: unsuspend_outgoing

Email:: verify_password

▼ EmailAuth

EmailAuth:: disable_dkim

EmailAuth:: enable_dkim

EmailAuth:: ensure_dkim_keys_exist

EmailAuth:: fetch_dkim_private_keys

EmailAuth:: install_dkim_private_keys

EmailAuth:: install_spf_records

EmailAuth:: validate_current_dkims

EmailAuth:: validate_current_ptrs

EmailAuth:: validate_current_spfs

▼ ExternalAuthentication

ExternalAuthentication:: add_authn_link

ExternalAuthentication:: configured_modules

ExternalAuthentication:: get_authn_links

ExternalAuthentication:: has_external_auth_modules_configured

ExternalAuthentication:: remove_authn_link

▼ Features

Features:: get_feature_metadata

Features:: has_feature

Features:: list_features

▼ Fileman

Fileman:: autocompletedir

Fileman:: empty_trash

Fileman:: get_file_content

Fileman:: get_file_information

Fileman:: list_files

Fileman:: save_file_content

Fileman:: transcode

Fileman:: upload_files

▼ Ftp

Ftp:: add_ftp

Ftp:: allows_anonymous_ftp

Ftp:: allows_anonymous_ftp_incoming

Ftp:: delete_ftp

Ftp:: ftp_exists

Ftp:: get_ftp_daemon_info

Ftp:: get_port

Ftp:: get_quota

Ftp:: get_welcome_message

Ftp:: kill_session

- Ftp:: list_ftp
- Ftp:: list_ftp_with_disk
- Ftp:: list_sessions
- Ftp:: passwd
- Ftp:: server_name
- Ftp:: set_anonymous_ftp
- Ftp:: set_anonymous_ftp_incoming
- Ftp:: set_homedir
- Ftp:: set_quota
- Ftp:: set_welcome_message
- ▼ Integration
 - Integration:: fetch_url
- ▼ KnownHosts
 - KnownHosts:: create
 - KnownHosts:: delete
 - KnownHosts:: update
 - KnownHosts:: verify
- ▼ LangPHP
 - LangPHP:: php_get_domain_handler
 - LangPHP:: php_get_impacted_domains
 - LangPHP:: php_get_installed_versions
 - LangPHP:: php_get_system_default_version
 - LangPHP:: php_get_vhost_versions
 - LangPHP:: php_ini_get_user_basic_directives
 - LangPHP:: php_ini_get_user_content
 - LangPHP:: php_ini_get_user_paths
 - LangPHP:: php_ini_set_user_basic_directives
 - LangPHP:: php_ini_set_user_content
 - LangPHP:: php_set_vhost_versions
- ▼ LastLogin
 - LastLogin:: get_last_or_current_logged_in_ip
- ▼ Locale
 - Locale:: get_attributes
- ▼ Mailboxes
 - Mailboxes:: expunge_mailbox_messages
 - Mailboxes:: expunge_messages_for_mailbox_guid
 - Mailboxes:: get_mailbox_status
 - Mailboxes:: has_utf8_mailbox_names
 - Mailboxes:: set_utf8_mailbox_names
- ▼ Market
 - Market:: cancel_pending_ssl_certificate
 - Market:: create_shopping_cart
 - Market:: get_all_products

Market:: get_certificate_status_details
Market:: get_login_url
Market:: get_pending_ssl_certificates
Market:: get_provider_specific_dcv_constraints
Market:: get_providers_list
Market:: get_ssl_certificate_if_available
Market:: process_ssl_pending_queue
Market:: request_ssl_certificates
Market:: set_status_of_pending_queue_items
Market:: set_url_after_checkout
Market:: validate_login_token

▼ Mime

Mime:: add_handler
Mime:: add_hotlink
Mime:: add_mime
Mime:: add_redirect
Mime:: delete_handler
Mime:: delete_hotlink
Mime:: delete_mime
Mime:: delete_redirect
Mime:: list_handlers
Mime:: list_hotlinks
Mime:: list_mime
Mime:: list_redirects
Mime:: redirect_info

▼ ModSecurity

ModSecurity:: disable_all_domains
ModSecurity:: disable_domains
ModSecurity:: enable_all_domains
ModSecurity:: enable_domains
ModSecurity:: has_modsecurity_installed
ModSecurity:: list_domains

▼ Mysql

Mysql:: add_host
Mysql:: add_host_note
Mysql :: check_database
Mysql:: create_database
Mysql:: create_user
Mysql:: delete_database
Mysql:: delete_host
Mysql:: delete_user

- Mysql:: `get_host_notes`
- Mysql:: `get_privileges_on_database`
- Mysql:: `get_restrictions`
- Mysql:: `get_server_information`
- Mysql:: `locate_server`
- Mysql:: `rename_database`
- Mysql:: `rename_user`
- Mysql:: `repair_database`
- Mysql:: `revoke_access_to_database`
- Mysql:: `set_password`
- Mysql:: `set_privileges_on_database`
- ▼ **Notifications**
 - Notifications:: `get_notifications_count`
- ▼ **NVData**
 - NVData:: `get`
 - NVData:: `set`
- ▼ **Parser**
 - Parser:: `firstfile_relative_uri`
- ▼ **PassengerApps**
 - PassengerApps:: `disable_application`
 - PassengerApps:: `edit_application`
 - PassengerApps:: `enable_application`
 - PassengerApps:: `ensure_deps`
 - PassengerApps:: `list_applications`
 - PassengerApps:: `register_application`
 - PassengerApps:: `unregister_application`
- ▼ **PasswdStrength**
 - PasswdStrength:: `get_required_strength`
- ▼ **Personalization**
 - Personalization::`set`
 - Personalization ::`get`
- ▼ **Postgresql**
 - Postgresql:: `create_database`
 - Postgresql:: `create_user`
 - Postgresql:: `delete_database`
 - Postgresql:: `get_restrictions`
 - Postgresql:: `grant_all_privileges`
 - Postgresql:: `rename_database`
 - Postgresql:: `rename_user`
 - Postgresql:: `rename_user_no_password`
 - Postgresql:: `revoke_all_privileges`
 - Postgresql:: `set_password`
- ▼ **Pushbullet**

Pushbullet:: send_test_message

✓ Quota

Quota:: get_quota_info

✓ Resellers

Resellers:: list_accounts

✓ ResourceUsage

ResourceUsage:: get_usages

✓ Restore

Restore:: directory_listing

Restore:: get_users

Restore:: query_file_info

Restore:: restore_file

✓ Session

Session:: create_temp_user

✓ SiteTemplates

SiteTemplates:: list_site_templates

SiteTemplates:: list_user_settings

SiteTemplates:: publish

✓ SpamAssassin

SpamAssassin :: clear_spam_box

SpamAssassin:: get_symbolic_test_names

SpamAssassin:: get_user_preferences

SpamAssassin:: update_user_preference

✓ SSH

SSH:: get_port

✓ SSL

SSL:: add_autossl_excluded_domains

SSL:: can_ssl_redirect

SSL:: check_shared_cert

SSL:: delete_cert

SSL:: delete_csr

SSL:: delete_key

SSL:: delete_ssl

SSL :: disable_mail_sni

SSL:: enable_mail_sni

SSL:: fetch_best_for_domain

SSL:: fetch_cert_info

SSL:: fetch_certificates_for_fqdns

SSL:: fetch_key_and_cabundle_for_certificate

SSL:: find_certificates_for_key

SSL:: find_csrs_for_key

SSL:: generate_cert

SSL:: generate_csr

- SSL:: generate_key
- SSL:: get_autossl_excluded_domains
- SSL:: get_autossl_pending_queue
- SSL:: get_autossl_problems
- SSL:: get_cabundle
- SSL:: get_cn_name
- SSL:: install_ssl
- SSL:: installed_host
- SSL:: installed_hosts
- SSL:: is_autossl_check_in_progress
- SSL:: is_mail_sni_supported
- SSL:: is_sni_supported
- SSL:: list_certs
- SSL:: list_csrs
- SSL:: list_keys
- SSL:: list_ssl_items
- SSL:: mail_sni_status
- SSL:: rebuild_mail_sni_config
- SSL:: rebuildssldb
- SSL:: remove_autossl_excluded_domains
- SSL:: set_autossl_excluded_domains
- SSL:: set_cert_friendly_name
- SSL:: set_csr_friendly_name
- SSL:: set_key_friendly_name
- SSL:: set_primary_ssl
- SSL:: set_ssl_share
- SSL:: show_cert
- SSL:: show_csr
- SSL:: show_key
- SSL:: start_autossl_check
- SSL:: toggle_ssl_redirects_for_domains
- SSL:: upload_cert
- SSL:: upload_key

▼ StatsBar

- StatsBar:: get_stats

▼ Styles

- Styles:: current
- Styles:: list
- Styles:: set_default
- Styles:: update

▼ SubDomain

- SubDomain:: addsubdomain

▼ Themes

Themes:: **get_theme_base**

Themes:: **list**

Themes:: **update**

▼ Tokens

Tokens:: **create_full_access**

Tokens:: **list**

Tokens:: **rename**

Tokens:: **revoke**

▼ TwoFactorAuth

TwoFactorAuth:: **generate_user_configuration**

TwoFactorAuth:: **get_user_configuration**

TwoFactorAuth:: **remove_user_configuration**

TwoFactorAuth:: **set_user_configuration**

▼ UserManager

UserManager:: **check_account_conflicts**

UserManager:: **create_user**

UserManager:: **delete_user**

UserManager:: **dismiss_user**

UserManager:: **edit_user**

UserManager:: **list_users**

UserManager:: **lookup_service_account**

UserManager:: **lookup_user**

UserManager:: **merge_service_account**

UserManager:: **unlink_service_account**

▼ UserTasks

UserTasks:: **delete**

UserTasks:: **retrieve**

▼ VersionControl

VersionControl:: **create**

VersionControl:: **delete**

VersionControl:: **retrieve**

VersionControl:: **update**

▼ VersionControlDeployment

VersionControlDeployment:: **create**

VersionControlDeployment:: **delete**

VersionControlDeployment:: **retrieve**

▼ WebDisk

WebDisk:: **delete_user**

WebDisk:: **set_homedir**

WebDisk:: **set_password**

WebDisk:: **set_permissions**

▼ WebmailApps

WebmailApps:: [listwebmailapps](#)

▼ WebVhosts

WebVhost:: [list_domains](#)

WebVhost:: [list_ssl_capable_domains](#)

▼ WordPressBackup

WordPressBackup:: [any_running](#)

WordPressBackup:: [cancel](#)

WordPressBackup:: [cleanup](#)

WordPressBackup:: [get_available_backups](#)

WordPressBackup:: [is_running](#)

WordPressBackup:: [start](#)

▼ WordPressInstanceManager

WordPressInstanceManager:: [cancel_scan](#)

WordPressInstanceManager:: [cleanup_scan](#)

WordPressInstanceManager:: [change_admin_password](#)

WordPressInstanceManager:: [configure_autoupdate](#)

WordPressInstanceManager:: [get_api_version](#)

WordPressInstanceManager:: [get_instance_by_id](#)

WordPressInstanceManager:: [get_instances](#)

WordPressInstanceManager:: [get_latest_wordpress_version_from_wordpress_org](#)

WordPressInstanceManager:: [get_scan_results](#)

WordPressInstanceManager:: [is_installable_addon_available](#)

WordPressInstanceManager:: [start_scan](#)

▼ WordPressRestore

WordPressRestore:: [any_running](#)

WordPressRestore:: [cleanup](#)

WordPressRestore:: [start](#)