

Copy a Locale

(WHM >> Home >> Locales >> Copy a Locale)

[Overview](#)

[Copy a locale into a standard locale](#)

[Copy a locale into a non-standard locale](#)

[Additional documentation](#)

Overview

This interface allows you to duplicate a locale in to a standard locale or a non-standard locale.

Notes:

- A standard locale is a language with data in the [Unicode Common Locale Data Repository \(CLDR\)](#).
- A non-standard locale is a language with no data in the CLDR.

Copy a locale into a standard locale

To copy a locale into a standard locale, perform the following steps:

1. Select the original locale from the *Duplicate Locale* menu.

Note:

The *cPanel Snowmen - i_cpanel_snowmen* locale is **not** for general use. Theme customizers and third-party developers can use this locale to test cPanel & WHM's localization system against their customizations.

For more information, or for help if you selected this theme accidentally, read our [The Snowman Locale](#) documentation.

2. Select *Standard locale*.
3. Select a locale from the *Standard locale* menu.
4. Click *Duplicate*. The system will redirect you to a new interface.
5. Click [Click here to download](#) to download the duplicate in XML format, or click [upload it here](#) to edit the copy's XML.

Copy a locale into a non-standard locale

To copy a locale into a non-standard locale, perform the following steps:

1. Select an original locale from the *Duplicate Locale* menu.

Note:

The *cPanel Snowmen - i_cpanel_snowmen* locale is **not** for general use. Theme customizers and third-party developers can use this locale to test cPanel & WHM's localization system against their customizations.

For more information, or for help if you selected this theme accidentally, read our [The Snowman Locale](#) documentation.

2. Select *Non standard locale*.
3. Enter a name for the copy, prefixed with the *i_* tag, in the appropriate boxes.

Note:

An *i_* tag is a standard way to create, identify, and work with a non-standard locale. It consists of a code prefixed with the letter *i*, followed by an underscore (*_*).

4. Select the options from the *Fallback Locale*, *Number Formatting*, and *Character Orientation* menus.

Note:

When an `i_` tag's lexicon does not have a phrase, the tag will reference the locale that is set to *Fallback* to find the phrase there.

5. Click *Duplicate*. The system will redirect you to a new interface.

6. Click *Click here to download* to download the duplicate in XML format, or click *upload it here* to edit the copy's XML.

Note:

If a desired locale is not present, click *rebuild the locale databases* to update the list of locales.

Additional documentation

Suggested documentation [For cPanel users](#) [For WHM users](#) [For developers](#)

- [Locale XML Download](#)
- [View Available Locales](#)
- [Copy a Locale](#)
- [Edit a Locale](#)
- [Locale XML Upload](#)

- [Change Language](#)

- [Locale XML Download](#)
- [View Available Locales](#)
- [How We Determine a Browser Locale](#)
- [Copy a Locale](#)
- [Edit a Locale](#)

- [Guide to Locales - Bracket Notation Methods](#)
- [Guide to Locales - For Translators](#)
- [Guide to Locales - Distribute a Custom Locale](#)
- [Guide to Locales - Basic Usage](#)
- [Guide to Locales - Best Practices](#)