

# cPanel API 2 Functions - SSLInfo::fetchinfo

## Guide to cPanel API 2

Return Data

Filter and Sort Output

Paginate Output

Output Columns

Calls from the WHM API

cPanel Tags (deprecated)

AddonDomain:  
main:: add  
daddond

omain

AddonDomain:: del  
addondomain

AddonDomain:: list  
addondomains

### Backups

Backups:: listfullbackups

### Bandwidth

Bandwidth:: addhttpbandwidth

Bandwidth:: getbwdata

Bandwidth:: gethourlyaveragebwoveryear

### BoxTrapper

BoxTrapper:: accountmanagelist

### Branding

Branding:: addbrandingobj

Branding:: applist

Branding:: brandingeditor

Branding:: createpkg

Branding:: cssmerge

Branding:: delbrandingobj

Branding:: delpkg

## Description

This function retrieves an SSL certificate, private key, related CA bundle, and other information for a specified domain.

### Warning:

We **strongly** recommend that you use [UAPI](#) instead of cPanel API 2. However, no equivalent UAPI function exists.

## Examples

### WHM API (JSON)

```
https://hostname.example.com:2087/cpsess#####/json-api/cpanel?cpanel_jsonapi_user=user&cpanel_jsonapi_apiversion=2&cpanel_jsonapi_module=SSLInfo&cpanel_jsonapi_function=fetchinfo&domain=example.com
```

### Note:

For more information, read our [Calls from the WHM API](#) documentation.

## Function information

## About this module

The SSLInfo module retrieves information about a domain's certificates.

Branding:: gensprites

Branding:: getbrandingpkg

Branding:: getbrandingpkgstatus

Branding:: getdefaultbrandingpkg

Branding:: installbrandingpkgs

Branding:: installimages

Branding:: killimages

Branding:: listingtypes

Branding:: listobjecttypes

Branding:: preloadconf

Branding:: resetall

Branding:: resetscss

Branding:: resethtml

Branding:: resolvefile

Branding:: resolveocalcss

Branding:: saveocalcss

Branding:: setbrandingpkgstatus

Branding:: showpkgs

Branding:: spritelist

#### ▼ CSVImport

CSVImport:: columnchoices

CSVImport:: configimport

CSVImport:: data

CSVImport:: fetchimportdata

CSVImport:: isenabled

CSVImport:: loaddata

CSVImport:: processdata

CSVImport:: sendcontact

#### ▼ LiveAPI PHP Class

```
$cpanel = new
CPANEL(); // Connect
to cPanel - only do
this once.
```

```
// Retrieve
certificate
information for
"example.com" domain
$retrieve_sslinfo =
$cpanel->api2(
    'SSLInfo',
    'fetchinfo',
    array(
        'domain' =>
        'example.com',
    )
);
```

#### Note:

For more information, read our [Guide to the LiveAPI System](#).

## About cPanel API 2

cPanel API 2 accesses and modifies data for cPanel accounts.

#### Notes:

- The *Fe* int
- Ur **mi** us or 20 or 20 ).` 20 or 20 ).

## Find a function

•

- CSVImport:: uploadimport
- Contactus:: isenabled
    - Contactus:: sendcontact
  - Cron:: add\_line
    - Cron:: edit\_line
    - Cron:: fetchcron
    - Cron:: get\_email
    - Cron:: listcron
    - Cron:: remove\_line
    - Cron:: set\_email
  - CustInfo:: contactemails
      - CustInfo:: contactrefs
      - CustInfo:: displaycontactinfo
      - CustInfo:: savecontactinfo
    - DBmap:: status
        - DBmap:: version
      - DKIMUI:: available
          - DKIMUI:: getrecords
          - DKIMUI:: install
          - DKIMUI:: installed
          - DKIMUI:: uninstall
        - DenyIp:: listdenyps
          - DiskCounter:: disk\_counter
            - DiskUsage:: buildcache
                - DiskUsage:: clearcache
                - DiskUsage:: fetch\_raw\_disk\_usage
                - DiskUsage:: fetchdiskusage

## LiveAPI Perl Module

```

my $cpliveapi =
Cpanel::LiveAPI->new(
); # Connect to
cPanel - only do this
once.

# Retrieve
certificate
information for
"example.com" domain
my $retrieve_sslinfo
= $cpliveapi->api2(
  'SSLInfo',
  'fetchinfo',
  {
    'domain' =>
    'example.com',
  }
);

```

**Note:**  
For more information, read our [Guide to the LiveAPI System](#).

## cPanel Tag System (deprecated)

**Warnings:**

- In cPanel & WHM version 11.30 and later, cPanel tags are **deprecated**. We **strongly** recommend that you **only** use the [LiveAPI](#) system to call the cPanel APIs. Examples are **only** present in order to help developers move from the old cPanel tag system to our [LiveAPI](#).
- cPanel API 2 calls that use cPanel tags vary in code syntax and in their output.
- For more information, read our [Deprecated cPanel Tag Usage](#) documentation.

- cPanel API 2 Functions - SSL: :listcerts — This function lists the account's SSL certificates.
- cPanel API 2 Functions - SSL: :listkeys — This function lists the account's SSL keys.
- cPanel API 2 Functions - SSL: :fetchcertificate — This function retrieves a certificate's Certificate Authority (CA) bundle.

DiskUsage:: fetchdiskusagewithextras

#### ▼ DnsLookup

DnsLookup:: name2ip

#### ▼ DomainLookup

DomainLookup:: countbaseddomains

DomainLookup:: getbaseddomains

DomainLookup:: getdocroot

DomainLookup:: getdocroots

DomainLookup:: getmaindomain

#### ▼ Email

Email:: accountname

Email:: adddomainforward

Email:: addforward

Email:: addmx

Email:: addpop

Email:: browseboxes

Email:: changemx

Email:: checkmaindiscard

Email:: clearpopcache

Email:: deletefilter

Email:: delforward

Email:: delmx

Email:: delpop

Email:: disablefilter

Email:: editquota

Email:: enablefilter

Email:: fetchautoreponder

Email:: fetchcharmaps

Email:: filteractions

Email:: filterlist

Email:: filtername

Email:: filterrules

Email:: get\_archiving\_configuration

## ▼ Command Line

```
cpapi2
--user=username
SSLInfo fetchinfo
domain=example.com
```

### Notes:

- You **must** URI-encode values.
- `username` represents your account-level username.
- You **must** run the `--user=username` command.
- For more information and additional output options, read our [Guide to cPanel API 2](#) documentation or run the `cpapi2 --help` command.
- If you run CloudLinux™, you **must** use the full path of the `cpapi2` command:

```
/usr/local
/cpanel/bin/cpapi2
```

## ▼ Output (JSON)

```
{
  "cpanelresult": {
    "apiversion": 2,
    "func":
    "fetchinfo",
    "data": [
      {
        "statusmsg":
        "ok",
        "status": 1,
        "ip": ".\n",
        "key":
        "-----BEGIN RSA
        PRIVATE
        KEY-----\nMIEpAIBAAK
        CAQEA7jDRbXUxnPrV5IYI
        2oOB6+86PChpTbdjLZeC\
        /OaLxIs9cga0\nTznXBkU
        Kal\VOdP\51uZkDTSzo
        VMNffKa7mqumGcoxyBmkO
        FAyRYK99WYlxyBKre\n3v
        CkwHxJL+3Y4Cchbfh4oC6
        KmctrFP\xSuQ+F8R5XG7
```

- cPanel API 2 Functions - SSL: :uplo adrcrt — This function uploads an SSL certificate.

Email: get\_archiving\_default\_configuration  
Email: get\_archiving\_types  
Email: get\_default\_email\_quota  
Email: get\_email\_signing  
Email: get\_max\_email\_quota  
Email: getabsbrowsedir  
Email: getalwaysaccept  
Email: getdiskusage  
Email: getmxcheck  
Email: has\_delegated\_mailman\_lists  
Email: list\_system\_filter\_info  
Email: listaliasbackups  
Email: listautoresponders  
Email: listdefaultaddresses  
Email: listdomainforwards  
Email: listfilterbackups  
Email: listfilters  
Email: listforwards  
Email: listlists  
Email: listmaildomains  
Email: listmx  
Email: listmxs  
Email: listpops  
Email: listpopssingle  
Email: listpopswitdisk  
Email: listpopswithimage  
Email: loadfilter  
Email: passwdpop

RXCETtJlHbaOmwceCQW7G  
\no3l8wNBHCvXKaJa\ /Qj  
sH8cHeGM9eSVuJpExlFdL  
Qz14MMf4jEcEWFj2wCHBy  
f18Q\neel71mVNCRAe67a  
bD04g610Sn51Hgb9qutzW  
TQfNFRgLlyAGW7CWuJVef  
aFZRxiU\n0tWeeyGRnoY3  
pPLiZSmcR+W8ABR8xkkv+  
cYhDQIDAQABAoIBAFfyQo  
GN0gHKRAua\nnyc4U3HXG4  
NOxgB+OSxpcZQsH\ /PdXC  
hr+Cr1t+8ze1RetxscRVd  
2Q3sR2HHGqKheL\nJHxeE  
4G55OH89oWFBKnCU6PvVK  
9VbAv5I01hwRMpUMSxp4o  
sKJW4NqG+TYK3rxQT\n5H  
3ohFy2OLE+YaMIu4Pmxqb  
e1AWb9ETMZS1MR2eYZp4x  
8a8SpusnavWrCUw8Tq97\  
ncNqeAghIOFcoBpQXkYaP  
FtZML2F6a3GjEy9+unU\  
ZH82q+P\ /75VZ+OKnC3dt  
h4nV\n4b12LCo8j1LyZRK  
mTavnCk+VA+NCYQhrT1jh  
lEhum4UbG03pgmx143g\  
r1ZTsn7X\n866CRkECgYE  
A+07ZOAJLE\ /nPqmQhYeA  
EqfQO6JnLyXUHzWrZxtl8  
o36PBPgSTCQ2\nLewyIvF  
QZqchoscYnPS8FI4t1VFy  
k+8iny3jHDUycx05fHnkS  
WChHAsCkL2Zy4kU\n\ /pn  
GWOH5bskT7Zymc5eh\ /Ep  
WU3ygS9WpCUAZfz4hf7SM  
I7jMbkD4m7UCgYEA8qNG\  
nK3DKmM8hIXWARzFqA jN3  
Z3Zdz9bRld1nwNLoD07V7  
uzIpzu8g8bs9eFVwDuFON  
YE\n2bCeAsyhffjj41enP4  
4jJ5E6W6ZTFk+XL5o8tCc  
oVu863GseARIX29KopY2t  
yL6at\nnC50+w6tMqAE2d  
XL+JvdvFy9MaxYHkn\ /Jx  
a0tvkCgYEA1OezbaxuL\  
f1RGDwJr5G\nBS3HZ6s5R  
LVDWkPlph1X7MggliEnN1  
Z+g9dgHbQ+n5SIKZsuy1F  
43\ /UerUsFSQJ4\n0TivS  
Rd8PRkj5s2SpqfHQGaFrp  
2pcyBWgEU9cYzz7uDWHgS  
j2\ /oM0SB65h0Che0L\nnq  
59\ /fBWkY7bnEoN9HhcBN

Email:: reorderfilter  
s

Email:: set\_archiving\_configuration

Email:: set\_archiving\_default\_configuration

Email:: set\_email\_signing

Email:: setalwaysaccept

Email:: setdefaultaddress

Email:: setmxcheck

Email:: storefilter

Email:: tracefilter

▼ EmailTrack

EmailTrack:: search

EmailTrack:: stats

EmailTrack:: trace

▼ Encoding

Encoding:: get\_encodings

Encoding:: guess\_file

Encoding:: guess\_file\_opts

▼ FSTest

FSTest:: dirisempty

▼ Fileman

Fileman:: autocompletedir

Fileman:: fileop

Fileman:: getabsdir

Fileman:: getdir

Fileman:: getdiractions

Fileman:: getdiskinfo

Fileman:: geteditty

Fileman:: getfileactions

Fileman:: getpath

Fileman:: listfiles

Fileman:: mkdir

Fileman:: mkfile

```
8ECgYEAxRwsXIK8fYzZO2
VHRoabtff6CBcUMksqaFG
0\nAeMOTcjaarz4ayZRhL
RODRygW4m9N6JXxD76ygl
PL8i1DoRhsU8dto3DdS27
otto\nWP15Otdj+e35uw3
LeV1bb\Z7sd7HnD8F1M6
XJIoSUum5pvtLN7\brZi
JFz0HQmsW\njriZx3kCgY
A\bFaFws8qRWD8UrZ+0H
Eaj4sfgIj16I5WJw8Zsec
+h94nN9nf0ru8\nWjeVZ8
aJDxeUFRbBFNIjsoddRa7
gEO61TJAFAxzws\svHq
8wFrS01IUouY5Phoj\nU7
KxemjUAMXeIRo262zWbRu
f7Or4MpGKOnnXgJqcCVvX
9+XNd4eACQ==\n-----EN
D RSA PRIVATE
KEY-----",
    "crt_origin":
"example",

"searched_users": [
    "example"
],
    "key_origin":
"example",
    "domain":
"example.com",
    "user":
"example",
    "crt":
"-----BEGIN
CERTIFICATE-----\nMII
ECzCCAvOgAwIBAgIFAcRS
LckwDQYJKoZIhvcNAQEFB
QAwwZ0x0FDASBgNVBAMM\n
C2V4YW1wbGUuY29tMRwYF
AYDVQQLEDA1Ej2N1bWVudG
F0aW9uMQswCQYDVQQGEwJ
V\nUzEoMCYGCysqGSIB3DQ
EJARYZbGF1cmVudGUuY29t
tb25AY3BhbmVsIm5ldDEU
MBIG\nA1UECgwLY1BhbmV
sIEluYy4xDjAMBGNVBAGM
BVRleGFzMRAdG9uMB4XDTE0
AdIb3Vz\nndG9uMB4XDTE0
MDkxMTIxNDUxNFowZ0x0FD
ASBgNVBAMM\nC2V4YW1wb
GUuY29tMRwYFAYDVQQLEDA
1Ej2N1bWVudGF0aW9uMQs
```

Fileman:: savefile  
Fileman:: search  
Fileman:: statfiles  
Fileman:: uploadfiles  
Fileman:: viewfile  
▼ ForcePassword  
ForcePassword:: get\_force\_password\_flags  
ForcePassword:: update\_force\_password\_flags  
▼ Frontpage  
Frontpage:: fpenabled  
Frontpage:: list  
▼ Ftp  
Ftp:: addftp  
Ftp:: delftp  
Ftp:: listftp  
Ftp:: listftpessions  
Ftp:: listftpwithdisk  
Ftp:: passwd  
Ftp:: setquota  
▼ Gpg  
Gpg:: listgpgkeys  
Gpg:: listsecretgpgkeys  
Gpg:: number\_of\_private\_keys  
Gpg:: number\_of\_public\_keys  
▼ Htaccess  
Htaccess:: listusers  
Htaccess:: listusers  
▼ HttpUtils  
HttpUtils:: getdirindices  
▼ ImageManager  
ImageManager:: thumbnail  
▼ LVEInfo  
LVEInfo:: getUsage  
▼ LangMods  
LangMods:: getarchname

```
wCQYDVQQGEwJV\nUzEoMC
YGCSqGSIB3DQEJARYZbGF
1cmVuY2Uuc2ltb25AY3Bh
bmVsLm5ldDEUMBIG\nA1U
ECgwLY1BhbmVsIEluYy4x
DjAMBgNVBAGMBVRleGFzM
RAwDgYDVQQHDAIb3Vz\n
dG9uMIIBIjANBgkqhkiG9
w0BAQEFAAOCAQ8AMIIBCg
KCAQEA7jDRbXUxnPrV5IY
I\n2oOB6+86PChpTbdjLZ
eC\OaLxIs9cga0TznXBk
UKa1\VOdP\51uZkDTSZ
oVMNffK\na7mqumGcoxyB
mkOFAyRYK99WYlxyBKre3
vCkwHxJL+3Y4Cchbfh4oC
6KmctrFP\x\nSuQ+F8R5
XG7RXCEtTj1HbaOmwceCQ
W7Go318wNBHCvXKaJa\Q
jsH8cHeGM9eSVuJ\npEx1
FdLQz14MMf4jEcEWFj2wC
HByf18Qee171mVNCRae67
abD04g610Sn51Hgb9q\nu
tzWTQfNFRgLLyAGW7CWuJ
VefaFZRxiU0tWeeyGRnoY
3pPLiZSmcR+W8ABR8xkkv
\n+cYhDQIDAQABo1AwTjA
dBgNVHQ4EFgQUA6gTJckN
0Lah5W53Cna0oC\kclUw
HwYD\nVR0jBBgwFoAUA6g
TJckN0Lah5W53Cna0oC\
kclUwDAYDVR0TBAUwAwEB
\zANBgkq\nhkiG9w0BAQ
UFAAOCAQEAek1JfiOK81U
OTJp11SBOFlKaIXToS4pY
\4nC8bumJNTX\nJTYANb
av+X6Z4i11BXMxilAejUr
5VEZIBnIsKV3VjllkuDYh
hs7abOC5Szy64Q60\nqMQ
iTvJhipgCLj6\khuQNrA
KMAAZDtrIO+oeD8smkvFG
g3z1jrGidfOTxXAn6Us+\
nsxBU9msYQImGHEP50wSf
1VxL9\t5GaRenITS\\/\
ApLiETEgpi4Bj4FNT9Uw
xTbNB\ncd1aH6wm\J\e
8FUvPIJ0DxSUu6CiYITte
U2sHyPOrgJSzd19jEgX\
TX5KHBjcU5u\npDeVYq4N
H7brrkgqvOcCyCCrhmeIe
XhqVeY6FWFreA==\n----
-END
CERTIFICATE-----" ,
```

LangMods:: getkey  
LangMods:: getpre  
fix  
LangMods:: install  
LangMods:: langlis  
t  
LangMods:: list\_av  
ailable  
LangMods:: list\_in  
stalled  
LangMods:: magic  
\_status  
LangMods:: pre\_ru  
n  
LangMods:: search  
LangMods:: setup  
LangMods:: uninst  
all  
LangMods:: updat  
e  
▼ LeechProtect  
LeechProtect:: set  
up  
▼ Locale  
Locale:: get\_encod  
ing  
Locale:: get\_html\_  
dir\_attr  
Locale:: get\_locale  
\_name  
Locale:: get\_user\_  
ocale  
Locale:: get\_user\_  
ocale\_name  
Locale:: numf  
▼ Logaholic  
Logaholic:: adduse  
r  
Logaholic:: adduse  
rprofile  
Logaholic:: deleteu  
ser  
Logaholic:: deleteu  
serprofile  
Logaholic:: edituse  
r  
Logaholic:: fetchus  
er  
Logaholic:: listuser  
profiles  
Logaholic:: logahol

```
        "cab": ""  
    }  
],  
"event": {  
    "result": 1  
},  
"module":
```



- iclink
- Logaholic:: proces  
sstats
- ▼ Mime
  - Mime:: list\_hotlinks
  - Mime:: listhandlers
  - Mime:: listmime
  - Mime:: listredirects
  - Mime:: redirectname
  - Mime:: redirecturlname
- ▼ MySQLFE
  - MySQLFE:: authorizehost
  - MySQLFE:: change  
dbuserpassword
  - MySQLFE:: createdb
  - MySQLFE:: createdbuser
  - MySQLFE:: dbuserexists
  - MySQLFE:: deauthorizehost
  - MySQLFE:: deletedb
  - MySQLFE:: deletedbuser
  - MySQLFE:: getalldb  
sinfo
  - MySQLFE:: getalldb  
usersanddbs
  - MySQLFE:: getdbuser  
privileges
  - MySQLFE:: getdbusers
  - MySQLFE:: gethosts
  - MySQLFE:: getmysql  
privileges
  - MySQLFE:: getmysql  
serverprivileges
  - MySQLFE:: has\_my  
cnf\_for\_cpuser
  - MySQLFE:: listdbs
  - MySQLFE:: listdbsb  
ackup
  - MySQLFE:: listhosts
  - MySQLFE:: listusers
  - MySQLFE:: listusers

```
"SSLInfo"
  }
}
```

**Note:**  
Use cPanel's *API Shell* interface (*cPanel >> Home >> Advanced >> API Shell*) to directly test cPanel API calls.

## Parameters

**Note:**  
You **must** use either the domain or the crtdata parameter.

Parameter	Type	Description	Possible Values	Example
domain	string	The domain name.	A valid domain.	example.com
		<p><b>Note:</b> If you submit both the domain and crtdata parameters, the function will use <b>only</b> the domain parameter.</p>		
crtdata	string	The SSL certificate's text.	Valid certificate data.	<p>▼ <a href="#">Click to view...</a></p> <pre>-----BEGIN CERTIFICATE E----- MIIDcTCCAl mgAwIBAgIF AU+BNVgwDQ YJKoZIhvcN AQEFBQAwUT ESMBAG1UE AwwJ c21za28udG xkMQswCQYD VQQGEwJVUz EPMA0GA1UE CgwGY1Bhbm VsMQswCQYD VQOI</pre>

- indb
  - MysqlFE:: revoked  
buserprivileges
  - MysqlFE:: setdbu  
erprivileges
  - MysqlFE:: userdbp  
rivs
- ▼ MysqlOptimizer
  - MysqlOptimizer:: f  
etch\_slow\_queries
- ▼ NVData
  - NVData:: get
  - NVData:: set
  - NVData:: setall
- ▼ Net
  - Net:: dnszone
  - Net:: traceroute
- ▼ News
  - News:: does\_news  
\_exist
  - News:: does\_news  
\_type\_exist
  - News:: get\_news
- ▼ PHPINI
  - PHPINI:: getallopti  
ons
  - PHPINI:: getoptio  
ns
- ▼ Park
  - Park:: listaddondo  
mains
  - Park:: listparkeddo  
mains
  - Park:: park
  - Park:: unpark
- ▼ Passwd
  - Passwd:: change\_  
password
  - Passwd:: set\_dige  
st\_auth
- ▼ PasswdStrength
  - PasswdStrength::  
appstrengths
  - PasswdStrength::  
get\_password\_stre  
ngth
  - PasswdStrength::  
get\_required\_stren  
gth
- ▼ Postgres
  - Postgres:: listdbs

DAJUWDEQMA  
 4GA1UEBwwH  
 SG91c3Rvbj  
 AeFw0xNDEw  
 MDYyMjI2MT  
 laFw0xNTEw  
 MDYy  
 MjI2MTlaMF  
 ExEjAQBGNV  
 BAMMCXNpc2  
 tvLnRsZDEL  
 MAkGA1UEBh  
 MCVVMxZzAN  
 BgNV  
 BAoMBmNQYW  
 51bDELMAkG  
 A1UECAwCVF  
 gxEDA0BgNV  
 BAcMB0hvdX  
 N0b24wggEi  
 MAOG  
 CSqGS1b3DQ  
 EBAQUAA4IB  
 DwAwggEKAo  
 IBAQC9zx6z  
 GiHdmWA0dK  
 toXmJiWXPz  
 9E3P  
 Xx3YHs jFEW  
 W7e5pH0vZ+  
 jVMzDmm5ns  
 J7RXrAkZ01  
 IvpIpVlvoQ  
 fiJOWVvkD+  
 o9fW  
 voK1tWJS72  
 FSgPju+58m  
 A2ieBuc87A  
 790Pzuv1P3  
 NR3zFLAjUR  
 99zkHR1fpr  
 i/da  
 M3PBW08ET4  
 8FWkyU1kOe  
 ZaU1F67/+w  
 rEiNgg+t1q  
 hKOCAB61Pd  
 NVkLaSGHim  
 ksuC  
 +Czk8Kq9nu  
 S0E0TCnDt j  
 jEyJ455FUc  
 aCfcz1Tb8x  
 kB/F90Re74  
 yTzD+v1k0t  
 FMG6  
 PLj/a jIwWg  
 w00qmQ8wX3  
 NRxkWgGz5k  
 VO1wrVJarK  
 Q5EYQ3/mgv  
 it0v6dAgMB  
 AAGj  
 UDBOMB0GA1  
 UdDgQWBBRw  
 +wKBo34+bg  
 exjAa3EMDs  
 gSCd7zAfBg  
 NVHSMEGDAW  
 gBRw  
 +wKBo34+bg  
 exjAa3EMDs  
 gSCd7zAMBg  
 NVHRMEBTAD  
 AQH/MA0GCS  
 qGS1b3DQEB  
 BQUA  
 A4IBAQCHRX  
 Is53opzKM2  
 rM8Qe81cw5  
 24WK6hcy2E  
 WrZHp78N7r  
 U7/6DQ/I3h  
 v3Wh  
 cDDIO04I2/

Postgres:: listusers  
Postgres:: listusers  
indb  
Postgres:: userexi  
sts  
▼ Rand  
Rand:: getranddat  
a  
▼ Resellers  
Resellers:: get\_su  
b\_accounts  
▼ RoR  
RoR:: addapp  
RoR:: changeapp  
RoR:: importrails  
RoR:: listapps  
RoR:: listrewrites  
RoR:: needsimport  
RoR:: removeapp  
RoR:: removerewri  
te  
RoR:: restartapp  
RoR:: setuprewrite  
RoR:: softrestartap  
p  
RoR:: startapp  
RoR:: stopapp  
▼ SetLang  
SetLang:: setlocale  
▼ SourceIPCheck  
SourceIPCheck:: a  
ddip  
SourceIPCheck:: d  
elip  
SourceIPCheck:: g  
etaccount  
SourceIPCheck:: li  
stips  
SourceIPCheck:: l  
oadsecquestions  
SourceIPCheck:: r  
esetsecquestions  
SourceIPCheck:: s  
amplequestions  
SourceIPCheck:: s  
avesecquestions  
▼ SPFUI  
SPFUI:: available

Xhe88MLBaL  
oM367Ya+vy  
7CaLr14aLi  
/SfQszMA0A  
LBvMao+Fis  
0iVw  
FYq/NLgSXw  
+fgnpFskt8  
v8iQZ+4Kaa  
l8U8e9sVgu  
8m0RgO7rzy  
mleRiIKpsK  
dlrh  
/SD7LbSN7M  
7TRL3QqF7l  
tw9sQhAAsQ  
cRaBBF2lpd  
WrqhiGZ+Ei  
oo3hhgwNav  
H2ag  
qz78ddHwrF  
pHFwrEeUk1  
OfpPb76MYI  
ce7xIy/4oQ  
Ndg6fOq4l/  
FrajBv+Wkz  
DVPa  
Km6r7YmwfL  
N/YMZBHXSR  
58oOGP9W

SPFUI:: count\_settings  
 SPFUI:: entries\_complete  
 SPFUI:: get\_raw\_record  
 SPFUI:: getmainserverip

				-----END CERTIFICATE -----
--	--	--	--	----------------------------------

SPFUI:: install  
 SPFUI:: installed  
 SPFUI:: list\_settings  
 SPFUI:: load\_current\_values  
 SPFUI:: uninstall

SSH

SSH:: authkey  
 SSH:: converttopk  
 SSH:: delkey  
 SSH:: fetchkey  
 SSH:: genkey  
 SSH:: genkey\_legacy  
 SSH:: importkey  
 SSH:: listkeys

SSL

SSL:: fetchcertificate  
 SSL:: fetchinfo  
 SSL:: genctr  
 SSL:: gencsr  
 SSL:: genkey  
 SSL:: getcname  
 SSL:: installssl  
 SSL:: listcrts  
 SSL:: listcsrs  
 SSL:: listkeys  
 SSL:: listsslitems  
 SSL:: uploadcrt  
 SSL:: uploadkey

SSLInfo

SSLInfo:: fetchinfo

StatCache

StatCache:: clearcache

## Returns

Return	Type	Description	Possible Values	Example
domain	string	The domain name.	A valid domain.	example.com
statusmsg	string	The certificate's status.	<ul style="list-style-type: none"> <li>ok — The request succeeded.</li> <li>An error message — The request failed.</li> </ul>	ok
status	Boolean	Whether the function succeeded.	<ul style="list-style-type: none"> <li>1 — The function succeeded.</li> <li>0 — The function failed.</li> </ul>	1
ip	string	The domain's IP address.	A valid IP address.	192.168.0.1
user	string	The domain's owner.	A valid user account.	example
crt	string	The SSL certificate's contents.	A valid SSL certificate file in Base64 PEM format.	<p>Click to view...</p> <pre>-----BEGIN CERTIFICATE ----- MIIDcTCCAIm gAwIBAgIFAU +BNVgWdQYJK oZIhvcNAQEF BQAwUTESMBA GA1UEAwWJ c21za28udGx kMQswCQYDVQ QGEwJVUzEPM A0GAlUECgWg Y1BhbmVzM0Qs wCQYDVQQI DAJlUWDEQMA4 GA1UEBwwHSG 9lc3RvbWVjAeF w0xNDEwMDYy MjI2MTI1aFw0 xNTEwMDYy MjI2MTI1aFwE xEjAQBgNVBA MMCNpc2tVl nRsZDELMAkG A1UEBHMVVM xDzANBgNV BAoMBmNQYW5 lbDELMAkGA1 UECAwCVFgxE DA0BgNVBACM B0hvdXN0b24 wggEiMA0G CSqGS1b3DQE BAQUAA4IBDw AwggEKAoIBA QC9zx6zGiHd mWA0dKtoXmJ iWXpZ9E3P Xx3YHsjFEWW 7e5pH0vz+jV MzDmm5nsJ7R XrAkZ01IvpI pVLvoQFijJOW VvkD+o9fW voK1tWJS72F SgPju+58mA2 ieBuc87A790 Pzuv1P3NR3z FLAJUR99zKH Rlfpri/da M3PBW08ET48 FWkyUlkOeZa ULF67/+wrEi Ngg+t1qhKOC AB61PdNVkLa SGHimksuC +Czk8Kq9nuS 0E0TCnDtjJE</pre>

- Stats:: getmonthly bandwidth
  - Stats:: getmonthly domainbandwidth
  - Stats:: getthismont hsbwusage
  - Stats:: lastapache hits
  - Stats:: lastvisitors
  - Stats:: listanalog
  - Stats:: listawstats
  - Stats:: listlastvisitors
  - Stats:: listrawlogs
  - Stats:: listurchin
  - Stats:: listwealizer
- StatsBar:: getrowcounter
  - StatsBar:: rowcounter
  - StatsBar:: setrowcounter
  - StatsBar:: stat
- SubDomain:: adds ubdomain
  - SubDomain:: changedocroot
  - SubDomain:: delsubdomain
  - SubDomain:: getresubdomains
  - SubDomain:: listsubdomains
  - SubDomain:: validategex
- Themes:: apply\_new\_theme
  - Themes:: does\_cp\_theme\_exist
  - Themes:: get\_available\_themes
  - Themes:: get\_themes\_list
  - Themes:: restore\_saved\_theme

```

yJ455FUcaCf
czlTb8xB/F
90Re74yTzD+
v1k0tFMG6
PLj/a jIwWqw
00qmQ8wX3NR
xkWgGz5kVO1
wrVJarKQ5EY
Q3/mgvit0v6
dAgMBAAGj
UDBOMB0GA1U
dDgQWBBRw+w
KBo34+bgexj
Aa3EMDsgScD
7zAFBgNVHSM
EGDAWgBRw
+wKBo34+bgex
xjAa3EMDsgS
Cd7zAMBgNVH
RMEBTADAQH/
MA0GCSqGSIB
3DQEBBQUA
A4IBAQCCHRXI
s53opzKM2rM
8Qe81cw524W
K6hgy2EWrZH
p78N7rU7/6D
Q/I3hv3Wh
cDDIO04I2/X
he88MLBaLoM
367Ya+vy7Ca
Lr14aLi/SfQ
szMA0ALBvMa
o+Fis0iVw
FYq/NLgSXw+
fgnpFskt8v8
iQZ+4Kaa18U
8e9sVgu8m0R
g07rzymleRi
IKpsKdlrh
/SD7LbsN7M7
TRL3QqF7ltw
9sQhAAsQcRa
BBF21pdWrqh
iGZ+Eioo3hh
gwNavH2ag
qz78ddHwrFp
HFwrEeUklOf
pPb76MYIce7
xIy/4oQNdG6
fOq41/FraJB
v+WkzDVPa
Km6r7YmwELN
/YMZBHXSR58
oOGP9W

```

- ▼ UI
  - UI:: dynamicincludelist
  - UI:: includelist
  - UI:: listform
  - UI:: paginate
  - UI:: paginate\_list
- ▼ UserHttpUtils
  - UserHttpUtils:: getdirindices
- ▼ WebDisk
  - WebDisk:: addwebdisk
  - WebDisk:: delwebdisk
  - WebDisk:: hasdigest
  - WebDisk:: listwebdisks
  - WebDisk:: passwdwebdisk
  - WebDisk:: set\_digest\_auth
  - WebDisk:: set\_homedir
  - WebDisk:: set\_perms
  - WebDisk:: setstatus
- ▼ WebmailApps
  - WebmailApps:: listwebmailapps
- ▼ ZoneEdit
  - ZoneEdit:: add\_zone\_record
  - ZoneEdit:: edit\_zone\_record
  - ZoneEdit:: fetch\_cpanel\_generated\_domains
  - ZoneEdit:: fetchzone
  - ZoneEdit:: fetchzone\_records
  - ZoneEdit:: fetchzones
  - ZoneEdit:: get\_zone\_record
  - ZoneEdit:: remove\_zone\_record
  - ZoneEdit:: resetzone

				<pre>-----END CERTIFICATE -----</pre>
cab	string	The CA bundle's contents.	A valid CA bundle file in Base64 PEM format.	<p>▼ <a href="#">Click to view...</a></p> <pre>-----BEGIN CERTIFICATE ----- MIIB+jCCAWM CAgGjMA0GCS qGS1b3DQEBB AUAMEUxCzAJ BgNVBAYTA1V TMRgwFgYD VQKKEw9HVEU gQ29ycG9yYX Rpb24xHDAaB gNVBAMTE0dU RSBDeWJlc1R ydxN0IFJv b3QwHhcNOTY wMjIzMTMwMT AwWhcnMDYwM jIzMTM1OTAw WjBFMQswCQY DVQQGEwJV UzEYMBYGA1U EChMPRIRFIE NvcnBvcnF0a W9uMRwwGgYD VQDExNHVEU gQ3liZXJU cnVzdCBSb29 0MIGFMA0GCS qGS1b3DQEBA QUAA4GNADCB iQKBgQC45k+ 625h8cXyv RLfTD0bZZOW TwUKOx7pJjT UteueLveUFM VnGsS8KDPuf pz+iCwaEVh4 3KRuH6X4M yppfpX/1FZS jIajGgthoTN E3FQZor734s LPwKfVWwGkW YXcKIiXUT0W qx73llt/5 1KiQSwkwB6 Rj0qlbQaYz nEo144AwIDA QABMA0GCSqG SIb3DQEBAU AA4GBABKz dcZfHePhVYA AlIFLezEPI2 PnPFMD+fQ2q LvZ46WXTeor KeDwanOB5sC Jo9Px4KW1 IjeaY8JILLT bcuPI9t18vr GvU9oUtCG41 tWW4/5ODF1i tppK+ULdjG+ BqXH/9Apy bW1EDp3zdHS o1TRJ6V6e6b R64eVaH4Qwn NOfpSXY -----END CERTIFICATE -----</pre>
key	string	The certificate's key file.	A valid key file in Base64 PEM format.	<p>▼ <a href="#">Click to view...</a></p> <pre>-----BEGIN RSA PRIVATE KEY----- MIIEJwIBAAK CAgEA4yilqs oCdEpiNOyLc PJ4PLT7vgwa Ld0BeJLTmUE V2uZM4v65 /tize7H0soD pLC55Scr3uE IEa7Lq7RUZ+ F5p67BgRR19 rmerKGxfN7N 5Vu97pFTw Wlf+1VsxUF/ 561Ve0Amm4o kU98xJHiGcl I8ZHGUBUMYf LPy0OrA+gNW</pre>

MHgMV0v1B  
SgpbEWCILMv  
nvtP0rwPutj  
nPVX2Dj40ia  
40L4Wqvp+0Y  
g7m2yh101+q  
6VZVidXZs  
1R42ywERBYt  
3ieFBDYMyNw  
9wN3Xy44fCp  
Hc77+ho84W3  
BqrGaWSSDyf  
6UkZGD5mf  
ohGf2JSp+c8  
J6H7hsxo7pt  
a3K1diVXFOS  
fnaA+k56zW4  
45XruwYs/SN  
/zvGetGi6  
ughMAcVRQcY  
CmLCixcC6Rk  
cUx3exxgR4q  
3gthDnFwWC4  
+NuTh8/K0Bc  
xcuCEhRug  
/MFVfO3+f7R  
JFSJPFb9m9L  
f4HHBSVkdP5  
WtG4XiBKCe+  
+9Wuvxbd4Qx  
S7YrnSopN  
KxkuHKswH80  
NpADMYDqfLO  
DMhNrs1HNHu  
95Nv7A1Qr8w  
eLqMGWmp7GF  
qzXcl39Rn  
VkF4Bxd3bAA  
sMN8/JvanMK  
CPjTDrfzVF  
ZcmHXPY01jY  
DdYlxfIstYV  
tbyFkUHZP  
2RPPBaPUAt9  
0lZrKGVF8a2  
vdIKRiey5SZ  
5qu9c/mGri3  
oz7Lkk7qkNP  
AqDMCAwEA  
AQKCAgA3f9r  
aG3j2CKZt38  
1Bzzvfc0h+a  
16LC736Q4Ut  
6RuH2/S1ER9  
IUItPWW87  
nZuDp8ciBr1  
3W0nRNmmHez  
xZhlqqXEb8  
dsfI90Bh1jM  
NyFSSDih13K  
ShrGotBsc  
VBavViREXZd  
UicCBuXutk  
Yno96yVKUg2  
v0K9MLKA+OB  
gEHPynqJaw7  
klBs j573d  
lAQO8TjI+eD  
8zKsHbB8U15  
rtRAy/Cl3YX  
Wk75cDZSgge  
vc7A0jrd3o0  
w8aXDoS1E  
fYq70Tm3n3J  
JWZBFPKAXTz  
gTDr6qItJhj  
S4IxXsq7RNy  
eIYES/8aGKK  
T61JvjALr  
cdYt47IpHCO  
u4471G/h+f6  
xtDophLGZoA  
ir071JFRVfL  
Jh76sLF12bp  
XJKbbmMN+  
aut0nM+MLEw  
8A5K9OV24jJ  
/3+afj//578  
9asIyvNaQFP  
OX23SdLX0Qb  
A5QWvJt2t  
WvvpS3ubcIJ  
aBEMTK8asEB  
C68eUW0BBKJ  
aSiYNzecuFY  
CBjQlxKsIrY  
uWZcW6fMy  
Rel+cnqMdiH  
7x2p6RmgF5c  
9myDwq3E47j  
E+VrOy8uhw7  
EMQvT8+YSKa  
IbgtFZcUS

U02BDRB7gWN  
a842m6nGs5t  
j5xPNO6Wt4l  
0viltwL+6zC  
QqJaKmcDE3w  
oiIgsdrw5  
MssAHHjqo7Q  
JthZfbpUAUT  
c6jGFNO13U1  
ediIRAGdQW5  
ALqTwQKCAQE  
A884bmFFZ  
LTewHiv1PJF  
fNxVZfk3C7L  
hWE2JcI/5P/  
YrN4ZA8G080  
Yhgxa5XnsH  
HQPwMM85i  
lHeOpwggTM  
IyLDX/Sf88+  
eW3ef4V2M1Y  
4op0ahWFEwb  
wXKGx0hncE1  
ObN7dfZUw  
VlxCRaaiw2X  
QAGRqtQCOf+  
9dZysqPjx+r  
z6poTiOtm7D  
cpW/WiGfBPv  
VhzBENygo  
uL9V3vCWYPJ  
SLtCexECoGo  
PspHKgUkwbh  
3+ra8SfG6FO  
IBj4PpMB82R  
7oPDjIyXF  
1VDEb0EwYQ1  
KxyZoP9+NPT  
2MhZv/HF/Mb  
m/5LolVhx92  
hO9q6yxS6nv  
aFmEPr9fY  
1EOTWzzPOA+  
VyQKCAQEA7o  
VioaTqxENT+  
wHITZq100iY  
Upm4X1NleEN  
Tp97QyQbQ  
OVR/t8iGLUd  
vOzdIxBSTS3  
JFQ8TNcGDPP  
c+o3l9QGdZA  
BNnKwFGY3Ss  
+5QgVeX6n  
0WKdxCRelUO  
UB174aBeXcJ  
CKplh6xBurL  
fSZxv2Qqb7f  
v0Mb+2eKUBK  
TymvES1kp  
Ydn1T0vCCHA  
3bVpaHuqlIC  
oDSX3RmQICZ  
lfSgCGBbAkm  
U8RuxDd9yr9  
1709MXUmL  
sq1sw6hvbUt  
+7Y13Y1DtyX  
8gbCwEEYsoA  
LOotY1xNFxn  
yZKTAxhrg+x  
sQLrURVZU  
oZiCJyK/mHC  
WRTPVkt89wq  
4Iexbj9hqlR  
jzpm1r8GwKC  
AQBxRSCs855  
q06SONreh  
HCKQfmrFs3s  
MX9gdyWT11B  
Glyfc9BLXoO  
iKEkJKCLG2o  
5H6eQnuo1go  
0jBdH0+Ar  
hnpeQ0sV4q4  
y4zXEgzFt6D  
mltUsYjQzxA  
SskBQF4GkF0  
eZpmGmTtI5M  
Bjht931lg  
Tr0EcaLh1SI  
HDj5m4DcPUT  
MyBnr03E3xl  
CRZ6Biu10/6  
EMZzuIj42Gj  
q7HoIy4d4T  
zIFCHsqkyW  
WzAgBPwAdPB  
7OJRKPTxpcy  
+RwJSmwaLxP  
SC/n5gKhIbt  
4D8q+9Zp0  
esyZGbT1d/c



2rJHMwV1FMv  
zXkk5CwKs7e  
nKl8FXMTRt4  
tXhtU8r193J  
Vq8+aY/Yi  
JZuBAoIBAER  
G2l27IFjeFH  
VtpTDRwIqi1  
TfP2P8wnMe4  
PhInrgxdbul  
6SrUJKZ98  
eLI5BBNc8G0  
AYOntSoGItM  
o0z1phpkQ/G  
ERLM8ap1OB6  
qJ5XGg6VOuS  
tHgwvfQot  
PIp/nQvu9OK  
7/XRwj3Phu2  
KESiCyEXdAd  
DwDsdDbdZLJX  
Hwcqoh4PF9E  
K2zW/seNI  
fBVJb9K5yHi  
ZzicTZRQvhx  
BUw2T6MloCp  
H4GFM8GM3OH  
EV4pgeqSSvL  
xnLjFVmAq  
5EKL5Ei4cdj  
kExvj3aZH90  
N8KicOPgH8S  
kVhN8OL/Pre  
in5c/LaKJV+  
8kEUzpTS1  
xc45cEGCteM  
sfjD97QINzp  
G0jgopUVECG  
gEADiaKsx8N  
UQT3hmOwHRa  
nEFJnQH5H  
zxaQjWbsjm2  
uz0KROPNIK1  
X5L8kypsb+E  
zLJtvWUqxPa  
OaTv4DZVpFa  
Vzk8/2PPG  
sYR3mUjqMqN  
FYMrNwYZAXv  
J/huzDFqq6+  
w2Pn9jcAifH  
Nw3S8UR650v  
8g17BU4fV  
BvhamG8Jelv  
wLqeGwoikST  
9NBXVqG5IKB  
pUkU1FOMUNm  
Rih9ooKvhy7  
GosoK8MWb  
mhWo1v8TTSX  
SagACUhAoIz  
b6mMN/VFC5W  
DbFx5AEB/G9  
tq/zmTqQkuo  
39dvg130w  
yZGRNwclaFf  
lKxeven10/J  
N9ipp0mTa7N  
Ysdn0RAe9ZR  
p5cCkgmktqm  
B0g==

				-----END RSA PRIVATE KEY-----
reason	<i>string</i>	A reason for failure. <div style="border: 1px solid orange; padding: 5px; width: fit-content; margin: 5px auto;"><b>Note:</b> This function only returns a reason value if it failed.</div>	A string that describes the error.	This is an error message.
result	<i>Boolean</i>	Whether the function succeeded.	<ul style="list-style-type: none"> <li>• 1 — The function succeeded.</li> <li>• 0 — The function failed.</li> </ul>	1