

# cPanel API 2 Functions - SSL::uploadkey

## Guide to cPanel API 2

Return Data

Filter and Sort Output

Paginate Output

Output Columns

Calls from the WHM API

cPanel Tags (deprecated)

AddonDomain  
main:: addondomain

omain

AddonDomain:: deladdondomain

AddonDomain:: listaddondomains

### Backups

Backups:: listfullbackups

### Bandwidth

Bandwidth:: addhttpbandwidth

Bandwidth:: getbandwidth

Bandwidth:: gethourlyaveragebandwidthoveryear

### BoxTrapper

BoxTrapper:: accountmanagelist

### Branding

Branding:: addbrandingobj

Branding:: applist

Branding:: brandingeditor

Branding:: createpkg

Branding:: cssmerge

Branding:: delbrandingobj

Branding:: delpkg

## Description

This function uploads an SSL key. When you call this function, the system copies the key data to the account's `home/ssl/private/` directory.

### Warning:

We **strongly** recommend that you use the following [UAPI](#) function instead of this function:

- `SSL::upload_key` — This function uploads a private key.

### Note:

Due to the limited field length of HTTP GET method calls, you **must** use the HTTP POST method. For this reason, you **cannot** use the WHM API to call this function.

[AddDomain](#)

## Examples

### LiveAPI PHP Class

```
$cpanel = new  
CPANEL(); // Connect  
to cPanel - only do  
this once.  
  
// Upload an SSL key  
for example.com.  
$upload_key =  
$cpanel->api2(  
    'SSL',  
    'uploadkey',  
    array(  
        'key'  
    )  
=> '-----BEGIN RSA  
PRIVATE KEY-----  
MIIEJwIBAAKCAgEA4yilq  
soCdEpiNOyLcPJ4FLT7vg  
waLdOBeJLTMUeV2uZM4v6  
5  
/tiZe7H0soDp1C55SCr3u  
EIEa7Lq7RUZ+F5p67BgRR  
19rmerKGxfN7N5Vu97pfT  
w  
Wlf+lVsxUF/56lVeoAmm4  
okU98xJHiGGLI8ZHGJbUM  
YfLPy0OrA+gNwMHqMVOv1  
B  
SgpbEWCILMvnvtp0rwPut  
jnPVX2Dj40ia40L4Wqvp+  
0Yg7mZyhIOl+q6VZVidXX  
s
```

Func  
tion  
infor  
mati  
on

About  
this  
mod  
ule

Branding:: gensprites  
Branding:: getbrandingpkg  
Branding:: getbrandingpkgstatus  
Branding:: getdefaultbrandingpkg  
Branding:: installingpkgs  
Branding:: installingages  
Branding:: killings  
Branding:: listingtypes  
Branding:: listobjecttypes  
Branding:: preloadconf  
Branding:: resetall  
Branding:: resetscripts  
Branding:: resethtml  
Branding:: resolvefile  
Branding:: resolveocalcss  
Branding:: saveocalcss  
Branding:: setbrandingpkgstatus  
Branding:: showpkins  
Branding:: spritelist

▼ CSVImport

CSVImport:: columnchoices  
CSVImport:: configimport  
CSVImport:: data  
CSVImport:: fetchimportdata  
CSVImport:: isenabled  
CSVImport:: loaddata  
CSVImport:: processdata  
CSVImport:: sendcontact

```
1R4ZywfRBYt3ieFBDYMyN  
w9wN3Xy44fCpHc77+ho84  
W3BqrGaWSSDyf6UkZGD5m  
f  
ohGf2JSp+c8J6H7hsxo7p  
ta3K1diVXFOSfnaA+k56z  
W445XruwYs/SN/zvGetGi  
6  
uqhMAcVRQcYCmLCixcC6R  
kcUx3exxgR4q3gthDnFvW  
C4+NuTh8/K0BcxcuCEhRu  
g  
/MfVfO3+f7RJFSJPFb9m9  
Lf4HHBSVkDP5WtG4XiBKC  
e++9Wuvxbd4QxS7YrnSop  
N  
KxkuHKswH8ONpADMYDqfL  
ODMhNrs1HNHu95Nv7A1Qr  
8weLqMGWmp7GFqzXcl39R  
n  
Vkf4Bxd3bAAsMN8/JvanM  
KCPjTTDrfzVFZcmHXPYO1  
jYDdYlxfIstYVtbyFkUHZ  
P  
2RPPBaPUAt901zrKGVF8a  
2vdIKRiey5S5Z5qu9c/mGr  
i3oz7Lkk7qkNPAqDMCAwE  
A  
AQKCAgA3f9raG3j2CKZt3  
81Bzzvfc0h+a16LC736Q4  
Ut6RuH2/S1ER9IUItPWW8  
7  
nZuDp8ciBr13W0nRNmmHe  
zxZHlgqqXEb8dSfI90Bh1  
jMNYFSSDihl3KSHrGotBs  
c  
VBavViREXzdUicGBuXuxt  
kYno96yvKUq2v0K9MLkA+  
OBgEHFynqJaw7k1Bs j573  
d  
1AQO8TjI+eD8zKsHbB8U1  
5rtRAy/C13YXWk75cDZSg  
gevc7A0jRd3o0w8aXDoS1  
E  
fYq7OTm3n3JJWZBFPKAXT  
zgTDr6qItJhjs4Ixxsq7R  
NyeIYES/8aGKKT6lJvjAL  
r  
cdYt47IphCOu4471G/h+f  
6xtDophLGZoAirO7lJFRV  
fLJh76sLF12bpXJKbbmMN  
+  
aut0nM+MLEw8A5K9OV24j
```

The SSL module manages certificate s, certificate requests, and keys on your server.

## About cPanel API 2

cPanel API 2 accesses and modifies data for cPanel accounts.

Notes:

- Th Fe
- int
- Ur mus 20 or 20 ).` 20 or 20 ).

## Find a function

- CSVImport:: uploadimport
- ▼ Contactus
  - Contactus:: isenabaled
  - Contactus:: sendcontact
- ▼ Cron
  - Cron:: add\_line
  - Cron:: edit\_line
  - Cron:: fetchcron
  - Cron:: get\_email
  - Cron:: listcron
  - Cron:: remove\_line
  - Cron:: set\_email
- ▼ CustInfo
  - CustInfo:: contactemails
  - CustInfo:: contactprefs
  - CustInfo:: displaycontactinfo
  - CustInfo:: savecontactinfo
- ▼ DBmap
  - DBmap:: status
  - DBmap:: version
- ▼ DKIMUI
  - DKIMUI:: available
  - DKIMUI:: getrecords
  - DKIMUI:: install
  - DKIMUI:: installed
  - DKIMUI:: uninstall
- ▼ DenyIp
  - DenyIp:: listdenypis
- ▼ DiskCounter
  - DiskCounter:: disk\_counter
- ▼ DiskUsage
  - DiskUsage:: buildcache
  - DiskUsage:: clearcache
  - DiskUsage:: fetch\_raw\_disk\_usage
  - DiskUsage:: fetchdiskusage

```
J/3+afj//5789asIyvNaQ
FPOX23SdLX0QbA5QWvJt2
t
WvvpS3ubcIJaBEMTK8asE
BC68eUW0BBKJaSiYNzecU
FYCBjQlxKsIrYuWZoW6fM
Y
Re1+cnqMdiH7r2p6RmgF5
c9myDwq3E47jE+VrOy8uh
w7EMQvT8+YSKaIbgtFZcU
S
U02BDRB7gWNa842m6nGs5
tj5xFNQ6Wt410vilTwL+6
zCQqJaKmcde3woiIgSdrw
5
MssAHHjqo7QJthZfbpUAU
Tc6jGPN013UlediIRAGdQ
W5ALqTwQKCAQEA884bmFF
Z
LTewHIv1PJFfnxVZfk3C7
LhWE2JcI/5P/YrN4ZA8G0
8OYhgxa5XnsHHQPwMM85
i
1HeOoPwqgTMIyLDX/Sf88
+eW3ef4V2M1Y4op0ahWFE
wbwXKGxOhncElObN7dfZU
w
VlxCREaiw2XQAGRqtQC0f
+9dZysqPJr+Rz6poTiOtm
7DcpW/WiGfBPvVhzBENyq
o
uL9V3vCWYPJSLtCexECoG
oPSPHKgUkwbh3+ra8SfG6
FOIBj4PpMB82R7oPDjIyX
F
1VDfb0EwYQ1KxyZoP9+NP
T2MhZv/hF/Mbm/5Lo1VHx
92h09q6yxS6nvaFmEPr9f
Y
1EOTWzzPOA+VyQKCAQEA7
oVioaTqxENT+wHITZq100
iYUpm4X1N1eENTp97QyQb
Q
OVR/t8iGLUdvOzdIxBSTS
3JFQ8TNcGDPPc+o319QGd
ZABNnKwFGY3Ss+5QgVeX6
n
0WKdxCRelUOUB174aBeXc
JCKplh6xBUrLfsZxvZQQb
7fv0Mb+2eKUBKTYmvESlk
p
Ydn1T0vCCHA3bVpaHuqli
CoDSX3RmQICZlfsGCBbA
```

- cPanel API 2 Functions - SSL: installssl — This function installs an SSL certificate.
- cPanel API 2 Functions - SSL: listcerts — This function lists the account's SSL certificates.
- cPanel API 2 Functions - SSL: listkeys — This function lists the account's SSL keys.

DiskUsage:: fetchdiskusagewithextras

▼ DnsLookup

DnsLookup:: name2ip

▼ DomainLookup

DomainLookup:: countbaseddomains

DomainLookup:: getbaseddomains

DomainLookup:: getdocroot

DomainLookup:: getdocroots

DomainLookup:: getmaindomain

▼ Email

Email:: accountname

Email:: adddomainforward

Email:: addforward

Email:: addmx

Email:: addpop

Email:: browseboxes

Email:: changemx

Email:: checkmaindiscard

Email:: clearpopcache

Email:: deletefilter

Email:: delforward

Email:: delmx

Email:: delpop

Email:: disablefilter

Email:: editquota

Email:: enablefilter

Email:: fetchautoreponder

Email:: fetchcharmaps

Email:: filteractions

Email:: filterlist

Email:: filtername

Email:: filterrules

Email:: get\_archiving\_configuration

```

kmU8RuxDd9yR9l7O9MXUm
L
sqlsw6hvbUt+7Yl3YlDty
X8gbCwEEYsoALootYlxNF
XnyZKTAXhrg+xsQLrURYZ
U
oZiCJyK/mHCWRTPVkt89w
q4IexbJ9hq1Rjzpm1r8Gw
KCAQBxRSCs855q06SONre
h
HCKqFmrFs3sMX9gdyWT1l
BG1yfc9BLXoOiKEkJkCLG
2o5H6eQnuo1go0jBdH0+A
r
hnpeQ0sV4q4y4zXEgzFt6
DmltUsYjQzxASskBQF4Gk
F0eZpmGmTtI5MBjHt931l
g
Tr0EcaLh1SIHDj5m4DcPU
TMyBnro3E3xlCRZ6Biu10
/6EMZzuIj42Gjq7HoIyd4
T
zIFCHsqkgyWwrAgBPwAdP
B7OJRKPTxpcy+RwJSmwaL
xPSC/n5gKhIbt4D8q+9Zp
0
esyZGbT1d/c2rJHMwV1FM
vzXkk5CwKs7enK18FXMTR
t4tXHtU8r193JVq8+aY/Y
i
JZuBAoIBAERG2lz7IFjeF
HVtpTDRwIqilTfP2P8wnM
e4PhInrgxdbu16SrUJKZ9
8
e1I5BBNc8G0AYONtSoGIt
Mo0z1phpkQ/GERLM8ap1O
B6qJ5XGg6VOuStHgwvfQO
t
PIp/nQvu9OK7/XRwj3Phu
2KESiCyEXdAdDwDsdDbdZL
JXHwcqoh4Pf9EK2zW/seN
I
fBVJb9K5yHiZzicTZRQvh
xBUw2T6M1oCpH4GFM8GM3
OHEV4pgeqSSvLxnLjFvMA
q
5EKL5Ei4cdjkExvj3aZH9
0N8KicOPgH8SkVhN8OL/P
rein5c/LaKJV+8kEUzpTS
1
xc45cEGCteMsfjD97QINz
pG0jgopUVECggEADIAKsx
8NUQT3hm0wHRanEFJnQH5

```

- cPanel API 2 Functions - SSL: fetchandupload — This function retrieves a certificate's Certificate Authority (CA) bundle.
- cPanel API 2 Functions - SSL: uploadcert — This function uploads an SSL certificate.

Email: get\_archiving\_default\_configuration  
Email: get\_archiving\_types  
Email: get\_default\_email\_quota  
Email: get\_email\_signing  
Email: get\_max\_email\_quota  
Email: getabsbrowse\_dir  
Email: getalwaysaccept  
Email: getdiskusage  
Email: getmxcheck  
Email: has\_delegated\_mailman\_lists  
Email: list\_system\_filter\_info  
Email: listaliasbackups  
Email: listautoresponders  
Email: listdefaultaddresses  
Email: listdomainforwards  
Email: listfilterbackups  
Email: listfilters  
Email: listforwards  
Email: listlists  
Email: listmaildomains  
Email: listmx  
Email: listmxs  
Email: listpops  
Email: listpopssingle  
Email: listpopswitdisk  
Email: listpopswithimage  
Email: loadfilter  
Email: passwdpop

```
H
zxaQjWbsjm2uz0KROPNIK
1X5L8kypsb+Ez1JtvWUqx
PaOaTv4DZVpFaVzk8/2PP
G
sYR3mUjqMqNFYMrNwYZAX
vJ/huzDPqq6+w2Pn9jcAif
HNw3S8UR650v8g17BU4f
V
BvhamG8JelvwLqeGwoiKS
T9NBXVqG5IKBpUkUiFOMU
NmRih9ooKvhy7GosoK8MW
b
mhWo1v8TTSXSagACUhaOI
zb6mMN/VFC5WDbFx5AEB/
G9tq/zmTqQkuo39dvg130
w
yZGRNwclafF1Kxeven10/
JN9ipp0mTa7NYSdn0RAe9
ZRp5cCkgmktqmB0g==
-----END RSA PRIVATE
KEY-----',
        host =>
```

Email:: reorderfilters

Email:: set\_archiving\_configuration

Email:: set\_archiving\_default\_configuration

Email:: set\_email\_signing

Email:: setalwaysaccept

Email:: setdefaultaddress

Email:: setmxcheck

Email:: storefilter

Email:: tracefilter

#### ▼ EmailTrack

EmailTrack:: search

EmailTrack:: stats

EmailTrack:: trace

#### ▼ Encoding

Encoding:: get\_encodings

Encoding:: guess\_file

Encoding:: guess\_file\_opts

#### ▼ FSTest

FSTest:: dirisempty

#### ▼ Fileman

Fileman:: autocompletedir

Fileman:: fileop

Fileman:: getabsdir

Fileman:: getdir

Fileman:: getdiractions

Fileman:: getdiskinfo

Fileman:: getedittype

Fileman:: getfileactions

Fileman:: getpath

Fileman:: listfiles

Fileman:: mkdir

Fileman:: mkfile

```
'example.com',  
    )  
);
```

#### Note:

For more information, read our [Guide to the LiveAPI System](#).

#### ▼ LiveAPI Perl Module

```
my $cpliveapi =  
    Cpanel::LiveAPI->new(  
    ); # Connect to  
    cPanel - only do this  
    once.
```

```
# Upload an SSL key  
for example.com.  
my $upload_key =  
    $cpliveapi->api2(  
        'SSL',  
        'uploadkey',  
        array(  
            'key'  
        )  
    ) => '-----BEGIN RSA  
PRIVATE KEY-----  
MIIJJwIBAAKCAgEA4yilq  
soCdEpiNOyLcPJ4FLT7vg  
waLdOBeJLTMUeV2uZM4v6  
5  
/tiZe7H0soDp1C55SCr3u  
EIEa7Lq7RUZ+F5p67BgRR  
19rmerKGxfN7N5Vu97pFT  
w  
W1f+1VsxUF/561VeoAmm4  
okU98xJHiGGLI8ZHGJbUM  
YfLPy0OrA+gNwMHqMVOv1  
B  
SgpbEWCILMvnvtp0rwPut  
jnPVX2Dj40ia40L4Wqvp+  
0Yg7mZyhIOl+q6VZVidXS  
s  
1R4ZywfRBYt3ieFBDYMyN  
w9wN3Xy44fCpHc77+ho84  
W3BqrGaWSSDyf6UkZGD5m  
f  
ohGf2JSp+c8J6H7hsxo7p  
ta3K1diVXFOSfnaA+k56z
```

Fileman:: savefile  
Fileman:: search  
Fileman:: statfiles  
Fileman:: uploadfiles  
Fileman:: viewfile  
▼ ForcePassword  
ForcePassword:: get\_force\_password\_flags  
ForcePassword:: update\_force\_password\_flags  
▼ Frontpage  
Frontpage:: fpenabled  
Frontpage:: list  
▼ Ftp  
Ftp:: addftp  
Ftp:: delftp  
Ftp:: listftp  
Ftp:: listftpessions  
Ftp:: listftpwithdisk  
Ftp:: passwd  
Ftp:: setquota  
▼ Gpg  
Gpg:: listgpgkeys  
Gpg:: listsecretgpgkeys  
Gpg:: number\_of\_private\_keys  
Gpg:: number\_of\_public\_keys  
▼ Htaccess  
Htaccess:: listuser  
Htaccess:: listusers  
▼ HttpUtils  
HttpUtils:: getdirindices  
▼ ImageManager  
ImageManager:: thumbnail  
▼ LVEInfo  
LVEInfo:: getUsage  
▼ LangMods  
LangMods:: getarchname

W445XruwYs/SN/zvGetGi  
6  
uqhMAcVRQcYcMLCixcC6R  
kcUx3exxgR4q3gthDnFvW  
C4+NuTh8/K0BcxcuCEhRu  
g  
/MfVfO3+f7RJFSJPFb9m9  
Lf4HHBSVkDP5WtG4XiBKC  
e++9Wuvxbd4QxS7YrnSop  
N  
KxkuHKswH8ONpADMYDqfL  
ODMhNrs1HNHu95Nv7A1Qr  
8weLqMGWmp7GFqzXcl39R  
n  
VkF4Bxd3bAAsMN8/JvanM  
KCPjTDrfzVFZcmHXPYO1  
jYDdYlxfIstYVtbyFkUHZ  
P  
2RPPBaPUAt901zrKGVF8a  
2vdIKRiey5SZ5qu9c/mGr  
i3oz7Lkk7qkNPAqDMCAwE  
A  
AQKCAgA3f9raG3j2CKZt3  
81Bzzvfc0h+a16LC736Q4  
Ut6RuH2/S1ER9IUItPWW8  
7  
nZuDp8ciBr13W0nRNmmHe  
zxZHlgqqXEb8dSfI90Bh1  
jMnyFSSDihl3KSHrGotBs  
c  
VBavViREXZdUicGBuXuxt  
kYno96yvKUq2v0K9MLkA+  
OBgEHFynqJaw7klBs j573  
d  
1AQO8TjI+eD8zKsHbB8U1  
5rtRAY/C13YXWk75cDZSg  
gevc7A0jRd3o0w8aXDoS1  
E  
fYq70Tm3n3JJWZBFPKAXT  
zgTDr6qItJhjs4IxXsq7R  
NyeIYES/8aGKKt6lJvjAL  
r  
cdYt47IpHCOu4471G/h+f  
6xtDophLGZoAirO7lJFRV  
fLJh76sLF12bpXJKbbmMN  
+  
autOnM+MLEw8A5K9OV24j  
J/3+afj//5789asIyvNaQ  
FPOX23SdLX0QbA5QWvJt2  
t  
WvvpS3ubcIJaBEMTK8asE  
BC68eUW0BBKJaSiYNzecU  
FYCBjQlxKsIrYuWZoW6fM

LangMods:: getkey  
LangMods:: getpre  
fix  
LangMods:: install  
LangMods:: languis  
t  
LangMods:: list\_av  
ailable  
LangMods:: list\_in  
stalled  
LangMods:: magic  
\_status  
LangMods:: pre\_ru  
n  
LangMods:: search  
LangMods:: setup  
LangMods:: uninst  
all  
LangMods:: updat  
e  
▼ LeechProtect  
  LeechProtect:: set  
  up  
▼ Locale  
  Locale:: get\_encod  
  ing  
  Locale:: get\_html\_  
  dir\_attr  
  Locale:: get\_locale  
  \_name  
  Locale:: get\_user\_  
  ocale  
  Locale:: get\_user\_  
  ocale\_name  
  Locale:: numf  
▼ Logaholic  
  Logaholic:: adduse  
  r  
  Logaholic:: adduse  
  rprofile  
  Logaholic:: deleteu  
  ser  
  Logaholic:: deleteu  
  serprofile  
  Logaholic:: edituse  
  r  
  Logaholic:: fetchu  
  ser  
  Logaholic:: listuser  
  profiles  
  Logaholic:: logahol

y  
Re1+cnqMdiH7r2p6RmgF5  
c9myDwq3E47jE+VrOy8uh  
w7EMQvT8+YSKaIbgtFZcU  
S  
U02BDRB7gWNa842m6nGs5  
tj5xFNQ6Wt4l0vilTwL+6  
zCQqJaKmcde3woiIgSdrw  
5  
MssAHHjqo7QJthZfbpUAU  
Tc6jGPN013UlediIRAGdQ  
W5ALqTwQKCAQEA884bmFF  
Z  
LTewHIv1PJFfNzVZfk3C7  
LhWE2JcI/5P/YrN4ZA8G0  
8OYhgxa5XnsHHQPwMM85  
i  
1HeOoPwqgTMiYLDX/Sf88  
+eW3ef4V2M1Y4op0ahWFE  
wbwXKGxOhncElObN7dfZU  
w  
VlxCREaiw2XQAGRqtQC0f  
+9dZysqPJr+Rz6poTiOtm  
7DcpW/WiGfBPvVhzBENyq  
o  
uL9V3vCWYPJSLtCexECoG  
oPSPHKgUkwbh3+ra8SfG6  
FOIBj4PpMB82R7oPDjIyX  
F  
1VDfb0EwYQlKxyZoP9+NP  
T2MhZv/hF/Mbm/5Lo1VHx  
92h09q6yxS6nvaFmEPr9f  
Y  
1EOTWzzPOA+VyQKCAQEA7  
oVioaTqxENT+wHITZq100  
iYUpm4X1N1eENTp97QyQb  
Q  
OVR/t8iGLUdvOzdIxBSTS  
3JFQ8TncGDPPc+o319QGd  
ZABNnKwFGY3Ss+5QgVeX6  
n  
0WKdxCRE1UOUB174aBeXc  
JCKplh6xBUrLfSZxvZQQb  
7fv0Mb+2eKUBKTymvESlk  
P  
Ydn1T0vCCHA3bVpaHuqli  
CoDSX3RmQICZlfSgCGBba  
kmU8RuxDd9yR917O9MXUm  
L  
sqlsw6hvbUt+7Y13Y1Dty  
X8gbCwEEYsoALootY1xNf  
XnyZKTAXhrg+xsQLrURYZ  
U



iclink  
Logaholic:: proces  
sstats  
▼ Mime  
Mime:: list\_hotlinks  
Mime:: listhandlers  
Mime:: listmime  
Mime:: listredirects  
Mime:: redirectname  
Mime:: redirecturlname  
▼ MysqlFE  
MysqlFE:: authorizehost  
MysqlFE:: change  
dbuserpassword  
MysqlFE:: created  
b  
MysqlFE:: created  
buser  
MysqlFE:: dbuserexists  
MysqlFE:: deauthorizehost  
MysqlFE:: deleted  
b  
MysqlFE:: deleted  
buser  
MysqlFE:: getalldb  
sinfo  
MysqlFE:: getalldb  
usersanddbs  
MysqlFE:: getdbuserprivileges  
MysqlFE:: getdbusers  
MysqlFE:: gethosts  
MysqlFE:: getmysqlprivileges  
MysqlFE:: getmysqlserverprivileges  
MysqlFE:: has\_my  
cnf\_for\_cpuser  
MysqlFE:: listdbs  
MysqlFE:: listdbs  
ackup  
MysqlFE:: listhosts  
MysqlFE:: listusers  
MysqlFE:: listusers

oZiCJyK/mHCWRTPVkt89w  
q4IexbJ9hq1Rjzplr8Gw  
KCAQBxRSCs855q06SONre  
h  
HCkQfmrFs3sMX9gdyWT1l  
BG1yfc9BLXoOiKEkJKCLG  
2o5H6eQnuo1go0jBdH0+A  
r  
hnpeQ0sV4q4y4zXEgzFt6  
Dm1tUsYjQzxASskBQF4Gk  
F0eZpmGmTtI5MBjHt931l  
g  
Tr0EcaLh1SIHDj5m4DcPU  
TMyBnro3E3xlCRZ6Biu10  
/6EMZzuIj42Gjq7HoIyd4  
T  
zIFCHsqkgyWwrAgBPwAdP  
B7OJRKPTxpcy+RwJSmwaL  
xPSC/n5gKhIbt4D8q+9Zp  
0  
esyZGbTld/c2rJHMwV1FM  
vzXkk5CwKs7enK18FXMTR  
t4tXHtU8r193JVq8+aY/Y  
i  
JZuBAoIBAERG2lz7IFjeF  
HVtpTDRwIqilTfP2P8wnM  
e4PhInrgxdbu16SrUJKZ9  
8  
e1I5BBNc8G0AYONtSoGI  
tMo0z1phpkQ/GERLM8ap1O  
B6qJ5XGg6VOuStHgwvfQO  
t  
PIp/nQvu9OK7/XRwj3Phu  
2KESiCyEXdAdDwDsdBdZL  
JXHwcqoh4Pf9EK2zW/seN  
I  
fBVJb9K5yHiZzicTZRQvh  
xBUw2T6M1oCpH4GFM8GM3  
OHEV4pgeqSSvLxnLjFVmA  
q  
5EKL5Ei4cdjkExvj3aZH9  
0N8KicOPgH8SkVhN8OL/P  
rein5c/LaKJV+8kEUzPT  
S1  
xc45cEGCteMsfjD97QINz  
pG0jgopUVEcggEADIAKsx  
8NUQT3hm0wHRanEFJnQH5  
H  
zxaQjWbsjm2uz0KROPNIK  
1X5L8kypsb+Ez1JtvWUqx  
PaOaTv4DZVpFaVzk8/2PP  
G  
sYR3mUjqMqNFYMrNwYZAX

```

indb
MysqlFE:: revoked
buserprivileges

MysqlFE:: setdbu
erprivileges

MysqlFE:: userdbp
rivs

v MySQLOptimizer
MysqlOptimizer:: f
etch_slow_queries

v NVData
NVData:: get

NVData:: set

NVData:: setall

v Net
Net:: dnszone

Net:: traceroute

v News
News:: does_news
_exist

News:: does_news
_type_exist

News:: get_news

v PHPINI
PHPINI:: getallopti
ons

PHPINI:: getoption
s

v Park
Park:: listaddondo
mains

Park:: listparkeddo
mains

Park:: park

Park:: unpark

v Passwd
Passwd:: change_
password

Passwd:: set_dige
st_auth

v PasswdStrength
PasswdStrength::
appstrengths

PasswdStrength::
get_password_stre
ngth

PasswdStrength::
get_required_stren
gth

v Postgres
Postgres:: listdbs

```

```

vJ/huzDPqq6+w2Pn9jcAi
fHNw3S8UR650v8gl7BU4f
V
BvhamG8JelvwLqeGwoikS
T9NBXVqG5IKBpUkUiFOMU
NmRih9ooKvhy7GosoK8MW
b
mhWo1v8TTSXSagACUhAoI
zb6mMN/VFC5WDbFx5AEB/
G9tq/zmTqQkuo39dvg130
w
yZGRNwclafF1Kxeven10/
JN9ipp0mTa7NYSdn0RAe9
ZRp5cCkgmktqmB0g==
-----END RSA PRIVATE
KEY-----',
        host =>

```

Postgres:: listusers  
Postgres:: listusers  
indb  
Postgres:: userexi  
sts

▼ Rand

Rand:: getranddat  
a

▼ Resellers

Resellers:: get\_su  
b\_accounts

▼ RoR

RoR:: addapp  
RoR:: changeapp  
RoR:: importrails  
RoR:: listapps  
RoR:: listrewrites  
RoR:: needsimport  
RoR:: removeapp  
RoR:: removerewri  
te  
RoR:: restartapp  
RoR:: setuprewrite  
RoR:: softrestartap  
p  
RoR:: startapp  
RoR:: stopapp

▼ SetLang

SetLang:: setlocale

▼ SourceIPCheck

SourceIPCheck:: a  
ddip  
SourceIPCheck:: d  
elip  
SourceIPCheck:: g  
etaccount  
SourceIPCheck:: li  
stips  
SourceIPCheck:: l  
oadsecquestions  
SourceIPCheck:: r  
esetsecquestions  
SourceIPCheck:: s  
amplequestions  
SourceIPCheck:: s  
avesecquestions

▼ SPFU

SPFU:: available

```
'example.com',  
)  
);
```

**Note:**

For more information, read our [Guide to the LiveAPI System](#).

▼ cPanel Tag System (deprecated)

**Warnings:**

- In cPanel & WHM version 11.30 and later, cPanel tags are **deprecate**d. We **strongly** recommend that you **only** use the [LiveAPI](#) system to call the cPanel APIs. Examples are **only** present in order to help developers move from the old cPanel tag system to our [LiveAPI](#).
- cPanel API 2 calls that use cPanel tags vary in code syntax and in their output.
- For more information, read our [Deprecated cPanel Tag Usage](#) documentation.

▼ Command Line

```
cpapi2  
--user=username SSL  
uploadkey  
key-----BEGIN RSA  
PRIVATE  
KEY-----\nMIIJJwIBAA  
KCAgEA4yilqsoCdEpiNOy  
LcPJ4FLT7vgwaLdOBeJLT  
MUeV2uZM4v65\n/tize7  
H0soDp1C55ScR3uEIEa7L  
q7RUZ+F5p67BgRR19rmer  
KGxfN7N5Vu97pfTw\nW1  
f+1VsxUF/561VeoAmm4ok  
U98xJHiGG1I8ZHGJbUMYf  
LPy0OrA+gNwMHqMVOv1B\  
\nSgpbEWCILMvnvtp0rwp  
utjnPVX2Dj40ia40L4Wqv  
p+0Yg7mZyhIOl+q6VZVI  
dXZs\nn1R4ZywFRBYt3ieF  
BDYMyNw9wN3Xy44fCpHc7  
7+ho84W3BqrGaWSSDyf6U  
kZGD5mf\nnohGF2JSp+c8
```

SPFUI:: count\_settings  
SPFUI:: entries\_complete  
SPFUI:: get\_raw\_record  
SPFUI:: getmainserverip  
SPFUI:: install  
SPFUI:: installed  
SPFUI:: list\_settings  
SPFUI:: load\_current\_values  
SPFUI:: uninstall  
▼ SSH  
SSH:: authkey  
SSH:: converttopk  
SSH:: delkey  
SSH:: fetchkey  
SSH:: genkey  
SSH:: genkey\_legacy  
SSH:: importkey  
SSH:: listkeys  
▼ SSL  
SSL:: fetchbundle  
SSL:: fetchinfo  
SSL:: genctr  
SSL:: genscr  
SSL:: genkey  
SSL:: getcname  
SSL:: installssl  
SSL:: listcrts  
SSL:: listcsrs  
SSL:: listkeys  
SSL:: listsslitems  
SSL:: uploadcrt  
SSL:: uploadkey  
▼ SSLInfo  
SSLInfo:: fetchinfo  
▼ StatCache  
StatCache:: clearcache

J6H7hsxo7pta3K1diVXFO  
SfnaA+k56zW445XruwYs/  
SN/zvGetGi6\\nuqhMAcV  
RQcYcMLCixcC6RkcUx3ex  
xgR4q3gthDnFvWC4+NuTh  
8/K0BcxcuCEhRug\\n\\n  
MfVfO3+f7RjFSJPFb9m9L  
f4HHBSVkDP5WtG4XiBKCe  
++9Wuvxbd4QxS7YrnSopN  
\\nKxkuHKswH8ONpADMYD  
qfLODMhNrs1HNHu95Nv7A  
lQr8weLqMGWmp7GFqzXcl  
39Rn\\nVkF4Bxd3bAAsMN  
8/JvanMKCPjTTDrfzVFZc  
mHXPYOljYDdYlxfIstYVt  
byFkUHZP\\n2RPPBaPUAt  
90lZrKGVF8a2vdIKRiey5  
SZ5qu9c/mGri3oz7Lkk7q  
kNPAqDMCAwEA\\nAQKCAg  
A3f9raG3j2CKZt381Bzzv  
fc0h+a16LC736Q4Ut6RuH  
2/S1ER9IUItPWW87\\nnZ  
uDp8ciBr13W0nRNmmHezx  
ZHlgqqXEb8dSfI90Bh1jM  
NyFSSDihl3KSHrGotBsc\  
\\nVBavViREXZdUicGBuXu  
xtkYno96yvKUq2v0K9MLk  
A+OBgEHFynqJaw7k1BsJ5  
73d\\n1AQO8TjI+eD8zKs  
HbB8U15rtRAy/C13YXWk7  
5cDZSggev7A0jRd3o0w8  
aXDoSlE\\nfYq7OTm3n3J  
JWZBFPKAXTzgTDr6qItJh  
js4Ixxsq7RnyeIYES/8aG  
KKT6lJvjALr\\ncdYt47I  
pHCOu447lG/h+f6xtDoph  
LGZoAirO7lJFRVfLJh76s  
LF12bpXJKbbmMN+\\naut  
0nM+MLEw8A5K9OV24jJ/3  
+afj//5789asIyvNaQFPO  
X23SdLX0QbA5QWvJt2t\\n  
WvvpS3ubcIJaBEMTK8as  
EBC68eUW0BBKJaSiYNzec  
UFYCBjQlxKsIrYuWZoW6f  
My\\nRe\\n+cnqMdiH7r2  
p6RmgF5c9myDwq3E47jE+  
VrOy8uhw7EMQvT8+YSKaI  
bgtFZcUS\\nU02BDRB7gW  
Na842m6nGs5tj5xFNQ6Wt  
410villTwL+6zCQqJaKmcD  
E3woiIgSdrw5\\nMssAHH  
jqo7QJthZfbpUAUTC6jGP  
NO13UlediIRAGdQW5ALqT

- Stats: getmonthly bandwidth
  - Stats: getmonthly domainbandwidth
  - Stats: getthismont hsbwusage
  - Stats: lastapache hits
  - Stats: lastvisitors
  - Stats: listanalog
  - Stats: listawstats
  - Stats: listlastvisitors
  - Stats: listrawlogs
  - Stats: listurchin
  - Stats: listwealizer
- StatsBar
  - StatsBar: getrowcounter
  - StatsBar: rowcounter
  - StatsBar: setrowcounter
  - StatsBar: stat
- SubDomain
  - SubDomain: adds ubdomain
  - SubDomain: changedocroot
  - SubDomain: delsubdomain
  - SubDomain: getservedsubdomains
  - SubDomain: listsubdomains
  - SubDomain: validategex
- Themes
  - Themes: apply\_new\_theme
  - Themes: does\_cp\_anel\_theme\_exist
  - Themes: get\_available\_themes
  - Themes: get\_the\_mes\_list
  - Themes: restore\_saved\_theme

```
wQKCAQEA884bmFFZ\\nLT
ewHIv1PJFFfNxVZfk3C7Lh
WE2JcI/5P/YrN4ZA8G08O
Yhgxa5XnsHHQPwMM85i\
\n1HeOoPwqgTMIyLDX/Sf
88+eW3ef4V2M1Y4op0ahW
FEwbwXKGxOhncElObN7df
ZUw\\nVlxCREaiw2XQAGR
qtQC0f+9dZysqPJr+Rz6p
oTiOtm7DcpW/WiGfBPvVh
zBENyqo\\nuL9V3vCWYPJ
SLtCexECogOPSPHKgUkwb
h3+ra8SfG6FOIBj4PpMB8
2R7oPDjIyXF\\n1VDFb0E
wYQlKxyZoP9+NPT2MhZv/
hF/Mbm/5Lo1VHx92h09q6
yxS6nvaFmEPr9fY\\n1EO
TWzzPOA+VyQKCAQEA7oVi
oaTqxENT+wHITZq100iYU
pm4X1N1eENTp97QyQbQ\\
nOVR/t8iGLUdvOzdIxBST
S3JFQ8TNcGDPPc+o319QG
dZABNnKwFGY3Ss+5QgVeX
6n\\n0WKdxCRE1UOUB174
aBeXcJCKplh6xBUrLfSZx
vZQqb7fv0Mb+2eKUBKTym
vES1kp\\nYdn1T0vCCHA3
bVpaHuqliCoDSX3RmQICZ
lfSgCGBbAkmU8RuxDd9yR
91709MXUmL\\nsqlsw6hv
bUt+7Y13Y1DtyX8gbCwEE
YsoALootY1xNfXnyZKTAX
hrg+xsQLrURYZU\\noZiC
JyK/mHCWRTPVkt89wq4Ie
xbJ9hq1Rjzpm1r8GwKCAQ
BxRSCs855q06SONreh\\n
HckQfmrFs3sMX9gdyWT1l
BGlyfc9BLXoOiKEkJKCLG
2o5H6eQnuo1gojBdH0+A
r\\nhnpeQ0sV4q4y4zXEg
zFt6Dm1tUsYjQzxASskBQ
F4GkF0eZpmGmTtI5MBjHt
931lg\\nTr0EcaLh1SIHD
j5m4DcPUTMyBnro3E3x1C
RZ6Biu10/6EMZzuIj42Gj
q7HoIyd4T\\nzIFCHsqkg
yWwRAgBPwAdPB7OJRKPtx
pcy+RwJSmwaLxPSC/n5gK
hIbt4D8q+9Zp0\\nesyzG
bTld/c2rJHMwV1FMvzXkk
5CwKs7enK18FXMTRt4tXH
tU8r193JVq8+aY/Yi\\nJ
ZuBAoIBAERG2lz7IFjeFH
```

- UI
  - UI:: dynamicincludelist
  - UI:: includelist
  - UI:: listform
  - UI:: paginate
  - UI:: paginate\_list
- UserHttpUtils
  - UserHttpUtils:: getdirindices
- WebDisk
  - WebDisk:: addwebdisk
  - WebDisk:: delwebdisk
  - WebDisk:: hasdigest
  - WebDisk:: listwebdisks
  - WebDisk:: passwdwebdisk
  - WebDisk:: set\_digest\_auth
  - WebDisk:: set\_homedir
  - WebDisk:: set\_perms
  - WebDisk:: setstatus
- WebmailApps
  - WebmailApps:: listwebmailapps
- ZoneEdit
  - ZoneEdit:: add\_zone\_record
  - ZoneEdit:: edit\_zone\_record
  - ZoneEdit:: fetch\_panel\_generated\_domains
  - ZoneEdit:: fetchzone
  - ZoneEdit:: fetchzone\_records
  - ZoneEdit:: fetchzones
  - ZoneEdit:: get\_zone\_record
  - ZoneEdit:: remove\_zone\_record
  - ZoneEdit:: resetzone

```
VtpTDRwIqilTfP2P8wnMe
4PhInrgxdbu16SrUJKZ98
\\ne1I5BBNc8G0AYONtSo
GItMo0z1phpkQ/GERLM8a
p1OB6qJ5XGg6VOuStHgwv
fQOt\\nPip/nQvu9OK7/X
Rwj3Phu2KESiCyEXdAdDw
DsdbdZLJXHwcqoh4Pf9EK
2zW/seNI\\nfBVJb9K5yH
izzicTZRQvhxBUw2T6MlO
CpH4GFM8GM3OHEV4pgeqS
SvLxnLjFVmAq\\n5EKL5E
i4cdjkExvj3aZH90N8Kic
OPgH8SkVhN8OL/Prein5c
/LaKJV+8kEUzpts1\\nxc
45cEGCteMsfjD97QINzpg
0jgopUVECggEADiaKsx8N
UQT3hm0wHRanEFJnQH5H\
\nzxaQjWbsjm2uz0KROPN
IK1X5L8kypsb+Ez1JtvWU
qxPaOaTv4DZVpFaVzk8/2
PPG\\nsYR3mUjqMqNFYMr
NwYZAXvJ/huzDPqq6+w2P
n9jcAifHNw3S8UR650v8g
17BU4fV\\nBvhamG8Jelv
wLqeGwoikST9NBXVqG5IK
BpUkUiFOMUNmRih9oKvh
y7GosoK8MWb\\nmhWolv8
TTSXSagACUhaOIzb6mMN/
VFC5WDbFx5AEB/G9tq/zm
TqQkuo39dvg130w\\nyZG
RNwc1aFflKxeven10/JN9
ipp0mTa7NYSdn0RAe9ZRp
5cCkgmktqmB0g==\\n---
```

```
--END RSA PRIVATE  
KEY-----  
host=example.com
```

**Notes:**

- You **must** [URI-encode](#) values.
- `username` represents your account-level username.
- You **must** run the `--user=username` command.
- For more information and additional output options, read our [Guide to cPanel API 2](#) documentation or run the `cpapi2 --help` command.
- If you run CloudLinux™, you **must** use the full path of the `cpapi2` command:

```
/usr/local  
/cpanel/bin/  
cpapi2
```

▼ **Output (JSON)**

```
{  
  "cpanelresult": {  
    "apiversion": 2,  
    "func":  
    "uploadkey",  
    "data": [  
      "output":  
      example.com  
    ],  
    "event": {  
      "result": 1  
    },  
    "module": "SSL"  
  }  
}
```

**Note:**

Use cPanel's *API Shell* interface (`cPanel >> Home >> Advanced >> API Shell`) to directly test cPanel API calls.

## Parameters

Parameter	Type	Description	Possible values	Example
key	string	<p><b>Required</b></p> <p>The key data.</p>	<p>The key file contents.</p> <div style="border: 1px solid red; padding: 5px; text-align: center;"> <p><b>Import ant:</b></p> </div>	<p><a href="#">Click to view an example key...</a></p> <pre> -----BEGIN RSA PRIVATE KEY----- MIIJJwIBAAK CAGEA4y1lqs oCdEpiNOyLc PJ4FLT7vgwa Ld0BeJLTMUe V2u2M4v65 /tiZe7H0soD pLC55SCr3uE IEa7Lq7RUZ+ F5p67BgRR19 rmerKGxfN7N 5Vu97pFTw Wlf+1VsxUF/ 561VeoAmm4o kU98xJHiGGL I8ZHGJbUMYf LPy00rA+gNw MHqMVOv1B SgpbEWCILMv nvtp0rwPutj nPVX2Dj40ia 40L4Wgvp+0Y g7mZyhIOL+q 6VZVidXZs 1R4ZywERBYt 3ieFBDYMyNw 9wN3Xy44fCp Hc77+ho84W3 BqrGaWSSDyf 6UkZGD5mf ohGf2JSp+c8 J6H7hsxo7pt a3K1diVXFOS fnaA+k56zW4 45XruwYs/SN /zvGetG16 ughMAcVRQcY CmLCixcC6Rk cUx3exxgR4q 3gthDnFvWC4 +NutH8/K0Bc xcuCEhRug /MEVfO3+f7R JFSJFFb9m9L f4HHBSVkdP5 WtG4XiBKCe+ +9Wuvxbd4Qx S7YrnSopN KxkuHKswH8O NpADMYDqfLO DMhNrs1HNHu 95Nv7AlQr8w eLqMGWmp7GF qzXcl39Rn VkF4Bxd3bAA sMN8/JvanMK CPjTDrfzVF ZcmHXPYOljY DdY1xfIstYV tbyFkuHZP 2RPPBaPUAt9 0lZrKGVF8a2 vdIKRiey5SZ 5qu9c/mGri3 oz7Lk7qkNP AqDMCAWEA AQKCAgA3f9r aG3j2CKZt38 1Bzzvfc0h+a 16LC736Q4Ut 6RuH2/S1ER9 IUItPWW87 nZuDp8ciBr1 3W0nRnmHez xZHLgqqXEb8 dSfI90Bh1jM NyFSSDihl3K SHrGotBsc VBavViREXZd UicGBuXuxtK Yno96yvKUq2 v0K9MLk+OB gEHFynqJaw7 k1BsJ573d LAQ08tjI+eD 8zKsHbB8U15 </pre>



• T	rtRy/Cl3YX
h	Wk75cDZSgqe
i	vc7A0jRd3o0
s	w8aXDoS1E
d	fYq70Tm3n3J
a	JWZBFPKAXTz
t	gTDR:6qItJhj
a	S4IxXsq7RrNy
a	eIYES/8aGKK
l	T61JvjALr
w	cdYt47IpHCO
a	u4471G/+f6
y	xtDophLGZoA
s	ir071JFRVfL
b	Jh76sLF12bp
e	XJKbbmMN+
g	aut0nM+MLEw
i	8A5K9OV24jJ
n	/3+afj//578
s	9asIyvNaQFP
w	OX23SdLX0Qb
i	A5QWvJt2t
t	WvvpS3ubcIJ
h	aBEMTK8asEB
-	C68eUWOBBKJ
-	aSiYNzecUFY
-	CBjQlxKsIrY
-	uWZoW6fMy
-	Rel+cnqMgiH
-	7r2p6RmgP5c
B	9myDwq3E47j
E	E+VrOy8uhw7
G	EMQvT8+YSKa
I	IbgtFZcUS
N	U02BDRB7gWN
R	a842m6nGs5t
S	j5xFNQ6Wt41
A	0viltWL+6zC
P	QqJaKmcE3w
R	oiIgSdrw5
I	MssAHHjqo7Q
V	JthZfbpUAUT
A	c6jGPN013U1
T	ediIRAGdQW5
E	ALqTwQKCAQE
K	A884bmFFZ
E	LTewHIv1PJF
Y	fNxVZfk3C7L
-	hWE2JcI/5P/
-	YrN4ZA8G080
-	Yhgxxqa5XnsH
-	HQPwMM85i
-	1HeOoPwggTM
-	IyLDX/Sf88+
a	eW3ef4V2M1Y
n	4op0ahWFEwb
d	wXKGxOhncE1
e	ObN7dfZUw
n	VlxCRaaiw2X
d	QAGRqtQC0f+
s	9dZysqPjx+r
w	z6poTiOtm7D
i	cpW/WiGfBPv
t	VhzBENyqo
h	uL9V3vCWYPJ
-	SLtCexECoGo
-	PspHKgUkwbh
-	3+ra8SfG6FO
-	IBj4PpMB82R
-	7oPDjIyXF
E	1VDf0EwYQ1
N	KkyZoP9+NPT
D	2MnZv/hF/Mb
R	m/5LolVHx92
S	h09q6yxS6nv
A	aFmEP:9fY
P	1EOTWzzPOA+
R	VyQKCAQEA7o
I	VioaTqxENT+
V	wHITZq100iY
A	Upm4X1N1eEN
T	Tp97QyQbQ
E	OVR/t8iGLud
K	vOzdIxBSTS3
E	JFQ8TNeGDPP
Y	c+o319QGdZA
-	BNnKwFGY3Ss
-	+5QgVeX6n
-	0WKdxCRelUO
-	UB174aBeXcJ
-	CKp1h6xBurL
-	fSZxvZQqb7f
-	v0Mb+2eKUBK
.	TymvES1kp
	Ydn1T0vCCHA
	3bVpaHuqliC
	oDSX3RmQICZ
	1fSgCGBbAkM
	U8RuxDd9yR9
	1709MXUmL
	sq1sw6hvbUt
	+7Y13Y1DtyX
	8gbCwEYsoA

• Y  
o  
u  
m  
u  
s  
t  
p  
r  
e  
s  
e  
r  
v  
e  
t  
h  
e  
d  
a  
t  
a  
'  
s  
n  
e  
w  
l  
i  
n  
e  
s  
(  
\n  
i  
n  
U  
n  
i  
x  
f  
o  
r  
m  
a  
t  
,  
\r  
\n  
i  
n  
W  
i  
n  
d  
o  
w  
s  
f  
o  
r  
m  
a  
t  
)  
.

LOotYlxNEXn  
yZKTAxHrg+  
sQLrURYZU  
oZiCjYK/mHC  
WRTPVkt89wq  
4IexbJ9hqlR  
jzpmLr8GwKC  
AQbXRCS855  
q06SOnreh  
HCkQfmrF83s  
MX9gdyWT11B  
Glyfc9BLXoO  
iKEkJKCLG2o  
5H6eQnuo1go  
0jBdH0+Ar  
hnpeQ0sV4q4  
y4zXEgzFt6D  
mltUsYjQzxA  
SskBQF4GkF0  
eZpmGmTtI5M  
BjHt9311g  
Tr0EcaLhISI  
HDj5m4DcPUT  
MyBnro3E3x1  
CRZ6BiU10/6  
EMZzuIj42Gj  
q7HoIyd4T  
zIFCHsqkgyW  
WrAgBPwAdPB  
7OJRKFTxpcy  
+RwJSmwaLxP  
SC/n5gKhIbt  
4D8q+9Zp0  
esyzGbTlG/c  
2rJHMwVlFMv  
zXkk5CwKs7e  
nKl8FXMTRt4  
tXhtU8r193J  
Vq8+aY/Yi  
JZuBAoIBAER  
G2l27IFjeFH  
VtpTDRwIqil  
TfP2P8wnMe4  
PhInrgxdbul  
6SrUJKZ98  
eLI5BBNc8G0  
AYOntSoGI tM  
o0z1phpkQ/G  
ERLM8ap1OB6  
qJ5XGg6VOuS  
tHgwwfQOT  
PIp/nQvu9OK  
7/XRwj3Phu2  
KESiCyEXdAd  
DwDsdZLJX  
Hwcqoh4Pf9E  
K2zW/seNI  
fBVJb9K5yHi  
ZzicTZRQvhx  
BUw2T6MloCp  
H4GFM8GM3OH  
EV4pgeqSSvL  
xnLjFVmAq  
5EKL5Ei4cdj  
kExvj3aZH90  
N8KicOPgH8S  
kVhN8OL/Pre  
in5c/LaKJV+  
8kEUzpTS1  
xc45cEGCteM  
sfjD97QINzp  
G0jgopUVEcg  
gEADlAKsx8N  
UQT3hm0wHRa  
nEFJnQH5H  
zxaQjWbsjm2  
uz0KROPNIK1  
X5L8kyypsbe  
zLJtvWUqxPa  
OaTv4DZVpFa  
Vzk8/2PPG  
sYR3mUjqMgN  
FYM: NwYZAXv  
J/huzDFqq6+  
w2Pn9jcAifH  
Nw3S8UR650v  
8gl7BU4fV  
BvhamG8Jelv  
wLqeGwoikST  
9NBXVqG5IKB  
pUkUiFOMUNm  
Rih9ooKvhy7  
GosoK8MwB  
mhWolV8TTSX  
SagACUhaAoIz  
b6mMN/VFC5W  
DbFx5AEB/G9  
tq/zmTqqkuo  
39dvg130w  
yZGRNwclaFf  
1Kxeven10/J  
N9ipp0mTa7N  
Ysdn0RAe9ZR

p5cCkgmktqm  
B0g==

				-----END RSA PRIVATE KEY-----
host	<i>string</i>	<b>Required</b> The key's hostname.	A valid domain or subdomain on the account.	example.com

## Returns

Return	Type	Description	Possible values	Example
output	<i>string</i>	The key's hostname, or an error message.	<ul style="list-style-type: none"> <li>The key's hostname — The function succeeded.</li> <li>An error message — The function failed.</li> </ul>	example.com
result	<i>Boolean</i>	Whether the function succeeded.	<ul style="list-style-type: none"> <li>1 — The function succeeded.</li> <li>0 — The function failed.</li> </ul>	1