

# UAPI Functions - SSL::generate\_key

## Guide to UAPI

- Return Data
- Filter Output
- Sort Output
- Paginate Output
- Output Columns
- Calls from the WHM API
- Custom UAPI Modules

Backup  
Backup::  
fullbacku

p\_to\_ftp

Backup:: fullbacku  
p\_to\_homedir

Backup:: fullbacku  
p\_to\_scp\_with\_key

Backup:: fullbacku  
p\_to\_scp\_with\_pa  
ssword

Backup:: list\_back  
ups

### Bandwidth

Bandwidth:: get\_e  
nabled\_protocols

Bandwidth:: get\_re  
tention\_periods

Bandwidth:: query

### Batch

Batch:: strict

### Brand

Brand:: read

### Branding

Branding:: file

Branding:: get\_app  
lications

Branding:: get\_app  
lication\_informatio  
n

Branding:: get\_ava  
ilable\_applications

Branding:: get\_info

## Description

This function generates a private key.

## Examples

### ▼ cPanel or Webmail Session URL

```
https://hostname.example.com:2083/cpsess#####/execute/SSL/generate_key?friendly_name=TestKey&keysize=2048
```

#### Note:

This example calls the UAPI function via a cPanel session. For more information, read our Guide to UAPI documentation.

## Function information

### About this module

The SSL module manages certificates, certificate requests, and keys on your server.

### About UAPI

information\_for\_applications

Branding:: image

Branding:: include

Branding:: spritelist

▼ CacheBuster

CacheBuster:: read

CacheBuster:: update

▼ Chkserverd

Chkserverd:: get\_exit\_ports

Chkserverd:: get\_exit\_ports\_ssl

▼ Chrome

Chrome:: get\_domain

▼ Contactus

Contactus:: is\_enabled

▼ cPAddons

cPAddons:: get\_available\_addons

cPAddons:: get\_instance\_settings

cPAddons:: list\_addon\_instances

▼ cPGreyList

cPGreyList:: disable\_all\_domains

cPGreyList:: disable\_domains

cPGreyList:: enable\_all\_domains

cPGreyList:: enable\_domains

cPGreyList:: has\_greylisting\_enabled

cPGreyList:: list\_domains

▼ DAV

DAV:: disable\_shared\_global\_addressbook

DAV:: enable\_shared\_global\_addressbook

DAV:: get\_calendar\_contacts\_config

DAV:: has\_shared\_global\_addressbook

▼ LiveAPI PHP Class

```
$cpanel = new  
CPANEL(); // Connect  
to cPanel - only do  
this once.
```

```
// Generate a private  
key.  
$SSL_generate_key =  
$cpanel->uapi(  
    'SSL',  
    'generate_key',  
    array(  
  
        'friendly_name' =>  
        'TestKey',  
        'keysize'  
=> '2048',  
    )  
);
```

**Note:**

For more information, read our [Guide to the LiveAPI System](#).

UAPI accesses and modifies data for cPanel accounts.

**Notes:**

- This function uses 20 or 20).
- This function uses 20 or 20).

**Find a function**

- UAPI Functions - SSL: delete - This function removes SSL from a domain.

```
DAV:: is_dav_service_enabled
```

```
DAV:: is_horde_enabled
```

#### ▼ DCV

```
DCV:: check_domains_via_dns
```

```
DCV:: check_domains_via_http
```

```
DCV:: ensure_domains_can_pass_dcv
```

#### ▼ DomainInfo

```
DomainInfo:: domains_data
```

```
DomainInfo:: list_domains
```

```
DomainInfo:: main_domain_builtin_subdomain_aliases
```

```
DomainInfo:: single_domain_data
```

#### ▼ DNS

```
DNS:: ensure_domains_reside_only_locally
```

```
DNS:: has_local_authority
```

#### ▼ DNSSEC

```
DNSSEC:: disable_dnssec
```

```
DNSSEC:: enable_dnssec
```

```
DNSSEC:: fetch_dns_records
```

```
DNSSEC:: set_nsec3
```

```
DNSSEC:: unset_nsec3
```

#### ▼ Email

```
Email:: account_name
```

```
Email:: add_auto_responder
```

```
Email:: add_domain_forwarder
```

```
Email:: add_forwarder
```

```
Email:: add_list
```

```
Email:: add_mailman_delegates
```

```
Email:: add_mx
```

```
Email:: add_pop
```

#### ▼ LiveAPI Perl Module

```
my $cpliveapi =  
Cpanel::LiveAPI->new(  
); # Connect to  
cPanel - only do this  
once.
```

```
# Generate a private  
key.  
my $$SSL_generate_key  
= $cpliveapi->uapi(  
  'SSL',  
  'generate_key', {  
  
  'friendly_name' =>  
  'TestKey',  
  'keysize'  
=> '2048',  
  }  
);
```

#### Note:

For more information, read our [Guide to the LiveAPI System](#).

#### ▼ cPanel Template Toolkit

```
<!-- Generate a  
private key. -->  
[% data = execute(  
  'SSL',  
  'find_certificates_for_key', {  
    friendly_name =>  
    'TestKey', keysize =>  
    '2048' } ); %]  
[% FOREACH q = data  
  %]  
  
  <p>  
    [% q %]  
  
  </p>  
[% END %]
```

#### Note:

For more information, read our [Guide to Template Toolkit documentation](#).

- UAPI Functions - SSL: :fetch\_best\_for\_domain — This function retrieves the best-available certificate for the domain.
- UAPI Functions - SSL: :fetch\_certificate — This function retrieves all of a certificate's available information.

Email:: add\_spam\_filter

Email:: browse\_mailbox

Email:: change\_mx

Email:: check\_fastmail

Email:: check\_pipe\_forwarder

Email:: delete\_auto\_responder

Email:: delete\_domain\_forwarder

Email:: delete\_filter

Email:: delete\_forwarder

Email:: delete\_help\_messages

Email:: delete\_list

Email:: delete\_mx

Email:: delete\_pop

Email:: disable\_filter

Email:: disable\_mailbox\_autocreate

Email:: disable\_spam\_assassin

Email:: disable\_spam\_autodelete

Email:: disable\_spam\_box

Email:: dispatch\_client\_settings

Email:: edit\_pop\_quota

Email:: enable\_filter

Email:: enable\_mailbox\_autocreate

Email:: enable\_spam\_assassin

Email:: enable\_spam\_box

Email:: fetch\_charmaps

Email:: fts\_rescan\_mailbox

Email:: generate\_mailman\_otp

Email:: get\_auto\_r

### Command Line

```
uapi --user=username
SSL generate_key
friendly_name=TestKey
keysize=2048
```

**Notes:**

- You **must** URI-encode values.
- username represents your account-level username.
- For more information and additional output options, read our [Guide to UAPI](#) documentation or run the `uapi --help` command.
- If you run CloudLinux™, you **must** use the full path of the `uapi` command:

```
/usr/local
/cpanel/bin/uapi
```

### Output (JSON)

```
{
  "messages": null,
  "errors": null,
  "status": 1,
  "data": {
    "created": 1365699792,
    "text": "-----BEGIN RSA
PRIVATE KEY-----
MIIJJwIBAAKCAgEA4yilq
soCdEpiNOyLcPJ4FLT7vg
waLdOBeJLTmUeV2uZM4v6
5
/tiZe7H0soDp1C55SCr3u
EIEa7Lq7RUZ+F5p67BgRR
19rmerKGxfN7N5Vu97pFT
w
Wlf+lVsxUF/56lVeoAmm4
okU98xJHiGGLI8ZHgJbUM
YfLpY0OrA+gNwMHqMVOv1
B
SgpbEWCILMvnvtp0rwPut
jnPVX2Dj40ia40L4WqvP+
```

- UAPI Functions - SSL: fetch\_key\_and\_certificate — This function extracts the private key and CA bundle information from a certificate.

esponder  
Email: get\_charse  
ts  
Email: get\_client\_  
settings  
Email: get\_default\_  
\_email\_quota  
Email: get\_default\_  
\_email\_quota\_mib  
Email: get\_disk\_u  
sage  
Email: get\_filter  
Email: get\_held\_  
message\_count  
Email: get\_mailbo  
x\_autocreate  
Email: get\_mailm  
an\_delegates  
Email: get\_main\_  
account\_disk\_usa  
ge  
Email: get\_main\_  
account\_disk\_usa  
ge\_bytes  
Email: get\_max\_e  
mail\_quota  
Email: get\_max\_e  
mail\_quota\_mib  
Email: get\_pop\_q  
uota  
Email: get\_spam\_  
settings  
Email: get\_webm  
ail\_settings  
Email: has\_deleg  
ated\_mailman\_list  
s  
Email: has\_plainte  
xt\_authentication  
Email: hold\_outgo  
ing  
Email: is\_integer  
Email: list\_auto\_r  
esponders  
Email: list\_default\_  
\_address  
Email: list\_domain\_  
\_forwarders  
Email: list\_filters  
Email: list\_filters\_  
backups  
Email: list\_forward

0Yg7mZyhIOl+q6VZVIdXZ  
s  
lR4ZywfRBYt3ieFBDYMyN  
w9wN3Xy44fCpHc77+ho84  
W3BqrGaWSSDyf6UkZGD5m  
f  
ohGf2JSp+c8J6H7hsxo7p  
ta3K1diVXFOSfnaA+k56z  
W445XruwYs/SN/zvGetGi  
6  
uqhMAcVRQcYcMLCixcC6R  
kcUx3exxgR4q3gthDnFvW  
C4+NuTh8/K0BcxcuCEhRu  
g  
/MfVfO3+f7RjFSJPFb9m9  
Lf4HHBSVkdP5WtG4XiBKC  
e++9Wuvxbd4QxS7YrnSop  
N  
KxkuHKswH8ONpADMYDqfL  
ODMhNrs1HnHu95Nv7A1Qr  
8weLqMGWmp7GFqzXcl39R  
n  
VkF4Bxd3bAAsMN8/JvanM  
KCPjTDrfzVFZcmHXPYO1  
jYDdY1xfIstYVtbyFkUHZ  
P  
2RPPBaPUAt90lZrKGVF8a  
2vdIKRiey5SZ5qu9c/mGr  
i3oz7Lkk7qkNPAqDMCAwE  
A  
AQKCAgA3f9raG3j2CKZt3  
81Bzzvfc0h+a16LC736Q4  
Ut6RuH2/S1ER9IUItPWW8  
7  
nZuDp8ciBr13W0nRNmmHe  
zxZHlgqqXEb8dSfI90Bh1  
jMNYFSSDihl3KSHrGotBs  
c  
VBavViREXZdUicGBuXuxt  
kYno96yvKUq2v0K9MLkA+  
OBgEHFynqJaw7klBsj573  
d  
lAQO8TjI+eD8zKsHbB8U1  
5rtRAy/C13YXWk75cDZSg  
gevc7A0jRd3o0w8aXDoSl  
E  
fYq70Tm3n3JJWZBFPKAXT  
zgTDr6qItJhjs4IxXsq7R  
NyeIYES/8aGKKt6lJvjAL  
r  
cdYt47IpHCOu4471G/h+f  
6xtDophLGZoAirO7lJFRV  
fLJh76sLF12bpXJKbbmMN

ers  
Email: list\_forward\_ers\_backups  
Email: list\_lists  
Email: list\_mail\_domains  
Email: list\_mx  
Email: list\_pops  
Email: list\_pops\_with\_disk  
Email: list\_system\_filter\_info  
Email: passwd\_list  
Email: passwd\_pop  
Email: release\_outgoing  
Email: remove\_mailman\_delegates  
Email: reorder\_filters  
Email: set\_always\_accept  
Email: set\_default\_address  
Email: set\_list\_privacy\_options  
Email: stats\_database\_status  
Email: store\_filter  
Email: suspend\_incoming  
Email: suspend\_login  
Email: suspend\_outgoing  
Email: trace\_filter  
Email: unsuspend\_incoming  
Email: unsuspend\_login  
Email: unsuspend\_outgoing  
Email: verify\_password  
▼ EmailAuth  
EmailAuth: disable\_dkim  
EmailAuth: enable\_dkim

+  
aut0nM+MLEw8A5K9OV24j  
J/3+afj//5789asIyvNaQ  
FPOX23SdLX0QbA5QWvJt2  
t  
WvvpS3ubcIJaBEMTK8asE  
BC68eUW0BBKJaSiYNzecu  
FYCBjQlxKsIrYuWZoW6fM  
y  
Re1+cnqMdiH7r2p6RmgF5  
c9myDwq3E47jE+VrOy8uh  
w7EMQvT8+YSKaIbgtFZcU  
S  
U02BDRB7gWNa842m6nGs5  
tj5xFNQ6Wt410viltwL+6  
zCQqJaKmcde3woiIgSdrw  
5  
MssAHHjqo7QJthZfbpUAU  
Tc6jGPN013U1ediIRAGdQ  
W5ALqTwQKCAQEA884bmFF  
Z  
LTewHIv1PJFfNxVZfk3C7  
LhWE2JcI/5P/YrN4ZA8G0  
8OYhgxa5XnsHHQPwMM85  
i  
1HeOoPwqgTMiYLDX/Sf88  
+eW3ef4V2M1Y4op0ahWFE  
wbwXKGxOhncElObN7dfZU  
w  
VlxCREaiw2XQAGRqtQC0f  
+9dZysqPjr+Rz6poTioTm  
7DcpW/WiGfBPvVhzBENyq  
o  
uL9V3vCWYPJSLtCexECoG  
oPSpHKgUkwbh3+ra8SfG6  
FOIBj4PpMB82R7oPDjIyX  
F  
1VDfb0EwYQlKxyZoP9+NP  
T2MhZv/hF/Mbm/5LolVHx  
92h09q6yxS6nvaFmEPr9f  
Y  
1EOTWzzPOA+VyQKCAQEA7  
oVioaTqxENT+wHITZq100  
iYUpm4X1N1eENTp97QyQb  
Q  
OVR/t8iGLUdvOzdIxBSTS  
3JFQ8TNcGDPPc+o319QGd  
ZABNnKwFGY3Ss+5QgVeX6  
n  
0WKdxCRElUOUB174aBeXc  
JCKplh6xBUrLfSZxvZQQb  
7fv0Mb+2eKUBKTyvmvESlk  
p

EmailAuth:: ensure\_dkim\_keys\_exist

EmailAuth:: fetch\_dkim\_private\_keys

EmailAuth:: install\_dkim\_private\_keys

EmailAuth:: install\_spf\_records

EmailAuth:: validate\_current\_dkims

EmailAuth:: validate\_current\_ptrs

EmailAuth:: validate\_current\_spfs

ExternalAuthentication

ExternalAuthentication:: add\_authn\_link

ExternalAuthentication:: configured\_modules

ExternalAuthentication:: get\_authn\_links

ExternalAuthentication:: has\_external\_auth\_modules\_configured

ExternalAuthentication:: remove\_authn\_link

Features

Features:: get\_feature\_metadata

Features:: has\_feature

Features:: list\_features

Fileman

Fileman:: autocompletedir

Fileman:: empty\_trash

Fileman:: get\_file\_content

Fileman:: get\_file\_information

Fileman:: list\_files

Fileman:: save\_file\_content

Fileman:: transcode

Ydn1T0vCCHA3bVpaHuqli  
CoDSX3RmQICZlfSgCGBbA  
kmU8RuxDd9yR9l7O9MXUm  
L  
sqlsw6hvbUt+7Yl3YlDty  
X8gbCwEEYsoALootYlxNf  
XnyZKTAXhrg+xsQLrURYZ  
U  
oZiCJyK/mHCWRTPVkt89w  
q4IexbJ9hq1Rjzpm1r8Gw  
KCAQBxRSCs855q06SONre  
h  
HCkQfmrFs3sMX9gdyWT1l  
BGlyfc9BLXoOiKEkJKCLG  
2o5H6eQnuo1go0jBdH0+A  
r  
hnpeQ0sV4q4y4zXEgzFt6  
Dm1tUsYjQzxASskBQF4Gk  
F0eZpmGmTtI5MBjHt9311  
g  
Tr0EcaLh1SIHDj5m4DcPU  
TMyBnro3E3x1CRZ6Biu10  
/6EMZzuIj42Gjq7HoIyd4  
T  
zIFCHsqkgyWWrAgBPwAdP  
B7OJRKPTxpcy+RwJSmwaL  
xPSC/n5gKhIbt4D8q+9Zp  
0  
esyzGbTld/c2rJHMwV1FM  
vzXkk5CwKs7enK18FXMTR  
t4tXHtU8r193JVq8+aY/Y  
i  
JZuBAoIBAERG21z7IFjeF  
HVtpTDRwIqilTfP2P8wnM  
e4PhInrgxdbul6SrUJKZ9  
8  
e1I5BBNc8G0AYONtSoGI  
tMo0z1phpkQ/GERLM8ap10  
B6qJ5XGg6VOuStHgwwfQO  
t  
PIp/nQvu9OK7/XRwj3Phu  
2KESiCyEXdAdDwDsdbdZL  
JXHwcqoh4Pf9EK2zW/seN  
I  
fBVJb9K5yHiZzicTZRQvh  
xBUw2T6M1oCpH4GFM8GM3  
OHEV4pgeqSSvLxnLjFVmA  
q  
5EKL5Ei4cdjkExvj3aZH9  
0N8KicOPgH8SkVhN8OL/P  
rein5c/LaKJV+8kEUzpTS  
1  
xc45cEGCteMsfjD97QINz

Fileman:: upload\_files

- ▼ Ftp
  - Ftp:: add\_ftp
  - Ftp:: allows\_anonymous\_ftp
  - Ftp:: allows\_anonymous\_ftp\_incoming
  - Ftp:: delete\_ftp
  - Ftp:: ftp\_exists
  - Ftp:: get\_ftp\_daemon\_info
  - Ftp:: get\_port
  - Ftp:: get\_quota
  - Ftp:: get\_welcome\_message
  - Ftp:: kill\_session
  - Ftp:: list\_ftp
  - Ftp:: list\_ftp\_with\_disk
  - Ftp:: list\_sessions
  - Ftp:: passwd
  - Ftp:: server\_name
  - Ftp:: set\_anonymous\_ftp
  - Ftp:: set\_anonymous\_ftp\_incoming
  - Ftp:: set\_homedir
  - Ftp:: set\_quota
  - Ftp:: set\_welcome\_message
- ▼ Integration
  - Integration:: fetch\_url
- ▼ KnownHosts
  - KnownHosts:: create
  - KnownHosts:: delete
  - KnownHosts:: update
  - KnownHosts:: verify
- ▼ LangPHP
  - LangPHP:: php\_get\_domain\_handler
  - LangPHP:: php\_get\_impacted\_domains

```
pG0jgopUVEcggEADiaKsx
8NUQT3hm0wHRanEFJnQH5
H
zxaQjWbsjm2uz0KROPNIK
1X5L8kypsb+Ez1JtvWUqx
PaOaTv4DZVpFaVzk8/2PP
G
sYR3mUjqMqNFYMrNwYZAX
vJ/huzDPqq6+w2Pn9jcAi
fHNw3S8UR650v8g17BU4f
V
BvhamG8JelvwLqeGwoikS
T9NBXVqG5IKBpUkUiFOMU
NmRih9ooKvhy7GosoK8MW
b
mhWo1v8TTSXSagACUhaOI
zb6mMN/VFC5WDbFx5AEB/
G9tq/zmTqQkuo39dvg130
w
yZGRNwc1aFf1Kxeven10/
JN9ipp0mTa7NYSdn0RAe9
ZRp5cCkgmktqmB0g==
-----END RSA PRIVATE
KEY-----",
    "modulus" :
    "a74f7636fa6ac93ee683
6a83a995b55deb5019ea3
6d7ba3dafb00e38d693ac
db0c81b2ff777d6b433a4
20fae523f127f352a68bc
c8b8f2d6ee7b70395bafa
bd8237ada8164fddd837
6b30375c35d4d4cbcce7d
33d08069c17b409176a36
89f1ebc97c0b08fe6ae44
c19a92ac6d68448e7f1d1
3f3b360affd4222a51b4f
35342de99b5a1fb5548e4
38f2d824664562a448002
eed7fce24dedc7dc3e1ed
179973d1dae959b33716e
eb410d172708954e00632
cbf60a0e26419860c8c0b
c285d6bfe4b479de0dd18
9772a5dae676bd2a92acc
cc1369821be8cffddd8a7
e6ecc061f8a32a9ae0661
e4e946ed8e3827b277138
d3a76116567cbd129cbd8
69ef9ddd",
    "friendly_name" :
    "NewKey",
    "id" :
```



LangPHP:: php\_get\_installed\_versions

LangPHP:: php\_get\_system\_default\_version

LangPHP:: php\_get\_vhost\_versions

LangPHP:: php\_ini\_get\_user\_basic\_directives

LangPHP:: php\_ini\_get\_user\_content

LangPHP:: php\_ini\_get\_user\_paths

LangPHP:: php\_ini\_set\_user\_basic\_directives

LangPHP:: php\_ini\_set\_user\_content

LangPHP:: php\_set\_vhost\_versions

▼ LastLogin

LastLogin:: get\_last\_or\_current\_logged\_in\_ip

▼ Locale

Locale:: get\_attributes

▼ Mailboxes

Mailboxes:: expunge\_messages

Mailboxes:: expunge\_messages\_for\_mailbox\_guid

Mailboxes:: get\_mailbox\_status

Mailboxes:: has\_utf8\_mailbox\_names

Mailboxes:: set\_utf8\_mailbox\_names

▼ Market

Market:: cancel\_pending\_ssl\_certificate

Market:: create\_shopping\_cart

Market:: get\_all\_products

Market:: get\_certificate\_status\_details

Market:: get\_login\_url

```
"e6718_39b0b_4f8d86eb
3e4f80c6a1211c5538908
f39",
    "modulus_length":
2048
}
```

Market:: get\_pending\_ssl\_certificates

Market:: get\_provider\_specific\_dc\_constraints

Market:: get\_providers\_list

Market:: get\_ssl\_certificate\_if\_available

Market:: process\_ssl\_pending\_queue

Market:: request\_ssl\_certificates

Market:: set\_status\_of\_pending\_queue\_items

Market:: set\_url\_after\_checkout

Market:: validate\_login\_token

▼ Mime

Mime:: add\_handler

Mime:: add\_hotlink

Mime:: add\_mime

Mime:: add\_redirect

Mime:: delete\_handler

Mime:: delete\_hotlink

Mime:: delete\_mime

Mime:: delete\_redirect

Mime:: list\_handlers

Mime:: list\_hotlinks

Mime:: list\_mime

Mime:: list\_redirects


Mime:: redirect\_info

▼ ModSecurity

ModSecurity:: disable\_all\_domains

ModSecurity:: disable\_domains

ModSecurity:: enable\_all\_domains



## Parameters

Parameter	Type	Description	Possible values	Example
keysize	integer	The length of key's modulus, in bits.  This parameter defaults to 2048.	An integer between 2048 and 4096.	2048
friendly_name	string	The new key's friendly name.	A valid string.	TestKey

## Returns

Return	Type	Description	Possible values	Example
created	integer	The key's creation date.	A date in Unix time format.	1365699792
text	string	The key's contents.	A valid key.	<a href="#">Click to view...</a> <pre>-----BEGIN RSA PRIVATE KEY----- MIIJJwIBAAK CAgEA4yilqs oCdEpiNOyLc PJ4FLT7vgwa Ld0BeJLTMUe V2uZM4v65 /tiZe7H0soD p1C555Cr3uE IEa7Lq7RUZ+ F5p67BgRR19 rmerKGxfN7N 5Vu97pfTw wlf+1VsxUF/ 561VeoAmm4o kU98xJHiGGL I8ZHGJbUMYf LPy00rA+gNw MHqMVOv1B SgpbEWCILMv nvtP0rwPutj nPVX2Dj40ia 40L4Wqvp+0Y g7mZyhIO1+c 6VZVIdXZs 1R4ZywERBYt 3ieFBDYMyNw 9wN3Xy44fCp Hc77+ho84W3 BqrGaWSSDyf 6UkZGD5mf ohGE2JSp+c8 J6H7hsxo7pt a3K1diVXFOS fnaA+k56zW4 45XruwYs/SN</pre>

ModSecurity:: enable\_domains

ModSecurity:: has\_modsecurity\_installed

ModSecurity:: list\_domains

▼ Mysql

Mysql:: add\_host

Mysql:: add\_host\_note

Mysql:: check\_database

Mysql:: create\_database

Mysql:: create\_user

Mysql:: delete\_database

Mysql:: delete\_host

Mysql:: delete\_user

Mysql:: get\_host\_notes

Mysql:: get\_privileges\_on\_database

Mysql:: get\_restrictions

Mysql:: get\_server\_information

Mysql:: locate\_server

Mysql:: rename\_database

Mysql:: rename\_user

Mysql:: repair\_database

Mysql:: revoke\_access\_to\_database

Mysql:: set\_password

Mysql:: set\_privileges\_on\_database

▼ Notifications

Notifications:: get\_notifications\_count

▼ NVData

NVData:: get

NVData:: set

```

/zvGetGi6
ughMAcVRQcY
CmLCixcC6Rk
cUx3exxgR4q
3gthDnFwWC4
+NuTh8/K0Bc
xcuCEhRug
/MfVfO3+f7R
JFSJPFb9m9L
f4HHBSVkdP5
WtG4XiBKCe+
+9Wuvxbd4Qx
S7YrnSopN
KxkuHKswH80
NpADMYDqfLO
DMhNrs1HNHu
95Nv7A1Qr8w
eLqMGWmp7GF
qzXc139Rn
VkF4Bxd3bAA
sMN8/JvanMK
CPjTTDrfzVF
ZcmHKPYO1jY
DdY1xfIstYV
tbyFkUHZP
2RPPBaPUAt9
01zrKGVF8a2
vdIKRiley5SZ
5qu9c/mGri3
oz7Lkk7gkNP
AqDMCAWEA
AQKCAgA3f9r
aG3j2CKZt38
1Bzzvfc0h+a
16LC736Q4Ut
6RuH2/S1ER9
IUItPWW87
nZuDp8ciBr1
3W0nRNnmHez
xZHlgqqXEb8
dSfI90Bh1jM
NyFSSDi13K
SHrGotBsc
VBavViREXZd
UicGBuXuxtK
Yno96yvKUq2
v0K9MLka+OB
gEHFynqJaw7
k1Bs j573d
lAQO8TjI+eD
8zKsHbB8U15
rtRAy/Cl3YX
Wk75cdZSgge
vc7A0jRd3o0
w8aXDoS1E
fYq7OTm3n3J
JWZBFPKAXTz
gTDr6qItJhj
S4IxXsq7RNy
eIYES/8aGKK
T61JvjALr
cdYt47IphCO
u4471G/h+f6
xtDophLGZoA
ir071JFRVfL
Jh76sLF12bp
XJKbbmMN+
aut0nM+MLEw
8A5K9OV24jJ
/3+afj//578
9asIyvNaQFP
OX23SdlX0Qb
A5QWvJt2t
WvvpS3ubcIJ
aBEMTK8asEB
C68eUW0BBKJ
aSiYNzecuFY
CBjQ1xKsIry
uWZoW6fMy
Rel+cnqMdiH
7r2p6RmgF5c
9myDwq3E47j
E+VrOy8uhw7
EMQvT8+YSKa
IbgtFZcUS
U02BDRB7gWN
a842m6nGs5t
j5xFNQ6Wt41
0viltwL+6zc
QqJaKmedE3w
oiIgsDrw5
MssAHHjqo7Q
JthZfbpUAUT
c6jGPN013U1
ediIRAGdQW5
ALqTwQKCAQE
A884bmFFZ
LTewHIVlPJF
fNxVZfk3C7L
hWE2JcI/5P/
YrN4Za8G080
Yhgxa5XnsH
HQPwMM85i

```

- Parser
    - Parser:: firstfile\_relative\_uri
  - PassengerApps
    - PassengerApps:: disable\_application
    - PassengerApps:: edit\_application
    - PassengerApps:: enable\_application
    - PassengerApps:: ensure\_deps
    - PassengerApps:: list\_applications
    - PassengerApps:: register\_application
    - PassengerApps:: unregister\_application
  - PasswdStrength
    - PasswdStrength:: get\_required\_strength
  - Personalization
    - Personalization::set
    - Personalization ::get
  - Postgresql
    - Postgresql:: create\_database
    - Postgresql:: create\_user
    - Postgresql:: delete\_database
    - Postgresql:: get\_restrictions
    - Postgresql:: grant\_all\_privileges
    - Postgresql:: rename\_database
    - Postgresql:: rename\_user
    - Postgresql:: rename\_user\_no\_password
    - Postgresql:: revoke\_all\_privileges
    - Postgresql:: set\_password
  - Pushbullet
    - Pushbullet:: send\_test\_message

1HeOoPwqgTM  
 IyLDX/Sf88+  
 eW3ef4V2M1Y  
 4op0ahWFEwb  
 wXKGx0hncE1  
 ObN7dfZUw  
 VlxCREaiw2X  
 QAGRqtQC0f+  
 9dZysqFJr+R  
 z6poTiOtm7D  
 cpW/WiGfBPv  
 VhzBENygo  
 uL9V3vCWYPJ  
 SLtCexECOgo  
 PSpHKgUkwbh  
 3+ra8SfG6FO  
 IBj4PpMB82R  
 7oPDjIyXF  
 1VDFb0EwYQ1  
 KxyZoP9+NPT  
 2MhZv/hf/Mb  
 m/5LolVHx92  
 hO9q6yxS6nv  
 aFmEPr9fY  
 1EOTWzzPOA+  
 VyQKCAQEA7o  
 VioaTqxENT+  
 wHITZq100iY  
 Upm4XlN1eEN  
 Tp97QyQbQ  
 OVR/t8iGLud  
 vOzdIxBSTS3  
 JFQ8TNcGDPP  
 c+o3l9QGdZA  
 BNNkWFgy3Ss  
 +5QgVeX6n  
 0WKdxCRE1UJ  
 UB174aBeXcJ  
 CKplh6xBUrL  
 fSZxvZQqb7f  
 v0Mb+2eKUBK  
 TymvES1kp  
 YdnlT0vCCHA  
 3bVpaHuqliC  
 oDSX3RmQICZ  
 1fSgCGBbAkm  
 U8RuxDd9yR9  
 1709MXUml  
 sqlsw6hvbUt  
 +7Y13YLDtyX  
 8gbCWEYsoA  
 LOotYlxNFxn  
 yZKTAxhrg+X  
 sQLrURYZU  
 oZiCJyK/mHC  
 WRTPVkt89wq  
 4IexbJ9hqlR  
 jzpmLr8GwKC  
 AQBxRCSs855  
 q06SOnreh  
 HCkQfmrFs3s  
 MX9gdyWT11B  
 Glyfe9BLXoO  
 iKEkJKCLG2o  
 5H6eQnuo1go  
 0jBdH0+Ar  
 hnpeQ0sV4q4  
 y4zXEgzFt6D  
 mlTUsYjQzxA  
 SskBQF4GkF0  
 eZpmGmTtI5M  
 BjHt931lg  
 Tr0EcaLh1SI  
 HDj5m4DcPUT  
 MyBnr03E3x1  
 CRZ6Biul0/6  
 EMZzuIj42Gj  
 q7HoIyd4T  
 zIFCHsqkgyW  
 WrAgBPwAdPB  
 7OJRKPTxpcy  
 +RwJSmwaLxP  
 SC/n5gKhIbt  
 4D8q+9Zp0  
 esyzGbT1G/c  
 2rJHMwV1FMv  
 zXkk5CwKs7e  
 nK18FXMTRt4  
 tXhtU8r193J  
 Vq8+aY/Yi  
 JZuBAoIBAER  
 G21z7IFjeFH  
 VtpTDRwIqil  
 TFP2P8wnMe4  
 PhInrgxdbul  
 6SrUJKZ98  
 eLI5BBnc8G0  
 AYOntSoGI tM  
 o0z1phpkQ/G  
 ERLM8aplOB6  
 qJ5XGg6VOuS  
 tHgwwfQot  
 PIP/nQvu9OK


- Quota:: `get_quota_info`
- Resellers:: `list_accounts`
- ResourceUsage:: `get_usages`
- Restore:: `directory_listing`
  - Restore:: `get_users`
  - Restore:: `query_file_info`
  - Restore:: `restore_file`
- Session:: `create_temp_user`
- SiteTemplates:: `list_site_templates`
  - SiteTemplates:: `list_user_settings`
  - SiteTemplates:: `publish`
- SpamAssassin:: `clear_spam_box`
  - SpamAssassin:: `get_symbolic_test_names`
  - SpamAssassin:: `get_user_preferences`
  - SpamAssassin:: `update_user_preference`
- SSH:: `get_port`
- SSL:: `add_autossl_excluded_domains`
  - SSL:: `can_ssl_redirect`
  - SSL:: `check_shared_cert`
  - SSL:: `delete_cert`
  - SSL:: `delete_csr`
  - SSL:: `delete_key`

```

7/XRwj3Phu2
KESiCyEXGAd
DwDsdDbdZLJX
Hwcqoh4PF9E
K2zW/seNI
fBVJb9K5yHi
ZzicTZRQvhx
BUw2T6M1oCp
H4GFM8GM3OH
EV4pgeqSSvL
xnLjFVmAq
5EKL5Ei4cdj
kExvj3aZH90
N8KicOPgH8S
kVhN8OL/Pre
in5c/LaKJV+
8kEUzPTs1
xc45cEGCteM
sfjD97QINzp
G0jgopUVECG
gEADiAKsx8N
UQT3hm0wHra
nEFJnQH5H
zxaQjWbsjm2
uz0KR0PNIK1
X5L8kypsb+E
z1JtvWUqxPa
OaTv4DZVpFa
Vzk8/2PPG
sYR3mUjgMgN
FYMrNwYZAXv
J/huzDFqg6+
w2Pn9jcAifH
Nw3S8UR650v
8g17BU4fV
Bvhag8JelV
wLqeGwoikST
9NBXVqG5IKB
pUkUifOMUNm
Rih9ooKvhy7
GosoK8Mwb
mhWol1v8TTSX
SagACUhaAoIz
b6mMN/VFC5W
DbFx5AEB/G9
tq/zmTqQkuo
39dvg130w
yZGRNwclafF
1Kxeven10/J
N9ipp0mTa7N
YSdn0RAe9ZR
p5cCkgmktqm
B0g==

```

SSL:: delete\_ssl  
 SSL:: disable\_mail\_sni  
 SSL:: enable\_mail\_sni  
 SSL:: fetch\_best\_for\_domain  
 SSL:: fetch\_certificate\_for\_fqdns  
 SSL:: fetch\_key\_and\_cabundle\_for\_certificate  
 SSL:: find\_certificates\_for\_key  
 SSL:: find\_csrs\_for\_key  
 SSL:: generate\_certificate  
 SSL:: generate\_certificate  
 SSL:: generate\_key  
 SSL:: get\_autossl\_excluded\_domains  
 SSL:: get\_autossl\_pending\_queue  
 SSL:: get\_autossl\_problems  
 SSL:: get\_cabundle  
 SSL:: get\_cn\_name  
 SSL:: install\_ssl  
 SSL:: installed\_hosts  
 SSL:: installed\_hosts  
 SSL:: is\_autossl\_check\_in\_progress  
 SSL:: is\_mail\_sni\_supported  
 SSL:: is\_sni\_supported  
 SSL:: list\_certs  
 SSL:: list\_csrs  
 SSL:: list\_keys  
 SSL:: list\_ssl\_items  
 SSL:: mail\_sni\_status

				-----END RSA PRIVATE KEY-----
modulus	string	The key's modulus.	A valid string.	Click to view... a74f7636fa6 ac93ee6836a 83a995b55de b5019ea36d7 ba3dafb00e3 8d693acdb0c 81b2ff77d6 b433a420fae 523f127f352 a68bcc8b8f2 d6ee7b70395 bafabd8237a da8164fdddf 8376b30375c 35d4d4cbce 7d33d08069c 17b409176a3 689f1ebc97c 0b08fe6ae44 c19a92ac6d6 8448e7f1d13 f3b360affd4 222a51b4f35 342de99b5a1 fb5548e438f 2d824664562 a448002eed7 fce24dedc7d c3e1ed17997 3d1dae959b3 3716eeb410d 172708954e0 0632cbf60a0 e26419860c8 c0bc285d6bf e4b479de0dd 189772a5dae 676bd2a92ac ccc1369821b e8cffddd8a7 e6ecc061f8a 32a9ae0661e 4e946ed8e38 27b277138d3 a76116567cb d129cbd869e f9dddf
friendly_name	string	The key's friendly name.	A valid string.	TestKey
id	string	The key's ID.	A valid string.	Click to view... 
modulus_length	integer	The length of key's modulus.	A positive integer which measures the length in bits.	2048

tus

SSL:: rebuild\_mail  
\_snl\_config

SSL:: rebuildssldb

SSL:: remove\_aut  
ossl\_excluded\_do  
mains

SSL:: set\_autossl\_  
excluded\_domains

SSL:: set\_cert\_frie  
ndly\_name

SSL:: set\_csr\_frien  
dly\_name

SSL:: set\_key\_frie  
ndly\_name

SSL:: set\_primary  
\_ssl

SSL:: set\_ssl\_shar  
e

SSL:: show\_cert

SSL:: show\_csr

SSL:: show\_key

SSL:: start\_autossl\_  
\_check

SSL:: toggle\_ssl\_r  
edirects\_for\_doma  
ins

SSL:: upload\_cert

SSL:: upload\_key

▼ StatsBar

StatsBar:: get\_stat  
s

▼ Styles

Styles:: current

Styles:: list

Styles:: set\_default

Styles:: update

▼ SubDomain

SubDomain:: adds  
ubdomain

▼ Themes

Themes:: get\_the  
me\_base

Themes:: list

Themes:: update

▼ Tokens

Tokens:: create\_fu  
ll\_access

Tokens:: list

Tokens:: rename

Tokens:: revoke

▼ TwoFactorAuth

TwoFactorAuth:: generate\_user\_configuration

TwoFactorAuth:: get\_user\_configuration

TwoFactorAuth:: remove\_user\_configuration

TwoFactorAuth:: set\_user\_configuration

▼ UserManager

UserManager:: check\_account\_conflicts

UserManager:: create\_user

UserManager:: delete\_user

UserManager:: dismiss\_user

UserManager:: edit\_user

UserManager:: list\_users

UserManager:: lookup\_service\_account

UserManager:: lookup\_user

UserManager:: merge\_service\_account

UserManager:: unlink\_service\_account

▼ UserTasks

UserTasks:: delete

UserTasks:: retrieve

▼ VersionControl

VersionControl:: create

VersionControl:: delete

VersionControl:: retrieve

VersionControl:: update

▼ VersionControlDepl



## oyment

VersionControlDep  
loyment:: **create**

VersionControlDep  
loyment:: **delete**

VersionControlDep  
loyment:: **retrieve**

### ▼ WebDisk

WebDisk:: **delete\_**  
**user**

WebDisk:: **set\_ho**  
**medir**

WebDisk:: **set\_pas**  
**sword**

WebDisk:: **set\_per**  
**missions**

### ▼ WebmailApps

WebmailApps:: **list**  
**webmailapps**

### ▼ WebVhosts

WebVhost:: **list\_do**  
**mains**

WebVhost:: **list\_ssl**  
**\_capable\_domains**

### ▼ WordPressBackup

WordPressBackup  
:: **any\_running**

WordPressBackup  
:: **cancel**

WordPressBackup  
:: **cleanup**

WordPressBackup  
:: **get\_available\_ba**  
**ckups**

WordPressBackup  
:: **is\_running**

WordPressBackup  
:: **start**

### ▼ WordPressInstance

#### Manager

WordPressInstanc  
eManager:: **cancel**  
**\_scan**

WordPressInstanc  
eManager:: **cleanu**  
**p\_scan**

WordPressInstanc  
eManager:: **chang**  
**e\_admin\_passwor**  
**d**

WordPressInstanc  
eManager:: **config**  
**ure\_autoupdate**

WordPressInstanc  
eManager:: **get\_ap**

i\_version

WordPressInstanceManager:: **get\_instance\_by\_id**

WordPressInstanceManager:: **get\_instances**

WordPressInstanceManager:: **get\_latest\_wordpress\_version\_from\_wordpress\_org**

WordPressInstanceManager:: **get\_scan\_results**

WordPressInstanceManager:: **is\_installable\_addon\_available**

WordPressInstanceManager:: **start\_scan**

▼ WordPressRestore

WordPressRestore:: **any\_running**

WordPressRestore:: **cleanup**

WordPressRestore:: **start**