

UAPI Functions - SSL::install_ssl

Guide to UAPI

- Return Data
- Filter Output
- Sort Output
- Paginate Output
- Output Columns
- Calls from the WHM API
- Custom UAPI Modules

Backup
Backup:: fullbacku
p_to_ftp

Backup:: fullbacku
p_to_homedir

Backup:: fullbacku
p_to_scp_with_key

Backup:: fullbacku
p_to_scp_with_pa
ssword

Backup:: list_back
ups

Bandwidth

Bandwidth:: get_e
nabled_protocols

Bandwidth:: get_re
tention_periods

Bandwidth:: query

Batch

Batch:: strict

Brand

Brand:: read

Branding

Branding:: file

Branding:: get_app
lications

Branding:: get_app
lication_informati
on

Branding:: get_ava
ilable_applications

Branding:: get_info
rmation_for_applic
ations

Description

This function installs an SSL certificate.

Note:

Due to their inherent complexities, SSL-related functions often present problems for third-party developers. Our [Call UAPI's SSL::install_ssl Function in Custom Code](#) tutorial provides explanations for the additional steps required in order to successfully call this function.

Examples

▼ cPanel or Webmail Session URL

```
https://hostname.exam  
ple.com:2083/cpsess##  
#####/execute/SSL/  
install_ssl?domain=ex  
ample.com&cert=THECER  
TIFICATETEXT&key=THEK  
EYTEXT&cabundle=THECA  
BUNDLETEXT
```

Note:

This example calls the UAPI function via a cPanel session. For more information, read our [Guide to UAPI](#) documentation.

▼ LiveAPI PHP Class

```
$cpanel = new  
CPANEL(); // Connect  
to cPanel - only do  
this once.
```

```
// Install a  
certificate on the  
example.com domain.  
$SSL_install_ssl =  
$cpanel->uapi(  
    'SSL',  
    'install_ssl',  
    array(  
        'domain'  
=> 'example.com',  
        'cert'  
=>  
    '-----BEGIN%20CERTIFI  
CATE-----'
```

Func tion infor mati on

About this mod ule

The SSL module manages certificate S, certificate requests, and keys on your server.

About the UAPI

- Branding:: image
- Branding:: include
- Branding:: spritelist
- CacheBuster
 - CacheBuster:: read
 - CacheBuster:: update
- Chkservd
 - Chkservd:: get_exim_ports
 - Chkservd:: get_exim_ports_ssl
- Chrome
 - Chrome:: get_dom
- Contactus
 - Contactus:: is_enabled
- cPAddons
 - cPAddons:: get_available_addons
 - cPAddons:: get_instant_settings
 - cPAddons:: list_addon_instances
- cPGreyList
 - cPGreyList:: disable_all_domains
 - cPGreyList:: disable_domains
 - cPGreyList:: enable_all_domains
 - cPGreyList:: enable_domains
 - cPGreyList:: has_reylisting_enabled
 - cPGreyList:: list_domains
- DAV
 - DAV:: disable_shared_global_addressbook
 - DAV:: enable_shared_global_addressbook
 - DAV:: get_calendar_contacts_config
 - DAV:: has_shared_global_addressbook
 - DAV:: is_dav_service_enabled

```
%0AMIIDNTCCA2gAwIBAgIFAY0o0kwwDQYJKoZIhvcNAQELBQAwFjEUMBIGA1UEAwwL
%0AZG9tYWluLnRlc3QwHhcNMTcxMDMxMTUyMjU1WhcNMTgxMDMxMTUyMjU1WjAWMRQw
%0AEgYDVQDDAtkb21haW4udGVzdDCCASIwDQYJKoZIhvcNAQEBBQADggEPADCCAQoC
%0AggEBALer6vzwFt%2B06oHcXpq%2Bi%2FOVVQEY3oWxrqH6mB%2FPssVSxwcf6bL
jo04so%2Fn%0Adrymh9mqfkOqYVHwnQ%2Fh2uM%2BIw1NKKDfw0ljWcgCS24NykbFQ
U1W%2FSNDTovdDGL%0AT1Aner090Qse%2B19ta8KS%2F3Akz37bkgqMkPO%2FieOH1F
%2FLbLvjfighkoGco51wc6d7%0AHCQwPWR%2BUenbQWzUwR4%2F4Pqw%2FYrxDAv8O%
2FEnNfOGwnCnlNFq4a390VGriqMangzI%0A1RMVDu4qJGW3dFNStVUm71%2B16ba%2F
eIVBQGN2rbgie6Rb6VuHdsqSreea0tSLRxdd%0AFd7A0QMQRvtnqoUv6RZBhefr2t0C
AwEAAaOBiTCBhjAdBgNVHQ4EFgQUeitnD4U4%0AMXtmLX53dTAZPENjovwwHwYDVR0j
BBgwFoAUeitnD4U4MXtmLX53dTAZPENjovww%0ACQYDVR0TBAIwADA5BgNVHREEMjAw
ggtkb21haW4udGVzdIIQbWFpbC5kb21haW4u%0AdGVzdIIPd3d3LmRvbWVfbi50ZXN0
MA0GCSqGSIB3DQEBCwUAA4IBAQAeD4Fc%2FBwM%0AFJEv1PO30%2FOp2JJxG92tbgso
Y9CKTYoZy0IMHhwOrt%2F
```

UAPI accesses and modifies data for cPanel accounts.

Notes:

- Th
- Fe
- int
- Ur
- mi
- us
- 20
- or
- 20
-).
- '
- 20
- or
- 20
-).

Find a function

- UAPI Functions - SSL: :delete_ssl — This function removes SSL from a domain.

- DAV:: is_horde_enabled
- ▼ DCV
 - DCV:: check_domains_via_dns
 - DCV:: check_domains_via_http
 - DCV:: ensure_domains_can_pass_dcv
- ▼ DomainInfo
 - DomainInfo:: domains_data
 - DomainInfo:: list_domains
 - DomainInfo:: main_domain_builtin_subdomain_aliases
 - DomainInfo:: single_domain_data
- ▼ DNS
 - DNS:: ensure_domains_reside_only_locally
 - DNS:: has_local_authority
- ▼ DNSSEC
 - DNSSEC:: disable_dnssec
 - DNSSEC:: enable_dnssec
 - DNSSEC:: fetch_dns_records
 - DNSSEC:: set_nsec3
 - DNSSEC:: unset_nsec3
- ▼ Email
 - Email:: account_name
 - Email:: add_auto_responder
 - Email:: add_domain_forwarder
 - Email:: add_forwarder
 - Email:: add_list
 - Email:: add_mailman_delegates
 - Email:: add_mx
 - Email:: add_pop
 - Email:: add_spam_filter

```

B36joYDrOhtiO6XsRw4Zm
%0AAPT8ey9p6lkUc6XWs5
oU9a
ifKeAKzWCZV9wQphbY%2F
0rQp1YPsVN9tBgIag754H
Po%0AbNDhWOZSZDKnh82D
ikTD
6iciTxeblrvcbFC4Z76JH
3ldvqmNMEAgzVPCpq86Ue
d5%0A52gKM0u2%2BrK%2F
zIYj
h%2FhooqN%2BTY%2BJQ66
7JzLzPNenzAYFsoIQgVj6
%2FZoFqJA4nbxC%0Azv%2
Fspq
c0OQ2W9m5egRPDhngKt%2
Bi9804N7FeilBL%2FcpEg
UHhgZMBilT9n%2BYBrC6b
O%0A
jnJvnEQRbqZY%0A-----E
ND%20CERTIFICATE-----
' ,
'key'
=>
'-----BEGIN%20RSA%20P
RIVATE%20KEY-----
%0AMIIEowIBAAKCAQEAt6
vq%2FFAW347qigdxemr6L
85VVARjehbGuofqYH8%2B
yxV
LHBx%2F%0ApsuOg7iyj%2
Bd2vKaFv2ap%2BQ6phUfC
dD%2BHa4z4jDU0ooN%2FA
6WN
ZyAJLbg3KRt9BSVb%0A9I
0NOi90MaVPUCd6vT3RCx7
7X2l1rwpL%2FcCTPftuSCo
yQ8
7%2BIQ4eUX8tsu%2BN%2B
KCGS%0AgZyjnXBzp3scJD
A9ZH5R6dtBbNTBHj%2Fg%
2Br
D9ivEMC%2Fw78Sc184bCc
KeWcWrhrf3R%0AUauKowC
eDMiVExUO7iokZbd0U1K1
VSb
vX7Xptr94hUFAY3atuCJ7
pFvpW4d2ypKt%0A55rS1I
tHF10V3sDRaxBG%2B2eqh
S%2
FpFkGF5%2Bva3QIDAQABA
oIBAAONBE79iUOrLKec%0
AezolpU6VS5sDNrUeiZsD

```

- UAPI Functions - SSL: :fetch_best_for_domain — This function retrieves the best-available certificate for the domain.
- UAPI Functions - SSL: :fetch_certificate — This function retrieves all of a certificate's available information.

Email: browse_mailbox
Email: change_mx
Email: check_fastmail
Email: check_pipe_forwarder
Email: delete_auto_responder
Email: delete_doforwarder
Email: delete_filter
Email: delete_forwarder
Email: delete_held_messages
Email: delete_list
Email: delete_mx
Email: delete_pop
Email: disable_filter
Email: disable_mailbox_autocreate
Email: disable_spam_assassin
Email: disable_spam_autodelete
Email: disable_spam_box
Email: dispatch_client_settings
Email: edit_pop_quota
Email: enable_filter
Email: enable_mailbox_autocreate
Email: enable_spam_assassin
Email: enable_spam_box
Email: fetch_charmaps
Email: fts_rescan_mailbox
Email: generate_mailman_otp
Email: get_auto_responder
Email: get_chase

k61
n7Fvavof9mQ4tc0TipjkX
%2FXiqM32%2By1xwRyC3g
W%2Fj%0A5odSw19ai%2Fj
0V9
lHMxOiT%2BsdW5uk12bpE
P0KWQ4d6r4m9wCSstHDxy
3S3IM8x0%2BM%0ArfmKDK
TkM
8%2BWzhsAQe8kSN8NPL3p
IJnG%2Ftuc8lwFoZOEot6
%2BAeGYdxxEdFbvVyEm%0
Aa8
%2FAhOQ5Z07T36bxuPtyR
jwdnFH7hnmzpcWF5Iz8Jp
8SrQ2XX2rKSQpa1Ic%2B6
TMA
%0AF7kJsOFiw%2B8aX6zT
TVLsvQTHWESnNWHKtbuNB
oQcq2HyifrUxr550kZVMn
yNC
3ic%0A6EH%2FCxUCgYEA5
qSo6zf6yJ5tdwm%2FNnrK
wvFksapd%2Bi9%2BnAqQH
HTF
Pt1zKHkZ7d5x%0AdklyzA
MaoHVoeggTQynUcxcYKjy
3i9Nj29P8wN6DhcxJY4Oh
dk%
2FsAILTcu8QyPzN%0A%2F
cYVHWykmFuS55uEa2M1v6
j%2FTBraRJUYfie12ZvR7
7L5
gke4GAsCKxcCgYEAy91D%
0AlmTy4ka991Ungy%2BVC
NTSw9z501%2Fzu4GxmAlj
lfs
uX%2F27nbfpsOFjv1m4x
Lfw3qM%0A%2BWkrvKXUux
eIbGcBnV1HFWgc6%2BKt5
vNo
OzUVsm5i90R%2Fg3vhB5c
dvuVoTKf2EU4n%0ANVTsa
M%2F6zpzBEHSKtTsbx0Fi
Pjs
04bk%2Bsi0REisCgYAwy3
s1MEWtNd9AxN4gP4Aw%0A
F%2FPoppV1PaESkCWG76l
fL4
%2FuaxhyO5JTjRxtTubON
aih0KMKx4m7w5IINYo7Wc
CR%0AnFqnzzyuSHfMUy59Y
MXZ

- UAPI Functions - SSL: :fetch_key_and_certificate — This function extracts the private key and CA bundle information from a certificate.

ts
Email: get_client_settings
Email: get_default_email_quota
Email: get_default_email_quota_mib
Email: get_disk_usage
Email: get_filter
Email: get_held_message_count
Email: get_mailbox_autocreate
Email: get_mailman_delegates
Email: get_main_account_disk_usage
Email: get_main_account_disk_usage_bytes
Email: get_max_email_quota
Email: get_max_email_quota_mib
Email: get_pop_quota
Email: get_spam_settings
Email: get_webmail_settings
Email: has_delegated_mailman_lists
Email: has_plaintext_authentication
Email: hold_outgoing
Email: is_integer
Email: list_autoresponders
Email: list_default_address
Email: list_domain_forwarders
Email: list_filters
Email: list_filters_backups
Email: list_forwarders
Email: list_forward

```
jCuoC0bkCXIGUA9kpvXdh
CFafC0bLlVfCKBXC2xd8V
PK2%0AlHq2fAHBLWMeDeB
Dre
iKhWKBgHrcweP8uOioK8r
I9kQ4xD649MD4B1PDYjfQ
RObV%0AGecXN27Ak3bNJT
j1z
TBPfLNzZ0tRg2649JP%2F
%2BUI8P4rdVXrIGHANTAj
Zl2bt4S51%0Aorrjjh9pl
9Pd
L9SMPXAUABTa0RDC4hxhH
2HtnkEw9aX%2BJq5sjiQ7
AoNs7mpvYxqs%0A0HH7Ao
GBA
LhKD8FxnGYLK8oCO27NBd
L%2F%2BypxgH5EnwVr%2B
3fF49tfC5xpV9Odfu1Z%0
ANG
NFbjK47PVCLaGKzQUvU7j
SAbKt3pDR0IcfiF%2BM6r
c86CmZf%2BvAPTn3%2BJw
G%2
BcIE%0AcKuYkroIzFWDu9
NYiioUI7%2Fa9XdmTvfrT
3RSHmup0FoRm1RHD%2FM8
%0A
-----END%20RSA%20PRIV
ATE%20KEY-----',
        'cabundle'
=>
'-----BEGIN%20CERTIFI
CATE-----%0AMIIB+
jCCAWMCAgGjMA0GCSqGSI
b3DQEBAUAMEUxCzAJBgN
VBAYTAlVTMRgwFgYDVQQK
Ew9
HVEUgQ29ycG9yYXRpb24x
HDAaBgNVBAMTE0dURSBD
WJlc1RydXN0IFJvb3QwHh
cNO
TYwMjIzMjMwMTAwWhcNMD
YwMjIzMjM1OTAwWjBFMQs
wCQYDVQQGEwJVUzEYMBYg
A1U
EChMPR1RFIENvcnBvcnF0
aW9uMRwwGgYDVQQDExNHV
EUgQ3liZXJucnVzdCBSb2
90M
IGfMA0GCSqGSIb3DQEBAQ
UAA4GNADCBiQKBgQC45k+
625h8cXyvRLfTD0bZZOWT
```

ers_backups
Email: list_lists
Email: list_mail_omains
Email: list_mx
Email: list_pops
Email: list_pops_with_disk
Email: list_system_filter_info
Email: passwd_list
Email: passwd_pop
Email: release_outgoing
Email: remove_mailman_delegates
Email: reorder_filters
Email: set_always_accept
Email: set_default_address
Email: set_list_privacy_options
Email: stats_db_status
Email: store_filter
Email: suspend_incoming
Email: suspend_login
Email: suspend_outgoing
Email: trace_filter
Email: unsuspend_incoming
Email: unsuspend_login
Email: unsuspend_outgoing
Email: verify_password
▼ EmailAuth
EmailAuth: disable_dkim
EmailAuth: enable_dkim
EmailAuth: ensure_dkim_keys_exist

wUK
Ox7pJjTUteueLveUFMVnG
sS8KDPufpz+iCWaEVh43K
RuH6X4MypqfpX/1FZSjla
JGg
thoTNE3FQZor734sLPwKf
WWGkWYXcKIiXUT0Wqx73
1lt/51KiOQswkwB6RJ0q1
bQa
AYznEo144AwIDAQABMA0G
CSqGSIB3DQEBBAUAA4GBA
BKzdcZfHeFhVYAA1IFLez
EPI
2PnPfMD+fQ2qLvZ46WXTe
orKeDWanOB5sCJo9Px4KW
lIjeaY8JIILTbcuPI9t18
vrG
vU9oUtCG41tWW4/5ODFlit
ppK+ULdjG+BqXH/9Apyb
W1EDp3zdHSolTRJ6V6e6b
R64
eVaH4QwnNOfpSXY%0A---
--END%20CERTIFICATE--

EmailAuth:: fetch_
dkim_private_keys

EmailAuth:: install_
_dkim_private_key
s

EmailAuth:: install_
_spf_records

EmailAuth:: validat
e_current_dkims

EmailAuth:: validat
e_current_ptrs

EmailAuth:: validat
e_current_spfs

ExternalAuthenticat ion

ExternalAuthentic
ation:: add_auth_li
nk

ExternalAuthentic
ation:: configured_
modules

ExternalAuthentic
ation:: get_authn_li
nks

ExternalAuthentic
ation:: has_external_
_auth_modules_co
nfigured

ExternalAuthentic
ation:: remove_auth
n_link

Features

Features:: get_feat
ure_metadata

Features:: has_fea
ture

Features:: list_feat
ures

Fileman

Fileman:: autocom
pletedir

Fileman:: empty_tr
ash

Fileman:: get_file_
content

Fileman:: get_file_i
nformation

Fileman:: list_files

Fileman:: save_file_
_content

Fileman:: transcod
e

Fileman:: upload_fi
les

```
---',  
)  
);
```

Note:

For more information, read our [Guide to the LiveAPI System](#).

LiveAPI Perl Module

```
my $cpliveapi =  
Cpanel::LiveAPI->new(  
); # Connect to  
cPanel - only do this  
once.  
  
# Install a  
certificate on the  
example.com domain.  
my $SSL_install_ssl =  
$cpliveapi->uapi(  
    'SSL',  
    'install_ssl', {  
        'domain'  
=> 'example.com',  
        'cert'  
=>  
    '-----BEGIN%20CERTIFI  
CATE-----  
%0AMIIDNTCCAh2gAwIBAg  
IFAY0o0kwwDQYJKoZIhvc  
NAQELBQAwFjEUMBIGA1UE  
AwwL  
%0AZG9tYWluLnRlc3QwHh  
cNMTcxMDMxMTUyMjU1Whc  
NMTgxMDMxMTUyMjU1WjAW  
MRQw  
%0AEgyYDVQQDDAtkb21haW  
4udGVzdDCCASIwDQYJKoZI  
hvcNAQEBBQADggEPADCC  
AQoC  
%0AggEBALer6vzwFt%2BO  
6oHcXpq%2Bi%2FOVVQEY  
3oWxrqH6mB%2FPssVSxw  
f6bL  
joO4so%2Fn%0Adrymhb9m  
qfkOqYVHwnQ%2Fh2uM%2B  
Iw1NKKDfwOljWcgCS24Ny  
kbfQ
```

<ul style="list-style-type: none"> ▼ Ftp <ul style="list-style-type: none"> Ftp:: add_ftp Ftp:: allows_anonymous_ftp Ftp:: allows_anonymous_ftp_incoming Ftp:: delete_ftp Ftp:: ftp_exists Ftp:: get_ftp_daemon_info Ftp:: get_port Ftp:: get_quota Ftp:: get_welcome_message Ftp:: kill_session Ftp:: list_ftp Ftp:: list_ftp_with_disk Ftp:: list_sessions Ftp:: passwd Ftp:: server_name Ftp:: set_anonymous_ftp Ftp:: set_anonymous_ftp_incoming Ftp:: set_homedir Ftp:: set_quota Ftp:: set_welcome_message ▼ Integration <ul style="list-style-type: none"> Integration:: fetch_url ▼ KnownHosts <ul style="list-style-type: none"> KnownHosts:: create KnownHosts:: delete KnownHosts:: update KnownHosts:: verify ▼ LangPHP <ul style="list-style-type: none"> LangPHP:: php_get_domain_handler LangPHP:: php_get_impacted_domains LangPHP:: php_get_installed_version 	<pre> U1W%2FSNDTovdDGl%0AT1 Aner090Qse%2B19ta8KS% 2F3Akz37bkgqMkPO%2FiE OHLF %2FLbLvjfighkoGco51wc 6d7%0AHCQwPWR%2BUenbQ WzUwR4%2F4Pqw%2FYrxDA v80% 2FEnNfOGwnCnlnFq4a390 VGriqMAngzI%0A1RMVDu4 qJGW3dFNStVUm71%2B16b a%2F eIVBQGN2rbgie6Rb6VuHd sqSreea0tSLRxdd%0AFd7 A0MQQRvtngqUv6RZBhefr 2t0C AwEAAaOBiTCBhjAdBgNVH Q4EFgQUeitnD4U4%0AMXt mLX53dTAZPENjovwwHwYD VR0j BBgwFoAUeitnD4U4MXtmL X53dTAZPENjovww%0ACQY DVR0TBAlwADA5BgNVHREE MjAw ggtkb21haW4udGVzdIIQb WFpbC5kb21haW4u%0AdGV zdIIPd3d3LmRvbWFpbjU0 ZXN0 MA0GCSqGSIb3DQEBCwUAA 4IBAQAeD4Fc%2FBwM%0Af JEv1PO30%2FOP2JJxG92t bgso Y9CKTYoZy0IMHhwOrt%2F B36joYDrOhti06XsRw4Zm %0AAPt8ey9p61kUc6XWs5 oU9a ifKeAKzWCZV9wQphbY%2F 0rQp1YPsVN9tBgiag754H Po%0AbNDhWOZSZDKnh82D ikTD 6iciTxeblrvcbFC4Z76JH 3ldvqmNMEAgZvPCpq86Ue d5%0A52gKM0u2%2BrK%2F zIYj h%2FhooqN%2BTY%2BJQ66 7JzLzPNenzAYFsoIQgVj6 %2FZoFqJA4nbxC%0Azv%2 Fspq c0OQ2W9m5egRPDhngKt%2 Bi9804N7FeilBL%2FcpEg UHhgZMBi1T9n%2BYBrC6b O%0A jNjvnEQRbqZY%0A-----E </pre>
--	---

s

LangPHP:: php_get_system_default_version

LangPHP:: php_get_vhost_versions

LangPHP:: php_ini_get_user_basic_directives

LangPHP:: php_ini_get_user_content

LangPHP:: php_ini_get_user_paths

LangPHP:: php_ini_set_user_basic_directives

LangPHP:: php_ini_set_user_content

LangPHP:: php_set_vhost_versions

▼ LastLogin

LastLogin:: get_last_or_current_logged_in_ip

▼ Locale

Locale:: get_attributes

▼ Mailboxes

Mailboxes:: expunge_mailbox_messages

Mailboxes:: expunge_messages_for_mailbox_guid

Mailboxes:: get_mailbox_status

Mailboxes:: has_utf8_mailbox_names

Mailboxes:: set_utf8_mailbox_names

▼ Market

Market:: cancel_pending_ssl_certificate

Market:: create_shopping_cart

Market:: get_all_products

Market:: get_certificate_status_details

Market:: get_login_url

Market:: get_pending_ssl_certificates

```
ND%20CERTIFICATE-----
',
      'key'
=>
'-----BEGIN%20RSA%20P
RIVATE%20KEY-----
%0AMIIEowIBAAKCAQEAt6
vq%2FFAW347qigdxemr6L
85VVARjehbGuofqYH8%2B
yxV
LHBx%2F%0ApsuOg7iyj%2
Bd2vKaFv2ap%2BQ6phUfC
dD%2BHa4z4jDU0oN%2FA
6WN
ZyAJLbg3KRt9BSVb%0A9I
0NOi90MaVPUCd6vT3RCx7
7X2lrrwpl%2FcCTPftuSCo
yQ8
7%2BIQ4eUX8tsu%2BN%2B
KCGS%0AgZyjnXBzp3scJD
A9ZH5R6dtBbNTBHj%2Fg%
2Br
D9ivEMC%2Fw78Sc184bCc
KeWcWrhrf3R%0AUauKowC
eDMiVExUO7iokZbd0U1K1
VSb
vX7Xptr94hUFAY3atuCJ7
pFvpW4d2ypKt%0A55rS1I
tHF10V3sDRAXBG%2B2eqh
S%2
FpFkGF5%2Bva3QIDAQABA
oIBAAONBE79iUOrLKec%0
AezolpU6VS5sDNrUeizsD
k6l
n7Fvavof9mQ4tc0TipjkX
%2FXiqM32%2By1xwRyC3g
W%2Fj%0A5odSw19ai%2Fj
0V9
lHMxOiT%2BsdW5uk12bpE
P0KWQ4d6r4m9wCSstHDxy
3S3IM8x0%2BM%0ArfmKDK
TkM
8%2BWZhsAQe8kSN8NPL3p
IJnG%2Ftuc8lwFoZOEot6
%2BAeGYdxxEdFbvVyEm%0
Aa8
%2FAhOQ5Z07T36bxuPtyR
jwdnFH7hnmzpcWF5Iz8Jp
8SrQ2XX2rKSQpalIc%2B6
TMA
%0AF7kJsOFiw%2B8aX6zT
TVLsvQTHWESnNWHKtbuNB
oQcq2HyifrUxr550kZVMn
```

Market: get_provider_specific_dc_v_constraints
Market: get_providers_list
Market: get_ssl_certificate_if_available
Market: process_ssl_pending_queue
Market: request_ssl_certificates
Market: set_status_of_pending_queue_items
Market: set_url_after_checkout
Market: validate_login_token

▼ Mime

Mime:: add_handler
Mime:: add_hotlink
Mime:: add_mime
Mime:: add_redirect
Mime:: delete_handler
Mime:: delete_hotlink
Mime:: delete_mime
Mime:: delete_redirect
Mime:: list_handlers
Mime:: list_hotlinks
Mime:: list_mime
Mime:: list_redirects
Mime:: redirect_info

▼ ModSecurity

ModSecurity: disable_all_domains
ModSecurity: disable_domains
ModSecurity: enable_all_domains
ModSecurity: enable_domains

yNC
3ic%0A6EH%2FCxUCgYEA5
qSo6zf6yJ5tdwm%2FNnrK
wvFksapd%2Bi9%2BnAqQH
HTF
Pt1zKHkZ7d5x%0AdklyzA
MaoHVoeggtQynUcxcYKjy
3i9Nj29P8wN6DhcXJY4Oh
dk%
2FsAILTcu8QyPzN%0A%2F
cYVHWykmFuS55uEa2Mlv6
j%2FTBraRJUYfiEl2ZvR7
7L5
gke4GAsCKxcCgYEAy91D%
0AlmTy4ka991Ungy%2BVc
NTSw9z50l%2Fzu4GxmAlj
lfs
uX%2F27nbfpsOFjv1m4x
Lfw3qM%0A%2BWrkvKXUux
eIbGcBnV1HFWgc6%2BKt5
vNo
OzUVsm5i90R%2Fg3vhB5c
dvuVoTKf2EU4n%0ANVTSa
M%2F6zpzBEHskTsbx0Fi
PjS
04bk%2Bsi0REisCgYAwY3
s1MEWtNd9AxN4gP4Aw%0A
F%2FPoppV1PaESkCWG76l
fL4
%2FuaxhyO5JTjRxtTubON
aih0KMKx4m7w5IINYo7Wc
CR%0AnFqznyuSHfMUy59Y
MXZ
jcUoc0bkCXIGUA9kpvXdh
CFafC0bL1VFCKBXC2xd8V
PK2%0A1Hq2fAHBLWMeDeB
Dre
iKhWKBgHrcweP8u0ioK8r
I9kQ4xD649MD4B1PDYjfq
RObv%0AGecXN27Ak3bNJT
jlz
TBPfLNzZ0tRg2649JP%2F
%2BUI8P4rdVXrIGHANTAj
Zl2bt4S51%0AorrjJh9pl
9Pd
L9SMPXAUABTa0RDC4hxxH
2HtnkEw9aX%2BJq5sjiQ7
AoNs7mpvYxqs%0A0HH7Ao
GBA
LhKD8FxNGYLK8oCO27NBd
L%2F%2BypxgH5EnwVr%2B
3fF49tfC5xpV9Odfu1Z%0
ANG

```
ModSecurity:: has
_modsecurity_inst
alled

ModSecurity:: list_
domains

Mysql
Mysql:: add_host

Mysql:: add_host_
note

Mysql :: check_dat
abase

Mysql:: create_dat
abase

Mysql:: create_use
r

Mysql:: delete_dat
abase

Mysql:: delete_hos
t

Mysql:: delete_use
r

Mysql:: get_host_n
otes

Mysql:: get_privile
ges_on_database

Mysql:: get_restrict
ions

Mysql:: get_server
_information

Mysql:: locate_ser
ver

Mysql:: rename_d
atabase

Mysql:: rename_us
er

Mysql:: repair_dat
abase

Mysql:: revoke_ac
cess_to_database

Mysql:: set_passw
ord

Mysql:: set_privile
ges_on_database

Notifications
Notifications:: get_
notifications_count

NVData
NVData:: get

NVData:: set

Parser
Parser:: firstfile_rel
ative_uri
```

```
NFbjK47PVCLaGKzQUvU7j
SAbKt3pDR0IcfiF%2BM6r
c86CmZf%2BvAPTn3%2BJw
G%2
BcIE%0AcKuYkroIzFWDu9
NYiioUI7%2Fa9XdmTvfRt
3RSHmup0FoRmlRHD%2FM8
%0A
-----END%20RSA%20PRIV
ATE%20KEY-----',
'cabundle'

=>
'-----BEGIN%20CERTIFI
CATE-----%0AMIIB+
jCCAWMCAgGjMA0GCSqGSI
b3DQEBBAUAMEUxCzAJBgN
VBAYTAlVTMRgwFgYDVQQK
Ew9
HVEUgQ29ycG9yYXRpb24x
HDAaBgNVBAMTE0dURSBDe
WJlc1RydXN0IFJvb3QwHh
cNO
TYWmjIzMjMwMTAwWhcNMD
YwMjIzMjM1OTAwWjBFMQs
wCQYDVQQGEwJVUzEYMBYG
A1U
EChMPR1RFIENvcnBvcnF0
aW9uMRwwGgYDVQQDEXNHV
EUgQ3liZXJUCnVzdCBSb2
90M
IGfMA0GCSqGSIb3DQEBAQ
UAA4GNADCBiQKBgQC45k+
625h8cXyvRLfTD0bZZOWT
wUK
Ox7pJjTuteueLveUFMVnG
sS8KDPufpz+iCWaEVh43K
RuH6X4MypqfpX/1FZSjla
JGg
thoTNE3FQZor734sLPwKf
WVWgkWYXcKIiXUT0Wqx73
llt/51KiOQswkwB6RJ0q1
bQa
AYznEo144AwIDAQABMA0G
CSqGSIb3DQEBAUAA4GBA
BKzdcZfHeFhVYAA1IFLez
EPI
2PnPfMD+fQ2qLvZ46WXTe
orKeDWanOB5sCJo9Px4KW
lIjeaY8JIILThcuPI9t18
vrG
vU9oUtCG41tWW4/5ODFlI
tppK+ULdjG+BqXH/9Apyb
W1EDp3zdHSo1TRJ6V6e6b
```

- ▼ PassengerApps
 - PassengerApps:: disable_application
 - PassengerApps:: edit_application
 - PassengerApps:: enable_application
 - PassengerApps:: ensure_deps
 - PassengerApps:: list_applications
 - PassengerApps:: register_application
 - PassengerApps:: unregister_application
- ▼ PasswdStrength
 - PasswdStrength:: get_required_strength
- ▼ Personalization
 - Personalization::set
 - Personalization::get
- ▼ Postgresql
 - Postgresql:: create_database
 - Postgresql:: create_user
 - Postgresql:: delete_database
 - Postgresql:: get_restrictions
 - Postgresql:: grant_all_privileges
 - Postgresql:: rename_database
 - Postgresql:: rename_user
 - Postgresql:: rename_user_no_password
 - Postgresql:: revoke_all_privileges
 - Postgresql:: set_password
- ▼ Pushbullet
 - Pushbullet:: send_test_message
- ▼ Quota
 - Quota:: get_quota_info

R64

eVaH4QwnNOfpSXY%0A---
--END%20CERTIFICATE--

- Resellers:: list_accounts
- ResourceUsage:: get_usages
- Restore:: directory_listing
 - Restore:: get_users
 - Restore:: query_file_info
 - Restore:: restore_file
- Session:: create_temp_user
- SiteTemplates:: list_site_templates
 - SiteTemplates:: list_user_settings
 - SiteTemplates:: publish
- SpamAssassin:: clear_spam_box
 - SpamAssassin:: get_symbolic_test_names
 - SpamAssassin:: get_user_preferences
 - SpamAssassin:: update_user_preference
- SSH:: get_port
- SSL:: add_autossl_excluded_domains
 - SSL:: can_ssl_redirect
 - SSL:: check_shared_cert
 - SSL:: delete_cert
 - SSL:: delete_csr
 - SSL:: delete_key
 - SSL:: delete_ssl
 - SSL:: disable_mail_sni

```

---',
}
);

```

Note:

For more information, read our [Guide to the LiveAPI System](#).

▼ cPanel Template Toolkit

```

<!-- Install a certificate on the example.com domain.
-->
[% data = execute(
'SSL', 'install_ssl',
{ domain =>
'example.com', cert
=>
'-----BEGIN%20CERTIFICATE-----
%0AMIIDNTCCAh2gAwIBAgIFAY0o0kwwDQYJKoZIhvcNAQELBQAwFjEUMBIGA1UEAwwL
%0AZG9tYWluLnRlc3QwHhcNMTCxMDMxMTUyMjU1WhcNMTCxMDMxMTUyMjU1WjAW
MRQw
%0AEgYDVQQDDAtkb2lhaW4udGVzdDCCASIwDQYJKoZIhvcNAQEBBQADggEPADCCAQoC
%0AggEBALer6vzwFt%2B06oHcXpq%2Bi%2FOVVQEY3oWxrqH6mB%2FPssVSxwcf6bL
jo04so%2Fn%0Adrymhb9mqfkOqYVHwnQ%2Fh2uM%2BIw1NKKDfwOljWcgCS24NykbFQ
U1W%2FSNDTovdDG1%0AT1Aner090Qse%2B19ta8KS%2F3Akz37bkgqMkPO%2FieOH1F
%2FLbLvjfighkoGco51wc6d7%0AHCQwPWR%2BUenbQWzUwR4%2F4Pqw%2FYrxDA

```

SSL:: enable_mail_sni
SSL:: fetch_best_for_domain
SSL:: fetch_certificate
SSL:: fetch_certificates_for_fqdns
SSL:: fetch_key_and_cabundle_for_certificate
SSL:: find_certificates_for_key
SSL:: find_csrs_for_key
SSL:: generate_certificate
SSL:: generate_csr
SSL:: generate_key
SSL:: get_autossl_excluded_domains
SSL:: get_autossl_pending_queue
SSL:: get_autossl_problems
SSL:: get_cabundle
SSL:: get_cn_name
SSL:: install_ssl
SSL:: installed_hosts
SSL:: installed_hosts
SSL:: is_autossl_check_in_progress
SSL:: is_mail_sni_supported
SSL:: is_sni_supported
SSL:: list_certs
SSL:: list_csrs
SSL:: list_keys
SSL:: list_ssl_items
SSL:: mail_sni_status
SSL:: rebuild_mail_sni_config

```
v80%
2FEnNfOGwnCnlnFq4a390
VGriqMAngzI%0A1RMVDu4
qJGW3dFNStVUm71%2B16b
a%2F
eIVBQGN2rbgie6Rb6VuHd
sqSreea0tSLRxdd%0AFd7
A0QMQRvtnqoUv6RZBhefr
2t0C
AwEAAaOBiTCBhjAdBgNVH
Q4EFgQUeitnD4U4%0AMXt
mLX53dTAZPENjovvwHwYD
VR0j
BBgwFoAUeitnD4U4MXtmL
X53dTAZPENjovvw%0ACQY
DVR0TBAlwADA5BgNVHREE
MjAw
ggtkb21haW4udGVzdIIQb
WFpbC5kb21haW4u%0AdGV
zdIIPd3d3LmRvbWFpbj50
ZXN0
MA0GCSqGSIsb3DQEBCwUAA
4IBAQAeD4Fc%2FBwM%0Af
JEv1PO30%2FOP2JJxG92t
bgso
Y9CKTYoZy0IMHhwOrt%2F
B36joYDrOhti06XsRw4Zm
%0AAPt8ey9p6lkUc6XWs5
oU9a
ifKeAKzWCZV9wQphbY%2F
0rQp1YPsVN9tBgiag754H
Po%0AbNDhWOZSZDKnh82D
ikTD
6iciTxeblrvcbFC4Z76JH
3ldvqmNMEAgZvPCpq86Ue
d5%0A52gKM0u2%2BrK%2F
zIYj
h%2FhooqN%2BTY%2BJQ66
7JzLzPNenzAYFsoIQgVj6
%2FZoFqJA4nbxC%0Azv%2
Fspq
c0OQ2W9m5egRPDhngKt%2
Bi9804N7FeilBL%2FcpEg
UHhgZMBilT9n%2BYBrc6b
O%0A
jnJvneQRbqZY%0A-----E
ND%20CERTIFICATE-----
'
key =>
'-----BEGIN%20RSA%20P
RIVATE%20KEY-----
%0AMIIEowIBAACAQEAt6
vq%2FFAW347qigdxemr6L
```

SSL:: rebuildssldb
SSL:: remove_aut
ssl_excluded_do
mains
SSL:: set_autossl_
excluded_domains
SSL:: set_cert_frie
ndly_name
SSL:: set_csr_frien
dly_name
SSL:: set_key_frie
ndly_name
SSL:: set_primary
_ssl
SSL:: set_ssl_shar
e
SSL:: show_cert
SSL:: show_csr
SSL:: show_key
SSL:: start_autossl_
_check
SSL:: toggle_ssl_r
edirects_for_doma
ins
SSL:: upload_cert
SSL:: upload_key
▼ StatsBar
StatsBar:: get_stat
s
▼ Styles
Styles:: current
Styles:: list
Styles:: set_default
Styles:: update
▼ SubDomain
SubDomain:: adds
ubdomain
▼ Themes
Themes:: get_the
me_base
Themes:: list
Themes:: update
▼ Tokens
Tokens:: create_fu
ll_access
Tokens:: list
Tokens:: rename
Tokens:: revoke

85VVARjehbGuofqYH8%2B
yxV
LHBx%2F%0ApsuOg7iyj%2
Bd2vKaFv2ap%2BQ6phUfC
dD%2BHa4z4jDU0oN%2FA
6WN
ZyAJLbg3KRt9BSVb%0A9I
0NOi90MaVPUCd6vT3RCx7
7X2lrrwPl%2FcCTPftuSCo
yQ8
7%2BIQ4eUX8tsu%2BN%2B
KCGS%0AgZyjnxBzp3scJD
A9ZH5R6dtBbNTBHj%2Fg%
2Br
D9ivEMC%2Fw78Sc184bCc
KeWcWrhrf3R%0AUauKowC
eDMiVExUO7iokZbd0U1K1
VSb
vX7Xptr94hUFAY3atuCJ7
pFvpW4d2ypKt%0A55rS1I
tHF10V3sDRAXBG%2B2eqh
S%2
FpFkGF5%2Bva3QIDAQABA
oIBAAONBE79iUOrLKec%0
AezolpU6VS5sDNrUeiZsD
k6l
n7Fvavof9mQ4tc0TipjkX
%2FXiqM32%2By1xwRyC3g
W%2Fj%0A5odSw19ai%2Fj
0V9
lHMxOiT%2BsdW5uk12bpE
P0KWQ4d6r4m9wCSstHDxy
3S3IM8x0%2BM%0ArfmKDK
TkM
8%2BWZhsAQe8kSN8NPL3p
IJnG%2Ftuc8lwFoZOEot6
%2BAeGYdxxEdFbvVyEm%0
Aa8
%2FAhOQ5Z07T36bxuPtyR
jwdnFH7hnmzpcWF5Iz8Jp
8SrQ2XX2rKSQpalIc%2B6
TMA
%0AF7kJJsOFiw%2B8aX6zT
TVLsvQTHWEsnNWHKtbuNB
oQcq2HyifrUxr550kZVMn
yNC
3ic%0A6EH%2FCxUCgYEA5
qSo6zf6yJ5tdwm%2FNnrK
wvFksapd%2Bi9%2BnAqQH
HTF
Pt1zKHkZ7d5x%0AdklyzA
MaoHVoeggtQynUcxcYKjy
3i9Nj29P8wN6DhcXJY4Oh

<ul style="list-style-type: none"> TwoFactorAuth <ul style="list-style-type: none"> TwoFactorAuth:: generate_user_configuration TwoFactorAuth:: get_user_configuration TwoFactorAuth:: remove_user_configuration TwoFactorAuth:: set_user_configuration UserManager <ul style="list-style-type: none"> UserManager:: check_account_conflicts UserManager:: create_user UserManager:: delete_user UserManager:: dismiss_user UserManager:: edit_user UserManager:: list_users UserManager:: lookup_service_account UserManager:: lookup_user UserManager:: merge_service_account UserManager:: unlink_service_account UserTasks <ul style="list-style-type: none"> UserTasks:: delete UserTasks:: retrieve VersionControl <ul style="list-style-type: none"> VersionControl:: create VersionControl:: delete VersionControl:: retrieve VersionControl:: update VersionControlDeployment <ul style="list-style-type: none"> VersionControlDeployment:: create 	<pre> dk% 2FsAILTcu8QyPzN%0A%2F cYVHWykmFuS55uEa2Mlv6 j%2FTBraRJUyfiEl2ZvR7 7L5 gke4GAsCKxcCgYEay91D% 0AlmTy4ka991Ungy%2BVc NTSw9z501%2Fzu4GxmAlj lfs uX%2F27nbfpsOFjv1m4x Lfw3qm%0A%2BwkrvKXUux eIbGcBnVlHFWgc6%2BKt5 vNo OzUVsm5i90R%2Fg3vhB5c dVuVoTKf2EU4n%0ANVTSa M%2F6zpzBEHskTtsbx0Fi PjS 04bk%2Bsi0REisCgYAwy3 s1MEWtNd9AxN4gP4Aw%0A F%2FPoppV1PaESkCWG76l fL4 %2Fuaxhy05JTjRxtTubON aih0KMKx4m7w5IINYo7Wc CR%0AnFqnzyuSHfMUy59Y MXZ jcUoc0bkCXIGUA9kpvXdh CFafC0bLlVFCKBXC2xd8V PK2%0AlHq2fAHBLWMeDeB Dre iKhWKBgHrcweP8uOioK8r I9kQ4xD649MD4B1PDYjfq RObV%0AGecXN27Ak3bNJT jlz TBPfLNzZ0tRg2649JP%2F %2BUI8P4rdVXrIGHANTAj Zl2bt4S51%0Aorrjjh9pl 9Pd L9SMPXAUABTa0RDC4hxxH 2HtnkEw9aX%2BJq5sjiQ7 AoNs7mpvYxqs%0A0HH7Ao GBA LhKD8FxNGYLK8oCO27NBd L%2F%2BypxgH5EnwVr%2B 3fF49tfc5xpV9Odfu1Z%0 ANG NFbjk47PVCLaGKzQUvU7j SAbkt3pDR0Icfif%2BM6r c86CmZf%2BvAPTn3%2BJw G%2 BcIE%0AcKuYkroIzFWDu9 NYiioUI7%2Fa9XdmTvfRt 3RSHmup0FoRm1RHD%2FM8 %0A </pre>
--	---


```

VersionControlDeployment:: delete

VersionControlDeployment:: retrieve

  WebDisk
    WebDisk:: delete_user

    WebDisk:: set_homedir

    WebDisk:: set_password

    WebDisk:: set_permissions

  WebmailApps
    WebmailApps:: list_webmailapps

  WebVhosts
    WebVhost:: list_domains

    WebVhost:: list_ssl_capable_domains

  WordPressBackup
    WordPressBackup:: any_running

    WordPressBackup:: cancel

    WordPressBackup:: cleanup

    WordPressBackup:: get_available_backups

    WordPressBackup:: is_running

    WordPressBackup:: start

  WordPressInstanceManager
    WordPressInstanceManager:: cancel_scan

    WordPressInstanceManager:: cleanup_scan

    WordPressInstanceManager:: change_admin_password

    WordPressInstanceManager:: configure_autoupdate

    WordPressInstanceManager:: get_api_version

    WordPressInstanceManager:: get_in

```

```

-----END%20RSA%20PRIVATE%20KEY-----',
cabundle =>
'-----BEGIN%20CERTIFICATE-----%0AMIIB+jCCAWMCAgGjMA0GCSqGSIb3DQEBAUAMEUxCzAJBgNVBAYTA1VTMRgwFgYDVQQKEw9HVEUgQ29ycG9yYXRpb24xHDAaBgNVBAMTE0dURSBDWJlclRydXN0IFJvb3QwHhcNOFYwMjIzMjMwMTAwWhcNMDEyMjIzMjM1OTAwWjBFMQswCQYDVQGEwJVUzEYMBYGA1UEChMPR1RFIENvcnBvcnF0aW9uMRwwGgYDVQQDExNHVUgQ3liZXJUCnVzdCBSb290MIGfMA0GCSqGSIb3DQEBAQUAA4GNADCBiQKBgQC45k+625h8cXyvRLfTD0bZZOWTwwUKOx7pJjTUteueLveUFMVngsS8KDPufpz+iCwaEVh43KRuH6X4MypqfpX/1FZSjlaJGgthoTNE3FQZor734sLPwKfWVWgkWYXcKIiXUT0Wqx731lt/51KiOQswkwB6RJ0q1bQaAYznEo144AwIDAQABMA0GCSqGSIb3DQEBAUAA4GBABKzdcZfHeFhVYAA1IFLezEPI2PnPfMD+fQ2qLvZ46WXTeorKeDWanOB5sCJo9Px4KW1IjeaY8JIILTbcuPI9t18vrGvU9oUtCG41tWW4/5ODFlitppK+ULdjG+BqXH/9ApybWLEDp3zdHSolTRJ6V6e6bR64eVaH4QwnNOfpSXY%0A-----END%20CERTIFICATE-----'} ); %]
[% FOREACH q = data
%]

```

stance_by_id

WordPressInstanceManager::get_instances

WordPressInstanceManager::get_latest_wordpress_version_from_wordpress_org

WordPressInstanceManager::get_scan_results

WordPressInstanceManager::is_installable_addon_available

WordPressInstanceManager::start_scan

▼ WordPressRestore

WordPressRestore::any_running

WordPressRestore::cleanup

WordPressRestore::start

```
[ % q % ]  
</p>  
[ % END % ]
```

Note:
For more information, read our [Guide to Template Toolkit documentation](#).

Command Line

```
uapi --user=username
SSL install_ssl
domain=example.com
cert=THECERTIFICATE
TEXT key=THEKEYTEXT
cabundle=THECABUNDLE
TEXT
```

Note:

You can use a Perl command to URI-encode your SSL certificate for the `cert`, `key`, and `cabundle` parameters. For example, you can use the following string when you pass the `cert` parameter:

```
$(perl
-MURI::Escape
-ne 'print
uri_escape($);'
CERT.FILE)
```

In this example, `CERT.FILE` represents the SSL certificate file.

Notes:

- You **must** URI-encode values.
- `username` represents your account-level username.
- For more information and additional output options, read our [Guide to UAPI](#) documentation or run the `uapi --help` command.
- If you run CloudLinux™, you **must** use the full path of the `uapi` command:

```
/usr/local
/cpanel/bi
n/uapi
```

Output (JSON)

```
{
  "messages": [
    "The certificate
was successfully
installed on the
```

```
domain
"example.com"."
  ],
  "errors": null,
  "status": 1,
  "data": {

"warning_domains": [

  ],
  "statusmsg":
  "The SSL certificate
is now installed onto
the domain
"example.com"
using the IP address
"192.168.0.1" The
existing virtual host
was
updated with the new
certificate. Apache
is restarting in the
background",
  "key_id":
"bbe7e_16e2d_df7539f2
80eblecf6c1096190e41a
da7",
  "ip":
"192.168.0.1",
  "status": 1,

"working_domains": [
  "example.com"
  ],
  "message":
  "The SSL certificate
is now installed onto
the domain
"example.com"
using the IP address
"192.168.0.1".\nThe
existing virtual host
was
updated with the new
certificate. Apache
is restarting in the
background.\n",
  "domain":
"example.com",
  "servername":
"example.com",
  "html":
" The SSL
```

```
certificate is now
installed onto the
domain "example.com"
using the IP address
"192.168.0.1".\n
\nThe existing
virtual host was
updated with the new
certificate. Apache
is restarting in the
background.",
  "cert_id":
  "example_com_bbe7e_16
e2d_1369007999_1d87a0
cdb540f5aae607b10e9a1
a82fb",
  "user":
  "username",
  "action":
  "update",
  "aliases": "",

  "extra_certificate_do
mains": [

    ]
```

```
}
}
```

Note:
Use cPanel's *API Shell* interface (*cPanel >> Home >> Advanced >> API Shell*) to directly test cPanel API calls.

Parameters

Parameter	Type	Description	Possible values	Example
domain	string	Required The domain name.	A valid domain name.	example.com
cert	string	Required The certificate to install.	A valid certificate. Note: You must URI-encode this value.	Click to view... <pre>-----BEGIN CERTIFICAT E-----\r\n MIIEEzCCA ugAwIBAgIJ ALF/jFpw6p 1bMA0GCSqG SIb3DQEBBQ UAMIGFMRyw FAYD\r\n VQQDEw10ZX N0c21tb24u Y29tMRywFA YDVQLEw1E b2N1bWVudG F0aW9uMQsw CQYD\r\n VQQGEwJVUz EoMcyGCSqG SIb3DQEJAR YZbGF1cmVu Y2Uuc21tb2 5AY3BhbmVs Lm51\r\n dDEUMBIGA1 UEChMLY1Bh bmVsIEluYy 4xDjAMBgNV BAgTBVR1eG FzMRAwDgYD VQQH\r\n EwdIb3VzdG 9uMB4XDTEz MDUxNzE2MT MwN1oXDTE0 MDUxNzE2MT MwN1owgz8x FjAU\r\n BgNVBAMTDX Rlc3RzaW1v bi5jb20xFj AUBgNVBASt DURvY3VtZW 50YXRpb24x CzAJ\r\n BgNVBAYTAL VTMSgWJgYj KoZihvcNAQ kBFhlsYXVy ZW5jZS5zaW 1vbkBjcGFu ZWwu\r\n bmV0MRQwEg YDVQKKEwtj</pre>

UGFuZWwgSW
5jLjEOMAwG
A1UECEBMFVG
V4YXMXEDA0
BgNV\r\n
BAcTB0hvdX
N0b24wggEi
MA0GCSqGSI
b3DQEBAQUA
A4IBDwAwgg
EKAoIBAQR
00AP\r\n
N5XtjDqkEy
J6ctfYqUtt
9yUXyRuCET
FjW6opNLsm
ZSHeF6L2aZ
ka646lhj02
CFyl\r\n
kzsNSxysN6
6tY+Wzctmv
gpisJdQFpF
vjroJZgDjY
RV0QqokKdR
y/5BU0+tHX
oYpj\r\n
9JOQ1bvEWx
iGR3R80sLl
ma4AfSE6Gv
8M/PULTada
n5leHaikXq
jOXdpJQKuW
P3g9\r\n
FnIuf38WRY
wzGrre88qs
ZrpsMrADX5
dotHWgqAf7
Tap6xfA4CU
AgQo9tldar
iuVi\r\n
Bz+sRJ/Sjg
xnhw1HYWgt
tBuBZfHmpd
HpPnTJ7DIF
Md/FN5gG/t
ah30SapWpo
35Ux\r\n
3BpJcdUjta
zy82K5AgMB
AAGjUDBOMB
0GA1UdDgQW
BBQAlv7/tA
LOYb7zAXbY
G2+9\r\n
AMI3xjAfBg
NVHSMEGDAW
gBQAlv7/tA
LOYb7zAXbY
G2+9AMI3xj
AMBgNVHRME
BTAD\r\n
AQH/MA0GCS
qGSIb3DQEB
BQUAA4IBAQ
Cxzpe71Hc7
Es0dqIN7bh
IFYIIgcr6w
xM6a\r\n
a9d+QG+QPH
0x0KAqV8EF
UbZysvyxEF
0bPxW3ZAr1
Is1wk80PMu
U3bToFFVbF
FIr\r\n
HRNfKLGvxi
MXnZAlc6L4
N0lowvXHgZ
xTTUXtDFLX
yrcwrLsvUE
rEV7rbizux
qfPw\r\n
caRtXn4uc+
t6HYuW7yWe
sBauCWnJNi
KbjN/F+uCT
urN3QMAeWf
3ZJtsfkAgk
8dyq\r\n
R/83a3kDts

Prpt+jX+gd
jKEpRtQ5Qp
m6XT2gCOQP
gnfiUtOCH4
19pp922P/A
AGc+\r\n
ZUHYoWcRWK
w/y6gI7Ru+
+9+8+wkadL
9EbKMZxhVw
D5qVm4ZlWK
2a\r\n

				-----END CERTIFICAT E-----
key	string	Required The certificate's key.	A valid key. <div style="border: 1px solid orange; padding: 5px; width: fit-content;"> Note: You must URI-encode this value. </div>	Click to view... -----BEGIN RSA PRIVATE KEY-----\r \n MIIEpAIBAA KCAQEA4AVM 6J4Qg3DIFW r/eJ5GRmIA TYsJIepKbr Dy70sq+udc O8R8\r\n xxak0oMZ/9 mUqpjSNK/f LVTuCO0kxT fQ9VUWJl1X 7ThD6Z92v lC/nf/OEzL m3Zb\r\n nBgu8rbC8E 9wuDOKKbJL nINgdhtowI ydLK2MJ++q 62bFV89jkh WTMcKyygHE No3h\r\n c+lkpd9vnp 8rZTinaVb7 nX26uQqAFZ YRo+WU0G/N Psq40QVSMo qPxyEz4qXo 0hvu\r\n l1CXmzFZq/ 6fCVPEKPLh QgMmpdBkMz 4dVOazREfq XdjMD2+QXS NiAlAwWr8l 0r4r\r\n tz1xEYDJIR 4lyXp0xM13 KoolxMyvLB qZy32niQID AQABAoIBAQ CmbGmhWmPs MeoC\r\n t1WJFxQgD4 goE0U6k+Kt 7vjbOt14Pk 6v/B2yja ju 1wSGp059WL S4/XrwI2se 6IXr\r\n mba7u3VUEg WXLriNHoLy 7/SMNTs+ZE KhAMG36eNe 3tVdT7busT ag31r6sEMG GwCs\r\n IwpU+azosk 0oylWLEX/m /uHWEsleaI EWWWtgHB+K Zrrp7Rr9RY fVQ144DxmO xS3C\r\n a9+mST62Wq AVPR6POWGE fZqnZ1/ePW ZPcQYbFrhw nnefNoYBL/ bnLZBo8rbN WxAq\r\n EOuKfkrBz glKG/39WKP

w8rj4JIVzY
0yOuFCW6x
DWRkOrhU80
l/3FvwDa3u
Jpkp\r\n
mgPr4TgxAo
GBAPGPLmxS
uOYR97mDAX
xrs037F2GC
bqWvI6m7/e
zWe9yn+bMp
jSIW\r\n
fsgtq4Fsyq
zPueEKdQW
i3xh6nu2WI
/1T1875opG
AqEIJMqss/
u11tnva5wz
ulcC\r\n
L6H85A5+HM
OBvP3sm6CO
bKcVw92h7k
xynVIUJWJ
jfeZMN8gBF
FpKIVFAoGB
AO1p\r\n
tXBmXLC/YK
KvtHI3M16/
ZopvM8ZqU2
HcAHaw214R
efw9JJ/e3/
xTNfSerVTy
CAQO\r\n
1AdWTzJKBN
8jmSYv1Mk1
D3RpQPNR7w
Vzi46KR081
AU41uMpqIG
VowHtyVnW/
ZfLr\r\n
c1DLIK8Cx8
aHfoxfwzo
M05SEQSooe
ZfOLhsfDN1
AoGBAKQTUE
INsj+75psg
bAr6\r\n
ELGgItJ9yP
BLVr+cUzE
px9LDWVvjm
ihpP4NX1gq
8EOPWT+ewL
HVmmsjCyV6
xw8J\r\n
XXF8e2xif3
in0m3D/wCz
E7u2T06rKM
3B017hKnrZ
mGoHnrqPU2
osM4sOUpsh
WX6d\r\n
v1Q4EF1+fb
K3YCW+VpCB
sB9NAoGAQo
+uhNLODee5
6iKkzpjXWC
sFTq6ar3hd
5F3P\r\n
63buKdNwhd
2G1SPhXFbf
+7M5GWW6BZ
k6rMvv7EOA
Vice2uvyFm
8/4/1WbmF8
R+T7\r\n
LX1rPLO5p/
m701QpvP11
TabiwqRkqt
SEQhSRF0AK
TojSW/yyHC
ZFAawUhV/Z
9EKi\r\n
HmKb97kCgY
AyzmFc2it0
HqnsOnRybo

p603nqMtWG
TQO4cxa93H
UDpYajuK2K
3Dfr\r\n
xUj6lG3z/o
KJGGE2JqgZ
6LBAhNJtJW
Ju2ox3pKGE
63QjLJnVwb
8y1NFYpe/c
rbLe\r\n
PuBwIR0L7d
rXxfv705bt
Y7h6QI2d1/
UIAQPAWbxL
oTM+ndQ/uP
EdfA==\r\n

-----END

				RSA PRIVATE KEY-----
--	--	--	--	----------------------------

cabundle	string	The Certificate Authority (CA) bundle data, if the certificate requires it.	<p>A valid string.</p> <div data-bbox="889 176 1029 359" style="border: 1px solid orange; padding: 5px; margin: 10px 0;"> <p>Note: You must URI-encode this value.</p> </div>	<p>Click to view...</p> <pre> -----BEGIN CERTIFICAT E-----\r\n MIIB+jCCA wMCAGGjMA 0GCSqGSI b3DQEBBA UAMEUxCz AJBgNVBA YTA1VTMR gwFgYD\r\n VQKKEw9H VEUgQ29y cG9yYXRp b24xHDAA BgNVBAMT E0dURSBDe WJlc1RydX N0IFJv\r\n b3QwHhcN OTYwMjIz MjMwMTAw WHcNMDYw MjIzMTM1 OTAwWjBF MQswCQYD VQQGEwJ V\r\nUzEY MBYGA1UE ChMPR1RF IENvcnBv cmF0aW9u MRwwGgYD VQQDExNH VEUgQ3li ZXJU\r\n cnVzdCBS b290MIGF MA0GCSqG SIb3DQEB BAQUAA4G NADCBIQK BgQC45k+ 625h8cXy v\r\nRLfT D0bZZO WTwUKOx 7pJjTUte ueLveUFM VnGsS8K DPufpz+i CWaEVh43 KRuH6X4M \r\nypqfpX/ 1FZSj1aJ GgthoTNE 3FQZor7 34sLpWk FWVWgkWY XcKLiXUT 0Wqx731 lt/5\r\n 1KiOQsw kwB6RJ0 q1bQaAY znEo144A wIDAQA BMA0GCSq GSIb3DQ EBBAUAA4 GBABKz\r\n dcZfHeF hVYAA1IF LezEP12P nPfMD+f Q2qLvZ4 6WXTeorK eDWanOB 5sCJo9P x4KW1\r\n IjeaY8J IILTbcuP I9t18vr GvU9oUt CG41tWN 4/50DFli tppK+U LdjG+Bq XH/9Apy \r\nbW1EDp 3zdHSol TRJ6V6e 6bR64e VaH4Qwn NOfpSXY \r\n----- END CERTIFICAT E----- </pre>
----------	--------	---	--	---

Returns

Return	Type	Description	Possible values	Example
action	<i>string</i>	The action that the function used to install the certificate.	A valid string.	update
cert_id	<i>string</i>	The certificate ID.	A valid string.	Click to view... example_ com_bbe7 e_16e2d_ 13690079 99_1d87a 0cdb540f 5aae607b 10e9a1a8 2fb
domain	<i>string</i>	The domain that the certificate covers.	A valid domain name.	example.com
html	<i>string</i>	The results, in HTML format.	A valid string.	Click to view... The SSL certific ate is now installe d onto the domain "example .com" using the IP address "192.168 .0.1".\n \n\nThe existing virtual host was updated with the new certific ate. Apache is restarti ng in the backgrou nd.
ip	<i>string</i>	The domain's IP address.	A valid IP address.	192.168.0.1
key_id	<i>string</i>	The key ID.	A valid string.	bbe7e_16e2d_ dF7539f280eb 1ecf6c109619 0e41ada7

message	<i>string</i>	The results, in text format.	A valid string.	Click to view... The SSL certificate is now installed onto the domain "example.com" using the IP address "192.168.0.1".\n\nThe existing virtual host was updated with the new certificate. Apache is restarting in the background.\n
---------	---------------	------------------------------	-----------------	---

statusmsg	<i>string</i>	The results, in text format.	A valid string.	<p> Click to view... The SSL certificate is now installed onto the domain "example.com" using the IP address "192.168.0.1" The existing virtual host was updated with the new certificate. Apache is restarting in the background</p> <p> The SSL certificate is now installed onto the domain "example.com" using the IP address "192.168.0.1" The existing virtual host was updated with the new certificate. Apache is restarting in the background</p>
user	<i>string</i>	The domain's owner.	A valid username.	example
warning_domains	<i>string</i>	The domains that the certificate does not cover.	A list of valid domain names.	warning.com

working_domains	<i>string</i>	The domains that the certificate covers.	A list of valid domain names.	example.com
extra_certificate_domains	<i>string</i>	The domains that require extra certificates for mail and other services.	A list of valid domain names.	ssl.example.com