

11.40 Change Log

A version's change log includes entries for both the development and production releases of that version.

For example, changes in cPanel & WHM version 65 appear in the change log for version 66. This is because 65 is the development version whose changes are released in the production version 66. For more information, read our [cPanel & WHM Product Versions and the Release Process](#) documentation.



11.40.1.22

2014-10-27

- Fixed case 109725: Add a warning message to MySQL Upgrade UI to update cPanel/WHM first.
- Fixed case 110525: Fixed maketext inconsistencies.
- Fixed case 110793: Adjust version in MySQL Upgrade warning.
- [security] Fixed case 124993: Add an interface to modify SSL/TLS versions for cpsrvd and cpdavd.
- [security] Fixed case 124993: Deduplicate cpsrvd and cpdavd SSL configuration.
- Fixed case 125317: Add an option to configure SSL/TLS protocols for Exim.
- Fixed case 125369: Fix Courier SSL protocol selection options.
- Fixed case 126225: Add SSL protocol configuration for Dovecot.
- Implemented case 106213: Removed the MySQL 5.0 upgrade blocker.
- Implemented case 109773: Sync MySQL upgrade warning message for 11.42 to match documentation.
- Implemented case 125289: Update Apache configuration to allow specifying SSL protocols.

11.40.1.21

2014-09-08

- [security] Fixed case 109009: Stored XSS Vulnerability in WHM Cluster Trust Settings.
- [security] Fixed case 109029: Self-Stored XSS vulnerability in WHM basic_exim_editor interface.
- [security] Fixed case 109037: Self-Stored XSS vulnerability in spamdconf.
- [security] Fixed case 109045: Stored XSS Vulnerability in WHM Server Status.
- [security] Fixed case 109049: Arbitrary file overwrite in /scripts/synccpaddonswithsqlhost.
- [security] Fixed case 109469: Bypass of email and webdav access during account suspension.
- [security] Fixed case 109789: Bypass of account suspension lock via account rename.
- [security] Fixed case 109797: Bypass of locks for account unsuspension in scripts/remote_unsuspend.
- [security] Fixed case 110177: Stored-XSS vulnerability in WHM List Accounts Interface.
- [security] Fixed case 112041: Arbitrary file overwrite in checkstunnel script.
- [security] Fixed case 112361: Arbitrary file overwrite via Tailwatch cPBandwd driver.
- [security] Fixed case 113101: Arbitrary code execution as shared webmail accounts.
- [security] Fixed case 113477: Arbitrary code execution as cpanel-horde user via cache file poisoning.

11.40.1.20

2014-08-04

- [security] Fixed case 108965: Bypass of account suspension via mod_userdir.

11.40.1.19

2014-07-22

- [security] Fixed case 105465: Update Exim to 4.82-4.cp1136 for CVE-2014-2972.

11.40.1.18

2014-07-21

- [security] Fixed case 93321: Limited arbitrary file modification via LeechProtect subsystem.
- [security] Fixed case 98125: Process locking based on 'ps' vulnerable to attack by local users.
- [security] Fixed case 98253: Insecure permissions on eximstats SQL password file.
- [security] Fixed case 99353: Self-stored XSS vulnerability in WHM SSH key management interface.
- [security] Fixed case 99637: Stored XSS vulnerability in WHM listaccts interface.
- [security] Fixed case 99749: Bypass of account ownership restrictions during account creation.
- [security] Fixed case 99861: Update analysis logs sent without proper SSL certificate validation.
- [security] Fixed case 100669: Self-Stored XSS Vulnerability in WHM Manage Custom RBLs.
- [security] Fixed case 100677: Arbitrary file unlink via fixwebalizer script.
- [security] Fixed case 100685: Stored XSS Vulnerability in WHM Email All Users.
- [security] Fixed case 100957: Arbitrary YAML file read via import_old_support_cfg script.
- [security] Fixed case 101013: Self-stored XSS Vulnerability in WHM Disk Usage.
- [security] Fixed case 102105: Bypass of account suspension via mail filters.
- [security] Fixed case 102401: Limited SQL injection vulnerability in LeechProtect.
- [security] Fixed case 102853: Self XSS Vulnerability in WHM EasyApache Launcher.
- [security] Fixed case 102877: Self XSS Vulnerability in WHM Legacy Language File Upload.
- [security] Fixed case 104101: Self-stored XSS vulnerability in view_cert.tt.
- [security] Fixed case 104105: Self-stored XSS vulnerability in view_key.tt.
- [security] Fixed case 105273: Self-stored XSS vulnerability in view_csr.tt.
- [security] Fixed case 105345: Arbitrary file read via Exim virtual aliases.
- [security] Fixed case 105469: Bypass of commonddomains and hostname restrictions in WHM Add DNS interface.

11.40.1.17

2014-07-16

- Fixed case 107105: Initial install of cPanel w/ Apache MPM ITK properly sets up suEXEC.
- Implemented case 94577: Prevent user from enabling suEXEC when Apache MPM Itk is installed.

11.40.1.16

2014-07-01

- Fixed case 103305: Disable mod_userdir when Apache MPM ITK is installed.

11.40.1.15

2014-06-12

- [security] Fixed case 89109: Backport fix for Horde-Webmail CVE-2014-1691.
- Fixed case 95449: Fetch in-WHM change logs from atom.cpanel.net.
- Fixed case 101609: Update /scripts/enablefileprotect with Apache MPM ITK support.

11.40.1.14

2014-05-19

- TSR-2014-0004

11.40.1.13

2014-03-24

- [security] Fixed case 85329: Sensitive information disclosed via multiple log files.
- [security] Fixed case 86337: Injection of arbitrary DNS zonefile contents via cPanel DNS zone editors.
- [security] Fixed case 87205: Open redirect vulnerability in FormMail -clone.

- [security] Fixed case 87873: Multiple format string vulnerabilities in Cpanel::API::Fileman.
- [security] Fixed case 88577: Arbitrary file overwrite via trackupload parameter.
- [security] Fixed case 88793: External XML entity injection in WHM locale upload interface.
- [security] Fixed case 89009: Arbitrary code execution for ACL limited resellers via WHM Activate Remote Nameservers interface.
- [security] Fixed case 89057: Fix self-XSS vulnerability on reseller branding download page.
- [security] Fixed case 89133: Fix self-stored XSS vulnerability in WHM Backup Configuration.
- [security] Fixed case 89137: Fix self-XSS vulnerability in WHM Local XML Upload.
- [security] Fixed case 89377: Arbitrary code execution for ACL limited resellers via WHM objcache.
- [security] Fixed case 89729: Insufficient ACL checks in WHM Modify Account interface.
- [security] Fixed case 89733: Injection of arbitrary data into cpuser configuration files via wwwacct.
- [security] Fixed case 89789: Arbitrary code execution for ACL limited resellers via batch API.
- [security] Fixed case 90001: Sensitive information disclosed via update-analysis tarballs.
- [security] Fixed case 90213: Self XSS vulnerability in WHM MySQL Root Password interface.
- [security] Fixed case 90225: Multiple self XSS vulnerabilities in CloudLinux LVE Manager.
- [security] Fixed case 90249: Self XSS vulnerability in WHM Xferlog Tail.
- [security] Fixed case 90257: Self XSS vulnerability in WHM Edit System Mail Preferences.
- [security] Fixed case 90261: Stored XSS Vulnerability in WHM SSH Check.
- [security] Fixed case 90265: Open mail relay via injection of FormMail -clone parameters.
- [security] Fixed case 90289: Self XSS vulnerability in WHM Zone Editor.
- [security] Fixed case 90757: Self XSS vulnerability in Mailing Lists Admin Privledges Delegation.
- [security] Fixed case 90773: Self-stored XSS vulnerability in cPanel Hotlink Protection.
- [security] Fixed case 90777: Self-stored XSS vulnerability in Web Disk Accounts.
- [security] Fixed case 90817: Self XSS vulnerability in listfmfiles.json.
- [security] Fixed case 90837: Self-stored XSS vulnerability in Redirects.
- [security] Fixed case 91253: Stored XSS vulnerability in cPAddons Moderation Requests.
- [security] Fixed case 91457: Self XSS vulnerability in cPanel PHP Test.
- [security] Fixed case 91461: Self XSS vulnerability in Entropy Banner Upload.
- [security] Fixed case 91633: Self XSS vulnerability in Fetch Mail Archive.
- [security] Fixed case 91677: Self-stored XSS vulnerability in cPanel Image Manager Scaler.
- [security] Fixed case 91681: Self-stored XSS vulnerability in cPanel Image Manager Thumbnailer.
- [security] Fixed case 91717: Self-XSS vulnerabilities in BoxTrapper _getaccountinfo/BoxTrapper_getemaildirs.
- [security] Fixed case 91741: Arbitrary code execution via backup excludes.
- [security] Fixed case 91973: Self XSS vulnerability in cPanel Image Manager Scaler.
- [security] Fixed case 91977: Self XSS vulnerability in cPanel Image Manager Format Converter.
- [security] Fixed case 91981: XSS Vulnerabilities in cPanel Image Manager Thumbnailer.
- [security] Fixed case 92133: Self XSS vulnerability in Delete Private SSH Key.
- [security] Fixed case 92157: Stored XSS vulnerability in FrontPage Install/Uninstall.
- [security] Fixed case 92421: Self XSS vulnerability in Mail Settings Container AJAX.
- [security] Fixed case 92489: SSH private key disclosure during key import process.
- [security] Fixed case 92593: Reflected XSS vulnerability in Entropy Search.
- [security] Fixed case 92601: User .my.cnf files set to world readable during upcp.
- [security] Fixed case 93089: Self XSS Vulnerability in Redirect Removal Confirm.
- [security] Fixed case 93125: Self XSS Vulnerability in Default Website Page.
- [security] Fixed case 94201: Insufficient validation allows password reset of arbitrary users.

11.40.1.11

2014-02-04

- Fixed case 83093: Make Munin and ClamAV always authorized in AppConfig.
- Fixed case 83681: Allow MySQL upgrades even if mysql is disabled.
- Fixed case 86489: Fix display of details for blocked updates in WHM.
- Fixed case 87065: Add SRV support to Softlayer dnsadmin module.
- Fixed case 88369: Run make rpm.versions on autobuild server.
- Fixed case 88389: Update MySQL55 to 5.5.35-1.cp1136.
- Fixed cases 88697,88085: Ensure that we drop privs to read users' .my.cnf files.
- Fixed case 89825: Fix parking a domain through WHM.
- Implemented case 84481: Update ioncube loader to 4.5.0.

11.40.1.10

2014-02-03

- [security] Fixed case 84385: Arbitrary code execution as cpanel-horde user via cache file poisoning.
- [security] Fixed case 84633: Fix multiple self XSS vulnerabilities in Cpanel::Htaccess.
- [security] Fixed case 84877: Fix self XSS vulnerability in Initial Setup Wizard.
- [security] Fixed case 84881: Fix stored XSS vulnerability in Set Default Address.

- [security] Fixed case 84885: Fix XSS vulnerability in /x3/mail/filters/editfilter.html.
- [security] Fixed case 84893: Fix XSS vulnerabilities in BoxTrapper Configuration.
- [security] Fixed case 84897: Fix self XSS vulnerabilities in HTTP Bandwidth View.
- [security] Fixed case 84901: Fix stored XSS vulnerability in Image Thumbnailer.
- [security] Fixed case 85029: Fix self XSS vulnerability in Import Addresses/Forwarders.
- [security] Fixed case 85133: Fix stored XSS vulnerability in File Editor.
- [security] Fixed case 85177: Fix multiple self XSS vulnerabilities in CGI Center.
- [security] Fixed case 85229: Fix multiple self XSS vulnerabilities in PostgreSQL database deletion.
- [security] Fixed case 85249: Fix XSS vulnerability in Add Postgres User to DB.
- [security] Fixed case 85273: Fix self-XSS vulnerability in Hotlink Protection.
- [security] Fixed case 85457: Fix self XSS vulnerability in BoxTrapper Verification.
- [security] Fixed case 85461: Fix multiple self XSS vulnerabilities in Cpanel::Boxtrapper.
- [security] Fixed case 85589: Fix XSS vulnerability in Tweak Settings.
- [security] Fixed case 85981: Fix XSS vulnerability in WHM Add A Package interface.
- [security] Fixed case 86017: Fix XSS vulnerability in Security Questions interfaces.
- [security] Fixed case 86329: Fix stored XSS vulnerability in Edit MX Entry.
- [security] Fixed case 86341: Arbitrary file read as root during cPanel account creation for ACL limited resellers.
- [security] Fixed case 86381: Disclosure of root's accesshash to ACL limited resellers via WHM xml-api.
- [security] Fixed case 86453: Injection of arbitrary settings into cpuser files via account creation.
- [security] Fixed case 86461: Overwriting of trusted inputs to third party hooks scripts.
- [security] Fixed case 86857: Limited arbitrary file overwrite for ACL limited resellers via domain parking.
- [security] Fixed case 87081: Fix self-XSS vulnerability in Redirects.
- [security] Fixed case 87317: Arbitrary code execution as root for ACL limited resellers via cluster configuration interfaces.
- [security] Fixed case 87421: Fix XSS vulnerability in code editor.
- [security] Fixed case 87433: Injection of arbitrary settings into cpuser files via mxcheck setting.
- [security] Fixed case 87437: ACL limited resellers allowed to disable digest authentication for arbitrary accounts.
- [security] Fixed case 87457: Fix self-XSS vulnerability in cPAddons Feature Manager.
- [security] Fixed case 87625: ACL limited resellers allowed to restore backups for the accounts they control.
- [security] Fixed case 88061: Mis-assignment of IP addresses for ACL limited resellers via createacct.
- [security] Fixed case 88093: Fix XSS vulnerability in Full Backup.
- [security] Fixed case 88097: Fix XSS vulnerability in Restore Files.
- [security] Fixed case 88129: Fix XSS vulnerability in Restore a MySQL Backup.
- [security] Fixed case 88133: Fix XSS vulnerability in Restore Email Filters.
- [security] Fixed case 88137: Fix XSS vulnerability in Full Backup.
- [security] Fixed case 88141: Fix XSS vulnerability in IP Deny Manager.
- [security] Fixed case 88145: Fix XSS vulnerability in IP Deny Manager.
- [security] Fixed case 88149: Fix XSS vulnerability in IP Deny Manager index page.
- [security] Fixed case 88153: Fix XSS vulnerability in Image Tools.
- [security] Fixed case 88157: Fix XSS vulnerability in various pages that save files.
- [security] Fixed case 88165: Fix XSS vulnerability in Legacy File Manager file extraction.
- [security] Fixed case 88173: Fix XSS vulnerability in Legacy File Manager viewer.
- [security] Fixed case 88181: Fix XSS vulnerability in FrontPage status listing.
- [security] Fixed case 88209: Fix multiple XSS vulnerabilities in Cpanel::LeechProtect.
- [security] Fixed case 88213: Fix XSS vulnerability in Network Tools.
- [security] Fixed case 88229: Fix XSS vulnerability in Parked Domains.
- [security] Fixed case 88253: Fix XSS vulnerability in PostgreSQL user removal.
- [security] Fixed case 88257: Fix XSS vulnerability in Analog log viewer.
- [security] Fixed case 88261: Fix XSS vulnerability in subdomain redirects.
- [security] Fixed case 88265: Fix XSS vulnerability in adding a subdomain.
- [security] Fixed case 88269: Fix stored XSS vulnerability in cPAddons.
- [security] Fixed case 88277: Fix XSS vulnerability in MySQL APIs.
- [security] Fixed case 88281: Fix multiple XSS vulnerabilities in BoxTrapper queue search.
- [security] Fixed case 88285: Fix XSS vulnerability in BoxTrapper::changestatus.
- [security] Fixed case 88289: Fix XSS vulnerability in BoxTrapper::editmsg.
- [security] Fixed case 88293: Fix XSS vulnerability in BoxTrapper::listmsgs.
- [security] Fixed case 88297: Fix XSS vulnerability in BoxTrapper::messageaction.
- [security] Fixed case 88301: Fix XSS vulnerability in BoxTrapper::resetmsg.
- [security] Fixed case 88305: Fix stored XSS vulnerability in BoxTrapper::showemails.
- [security] Fixed case 88309: Fix XSS vulnerability in BoxTrapper::showlog.
- [security] Fixed case 88313: Fix XSS vulnerability in BoxTrapper::showmsg.
- [security] Fixed case 88321: Fix XSS vulnerability in BoxTrapper::getboxconfdir.
- [security] Fixed case 88325: Fix multiple XSS vulnerability in BoxTrapper.
- [security] Fixed case 88341: Arbitrary code execution for ACL limited resellers during account creation.

11.40.1.9

2014-01-06

- Fixed case 82549: Ensure clamav directory is given correct ownership and permissions.
- Fixed case 85317: Improve CA Bundle parsing, etc.

- Fixed case 86169: Fixes issue where MySQL spinner was not properly hiding.

11.40.1.8

2013-12-23

- Fixed case 86349: Segfault in cpsrvd.so on some CentOS 5 systems.

11.40.1.7

2013-12-20

- [security] Fixed case 84681: Arbitrary file read for ACL limited reseller accounts via XML-API.

11.40.0.31

2013-12-20

- [security] Fixed case 84681: Arbitrary file read for ACL limited reseller accounts via XML-API.

11.40.1.5

2013-12-19

- Fixed case 84937: Update cpanel-php53-PEAR to latest version.

11.40.1.4

2013-12-18

- Fixed case 75681: Make appconfig only email if it is a new registration.
- Fixed case 82261: Update dovecot to 2.2.9-2.cp1140.
- Fixed case 84085: Restart cpsrvd when resetting a SSL cert.
- Fixed case 84173: Patch ruby for RHEL/CentOS 6.5 openssl support.
- Fixed case 84393: Mount directories rw so mailman can function under jail.
- Fixed case 85005: Save access hash of remote server with correct key.
- Implemented case 84585: Jail_safe_passwd should fallback to /usr/bin/passwd for non-cPanel users.

11.40.1.3

2013-12-16

- [security] Fixed case 63541: Arbitrary code execution via user supplied translatable phrases.
- [security] Fixed case 69517: World-writable Counter directory allowed arbitrary code execution.
- [security] Fixed case 73125: After multiple security token failures, session credentials were not invalidated.
- [security] Fixed case 73193: Unsafe disclosure of security token during session based login.
- [security] Fixed case 78045: Stored XSS vulnerability in WHM Daily Process Log screen.
- [security] Fixed case 78089: Password disclosure during forced cPAddons upgrade.
- [security] Fixed case 79277: Arbitrary file read vulnerability in WHM Edit DNS Zone interface.
- [security] Fixed case 80633: Arbitrary file write via X3 countedit.cgi.
- [security] Fixed case 81373: Bandmin passwd file stored with world-readable permissions.
- [security] Fixed case 81377: Multiple XSS vulnerabilities found in Bandmin.
- [security] Fixed case 81429: URL filtering flaws allowed access to restricted resources.
- [security] Fixed case 81641: Path traversal flaw allows arbitrary code execution for restricted cPanel accounts.
- [security] Fixed case 81885: Multiple self-XSS vulnerabilities found in cPanel.
- [security] Fixed case 82309: Insecure storage of Logaholic session files was found.
- [security] Fixed case 80133: cPHulk injection via crafted SSH connections.
- [security] Fixed case 82725: XSS vulnerability found in YUI 2.

- [security] Fixed case 82733: Database grant files stored with world-readable permissions.
- [security] Fixed case 83929: A cross-account XSRF attack against reseller override logins was possible via goto_uri.
- Fixed case 83501: Disallow \g in MySQL GRANT statements during account restores.

11.40.0.29

2013-12-16

- [security] Fixed case 63541: Arbitrary code execution via user supplied translatable phrases.
- [security] Fixed case 69517: World-writable Counter directory allowed arbitrary code execution.
- [security] Fixed case 73125: After multiple security token failures, session credentials were not invalidated.
- [security] Fixed case 73193: Unsafe disclosure of security token during session based login.
- [security] Fixed case 78045: Stored XSS vulnerability in WHM Daily Process Log screen.
- [security] Fixed case 78089: Password disclosure during forced cPAddons upgrade.
- [security] Fixed case 79277: Arbitrary file read vulnerability in WHM Edit DNS Zone interface.
- [security] Fixed case 80633: Arbitrary file write via X3 countedit.cgi.
- [security] Fixed case 81373: Bandmin passwd file stored with world-readable permissions.
- [security] Fixed case 81377: Multiple XSS vulnerabilities found in Bandmin.
- [security] Fixed case 81429: URL filtering flaws allowed access to restricted resources.
- [security] Fixed case 81641: Path traversal flaw allows arbitrary code execution for restricted cPanel accounts.
- [security] Fixed case 81885: Multiple self-XSS vulnerabilities found in cPanel.
- [security] Fixed case 82309: Insecure storage of Logaholic session files was found.
- [security] Fixed case 80133: cPHulk injection via crafted SSH connections.
- [security] Fixed case 82725: XSS vulnerability found in YUI 2.
- [security] Fixed case 82733: Database grant files stored with world-readable permissions.
- [security] Fixed case 83929: A cross-account XSRF attack against reseller override logins was possible via goto_uri.
- Fixed case 83501: Disallow \g in MySQL GRANT statements during account restores.

11.40.1.1

2013-12-09

- Fixed case 77165: Skip adding ipv6 to vhost if userdata invalid.
- Fixed case 82249: Fixed WHM to work with the Chrome LastPass extension.
- Fixed case 83237: Prevent "clamd.rpmorig" & "clamd.rpmsave" being included in WHM Service Manager.
- Fixed case 83765: Allow mailman to work properly under mod_ruid2.
- Fixed case 84445: SSO sessions getting killed off on account creation.

11.40.1.0

2013-12-03

- Fixed case 51473: Unsuspend .htaccess after transfer of a suspended user.
- Fixed case 60836: Prevent unexpected error when creating addon domain whose name contains "error".
- Fixed case 67081: Update Mail::SpamAssassin to 3.003002-3.cp1136.
- Fixed case 68097: Update jshint to 2.3.0.
- Fixed case 71021: Add hostname to new app_config email.
- Fixed case 72181: Fix xferpoint argument problem on express transfers.
- Fixed case 74349: Do not load extras information when trying to get PHP version.
- Fixed case 74789: Update MySQL 5.5 to remove stale PID files.
- Fixed case 76857: Allow suspending MySQL users with old-style passwords.
- Fixed case 76921: Create temporary files in mail tmp directory when clamscan checks mail directories.
- Fixed case 77073: Handle ftp server restart when the service is disabled.
- Fixed case 77445: Copy the phpmyadmin landing page logic to phppgadmin.
- Fixed case 77689: Make Config Cron in WHM save correct paths.
- Fixed case 77757: Show validation messages for security questions.
- Fixed case 77913: Improve wording of "Submit a Support Request".
- Fixed case 78017: Restart service after installing service SSL certificate.
- Fixed case 78097: Fix double-encoding in Update Contact Info.
- Fixed case 78101: Fix HTML encoding on Security Questions page.
- Fixed case 78217: Fix broken symlinks in /usr/local/cpanel/3rdparty/bin.
- Fixed case 78225: Skip old PHP Config options in PHP.
- Fixed case 78273: Enable horde webmail notifications by supporting wav file downloads.
- Fixed case 78361: Add a how-to to cpanel_initial_install.
- Fixed case 78365: Fix improper usage of grep in scripts/initquotas.

- Fixed case 78385: Removed a period to fix locale string from being displayed.
- Fixed case 78413: Add remote server to connection info when restoring mysql backups.
- Fixed case 78509: RTL Workflow and alignment fixes for the UI.
- Fixed case 78573: Improve the way the duration of upcp is obtained.
- Fixed case 78597: Emailtrack_user_stats api fails to pass sender and leaves __chunked in metadata.
- Fixed case 78721: Do not die when Cpanel::HttpUtils::SSL tries to get domain IP.
- Fixed case 78769: Perl 5.6 JSON::XS fails with a number literal.
- Fixed case 78817: Don't allow overly short email passwords.
- Fixed case 78861: Fixed issues with recovering mailman permissions.
- Fixed case 78897: Remove arguments to emailtrack_stats that do not do anything.
- Fixed case 79041: Adjust IP usage in DNSONLY to not use httpd.conf.
- Fixed case 79049: Fix zombie children being left behind in jailshell.
- Fixed case 79081: Update cpanel-angularjs to 1.2.0rc1-2.cp1140.
- Fixed case 79097: Update cairo to add copyright file.
- Fixed case 79101: Update cpanel-ckeditor to 4.2-3.cp1140.
- Fixed case 79105: Update cpanel-elfinder to 2.0.rc1-3.cp1140.
- Fixed case 79109: Update jquery to 1.10.2-2.cp1140.
- Fixed case 79113: Update cpanel-jquery-ui to cpanel-jquery-ui-1.8.18-1.8.18-3.cp1140.
- Fixed case 79117: Update cpanel-jquery-ui-themes-1.8.18 to 1.8.18-1.8.18-3.cp1140.
- Fixed case 79145: Fix Backup Restoration not loading on bad JSON.
- Fixed case 79149: Update cpanel-libtidy to 1.0-2.cp1136.
- Fixed case 79161: Update emacs RPM to include a copyright file.
- Fixed case 79165: Update spidermonkey (js185) to 1.0.0-2.cp1136.
- Fixed case 79185: Update webalizer to 2.23_05-2.cp1136.
- Fixed case 79193: Update pigz to 2.2.5-2.cp1136.
- Fixed case 79205: Update cpanel-yui to 2.9.0-3.cp1136.
- Fixed case 79213: Update cpanel-pango to 1.28.0-2.cp1136.
- Fixed case 79269: Update cpanel-re2c to 0.13.5-2.cp1136.
- Fixed case 79273: Update cpanel-wwwcount to 2.5-3.cp1136.
- Fixed case 79281: Update cpanel-libmcrypto to 2.5.8-2.cp1136.
- Fixed case 79285: Update pcre to 8.31-2.cp1136.
- Fixed case 79293: Update pixman to 0.24.2-2.cp1136.
- Fixed case 79297: Update puttygen to 0.62-2.cp1136.
- Fixed case 79313: Update freetype to 2.4.10-2.cp1136.
- Fixed case 79321: Update cpanel-ImageMagick to 6.8.0-2.cp1136.
- Fixed case 79329: Update cpanel-glib to 2.22.5-2.cp1136.
- Fixed case 79337: Update cpanel-rrdtool to 1.4.7-2.cp1136.
- Fixed case 79341: Update cpanel-libsrs_alt to 1.0-2.cp1136.
- Fixed case 79345: Update cpanel-libxml2 to 2.7.7-2.cp1136.
- Fixed case 79389: Update cpanel-postgresql to 9.0.8-2.cp1136.
- Fixed case 79405: Add cpanel-common-licenses RPM.
- Fixed case 79413: Move access-logs on user rename.
- Fixed case 79417: Update cpanel-analog to 6.0-2.cp1136.
- Fixed case 79425: Update cpanel-libspf2 to 1.2.9-2.cp1136.
- Fixed case 79433: Update cpanel-fontconfig to 2.8.0-2.cp1136.
- Fixed case 79485: Update bandmin to 1.6.1-10.cp1136.
- Fixed case 79489: Update mydns rpm to add copyright file.
- Fixed case 79493: Update cpanel-imap to 2007f-2.cp1136.
- Fixed case 79497: Update proftpd rpm to new version.
- Fixed case 79501: Update NSD RPM with copyright information.
- Fixed case 79505: Update cpanel-perl-514-munin to 1.4.7-10.cp1136.
- Fixed case 79509: Update cpanel-git to 1.8.3.4-3.cp1136.
- Fixed case 79537: Update courier-authlib to 0.65.0-2.cp1136.
- Fixed case 79541: Update cpanel-cgiemail to 1.6-2.cp1136.
- Fixed case 79553: Update pure-ftpd to include copyright.
- Fixed case 79561: Update dovecot to 2.2.5-3.cp1136.
- Fixed case 79573: Update cpanel-php53 to 5.3.17-6.cp1136.
- Fixed case 79593: Update clamav RPM to add copyright file.
- Fixed case 79605: Update cpanel-php53-ioncube to 4.2.2-2.cp1136.
- Fixed case 79609: Update cpanel-php53-zendopt to 5.5.0-2.cp1136.
- Fixed case 79613: Update cpanel-php53-sourceguardian to 8.2-2.cp1136.
- Fixed case 79677: Update MySQL55 to 5.5.34-2.cp1136.
- Fixed case 79681: Update MySQL51 to 5.1.70-2.cp1136.
- Fixed case 79693: Update cplint RPM to 0.061.
- Fixed case 79697: Update cpanel-common-licenses to add PHP license.
- Fixed case 79737: Fix calendar validator issue with autoresponders.
- Fixed case 79749: Return valid data when backup directory has not been configured.
- Fixed case 79753: Fixed a bug with restoring postgres main user.
- Fixed case 79813: Rebuild /etc/nameserverips on restorepkg.
- Fixed case 79825: Update cpanel-common-licenses to 1.0.0-3.cp1136.
- Fixed case 79853: Update PHP 5.3 PEAR modules.
- Fixed case 79917: Postgres and MySQL now report errors in the UI.

- Fixed case 80045: Sshcontrol should stop looking for Permission denied after CRLF.
- Fixed case 80205: Enable wildcard stats generation.
- Fixed case 80437: Fix jailshell recursive mount readonly fs problem.
- Fixed case 80577: Move Security Advisor to a submodule.
- Fixed case 80585: Strip out <Limit> on .htaccess test on apache 2.4.
- Fixed case 80689: Use password instead of pass for .my.cnf.
- Fixed case 80953: Directory for AppConfig icons not created by default.
- Fixed case 80993: Fix Cpanel::PHPINI and Internal PHP incompatibility.
- Fixed case 81025: Set correct alarms for backup restore.
- Fixed case 81069: Process \$include directives in zone parser.
- Fixed case 81077: Make total disk usage and quota limit display correctly in cPanel.
- Fixed case 81101: Hide 'Allow MySQL Password Change' when no .my.cnf exists.
- Fixed case 81129: Make cpaddonsup --force actually update the data.
- Fixed case 81197: Fix user gemrc path on account rename.
- Fixed case 81257: Html can leak out of realchpass on error when called from wwwacct.
- Fixed case 81265: Use universal 3-line shebang for unpkgacct.
- Fixed case 81293: Update exim to 4.82-1.cp1136.
- Fixed cases 81497,81849: Fix universal redirect for server hostname.
- Fixed case 81537: Make doc page open in new window.
- Fixed case 81557: Update stats using Logaholic for wildcard subdomains.
- Fixed case 81585: Apply validation to numeric rules in email filters.
- Fixed case 81589: Ruby on Rails Manager should skip suspended accounts.
- Fixed case 81593: Update cPanel init scripts so they all use consistent settings.
- Fixed case 81697: Limit the number of rpm calls when fetching the number of altered rpms.
- Fixed case 81701: Ignore generated files for the es-419 locale.
- Fixed case 81713: Restore access log file ownership after processing.
- Fixed case 81717: Correct login page locale selection message.
- Fixed case 81761: Disallowed octal values in exim filters.
- Fixed case 81773: Fix benign error in 11.38 to 11.40 update.
- Fixed case 81789: Fix path to autorepair script for upcp.
- Fixed case 81797: Improve error handling during lookup of user info.
- Fixed case 81929: Remove scripts/.htaccess.
- Fixed case 81945: Improve error catching for removing shared ssl certificates.
- Fixed case 82021: Improve validation of Ethernet device names.
- Fixed case 82033: Improve updating of Virtual Hosts in proftpd.conf.
- Fixed case 82313: Fix Logaholic reporting and permissions.
- Fixed case 82353: Don't restart upcp when sync requested.
- Fixed case 82357: Make Exim config backup/restore system handle one more file.
- Fixed case 82361: Fix validation-related JS error on Email Accounts page.
- Fixed case 82365: Show proper allowed length of usernames..
- Fixed case 82397: Fix SNI and stapling detection in non-English locales.
- Fixed case 82553: Make fixmailinglistperms use the correct permissions.
- Fixed case 82605: Ignore compiled wrap binaries.
- Fixed case 82641: Prevent printing new MySQL password on password change.
- Fixed case 82769: Add trailing slash to mailman mailing list URL.
- Fixed case 82801: Change maillist html permissions to 664 so mailman can edit them.
- Fixed case 82825: Improve error message for corrupt backup meta data file.
- Fixed case 83021: Unregister_appconfig tries to remove wrong file path for CageFS.
- Fixed case 83573: Offer user ability to restart cpsrvd post new cert.
- Fixed case 83665: Provide a sorting tool to 'Tidy' rpm.versions files tracked in source.
- [security] Fixed case 78481: Update MySQL51 to 5.1.72-2.cp1136.
- [security] Fixed case 80905: Change permissions on existing transfer logs.
- [security] Fixed case 80749: Increment Logaholic patch level.
- [security] Fixed case 80813: Update cpanel-node to 0.10.21-1.cp1140.
- [security] Fixed case 80725: Also allow redirect to shared SSL hosts.
- [security] Fixed case 80433: Patch mailman CGIs to run setuid mailman.
- [security] Fixed case 74889: Prevent disclosure of security token through referrer.
- [security] Fixed case 75373: Prevent jailshell escape through Contact Customer Support.
- Implemented case 60471: Update pure-ftpd to 1.0.36-10.cp1136.
- Implemented case 68101: Update cpanel-node-packages to 1.2-1.cp1140.
- Implemented case 71681: Install screen via sysup.
- Implemented case 77201: Add option to skip MD5 check when verifying RPM package.
- Implemented case 78309: Allow Logaholic to function without first requiring password login.
- Implemented case 78389: Update MySQL to 5.5.34.
- Implemented case 78521: Stop shipping obsolete autofixer horde_sqmail_current_fix.
- Implemented case 78713: Added button to update Postgres grants.
- Implemented case 79525: Update exim to add copyright file.
- Implemented case 79549: Create a list of file system types for quota to ignore.
- Implemented case 79637: Update cpanel-clamav to 0.98-1.cp1140.
- Implemented case 80861: Update Cpanel::CPAN::Locales to upstream v0.30.
- Implemented case 81173: Update SOAP::Lite to 1.03-1.cp1136.
- Implemented case 81405: Provides the ability for a single session locale.

- Implemented case 81765: Add new API2 function DomainLookup::api2_getmaindomain.
- Implemented case 81937: Allow custom locales to be uploaded and downloaded in XLIFF format.
- Implemented case 83013: Added support for SVG images in cpanel/webmail.
- Implemented case 83101: Add logging extra logging dnsadmin failures.

11.40.0.26

2013-11-26

- Fixed case 82557: Support removal of duplicate RPMs.
- Fixed case 82793: Improve IPv6 enable/disable handling of zone file.
- Fixed case 83241: Show list for IP selection during account creation.
- Fixed case 83417: Enable IMAP namespace advertising in dovecot.
- Fixed case 83537: Update cpanel-clamav to 0.98-3.cp1140.

11.40.0.24

2013-11-19

- Fixed case 78649: Fix addhost to use the right grants.
- Fixed case 79873: Added Relative URL support to HTML Editor.
- Fixed case 81957: Ensure delayed update does not happen on weekends.
- Fixed case 82037: Change log notification level on update block.
- Fixed case 82277: Restore the Quotesafe template plugin.
- Fixed case 82281: Update exim to 4.82-2.cp1136.
- Fixed case 82305: Permit /112 ranges to be added for IPv6.
- Fixed case 82321: Fix Logaholic reporting and permissions.
- Fixed cases 82393,77077: Fixed namespacing issue with Horde.
- Fixed case 82417: Expand company name validation.
- Fixed cases 82449,80933: Make pkgacct work with archives larger than 4GiB.
- Fixed case 82453: Update cpanel-clamav to 0.98-2.cp1140.
- Fixed cases 82677,82721: Do not print Content-Type if downloading EA3 logs.
- Fixed case 82745: Don't kill open connections during AppConfig (un)register.
- Fixed case 82749: Add yum timeout update blocker.
- Fixed case 82765: Fix improper feature list update in post sync.
- Fixed case 82953: Prevent EasyApache duplicate headers.
- Fixed case 83009: Remove additional Content-Type header from easyapache.pl.
- Fixed case 83077: Allow files up to 1 MB in file manager HTML editor.

11.40.0.19

2013-11-06

- Fixed case 78477: Add userdata for CA bundle on SSL installs.

11.40.0.18

2013-11-06

- Fixed case 81073: Ensure mailman startup has perms to create jail flag file.
- Fixed case 81845: Allow installing a previous certificate as root.

11.40.0.17

2013-11-06

- Fixed case 74949: Add content type to EasyApache cgi script.
- Fixed case 81093: cpses_tool is too verbose and does not properly disconnect from sql servers.
- Fixed case 81153: Check ownership of all files before mailman update.
- Fixed case 81325: Fixed problem with hooks not being triggered on account modify.

- [security] Fixed case 81409: Update Roundcube to 0.9.5.
- Fixed case 81705: Make EasyApache error message visually appealing.

11.40.0.16

2013-10-29

- Fixed case 80225: Ensure that new accounts are setup with correct ip.
- Fixed case 80257: Update exim to prefer IPv4 over IPv6.
- Fixed case 80409: Grant roles to database users on account restore.
- Fixed case 80441: Horde: Use INBOX namespace for new folders by default.
- Fixed case 80445: Enforce apache build options for ipv6.
- Fixed case 80625: Postgres and MySQL now report errors in the UI.
- Fixed case 80729: Suppress erroneous error messages in logaholic.
- Fixed case 80841: Fix horde subfolder creation namespace problem.
- Fixed case 80877: Mailman does not function inside jailshells.
- Fixed case 81125: Allow redirect to installed SSL hosts for wildcard certs.
- Fixed case 81169: Send the upcp failure message when a postinstall task fails.
- Fixed case 81301: Generate DKIM private keys as 0640.
- Fixed case 81333: Fix compile error with Perl 5.6.
- Fixed case 81425: Fix link to IPv6 Ranges page.
- Implemented case 81217: Alert users that using our tool will likely overwrite their custom IPV6 configs.

11.40.0.12

2013-10-23

- [security] Fixed case 69513: Create Logaholic directories with 700 permissions.
- [security] Fixed case 74525: Prevent leaking of security token in Manage SSL Hosts interface.
- [security] Fixed case 74565: Restrict custom contact programs to the same shell as the reseller.
- [security] Fixed case 76085: Prevent virtual email accounts owned by a reseller from manipulating translations.
- [security] Fixed case 76541: Remove only the temporary file when deleting unused file uploads.
- [security] Fixed case 76549: Sanitize multipart POST data to prevent fake file uploads.
- [security] Fixed case 76789: Create transfer logs with 0600 permissions.
- [security] Fixed case 76869: Update Dovecot handling of checkpassword authentication for CVE-2013-6171.
- [security] Fixed case 76941: Fix Cpanel::LogMeIn session expiration.
- [security] Fixed case 77837: Sanitize logaholic_lang cookie before use.
- [security] Fixed case 78177: Patch mailman CGIs to run setuid mailman.
- [security] Fixed case 78253: Fix WHM mod_userdir tweak compatibility with mod_ruid2.
- [security] Fixed case 79133: Sanitize whitespace in SSL certificates before installation.
- Implemented case 80245: Add cpanel-common-licenses RPM.

11.40.0.9

2013-10-16

- Fixed case 80477: MySQL old passwords breaks on 32 bit systems on 11.40
- Fixed case 80497: Update Archive::Tar::Builder should not fail on bad permissions
- Fixed case 80465: Improve error handling for pkgacct tar/gzip

11.40.0.8

2013-10-16

- Fixed case 80049: Fix broken Enable Digest Authentication page.

11.40.0.7

2013-10-16

- Fixed case 78249: Make sure that logahoic profile schema updates correctly on upgrade.
- Fixed case 78909: Update phpMyAdmin to 4.0.8.
- Fixed case 78957: Adjust display & grammar of API Shell.
- Fixed case 79721: Minor style problem found with package edit submit button.
- Fixed case 79733: Remove Old Security Policy Installs.
- Fixed case 79737: Fix calendar validator issue with autoresponders.
- Fixed case 79753: Fixed a bug with restoring postgres main user.
- Fixed case 79777: Fix security advisor in IE.
- Fixed case 79797: Terminate account was leaving postgres db roles.
- Fixed case 79861: Identify symlinks as symlinks in Fileman API.
- Fixed case 79865: Old MySQL password compatibility.
- Fixed case 79869: Update postgres user password when restoring an account.
- Fixed case 79889: Fix Horde sent mail folder prefix.

11.40.0.6

2013-10-09

- Fixed case 79729: Fix broken reference to find_pg_dump in PostgresAdmin.pm.

11.40.0.5

2013-10-09

- Fixed case 79713: Resolve account transfer error from PostgresAdmin.pm.

11.40.0.4

2013-10-09

- Fixed case 78333: Validation errors outside the viewport are not seen.
- Fixed case 79029: Respect cpnat IP in Reset a DNS Zone.
- Fixed case 79617: Make Fileman report an error when can not change directory.

11.40.0.3

2013-10-08

- Fixed case 76817: Update git to 1.8.3.4-2.cp1136.
- Fixed case 77737: Corrected CSS specificity of ul in structure.less.
- Fixed case 77829: Support missing package extensions in edit user/package.
- Fixed case 77989: Mailman archives fail to function with mod_ruid2.
- Fixed case 78057: Fixed webalizer ftp log handling in cpanellogd.
- Fixed case 78137: Stop clobbering old cPaddons moderation requests.
- Fixed case 78213: Update clamav to 0.97.8-2.cp1140.
- Fixed case 78513: Remove unexpected sub-package rpms from srpm_versions in etc/rpm.versions file.
- Fixed case 78529: Only check branding files if directory exists.
- Fixed case 78545: Reworked available IPv6 ranges check to handle strings and simplified template.
- Fixed case 78633: Update phpMyAdmin to 4.0.7.
- Fixed case 78701: Fixed issue where API shell errors were being dumped into log.
- Fixed case 78709: Mailman excluded from experimental header re-write.
- Fixed case 78749: Explicitly create domain log file to ensure correct ownership/protection.
- Fixed case 78801: Fix reference to /etc/trusted_mail_users.
- Fixed case 78809: Restored the default location for FTP log files.
- Fixed case 78825: Clean out generated js scripts when removing a locale.
- Fixed case 78833: Recovering mailman permissions fails because lchown on a fh fails.
- Fixed case 78865: Update clamav RPMs to avoid missing file errors.
- Fixed case 79449: Ensure all style previews show properly.

11.40.0.2

2013-09-23

- Fixed case 51450: Changed SPF default from "?all" to "-all".
- Fixed case 56437: Use Linux Netlink to find SMTP connection uids.
- Fixed case 61497: Ensure correct number of moderation requests is shown.
- Fixed case 63973: Report remote MySQL database disk usage.
- Fixed case 64259: Allow creation of proxy subdomains without autodiscover.
- Fixed case 65709: Forbid uppercase letters in postgres db name.
- Fixed case 66713: Jailshell prevents usage of crontab without /usr/bin mounted suid.
- Fixed case 69529: Fix hung process when running "whostmgr2 --updatetweaksettings" in DNSONLY.
- Fixed case 70149: Fix account transfers with an empty tarroot.
- Fixed case 71041: Update Archive::Tar::Builder to 1.3-1.cp1136.
- Fixed case 71829: Update Softlayer DNS module to work with DKIM and SPF records.
- Fixed case 72089: Make "Always redirect to SSL" exclude other redirect config.
- Fixed case 72709: Update Roundcube to 0.9.2.
- Fixed case 73093: Rename SSL functionality in cPanel to match changes made in 11.36.
- Fixed case 73357: Update cKeditor to the latest version.
- Fixed case 73697: Populate reseller list properly in locale edit screen.
- Fixed case 74405: API Shell does not handle a umask other than 0022.
- Fixed case 74657: Don't clean out summary.log from updatelogs directory.
- Fixed case 74673: Allow an SSL host for the hostname to be installed on any ip on the server.
- Fixed case 74745: Warn when MySQL user can't be deleted.
- Fixed case 74813: Remove unused cPanelRPM.pm from /scripts.
- Fixed case 74857: Remove checkoldperl.
- Fixed case 74917: Remove unused module Cpanel/cPServices.pm.
- Fixed case 74985: Added warning text for API Shell.
- Fixed case 74993: Added further text to clarify API Shell purpose.
- Fixed case 75017: Update phpMyAdmin from version #4.0.4.2 to version #4.0.5.
- Fixed case 75021: Pretty-print XLIFF data.
- Fixed case 75053: Changed messages in API Shell to use warning style.
- Fixed case 75065: Fix quota checking delay related to NFS.
- Fixed case 75077: Log session creation and destruction.
- Fixed case 75081: Give meaningful file manager errors in demo mode.
- Fixed case 75097: Don't install modules to cPanel perl using perlinstaller.
- Fixed case 75101: Not all domains displayed when generating csrs and certs.
- Fixed case 75141: Allow usage of either "password=" or "pass=" in MySQL ".my.cnf" file.
- Fixed case 75153: Modify basic WHM setup to allow VLAN tagging.
- Fixed case 75249: Default & disabled feature files added in install.
- Fixed case 75285: Collapse RR records that are not TXT for SoftLayer.
- Fixed case 75321: Fix error message in Mail Queue Manager.
- Fixed case 75329: Restore the ability to disable security tokens.
- Fixed case 75337: Fix DisplayBinaryAsHex in phpMyAdmin.
- Fixed case 75345: Don't change /etc/pam.d permissions.
- Fixed case 75365: Improve error checking in ClamScan module.
- Fixed case 75385: Properly restore mail by default on package restoration.
- Fixed case 75405: Limit check_cpanel_rpms to only RPMs installed by cPanel.
- Fixed case 75409: Update proftpd to not include /etc/pam.d.
- Fixed case 75449: Fix import from SQL query form in phpMyAdmin.
- Fixed case 75469: Make updatenow.static work without external modules.
- Fixed case 75525: Improve sanitization of SHELL lines for jailshell crontab.
- Fixed case 75537: Fix @INC filtering in two adminbins.
- Fixed case 75545: Update adminbins to use getpwnam homedir.
- Fixed case 75549: Add missing cron.conf file for cron adminbin.
- Fixed case 75561: Log pam_cpases errors to ERROR instead of ALERT.
- Fixed case 75565: Ensure samerole is used for postgres SSO.
- Fixed case 75593: Adding a mailing list fails due to invalid cPanel tags.
- Fixed case 75609: Prevent NUL injection in temporary user names.
- Fixed case 75621: Do not allow parking of a subdomain of an account on remote server.
- Fixed case 75693: Update dovecot to 2.2.5-2.cp1140.
- Fixed case 75709: The autoconfig service showed the wrong port when pop3 was provided.
- Fixed case 75717: New log files should be set up for rotation.
- Fixed case 75729: Prevent integrated items that are no longer a plugin from being checked by --updateaddons.
- Fixed case 75745: Get rid of undefined pid warning from Cpanel::SafeFile.
- Fixed case 75753: Fix MySQL users missing grants.
- Fixed case 75829: Fix selectrow_arrayref, selectrow_hashref in Cpanel::MysqlUtils::NetMySQL.
- Fixed case 75933: Correct ClamAV notification during initial upgrade to 11.40.
- Fixed case 75937: Make proxy subdomains work with SSL and Apache 2.4.
- Fixed case 75989: Dovecot strict permissions prevent deleting or renaming IMAP folders.
- [security] Fixed case 76029: Update RoundCube to 0.9.3.
- Fixed case 76081: Determine correct WebDAV ports in Getting Started wizard.
- Fixed case 76097: Improve the reliability of the branding dynamicui cache.
- Fixed case 76165: Added CPANEL.util.byte_length to check string byte length.

- Fixed case 76189: Fixed typo: "recieve" -> "receive".
- Fixed case 76197: Normalize the display of error messages for postgres adduser.
- Fixed case 76205: Remove buttons to add and edit users through phpMyAdmin.
- Fixed case 76221: Remove leading space.
- Fixed case 76309: Update jquery-ui to the latest version.
- Fixed case 76365: Update jquery-ui-themes to the latest version.
- Fixed case 76393: Create webalizer logs in a separate directory for addon domains.
- Fixed case 76397: cPanel Update slave should not die on SIGHUP.
- Fixed case 76445: Removed deprecated module usage in updateuserdomains.
- Fixed case 76449: Handle YAML files better, particularly lexicon files.
- Fixed case 76477: Modified API Shell to use Combo Boxes.
- Fixed case 76517: Add path so setupvirtfs can load modules at run time.
- Fixed case 76561: Update cpdavid for OO Cpanel::Session.
- Fixed case 76565: Silence warnings about empty session origin fields.
- Fixed case 76585: Fix JS errors in response handling and WHM API v1 batch mode.
- Fixed case 76593: Jail_safe_crontab does not pass back crontab errors gracefully.
- Fixed case 76609: Remove bare variables from ipv6 phrases.
- Fixed case 76625: Apply phpMyAdmin patch for large table export problem.
- Fixed case 76653: Stage minified x3 js under x3, not cpanel.
- Fixed case 76693: Note that jailshell users can escape with full /proc.
- Fixed case 76701: Remove default from new 11.40 rpm.versions file url strings to reduce confusion.
- Fixed case 76733: Modified the request timeout to take the number of users into consideration.
- Fixed case 76737: Add symlinks for angularjs and jquery.
- Fixed case 76741: Change strings for the range page and added quotes to the enable messages.
- Fixed case 76777: Remove symlinks from editor RPMs.
- Fixed case 76809: Added back code that was lost in a commit.
- Fixed case 76813: The webmail UI should not display lists for the main cPanel user.
- Fixed case 76861: Fix filter by filetype with multiple types.
- Fixed case 76933: Add support for MPM itk in Apache.
- Fixed case 76937: Add additional ports to the default IPv6 firewall.
- Fixed case 77009: Allow jail_safe_crontab to work with pid namespaces.
- Fixed case 77025: Remove all references to pam group.
- Fixed case 77029: SIGHUP crashes cpsrvd due to typo in handle_sigHUP.
- Fixed case 77033: Fix API shell when \$function =~ m/^\:;\$/.
- Fixed case 77037: Fix incorrect entities in legacy locale files; change '"' to '"';
- Fixed case 77049: Fix URL display as hash value on "WHM >> Development >> Manage Hooks" page.
- Fixed case 77065: Update security advisor from upstream.
- Fixed case 77069: Generate correct paths for FTP accounts.
- Fixed case 77077: Make Horde save sent mail by default with Dovecot.
- Fixed case 77081: Adding a parked domain fails if deferred restarts are enabled in bind.
- Fixed case 77089: Mailman Configuration Cleanup.
- Fixed case 77105: Remove reference to script that no longer exists.
- Fixed case 77121: scripts/maintenance should not globally destruct on exec failure.
- Fixed case 77145: Make Manage cPAddons work with \$Cpanel::homedir changes.
- Fixed case 77169: Correctly report the success stats for upload_files.
- Fixed case 77197: Fix error when bin/cpses_pam_ctl not detected /lib[64]/security/pam_cpses.so.
- Fixed case 77209: Fix refactoring error in dbstoregrants causing double quoting.
- Fixed case 77221: Make whm-server-status allow connections from ::1.
- Fixed case 77265: Pass lock and unlock arguments through to /usr/bin/passwd.
- Fixed case 77313: Update version to 11.40.
- Fixed case 77333: Remove Privileges link from phpMyAdmin.
- Fixed case 77337: Upstream Security Advisor 1.02.
- Fixed case 77341: Don't warn when starting jailshell with missing LOCALE.
- Fixed case 77393: Jailshell: Don't fail if /usr/local is a partition.
- Fixed case 77401: Update ftp passwords after changing anonymous ftp setting.
- Fixed case 77417: Logaholic: Move creation of lastused column in Profiles table.
- Fixed case 77505: Make ApiInfo's module loading safer.
- Fixed case 77529: Fix misalignment between Filter Accounts and account list areas on IPv6 page.
- Fixed case 77549: Fix attempt to validate issuing pkgname element.
- Fixed case 77593: Update to Security Advisor 1.03.
- Fixed case 77617: Set correct mail directory permissions on account creation.
- Fixed case 77629: Allow removing the last item in Background Process Killer.
- Fixed case 77637: Fix tweak setting for disallowing third-party cPAddons.
- Fixed case 77641: Report all lines in the MySQL check/repair output.
- Fixed case 77701: Fixed form submission issue when only one package extension on system.
- Fixed case 77709: Properly restrict ClamAV scans.
- Fixed case 77761: Fix handling of security questions.
- Fixed case 77869: Prevent reseller without privileges from creating account using hostname domain.
- Fixed case 77889: Correct tweaksetting logic for determining requirements.
- Fixed case 77917: Skip ipv6.domain.com in bin/update_userdata.
- Fixed case 77985: Don't restart ipalias if promote_secondaries is 1.
- Fixed case 78025: Exit 0 on success for apconfg utilities.

- Fixed case 78029: Fix creation of Logaholic tables.
- Fixed case 78033: Fix bug where resellers were not able to create accounts.
- Fixed case 78069: Use maxemailsperhour setting as default for new accounts.
- Implemented case 7498: Enable mysqli extension for phpMyAdmin.
- Implemented case 10334: IPv6 support for website content.
- Implemented case 47515: Drop use of pkgacct.static for transfers from cPanel 11.18 or earlier.
- Implemented case 55333: Replace WYSIWYGPro with CKEditor and elFinder.
- Implemented case 59140: Forwarder tracking.
- Implemented case 69029: Update git to 1.8.3.4.
- Implemented case 73049: Single signon / Session generator for cPanel.
- Implemented case 74325: Ship ClamAV as an RPM.
- Implemented case 74493: Add a warning message about deleting virtfs directories.
- Implemented case 74533: Make update-analysis code use HTTPS.
- Implemented case 75269: Remove un-necessary legacy scripts.
- Implemented case 75313: MySQL and Postgresql quoting normalization.
- Implemented case 75445: Added multi-build support to EasyApache.
- Implemented cases 75713,76389: Fixed minor issue with internal merge tool.
- Implemented case 75965: Allow testing info to be kept in /var/tmp/ when merge_request dies unexpectedly.
- Implemented case 76225: Cause make perlstatic to fail if non-core modules are detected during build.
- Implemented case 76233: Add new items to server analytics program.
- Implemented case 76301: Update elfinder to the latest version.
- Implemented case 76317: Update jquery-1.7.2 to the latest version.
- Implemented case 76321: Correct inconsistencies between package and account create/edit forms.
- Implemented case 76409: Mailman Single sign on and admin delegation.
- Implemented case 76417: Integrate cPanel Security Advisor.
- Implemented case 76485: Add hooks to Cpanel::ParkAdmin functions (WHM).
- Implemented case 76657: Make cPanel plugin file generator a page within WHM.
- Implemented case 76665: Replacement system passwd binary that is cPanel aware.
- Implemented case 76669: Provide display of the list admin and access type in the cPanel list UI.
- Implemented case 76841: Add support for MPM itk in Apache.
- Implemented case 76909: Make elfinder show only directories and images.
- Implemented case 77273: Logaholic 4.1.4 integration.
- Implemented case 77725: Remove the "semi-private" mailing list category, and fix subscribe_policy logic.
- Implemented case 78021: Update roundcube to 0.9.4.

11.39.0.15

2013-08-28

- [security] Fixed case 68205: Update cPAddon configuration as the user.
- [security] Fixed case 71265: Prevent shell execution in autorespond.
- [security] Fixed case 71701: Fix arbitrary module load in cpaddons.pl.
- [security] Fixed case 71705: Don't write corrupt data to cPAddons configuration.
- [security] Fixed case 71709: Prevent HTML injection in cPAddons.
- [security] Fixed case 71721: Fix several security issues with cPAddons.
- [security] Fixed case 71725: Sanitize input when loading modules.
- [security] Fixed case 71733: Prevent users from installing cPAddons as other users.
- [security] Fixed case 73565: Save cpmove files with proper permissions.
- [security] Fixed case 73585: Prevent corruption of httpd.conf through DocumentRoot.
- [security] Fixed case 73609: Improve safety of account rearrange.
- [security] Fixed case 73777: Encode user passwords in session files.
- [security] Fixed case 74609: Prevent path traversal when reading nvdata.
- Fixed case 74625: Fix locale XML reseller privilege escalation.
- [security] Fixed case 75113: Only allow root to use the "stor" nvset paramater.
- [security] Fixed case 75169: Sanitize module names before loading in cPAddons.
- [security] Fixed case 75413: Don't let non-root users run cpaddons.pl.
- [security] Fixed case 75417: Prevent an XSS attack in cpaddons_report.pl.
- [security] Fixed case 75573: Prevent file manipulation when unsuspending account.
- [security] Fixed case 75605: Prevent jailshell escape with two-arg open.
- Fixed case 76137: Preserve random cookie when invalid security token used.
- [security] Fixed case 76157: Prevent infinite loop in password encoding/decoding.
- [security] Fixed case 76161: Don't use additional cookie for session file password encoding.

11.39.0.12

2013-08-13

- Fixed case 63436: addzonerecord API1 support for SRV records.
- Fixed case 74481: Removing trailing slash from security token no longer causes an error.
- Fixed case 74661: Remove code for the holdback system.
- Fixed case 74793: Fix additional phpMyAdmin 4 integration issues.
- Fixed case 74817: Generate valid proftpd config when modifying users.
- Fixed case 74893: Only update roundcube user password for the originating host.
- Fixed case 74961: Update Archive::Tar::Builder to 1.2.
- Fixed case 74781: Packages: Fix trailing slash added to long file names.
- Fixed case 74517: Packages: Correct handling of member names in LongLink blocks.
- Implemented case 74785: Add sandbox tag to the iframes on the redirect page.

11.39.0.11

2013-08-13

- Fixed case 58845: Complete removal of neomail from cPanel.
- Fixed case 62489: Make PHP homeloader work with newer PHPs.
- Fixed case 66121: Update munin to 1.4.7-9.cp1136.
- Fixed case 71685: JSON::XS and SSL certificate encoding decoding failures.
- Fixed case 72109: Update virtfs for jailed user when jailapache is turned on.
- Fixed case 72241: Remove useless @import of nonexistent file.
- Fixed case 72349: Adjust configuration parsing.
- Fixed case 73005: Fix Cpanel::DnsUtils::updatemasterrips when using multiple IPs.
- Fixed case 73145: Remove long button, moved content from Advanced Settings.
- Fixed case 73289: Clarify allowed characters in name of new database during MySQL create.
- Fixed case 73389: Change table option for MySQL engine specification to "ENGINE" instead of "TYPE".
- Fixed case 73425: Fix typo in Cpanel::MailAuth that prevented courier auth.
- Fixed case 73481: Fix Russian encoding errors.
- Fixed case 73525: Prevent SQL error and command run when leechprotectpass contains apostrophe.
- Fixed case 73661: Update nsd to 3.2.16-1.cp1136.
- Fixed case 73689: Re-locate 3rdparty/mysqltuner/mysqltuner.pl into /ULC/bin/.
- Fixed case 73845: Only remove cronconfig plugin if it's installed.
- Fixed case 73953: Remove bracket notation from attr-only string (tmp fix).
- Fixed case 73969: Improve reseller permissions loading.
- Fixed case 74049: Fix phpMyAdmin 4 database renames.
- Fixed case 74109: Fix cPanel security token reuse in cpsrvd.
- Fixed case 74177: Gracefully handle when MySQL server is down in setupdbmap.
- [security] Fixed case 74209: Update phpMyAdmin 4 to 4.0.4.2.
- Fixed case 74285: Update pure-ftpd to 1.0.36-8.cp1136.
- Fixed case 74293: Remove unused module Cpanel::SSHUtils.
- Fixed case 74301: Deliver mail from cron normally under jailshell.
- Fixed case 74337: Fix bugs/omissions/inconsistencies from API Shell initial merge.
- Fixed case 74361: Test the return before trying to use the object.
- Fixed case 74397: Fix errors from \$locale->maketext() call when \$locale is undef.
- Fixed case 74417: Pass --rsyncable to gzip/pigz when supported.
- Fixed case 74457: Remove -x option breaking perl tidy on pm files.
- Fixed case 74509: Fix task queuing error in Feature Showcase.
- Fixed case 74585: Create /var/cpanel/features/default with proper permissions.
- Fixed case 74589: Display domain name when generating a certificate.
- Fixed case 74597: Fix failure to install Perl module in cPanel.
- Fixed case 74693: Rebuild httpd.conf after editing includes.
- Fixed case 74861: Fix taskrun with the new Cpanel::Update::Logger.
- Implemented case 49529: Remove broken futex checks from cPanel.
- Implemented case 56329: Include error output on "Configure PHP and suEXEC" page.
- Implemented case 71921: Delay cPanel upgrades if run from cron and moving to release/stable.
- Implemented case 73833: API Shell.
- Implemented case 73841: Enhance UI for upcp to re-attach when already running.
- Implemented case 74009: Fresh installs of FTP should disable Anonymous FTP by default.
- Implemented case 74281: Display FTP icons in cPanel only if a cPanel FTP RPM is installed.
- Implemented case 74297: Update proftpd to 1.3.5rc1-4.cp1136.
- Implemented case 74477: Remove cpanelcc and cpanelccp.
- Implemented case 74613: Upgrade NTYProf to 5.05.
- Implemented case 74777: Update dovecot to 2.2.5-1.cp1140.

11.39.0.10

2013-08-06

- Fixed case 61499: Wait to start RoR until after cpsrvd is started.
- Fixed case 61909: Keep only one entry for each version in cp_schema_version table.
- Fixed case 63490: Remove check_cpscripts from source code.
- Fixed case 64356: List RPMs in distro format (- not .) when reporting missing / extra RPMs.
- Fixed case 71213: Fix running exim under jailexec on CentOS 6.
- Fixed case 71901: Do not apply rlimits on pigz, and improve error reporting.
- Fixed case 72705: Detect Tomcat 7 when modifying an account.
- Fixed case 73185: Respect setting of /etc/rrdtoolisable.
- Fixed case 73521: Add missing Cpanel::SSLInfo to scripts/ssl_cert_status.
- Fixed case 73693: Fix another race condition in updateleechprotect.
- Fixed case 73817: Add the correct database name to look for roundcube.
- Fixed case 73837: Only remove spamd plugin if it's installed.
- Fixed case 73857: Add line break to prevent concatenation of unrelated domain output messages.
- Fixed case 73869: Fix ssl_cert_status detection of domains without certs.
- Fixed case 73901: Fix pkgacct error handling problem.
- Fixed case 73977: Security Token Missing prevents login with HTTP Authentication.
- Fixed case 74093: Detect CLONE_NEWPID success or failure using getppid.
- Implemented case 73013: Remove code support for MySQL 5.0.
- Implemented case 73897: Remove migrate-attracta.

11.39.0.8

2013-07-23

- Fixed case 64209: Fix issue when deleting main MX entry using cPanel.
- Fixed case 65581: Add a script to sign builds.
- Fixed case 71685: JSON::XS and SSL certificate encoding decoding failures.
- Fixed case 71881: Increased timeout for auto generated resellers.
- Fixed case 71889: Properly display XFS quotas.
- Fixed case 72201: Improve description of backup directory.
- Fixed case 72257: Improve file cleanup when both daily and monthly need to run.
- Fixed case 72693: Prevent zombies from accumulating during backups.
- Fixed case 72797: Fix quota reporting problem in cPanel.
- Fixed case 73073: Prevent security token destruction on access to a login url.
- Fixed case 73209: Fix nested group usage in bracket notation.
- Fixed case 73269: Report DNS zone save errors during account creation.
- Fixed case 73281: Make spamdconf ACL checks consistent.
- Fixed case 73325: Provide better errors and prevent faulty AppConfig registrations.
- Fixed case 73337: Only present a link if it is accessible through ACL check.
- [security] Fixed case 73349: Update Ruby to 1.8.7-p374 to address CVE-2013-4073.
- Fixed case 73365: Making ensure_includes not edit httpd.conf.
- Fixed case 73385: Prevent a single invalid ssl cert from breaking ssl_migration.
- Fixed case 73457: Update Archive::Tar::Builder to the latest version.
- Fixed case 73481: Improve JSON::XS compatibility with perl 5.6.
- Fixed case 73489: Updated the expected number of arguments.
- Fixed case 73529: Avoid race condition in updateleechprotect.
- Implemented case 71285: Update phpMyAdmin to version 4.0.4.

11.39.0.6

2013-07-18

- Fixed case 70937: Offer to archive logs by default.
- Fixed case 71177: Catch errors when adding a dns zone matching success in its name.
- Fixed case 71629: Fix erroneous ENOTTY text in phrase.
- Fixed case 71669: Failed logins destroy the session before the security token can be saved.
- Fixed case 71753: Auto activate logaholic when used by default.
- Fixed case 71773: Do not warn about acceptable LTS tiers.
- Fixed case 71777: Restore class names to untranslated versions.
- Fixed case 71817: Fix information disclosure in cPanel's SSL::installed_hosts API call.
- Fixed case 71833: Prevent lock contention when updating Tweak Settings.
- Fixed case 72025: Allow customization of AppConfig alert priority.
- Fixed case 72129: Start stunnel when necessary as part of cpsrvd startup.
- Fixed case 72205: Make backup destination disabled email high priority.
- Fixed case 72273: Whostmgr::ACLs::Cache replicates existing storable write code.
- Fixed case 72353: Force plain context for POP3 label so its use in an attribute is OK.
- Fixed case 72681: Fix SSL Parser handling the text "key".

- Fixed case 72837: Fix SSL error message when assigning an IP to a domain that already has one.
- Fixed case 72849: Fix listips WHM screen to show a more complete list of reasons an IP is in use.
- Fixed case 73165: Add missing cronconfig icon for new WHM cronconfig screen.
- Implemented case 66965: Remove logic where Cpanel::DnsUtils::usenewdns() is false.
- Implemented case 71217: AppConfig in the Feature Showcase.
- Implemented case 71913: FEATURE: Provide Extensible Account Plans to 3rd party developers.
- Implemented case 71933: Allow LogMeIn.pm to provide a security token.
- Implemented case 72197: Cpanellogd optimizations and stability updates.
- Implemented case 72245: Provide new backup download functionality for cPanel users backup page.
- Implemented case 72833: FEATURE: Convert spamdconf and cronconfig plugins into standard cPanel screens.

11.39.0.5

2013-07-15

- [security] Fixed case 71121: Update squirrelmail login_auth plugin.
- [security] Fixed case 71573: DNSAdmin request check for zone owner.
- [security] Fixed case 71865: Verify that a reseller owns a domain being modified.
- [security] Fixed case 71869: Drop privileges before updating order status.
- [security] Fixed cases 71973,71573: Improve DNS Admin fix.
- [security] Fixed case 72153: DNSAdmin clean the zones from the query string.
- [security] Fixed case 72161: Do not update user's files as root when suspending an account.
- [security] Fixed case 72237: Restore ability to root to update any zones on the system.
- [security] Fixed case 72253: Do full zone owner lookup in dnsadmin.
- [security] Fixed case 72357: Limit certain dnsadmin actions to root.
- [security] Fixed case 72685: Keep system-owned domains in userdomains.
- [security] Fixed case 72725: Restore some required reseller dnsadmin access.
- [security] Fixed case 72821: Prohibit "system" as a username.

11.39.0.2

2013-07-11

- Fixed case 51362: Corrected description of option to reject email for accounts over quota.
- Fixed case 53370: Remove ancient Java Telnet Application (JTA).
- Fixed case 64444: Remove legacy uf script.
- Fixed case 64461: Update Logaholic to the latest version of their code.
- Fixed case 65025: Fix _gentweakpage.tmpl TT typo from "Update and harvest phrases".
- Fixed case 65117: Fix ajaxapp.js typo from "Update and harvest phrases".
- Fixed case 65257: Chmod tmp file to match target file before safecopy to target file.
- Fixed case 65289: Move a use to string eval and logger die to prevent 5.6 compile error.
- Fixed case 65309: Fix a broken link on popsinclude.html.
- Fixed case 65561: Fix WHM Manage Reseller's IP Delegation.
- Fixed case 65669: Scripts2/massmodify render failure.
- Fixed case 65681: Fix template for scripts11/emailstats_search in WHM.
- Fixed case 65685: Fix emailstats_summary template in WHM.
- Fixed case 65901: Suppress perlpkg warning about MarkPhrase module.
- Fixed case 66277: Fix french translation for backup system.
- Fixed case 66389: Make updatenow.static work during install.
- Fixed case 66697: Fix Update Preferences screen.
- Fixed case 66865: Remove erroneous text parser token from statsbar.
- Fixed case 66921: Make the "did your repo change" check not warn when we're not on repo.
- [security] Fixed case 67281: Prevent caching of pwdata on read failure.
- Fixed case 68065: Fix TT syntax error.
- Fixed case 68693: Fix logaholic 4.0.5 login authentication problem.
- Fixed case 68905: WHM Transfers: Unable to create /scripts/ directory.
- Fixed case 68949: Provide a way to bypass the ftp limit check when adding an addon domain.
- Fixed case 69149: Improve feature showcase error handling.
- Fixed case 69341: Fix VirtualHost parsing with multiple IPs.
- Fixed case 69689: Do not restore emails from subdomains when subdomains are not restored.
- Fixed case 69905: Fix "Internal Death" error from branding module.
- Fixed case 70241: Build locales in parallel.
- Fixed case 70513: Allow backups to WebDAV servers with non-DAV root.
- Fixed case 70689: Don't treat minify_js_css.pl skips as errors.
- Fixed case 70865: Allow calling safemkdir with an octal number.
- Fixed case 70917: Fix remaining uses of old-style safemkdir calls.
- Fixed case 70969: Fix 'restore mail config' option when restoring an account from a legacy backup.

- Fixed case 70993: Properly unmount deleted mount paths for jailshell.
- Fixed case 71053: Revert "Mount virtfs bind mounts with MS_REC."
- Fixed case 71157: Prevent duplicate virtfs mounts when /home is symlinked.
- Fixed case 71185: Replaced use of privileged call to user safe call for ftpcount.
- Fixed case 71205: Specify Options None when no options are enabled.
- Fixed case 71261: Fix typos in Cpanel/SSL/Domain.pm.
- Fixed case 71269: Fix RTL and double-HTML-escaping display issues in WHM's Apache SSL install.
- Fixed case 71337: Fix scripts/runweblogs when processing logaholic stats.
- Implemented case 42832: Dovecot 2.2.
- Implemented case 50763: Port cPanel/WHM to cPanel::TaskQueue.
- Implemented case 52161: Possibility to do not backup manual suspended accounts.
- Implemented case 60571: Improve cpanellogd performance esp with many accounts.
- Implemented case 63030: Added ability to inject literal {} in html templates.
- Implemented case 64307: Ship Razor2::Client::Agent with Mail::Spamassassin.
- Implemented case 64533: Cannot upgrade to 11.40 with MySQL lower than 5.1.
- Implemented case 64574: Locale related changes that improve upcoming phrase harvest.
- Implemented case 65105: Add deferral tags as necessary for TaskProcessors.
- Implemented case 65193: Remove tautology (11.40 version).
- Implemented case 65397: Add homedir and homeroot locations to Hook data.
- Implemented case 66621: Load custom CSS in WHM.
- Implemented case 66721: Make "output,acronym" bracket notation do HTML 5.
- Implemented case 66881: Initial implementation of 1:1 NAT support for cPanel.
- Implemented case 67337: SSL Project Phase 4.
- Implemented case 68093: Update cpanel-node to the latest version.
- Implemented case 68521: Final locale tool project changes.
- Implemented case 68725: Allow api2_autocompletedir list directories without a partial pattern.
- Implemented case 68757: Allow long usernames when database prefixing is disabled.
- Implemented case 69133: Revert "Improve logaholic update lock system" for 11.40.
- Implemented case 69405: SSL Phase 5: Update the service certificate manager in WHM.
- Implemented case 69645: Add Remote API function for listing locked accounts.
- Implemented case 69869: Update cpanel-node-packages to 1.1-2.cp1140.
- Implemented case 70845: Optimize WHM listips for servers with a large number of IPs.
- Implemented case 71117: Prevent selecting tiers which are downgrades in Update Preferences WHM Screen.