

UAPI Functions - ExternalAuthentication::configured_modules

Guide to UAPI

- Return Data
- Filter Output
- Sort Output
- Paginate Output
- Output Columns
- Calls from the WHM API
- Custom UAPI Modules

Backup
Backup::
fullbackup

p_to_ftp

Backup:: fullbacku
p_to_homedir

Backup:: fullbacku
p_to_scp_with_key

Backup:: fullbacku
p_to_scp_with_pa
ssword

Backup:: list_back
ups

Bandwidth

Bandwidth:: get_e
nabled_protocols

Bandwidth:: get_re
tention_periods

Bandwidth:: query

Batch

Batch:: strict

Brand

Brand:: read

Branding

Branding:: file

Branding:: get_app
lications

Branding:: get_app
lication_informati
on

Branding:: get_ava
ilable_applications

Branding:: get_info
rmation_for_applic
ations

Description

This function lists the display information for your server's available and configured external authentication identity provider modules.

Examples

▼ cPanel or Webmail Session URL

```
https://hostname.exam  
ple.com:2083/cpsess##  
#####/execute/Exte  
rnalAuthentication/co  
nfigured_modules
```

Note:

This example calls the UAPI function via a cPanel session. For more information, read our [Guide to UAPI](#) documentation.

▼ LiveAPI PHP Class

```
$cpanel = new  
CPANEL(); // Connect  
to cPanel - only do  
this once.  
  
// List the external  
authentication  
identity provider  
modules configured on  
the server  
$configured_modules =  
$cpanel->uapi(  
  
'ExternalAuthenticati  
on',  
'configured_modules'  
  
);
```

Note:

For more information, read our [Guide to the LiveAPI System](#).

Func tion infor mati on

About this mod ule

The ExternalAuthentication module manages third-party authentication.

About UAPI

UAPI accesses and modifies data for cPanel accounts.

- Branding:: image
- Branding:: include
- Branding:: spritelist
- CacheBuster
 - CacheBuster:: read
 - CacheBuster:: update
- Chkserverd
 - Chkserverd:: get_external_ports
 - Chkserverd:: get_external_ports_ssl
- Chrome
 - Chrome:: get_domain
- Contactus
 - Contactus:: is_enabled
- cPAddons
 - cPAddons:: get_available_addons
 - cPAddons:: get_instance_settings
 - cPAddons:: list_addon_instances
- cPGreyList
 - cPGreyList:: disable_all_domains
 - cPGreyList:: disable_domains
 - cPGreyList:: enable_all_domains
 - cPGreyList:: enable_domains
 - cPGreyList:: has_greylisting_enabled
 - cPGreyList:: list_domains
- DAV
 - DAV:: disable_shared_global_addressbook
 - DAV:: enable_shared_global_addressbook
 - DAV:: get_calendar_contacts_config
 - DAV:: has_shared_global_addressbook
 - DAV:: is_dav_service_enabled

LiveAPI Perl Module

```

my $cpliveapi =
Cpanel::LiveAPI->new(
); # Connect to
cPanel - only do this
once.

# List the external
authentication
identity provider
modules configured on
the server
my
$configured_modules =
$cpliveapi->uapi(

'ExternalAuthenticati
on',
'configured_modules',

);

```

Note:
For more information, read our [Guide to the LiveAPI System](#).

cPanel Template Toolkit

```

<!-- List the
external
authentication
identity provider
modules configured on
the server -->
[% data = execute(
'ExternalAuthenticati
on',
'configured_modules' )
]; %]

```

Note:
For more information, read our [Guide to Template Toolkit documentation](#).

Notes:

- The
- Ur
- m
- us
- 20
- or
- 20
-)\`
- 20
- or
- 20
-)

Find a function

Manage External Authentications interface allows you to manage your server's OpenID Connect-compliant identity providers.

- DAV:: is_horde_enabled
- DCV
 - DCV:: check_domains_via_dns
 - DCV:: check_domains_via_http
 - DCV:: ensure_domains_can_pass_dcv
 - DomainInfo
 - DomainInfo:: domains_data
 - DomainInfo:: list_domains
 - DomainInfo:: main_domain_builtin_subdomain_aliases
 - DomainInfo:: single_domain_data
- DNS
 - DNS:: ensure_domains_reside_only_locally
 - DNS:: has_local_authority
- DNSSEC
 - DNSSEC:: disable_dnssec
 - DNSSEC:: enable_dnssec
 - DNSSEC:: fetch_s_records
 - DNSSEC:: set_nsec3
 - DNSSEC:: unset_nsec3
- Email
 - Email:: account_name
 - Email:: add_auto_responder
 - Email:: add_domain_forwarder
 - Email:: add_forwarder
 - Email:: add_list
 - Email:: add_mailman_delegates
 - Email:: add_mx
 - Email:: add_pop
 - Email:: add_spam_filter

Command Line

```
uapi --user=username
ExternalAuthentication configured_modules
```

Notes:

- You **must** URI-encode values.
- username represents your account-level username.
- For more information and additional output options, read our [Guide to UAPI](#) documentation or run the `uapi --help` command.
- If you run CloudLinux™, you **must** use the full path of the `uapi` command:

```
/usr/local
/cpanel/bin/uapi
```

Output (JSON)

```
{
  "messages": null,
  "errors": null,
  "status": 1,
  "metadata": {
  },
  "data": [
    {
      "link": "/openid_connect/google",
      "icon": "iVBORw0KGgoAA
AANSUhEUgAAACEAAAAhCA
YAAABX5MJvAAAAGXRFWHR
Tb2Z0d2FyZQBBZG9iZSBJ
bWFnZVJlYWR5ccllPAAAA
V1JREFUeNrsVtGNwjAMJe
gGYIRucBmhtwEjdAMyQjY
oG2SEG6HcBGUDugFskHOQ
g1zTlFaN\\\/KkqMh2yYv
t53S3KygomIzaE+y9P8BD
J9xXpdSDxT9jwX7dxDJsD
MvCuvl33GF1sBwS5O8GX7
```

- cPanel API 1 Functions - Bandwidth::displayweather — This function generates a monthly bandwidth graph.
- cPanel API 1 Functions - Bandwidth::display — This function generates bandwidth graphs for the specified day.

Email: browse_mailbox
Email: change_mx
Email: check_fastmail
Email: check_pipe_forwarder
Email: delete_auto_responder
Email: delete_do_main_forwarder
Email: delete_filter
Email: delete_forwarder
Email: delete_held_messages
Email: delete_list
Email: delete_mx
Email: delete_pop
Email: disable_filter
Email: disable_mailbox_autocreate
Email: disable_spam_assassin
Email: disable_spam_autodelete
Email: disable_spam_box
Email: dispatch_client_settings
Email: edit_pop_quota
Email: enable_filter
Email: enable_mailbox_autocreate
Email: enable_spam_assassin
Email: enable_spam_box
Email: fetch_charmaps
Email: fts_rescan_mailbox
Email: generate_mailman_otp
Email: get_auto_responder
Email: get_chase

```
eVgCabGyRkGJF25v0sJHr  
cyDH7iMhWEL9zWSD1\/xs  
1klJn8J\/gZ4WxNdgu8Ky  
iDXGIfmJ7L06R8CI5rJnw  
O+Kv0Wb9Z7x1Zr+wMt8f\  
/ANmyCoCMF3CUmP8rOmHi  
p1AM\/8tdbLcjfnL5NigY  
mIp+ilp5iYRJNkmajtLIB  
uJiUZ1S+aDKGDjI8tGk+N  
\/9yuy00DcGIjL8UEmcXK  
LDe1RDQ5tHcuIkSLQE1WY  
hIRfMRIEmiV1Z7NES5Rh9  
nIisRGVWGOyyyf1C5fSkD  
sTmk1KnVMBbForqQw+IVt  
UCP3KEpdojffHnRGKcq3L  
Z3pBgST+BRgANXt+WPKE7  
tYAAAAASUVORK5CYII=" ,  
  
"icon_type": "image/svg+xml" ;  
  
"provider_protocol": "  
openid_connect" ,  
  
"provider_id": "google  
" ,  
  
"display_name": "Googl  
e" ,  
  
"documentation_url": "  
https://developers.go  
ogle.com/identity/pro  
tocols/OpenIDConnect "  
 ,  
  
"color": "dd4b39" ,  
  
"label": "Log in with  
a Google+ Account" ,  
  
"textcolor": "FFFFFF"  
    } ,  
    {  
  
"link": "/openid_conne  
ct/microsoft_live" ,  
  
"icon": "iVBORw0KGgoAA  
AANSUhEUgAAACMAAAAhCA  
YAAABTERJSAAAAGXRFWHR  
Tb2Z0d2FyZQBBZG9iZSBJ  
bWFnZVZlYWR5ccllPAAAA
```

- cPanel API 1 Functions - Bandwidth::displaymainbheader — This function generates bandwidth graphs for the current day, week, and year.
- cPanel API 1 Functions - Last Login::lastlogin — This function retrieves the IP address of the last user to successfully log in to the cPanel account.

ers_backups
Email: list_lists
Email: list_mail_domains
Email: list_mx
Email: list_pops
Email: list_pops_with_disk
Email: list_system_filter_info
Email: passwd_list
Email: passwd_pop
Email: release_outgoing
Email: remove_mailman_delegates
Email: reorder_filters
Email: set_always_accept
Email: set_default_address
Email: set_list_privacy_options
Email: stats_db_status
Email: store_filter
Email: suspend_incoming
Email: suspend_login
Email: suspend_outgoing
Email: trace_filter
Email: unsuspend_incoming
Email: unsuspend_login
Email: unsuspend_outgoing
Email: verify_password
▼ EmailAuth
EmailAuth: disable_dkim
EmailAuth: enable_dkim
EmailAuth: ensure_dkim_keys_exist

nt3Z9Y43DmuD2YT1LoIIC
SIgEULKc+SaF8gr5JAnyD
3XKccChxxyyhNYiFMU5ZR
TzE8UuGCQY8DGeGd3Zqry
dc\ / ajiWjBHCEpWxLPf1T
01VfV\ / d09TesqnrUUuQf
N+5tUzMy1AsRM9EOP1TJV
0V9qWQg3BgLXek4+mUtpx
Ky+bqhAvIcLxVSlT4FHVA
QITeg07Z8vGFpqeW4P+N4
0Iy434rNR23Hcd3ymV0wL
00TNIJH6UsY2syVsrICuT
lWGFJyAJlYrtVj7jUi9gZ
hzPQSS4tJRO+lnF1C\ / aT
hoHFfgp7n+zzjZ+GNjUWD
B7yHRPYAQqnV8MCMou04u
ghvPEbzztV599UHbXvOGe
7OwHhsKH3jZdrKiZwhgrt
cYs0ilJ6A4ffhytMpZtmA
a\ / 3s40YuQFhg\ / m75IX1
xtm2\ / XKjBw90zn3Zr19+
p81W4dr5mqP0vxs1kOx3+
Bu6n9jOsROttf02GjlCag
pmCmYI5VDD8GuP0tYYdHP
72HXq3N4prTcfHEA6ev8i
r2OSjLwK0jkvRoRAjNm1k
FG1aGaktPxrK6NZq\ / o3l
wh1POptkIQ4ncqm7Y2lCq
ua4o4zKKr4h66ggLrSSo2
zinfUrnXgPzM9r+c0P51w
ySE22NhTBNUEQnVGqbuZS
rm6LXJhzMkit\ / JmVdfT\
/v11QcXej+H4r91cLyrtN
W\ / ZmrG4AydORytMRyrHX
pfJgq5TL70Zy+Vgs97JcN
wS5yhOgRD3fAUP+cOW8qa
+Q4Kxr3\ / 72I10dFqEtPs
uubLctupdf1qSyHXBEkzv
Fq26AfYGS\ / 7b4hg\ / YDN
NPewpmCuZ\ / DwYn5I\ / rI
7mLY\ / 7ZW2eUy6ujz\ / 0Z
BZoSz8a8CB50ohkRqIo57
QkZiNhS6mw\ / qaiKwYHmy
SXzfwGmorZKw1LGOjb3s7
K8r8o\ / CRXhIPXZU9Sa5Q
441aVByz5CoMtXnpVfyyy
dQ4DtQt4DzXkjhsE+Jvzv
RxZ4smeToKehHpgtVzxba
uPUwDwR20j8XES\ / rueB5
nbqDJCeBJo6xvZmQG8bEQ
1mY3Mqifgk+jzb9H3dgzz
p6S3603\ / m2hOv+OwmRDn
FtQHlFdaphWAL8h68mpWS

EmailAuth:: fetch_ dkim_private_keys

EmailAuth:: install_ dkim_private_key s

EmailAuth:: install_ spf_records

EmailAuth:: validat e_current_dkims

EmailAuth:: validat e_current_ptrs

EmailAuth:: validat e_current_spfs

ExternalAuthenticat ion

ExternalAuthenticat ion:: add_auth_li nk

ExternalAuthenticat ion:: configured_ modules

ExternalAuthenticat ion:: get_authn_lin ks

ExternalAuthenticat ion:: has_external_ auth_modules_co nfigured

ExternalAuthenticat ion:: remove_auth n_link

Features

Features:: get_feat ure_metadata

Features:: has_fea ture

Features:: list_feat ures

Fileman

Fileman:: autocom pletedir

Fileman:: empty_tr ash

Fileman:: get_file_ content

Fileman:: get_file_i nformation

Fileman:: list_files

Fileman:: save_file_ content

Fileman:: transcod e

Fileman:: upload_fi les

```
bRW08lBoxf8I8IQfohCrE
u9VLDlYqmel\TQOSz5ox
fzxrDN2h5TyUfolcqQ+7b
8EGACd0Ob6pUnq9QAAAAB
JRU5ErkJggg==",

"icon_type": "image/sv
g+xml";

"provider_protocol": "
openid_connect",

"provider_id": "micros
oft_live",

"display_name": "Micro
soft Live",

"documentation_url": "
https://dev.onedrive.
com/app-registration.
htm",

"color": "00aef0",

"label": "Log in with
a Microsoft Account",

"textcolor": "FFFFFF"
    },
    {

"link": "/openid_conne
ct/cpanelid",

"icon": "iVBORw0KGgoAA
AANSUhEUgAAAABkAAAAZCA
YAAADE6YVjAAAACXBIWXM
AAAsTAAALEwEAmpwYAAAK
T2lDQ1BQaG90b3Nob3AgS
UNDIHByb2ZpbGUAAHjanV
NnVFppFj333vRCS4iA1Et
vUhUIIFJci4AUkSYqIQkQ
SoghodkVUcERRUUEG8igi
AOOjoCMFVEsDIOk2AfkIa
KOG6OIisr74Xuja9a89+b
N\rXXPues852zzwfACAY
WSDNRNYAMqUIeEeCDx8TG
4eQuQIEKJHAAEAizZCFz\
/SMBAPh+PDwrIsAHvgABe
NMLCADATZvAMByH\w\q
Qp1cAYCEAcB0kThLCIAUA
EB6jkKmAEBGAYCdmCZTAK
```

▼ Ftp

- Ftp:: add_ftp
- Ftp:: allows_anonymous_ftp
- Ftp:: allows_anonymous_ftp_incoming
- Ftp:: delete_ftp
- Ftp:: ftp_exists
- Ftp:: get_ftp_daemon_info
- Ftp:: get_port
- Ftp:: get_quota
- Ftp:: get_welcome_message
- Ftp:: kill_session
- Ftp:: list_ftp
- Ftp:: list_ftp_with_disk
- Ftp:: list_sessions
- Ftp:: passwd
- Ftp:: server_name
- Ftp:: set_anonymous_ftp
- Ftp:: set_anonymous_ftp_incoming
- Ftp:: set_homedir
- Ftp:: set_quota
- Ftp:: set_welcome_message

▼ Integration

- Integration:: fetch_url

▼ KnownHosts

- KnownHosts:: create
- KnownHosts:: delete
- KnownHosts:: update
- KnownHosts:: verify

▼ LangPHP

- LangPHP:: php_get_domain_handler
- LangPHP:: php_get_impacted_domains
- LangPHP:: php_get_installed_version

AEAGDLY2LjAFAtAGAnf+b
TAICd+Jl7AQBblCEVAaCR
ACATZYhEAGg7AKzPVopFA
FgwABRmS8Q5ANgtADBJV2
ZIALC3AMDOEAuyAAgMADB
RiIUpaAR7AGDIyN4AISZ
ABRG8lc88SuuEOcqAAB4m
bI8uSQ5RYFbCC1xBldXLh
4ozkkXKxQ2YQJhmkAuwnm
ZGTKBNA\g88wAAKCRFRH
gg\p9eM4Ors7ONo62Dl8
t6r8G\yJiYuP+5c+rCEA
AAOF0ftH+LC+zGoA7BoBt
\qIl7gRoXgugdfelZrIP
QLUAoOnaV\Nw+H48PEWh
kLnZ2eXk5NhKxEJbYcpXf
f5nw1\AV\1s+X48\pF
14L7iJIEyXYFHBPjgwsz0
TKUcz5IJhGLc5o9H\LcL
\\/wd0yLESWK5WCou41E
ScY5EmozzMqUiUKSKcUl
0v9k4t8s+wM+3zUAsGo+A
XuRLahdYwP2SycQWHTA4v
cAAPK7b8HUKAgDgGiD4c9
3\+8\\/UegJQCAZkmSc
QAAXkQkLlTKsz\HCAAAR
KCBKrBEG\TBGCzABhzBB
dzBC\xgNoRCJMTCQhBCC
mSAHHJgKayCQiGzbAdKm
Av1EAdNMBRaIaTcA4uw1W
4DjlwD\phCJ7BKLyBCQR
ByAgTYSHaiAFiilgjjggX
mYX4IcFIBBKlJCDJiBRRi
kuRNUgxUopUIFVIHfI9cg
I5hlxGupE7yAAygvvGvEc
x1IGyUT3UDLVDuag3GoRG
ogvQZHQxmo8WoJvQcrQaP
Yw2oefQq2gP2o8+Q8cww0
gYBzPEbDAuxsNCsTgsCZN
jy7EirAyrxhqwVqwDu4n1
Y8+xdwQSgUXACTYed0Igy
R5BSFhMWE7YSKggHCQ0Ed
oJNwkDhFHCJyKTqEu0Jro
R+cQYYjIxlhILCPWEo8T
LxB7iEPENyQSiUMyJ7mQA
kmxpFTSEtJG0m5SI+ksqZ
s0SBojk8naZGuyBzmULCA
ryIXkneTD5DPkG+Qh81sK
nWJAcaT4U+IoUspqShn1E
OU05QZlmdJBVaOaUt2ooV
QRNY9aQq2htlKvUYeoEzR
lmjnNgxZJS6WtopXTGmgX
aPdpr+h0uhHdlR5019BX0

s

LangPHP:: php_get_system_default_version

LangPHP:: php_get_vhost_versions

LangPHP:: php_ini_get_user_basic_directives

LangPHP:: php_ini_get_user_content

LangPHP:: php_ini_get_user_paths

LangPHP:: php_ini_set_user_basic_directives

LangPHP:: php_ini_set_user_content

LangPHP:: php_set_vhost_versions

▼ LastLogin

LastLogin:: get_last_or_current_logged_in_ip

▼ Locale

Locale:: get_attributes

▼ Mailboxes

Mailboxes:: expunge_mailbox_messages

Mailboxes:: expunge_messages_for_mailbox_guid

Mailboxes:: get_mailbox_status

Mailboxes:: has_utf8_mailbox_names

Mailboxes:: set_utf8_mailbox_names

▼ Market

Market:: cancel_pending_ssl_certificate

Market:: create_shopping_cart

Market:: get_all_products

Market:: get_certificate_status_details

Market:: get_login_url

Market:: get_pending_ssl_certificates

svpR+iX6AP0dwwNhhWDx4
hnKBmbGAcYZxl3GK+YTKY
Z04sZxlQwNzHrmOeZD5lv
VVgqtip8FZHKCpVK1SaVG
yovVKmqppreqgtV81XLVI
+pXlN9rkZVM1PjqQnU1qt
Vqp1Q61MbU2epO6iHqmeo
b1Q\pH5Z\YkGWcNMw09
DpFGgsV\jvMYgC2MZs3g
sIWsNq4Z1gTXEJrHN2Xx2
KruY\R27iz2qqaE5QzNK
M1ezUvOUZj8H45hx+Jx0T
gnnKKeX836K3hTvKeIpG6
Y0TLkxZVxrqpaXllirSKt
Rq0frvTau7aedpr1Fu1n7
gQ5Bx0onXCdHZ4\OBZ3n
U91T3acKpxZNPTrlr16qa
6UbobtEd79up+6Ynr5egJ
5Mb6feeb3n+hx9L\1U\
W36p\VHDFgGswkBtsMz
hg8xTVxbzwdL8fb8VFDXc
NAQ6Vh1WGX4YSRudE8o9V
GjUYPjGnGXOMk423Gbcaj
JgYmISZLTepN7ppSTbmmK
aY7TDtMx83MzaLN1pk1mz
0x1zLnm+eb15vft2BaeFo
stqi2uGVJsuRaplnutrxu
hVo5WaVYVpds0atna0l1
rutu6cRp7lOk06rntZnw7
Dxtsm2qbcZsOXYBtuutm2
2fWFnYhdnt8Wuw+6TvZN9
un2N\T0HDYfZDqsdWh1+
c7RyFDpW0t6azpzuP33F9
JbpL2dYzxDP2DPjthPLKc
RpnVOB00dnF2e5c4PziIu
JS4LLLpc+Lpsbxt3IveRK
dPVxXeF60vWdm7Obwu2o2
6\uNu5p7ofcn8w0nymeW
TNz0MPIQ+BR5dE\C5+VM
GvfrH5PQ0+BZ7XnIy9jL5
FXrdewt6V3qvdh7xc+9j5
yn+M+4zw33jLeWV\MN8C
3yLfLT8Nvnl+F30N\I\
9k\3r\0QCngCUBZwOJg
UGBWwL7+Hp8Ib+OPzrbZf
ay2e1BjKC5QRVBj4KtguX
BrSFoyOyQrSH355jOkc5p
DoVQfuJW0Adh5mGLw34MJ
4WHhVeGP45wiFga0TGXNX
fR3ENz30T6RJZE3ptnMU8
5rylKNSo+qi5qPNo3ujs6
P8YuZlnM1VidWElsSxw5L
iquNm5svt\87fOH4p3iC

Market:: get_provider_specific_dcw_constraints
Market:: get_providers_list
Market:: get_ssl_certificate_if_available
Market:: process_ssl_pending_queue
Market:: request_ssl_certificates
Market:: set_status_of_pending_queue_items
Market:: set_url_after_checkout
Market:: validate_login_token
▼ Mime
Mime:: add_handler
Mime:: add_hotlink
Mime:: add_mime
Mime:: add_redirect
Mime:: delete_handler
Mime:: delete_hotlink
Mime:: delete_mime
Mime:: delete_redirect
Mime:: list_handlers
Mime:: list_hotlinks
Mime:: list_mime
Mime:: list_redirects
Mime:: redirect_info
▼ ModSecurity
ModSecurity:: disable_all_domains
ModSecurity:: disable_domains
ModSecurity:: enable_all_domains
ModSecurity:: enable_domains

+N7F5gvyF1weaHOwvSFpx
apLhIsOpZAThOOJTwQRA
qqBaMJfITdyWOCnnCHcJn
Ii\ /RntGI2ENcKh508kgq
TXqS7JG8NXkkxTOLL0W5h
CepkLxMDUzdmzqeFpp2IG
0yPTq9MYOSkZBxQqohTZO
2Z+pn5mZ2y6x1hbL+xW6L
ty8e1QfJa70QrAVZLQq2Q
qboVFoo1yoHsmd1V2a\ /z
YnKOZarnivN7cyzytuQN5
zvn\ \ /tEsIS4ZK2pYZLV
y0dWOa9rGo5sjxxedsK4x
UfK4ZWBqw8uIq2Km3VT6v
tV5eufR0mek1rgV7ByoLB
tQFr6wtVCuWFfevc1+1dT
1gvWd+1YfqGnRs+FymKrh
TbF5cVf9go3Hj1G4dvyr+
Z3JS0qavEuWTPZtJm6ebe
LZ5bDpaq1+aXDm4N2dq0D
d9WtO319kXbL5fNKNu7g7
ZDuaO\ /PLi8ZafJzs07P1
SkVPRU+1Q27tLdtWHX+G7
R7ht7vPY07NXbW7z3\ /T7
JvtVAVVN1WbVZftJ+7P3
P66Jqun4lvttXa10bXHtx
wPSA\ /0HIw6217nU1R3SP
VRSj9Yr60cOxx+\ /p3vd
y0NNG1VjZzG4iNwRHnk6f
cJ3\ /ceDTradox7rOEH0x
92HWcdL2pCmvKaRptTmvt
bYlu6T8w+0dbq3nr8R9sf
D5w0PF15SvNUyWna6YLTk
2fyz4yd1Z19fi753GDbor
Z752PO32oPb++6EHTh0kX
\ /i+c7vDvOXPK4dPKy2+U
TV7hXmq86X23qdOo8\ /pP
TT8e7nLuarrlca7nuer21
e2b36RueN87d9L158Rb\
1tWeOT3dvfn6b\ /fF9\ /X
fFt1+cif9zsu72Xcn7q28
T7xf9EDtQdlD3YfVP1v+3
Njv3H9qwHeg89HcR\ /cGh
YPP\ /pH1jw9DBY+Zj8uGD
Ybrnjg+OTniP3L96fynQ8
9kzyaeF\ /6i\ /suuFxyvf
vjV69f00ZjRoZfy150\ /b
Xyl\ /erA6xmv28bCxb6+y
XgzMV70VvvtwXfcdx3vo9
8PT+R8IH8o\ /2j5sfVT0K
f7kxmTk\ /8EA5jz\ /GMzL
dsAAAAgY0hSTQAAeiUAAI
CDAAD5\ /wAAgOkAAHUwAA

```
ModSecurity:: has
_modsecurity_inst
alled

ModSecurity:: list_
domains

Mysql
Mysql:: add_host

Mysql:: add_host_
note

Mysql :: check_dat
abase

Mysql:: create_dat
abase

Mysql:: create_use
r

Mysql:: delete_dat
abase

Mysql:: delete_hos
t

Mysql:: delete_use
r

Mysql:: get_host_n
otes

Mysql:: get_privile
ges_on_database

Mysql:: get_restrict
ions

Mysql:: get_server
_information

Mysql:: locate_ser
ver

Mysql:: rename_d
atabase

Mysql:: rename_us
er

Mysql:: repair_dat
abase

Mysql:: revoke_ac
cess_to_database

Mysql:: set_passw
ord

Mysql:: set_privile
ges_on_database

Notifications
Notifications:: get_
notifications_count

NVData
NVData:: get

NVData:: set

Parser
Parser:: firstfile_rel
ative_uri
```

```
DqYAAAAOpgAABdVkl\FRg
AAAcVJREFUeNrs1k+IT1E
UB\DP783DlIaSjZVC+VM
2E42V2EupmShRYmFhYUGU
1WQjsrK3U1OjkLJRqMlil
L\FjiI2jGYxocn4OTb3V
8\t\eY3T5Hil0l2z\n
ed+75nntOrxURfrcU\oD
820EGcBXvMZxpa9zE8E8n
IqKpHoqFyXhEDESE8hcy2
bFA3Aaj6MNJq+IQX4xk2ND
izN89kPfZhCMsz3zQuYk3
FNof9eJvqO4TRVLeOHK5y
fSIiZubheCIijma25zU10
55h3nQyOYVzPdK+g62Zba
IGdz+nuMBmn00RYAb3sL0
mcC67s\1UiSNYlDkuplt
+S\sn6Me6CuZTwmzCWpT
pEseybz0QEY8yDi9l6Y\
TGe52ROyKiNke\bKtwKo
s8lgXynbWlOMAlsxD8wVM
FviaOQZrwCuxpbL\jlc1
NepIG+fTglLiBVZXAKP4g
ocJ\DIFXlHBvMPHNL8+V
Oyf8RhXMFmdXcNduGxHxF
xEnIyIM5nvVkQUEdGX1o7
WzrsC13Cjy4QuU1Y5LXcT
Ze20drReUrRlEXG9JpvZ9
ILySTDYZHKXlWbbk+bQQW
zE0lSX\tQv02kdw9MmU7
Xl\0firwvyYwBMlQP5WT
jUAAAAAABJRu5ErkJggg=
=",

"icon_type": "image/sv
g+xml";

"provider_protocol": "
openid_connect",

"provider_id": "cpanel
id",

"display_name": "Cpane
lID",

"documentation_url": "
http://go.cpanel.net/
cpanelidmanage",


"color": "FF6C2C",

"label": "Log in with
```

- ▼ PassengerApps
 - PassengerApps:: disable_application
 - PassengerApps:: edit_application
 - PassengerApps:: enable_application
 - PassengerApps:: ensure_deps
 - PassengerApps:: list_applications
 - PassengerApps:: register_application
 - PassengerApps:: unregister_application
- ▼ PasswdStrength
 - PasswdStrength:: get_required_strength
- ▼ Personalization
 - Personalization::set
 - Personalization::get
- ▼ Postgresql
 - Postgresql:: create_database
 - Postgresql:: create_user
 - Postgresql:: delete_database
 - Postgresql:: get_restrictions
 - Postgresql:: grant_all_privileges
 - Postgresql:: rename_database
 - Postgresql:: rename_user
 - Postgresql:: rename_user_no_password
 - Postgresql:: revoke_all_privileges
 - Postgresql:: set_password
- ▼ Pushbullet
 - Pushbullet:: send_test_message
- ▼ Quota
 - Quota:: get_quota_info

```
a cPanelID",  
  
"textcolor": "000000"
```

- Resellers
 - Resellers:: list_accounts
- ResourceUsage
 - ResourceUsage:: get_usages
- Restore
 - Restore:: directory_listing
 - Restore:: get_users
 - Restore:: query_file_info
 - Restore:: restore_file
- Session
 - Session:: create_temp_user
- SiteTemplates
 - SiteTemplates:: list_site_templates
 - SiteTemplates:: list_user_settings
 - SiteTemplates:: publish
- SpamAssassin
 - SpamAssassin :: clear_spam_box
 - SpamAssassin:: get_symbolic_test_names
 - SpamAssassin:: get_user_preferences
 - SpamAssassin:: update_user_preference
- SSH
 - SSH:: get_port
- SSL
 - SSL:: add_autossl_excluded_domains
 - SSL:: can_ssl_redirect
 - SSL:: check_shared_cert
 - SSL:: delete_cert
 - SSL:: delete_csr
 - SSL:: delete_key
 - SSL:: delete_ssl
 - SSL :: disable_mail_sni



Parameters

This function does not accept parameters.

Returns

Return	Type	Description	Possible values	Example
icon	string	The icon file to display on the button in the cPanel login interface.	A valid Base64-encoded image file.	<ul style="list-style-type: none"> <ul style="list-style-type: none"> Click to view... iVBORw0KGgoAAAANSUheUgAAACMAAAhCAAYAAABTERJSAAAAGXRFWHRBb2Z0d2FyZQBBZG91ZSBJbWFnZVJ1YWR5ccllPAAAYRpVFh0WE1MOmNvbS5hZG9iZS54bXAAAAAADw/eHBhY2tldCBiZWdpbj0177u/1iBpZD01VzVNME1wQ2VoaUh6cmV Tek5UY3prYzlkIj8+IDx4O nhtcG1ldGEgeG1sbnM6eD0 iYWRvYmU6bn M6bWV0YS8iIHg6eG1wdGs9 IkFkb2JlIFh NUCBDb3JlID UuMy1jMDExI DY2LjE0NTY2 MSwgMjAxMi8 wMi8wN10xND o1NjoyNyAgI CAgICAgIj49 PHJkZjpzREY geG1sbnM6cm RmPSJodHRwO i8vd3d3Lncz Lm9yZy8xOTk 5LzAyLzIyLX JkZi1zeW50Y XgtbnMjIj49 PHJkZjpzREZx NjcmlwdG1vbi ByZGY6YWJvd XQ9IiIgeG1s bnM6eG1wPSJ oHRwOi8vbn MuYWRvYmUuY 29tL3hhcC8x LjAv1iB4Bwx ucZp4bXBNTT 0iaHR0cDovL 25zLmFkb2Jl

SSL:: enable_mail_sni
SSL:: fetch_best_for_domain
SSL:: fetch_cert_info
SSL:: fetch_certificates_for_fqdns
SSL:: fetch_key_and_cabundle_for_certificate
SSL:: find_certificates_for_key
SSL:: find_csrs_for_key
SSL:: generate_certificate
SSL:: generate_csr
SSL:: generate_key
SSL:: get_autossl_excluded_domains
SSL:: get_autossl_pending_queue
SSL:: get_autossl_problems
SSL:: get_cabundle
SSL:: get_cn_name
SSL:: install_ssl
SSL:: installed_hosts
SSL:: installed_hosts
SSL:: is_autossl_check_in_progress
SSL:: is_mail_sni_supported
SSL:: is_sni_supported
SSL:: list_certs
SSL:: list_csrs
SSL:: list_keys
SSL:: list_ssl_items
SSL:: mail_sni_status
SSL:: rebuild_mail_sni_config

LmNvbsS94YXA
vMS4wL21tLy
IgeG1sbnM6c
3RSZWY9Imh0
dHA6Ly9ucy5
hZG91ZS5jb2
0veGFwLzEuM
C9zVHlwZS9S
ZXNvdXJzZVJ
1ZiMiIHhtcD
pDcmVhdG9yV
G9vbD0iQWRv
YmUgUGhvdG9
zaG9wIENTNi
AoTWFjaW50b
3NoKSigeG1w
TU06SW5zdGF
uY2VJRj0ieG
1wLm1pZDoxM
TNFRUVGMzIy
ODUxMUU1OUM
1RERGODcWRj
IwNTQ4MCIge
G1wTU06RG9j
dW11bnRJRj0
ieG1wLm1pZD
oxMTNFRUVGN
DIyODUxMUU1
OUM1RERGODc
wRjIwNTQ4MC
I+IDx4bXBNT
TpEZxUpdmVk
RnJvbSBzZdFj
1ZjppbnN0YW
5jZU1EPSJ4b
XAuaW1kojEx
M0VFRUYxMjI
4NTEExRTU5Q
VEREY4NzBGM
jA1NDgwI1Bz
dFJlZjpkb2N
1bWVudE1EPS
J4bXAuZG1ko
jExM0VFRUYy
MjI4NTEExRTU
5QzVEREY4Nz
BGMjA1NDgwI
i8+IDwvcnRm
OkRlc2NyaXB
0aW9uPiA8L3
JkZjpsREY+I
DwveDp4bXBt
ZXRhPiA8P3h
wYWNrZXQgZW
5kPSJyIj8+o
a0v2AAAA3VJ
REFUeNrsWML
uFEcQruqent
3Z9Y43DmuD2
YT1LoIICSig
EULKC+SaF8g
r5JAnyD3XKC
cChxxyyhNYi
FMU5ZRTzE8U
uGCQY8DGeGd
3Zqrydc/aji
WjBHCEPwXLP
f1T01VFV/d0
9TsqnRUUuQ
fN+5tUzMy1A
sRM9EOP1TJV
0V9qWQg3BgL
Xek4+mUtpxK
y+bqhAvIcLx
VS1T4FHVAQI
TegO7Z8vGFp
qeW4P+N40Iy
434rNR23Hcd
3ymV0wL00TN
IJH6UsY2syV
szICuT1WGFJ
yAJ1YrtVj7j
Ui9gZhzPQSS
4tJRO+lnF1C
/aThoHFfgp7
n+zzjZ+GNjU
WDB7YHRPYAQ
QnV8MCM0u04
ughvPEbzZtV
599UHbXvOGe
7OwHhsKH3jZ
drKiZwhgrtc
Ys0ilJ6A4ff
hytMpZtmAa/
3s4OYuQFhg/
m75IX1xtm2/
XKjBw90zn3Z
r19+p81W4dr
5mqP0vxs1kO
x3+Bu6n9jOs
ROttf02Gj1C
agpmCmYI5VD
D8GuP0tYyDh

SSL:: rebuildssldb

SSL:: remove_aut
ossl_excluded_do
mains

SSL:: set_autossl_
excluded_domains

SSL:: set_cert_frie
ndly_name

SSL:: set_csr_frien
dly_name

SSL:: set_key_frie
ndly_name

SSL:: set_primary
_ssl

SSL:: set_ssl_shar
e

SSL:: show_cert

SSL:: show_csr

SSL:: show_key

SSL:: start_autossl_
_check

SSL:: toggle_ssl_r
edirects_for_doma
ins

SSL:: upload_cert

SSL:: upload_key

▼ StatsBar

StatsBar:: get_stat
s

▼ Styles

Styles:: current

Styles:: list

Styles:: set_default

Styles:: update

▼ SubDomain

SubDomain:: adds
ubdomain

▼ Themes

Themes:: get_the
me_base

Themes:: list

Themes:: update

▼ Tokens

Tokens:: create_fu
ll_access

Tokens:: list

Tokens:: rename

Tokens:: revoke

P72HXq3N4pr
TcfHEA6ev8i
r2OSjLwK0jk
vRoRAjNmLkF
GlaGAktPxrK
6NZq/o3lwh1
POPtKIQ4ncq
m7Y2lcqua4o
4zKkr4h66gg
LrSSo2zinfU
rnXgPzM9x+c
0P51wySE22N
hTBNUEQnVGq
buZSrm6LXJh
zMkit/JmVdf
T/v1lQcXeJ+
H4r91cLyrtn
W/ZmrG4AydO
RytMRyzHXpf
Jgq5TL70Zy+
Vgs97JCnwS5
yhOgRD3fAUP
+coW8qa+Q4K
xr3/72I10dF
qEtPsuubLct
updf1qSyHXB
Ekzvfq26AfY
GS/7b4hg/YD
NNPewpmCuZ/
DwYn5I/rI7m
LY/7ZW2eUy6
ujz/0ZBZoSz
8a8CB50ohkR
qIo57QkZiNh
S6mw/qaiKwY
HmySXzfWgmo
rZKw1LGOjb3
s7K8r8o/CRX
hIPXZU9Sa5Q
441aVByz5Co
MtXnpVFyyyd
Q4DtQt4DzXk
jhsE+JvzwRx
Z4smeToKehH
pgtVzxbAuPU
wDwR20j8XES
/rueB5nbqDJ
CeBJo6xvZmQ
G8bEQ1mY3Mq
ifgk+jzb9H3
dgz2p6S3603
/m2hOv+OwmR
DnFTQHLFdap
hNAL8h68mpW
SbRW081Boxf
8I8IQfohCrE
u9VLD1Yqmel
/TQOSz5oxfz
xrDN2h5TyUf
olcqQ+7b8EG

- TwoFactorAuth
 - TwoFactorAuth:: generate_user_configuration
 - TwoFactorAuth:: get_user_configuration
 - TwoFactorAuth:: remove_user_configuration
 - TwoFactorAuth:: set_user_configuration

- userManager
 - userManager:: check_account_conflicts
 - userManager:: create_user
 - userManager:: delete_user
 - userManager:: dismiss_user
 - userManager:: edit_user
 - userManager:: list_users
 - userManager:: lookup_service_account
 - userManager:: lookup_user
 - userManager:: merge_service_account
 - userManager:: unlink_service_account

- UserTasks
 - UserTasks:: delete
 - UserTasks:: retrieve

- VersionControl
 - VersionControl:: create
 - VersionControl:: delete
 - VersionControl:: retrieve
 - VersionControl:: update

- VersionControlDeployment
 - VersionControlDeployment:: create

				ACd00b6pUng 9QAAAABJR5 ErkJggg==
icon_type	string	The icon file's MIME type.	A valid image format's MIME type.	image/svg+xml
link	string	A link to the identity provider's configuration for the appropriate service on the system.	A valid URL.	https://hostname.example.com:2083/openid_connect/cpanelid
provider_name	string	The identity provider's system name.	A valid string.	cpanelid
display_name	string	The identity provider's friendly name. cPanel & WHM interfaces will display this value.	A valid string.	cPanel ID
documentation_url	string	The public URL of the identity provider's implementation documentation.	A valid URL.	https://go.cpanel.net/OpenIDConnect
color	string	The background color of the button on the cPanel interface.	A valid RGB hexadecimal color value.	00aef0
label	string	The text label of the login icon in the cPanel login interface.	A valid string.	Log in with a cPanel ID Account
textcolor	string	The color of the text label in the cPanel login interface.	A valid RGB hexadecimal color value.	FFFFFF

VersionControlDeployment:: delete

VersionControlDeployment:: retrieve

▼ WebDisk

WebDisk:: delete_user

WebDisk:: set_homedir

WebDisk:: set_password

WebDisk:: set_permissions

▼ WebmailApps

WebmailApps:: list_webmailapps

▼ WebVhosts

WebVhost:: list_domains

WebVhost:: list_ssl_capable_domains

▼ WordPressBackup

WordPressBackup:: any_running

WordPressBackup:: cancel

WordPressBackup:: cleanup

WordPressBackup:: get_available_backups

WordPressBackup:: is_running

WordPressBackup:: start

▼ WordPressInstance

Manager

WordPressInstanceManager:: cancel_scan

WordPressInstanceManager:: cleanup_scan

WordPressInstanceManager:: change_admin_password

WordPressInstanceManager:: configure_autoupdate

WordPressInstanceManager:: get_api_version

WordPressInstanceManager:: get_in

stance_by_id

WordPressInstanceManager::get_instances

WordPressInstanceManager::get_latest_wordpress_version_from_wordpress_org

WordPressInstanceManager::get_scan_results

WordPressInstanceManager::is_installable_addon_available

WordPressInstanceManager::start_scan

▼ WordPressRestore

WordPressRestore::any_running

WordPressRestore::cleanup

WordPressRestore::start