

UAPI Functions - Chrome::get_dom

Guide to UAPI

Return Data
Filter Output
Sort Output
Paginate Output
Output Columns
Calls from the WHM API
Custom UAPI Modules

Backup
Backup::fullbacku
p_to_ftp
Backup::fullbacku
p_to_homedir
Backup::fullbacku
p_to_scp_with_key

Backup::fullbacku
p_to_scp_with_password
Backup::list_backups

Bandwidth
Bandwidth::get_enabled_protocols
Bandwidth::get_retention_periods
Bandwidth::query

Batch
Batch::strict

Brand
Brand::read

Branding
Branding::file
Branding::get_applications
Branding::get_application_information
Branding::get_available_applications
Branding::get_info

Description

This function returns header and footer HTML. You can use this HTML to create a page with the same visual appearance as your cPanel theme.

Examples

▼ cPanel or Webmail Session URL

```
https://hostname.example.com:2083/cpsess#####/execute/Chrome/get_dom?page_title=Test
```

Note:

This example calls the UAPI function via a cPanel session. For more information, read our [Guide to UAPI](#) documentation.

▼ LiveAPI PHP Class

```
$cpanel = new CPANEL(); // Connect to cPanel - only do this once.  
  
// Generate headers and footers for the page "Test"  
$get_dom = $cpanel->uapi('Chrome', 'get_dom', array('page_title' => 'Test', ));
```

Note:

For more information, read our [Guide to the LiveAPI System](#).

Function information

About this module

The Chrome module returns HTML for a page.

About UAPI

UAPI accesses and modifies data for cPanel accounts.

information_for_applications

Branding:: image

Branding:: include

Branding:: spritelist

CacheBuster

CacheBuster:: read

CacheBuster:: update

Chkserverd

Chkserverd:: get_exim_ports

Chkserverd:: get_exim_ports_ssl

Chrome

Chrome:: get_dom

Contactus

Contactus:: is_enabled

cPAddons

cPAddons:: get_available_addons

cPAddons:: get_instance_settings

cPAddons:: list_addon_instances

cPGreyList

cPGreyList:: disable_all_domains

cPGreyList:: disable_domains

cPGreyList:: enable_all_domains

cPGreyList:: enable_domains

cPGreyList:: has_greylisting_enabled

cPGreyList:: list_domains

DAV

DAV:: disable_shared_global_addressbook

DAV:: enable_shared_global_addressbook

DAV:: get_calendar_contacts_config

DAV:: has_shared_global_addressbook

LiveAPI Perl Module

```
my $cpliveapi =  
Cpanel::LiveAPI->new(  
); # Connect to  
cPanel - only do this  
once.
```

```
# Generate headers  
and footers for the  
page "Test"  
my $get_dom =  
$cpliveapi->uapi(  
    'Chrome',  
    'get_dom',  
    {  
        'page_title'  
    }  
=> 'Test',  
    }  
);
```

Note:

For more information, read our [Guide to the LiveAPI System](#).

cPanel Template Toolkit

```
<!-- Generate  
headers and footers  
for the page "Test"  
-->  
[% data = execute(  
    'Chrome', 'get', {  
        page_title => 'Test'  
    }  
); %]  
[% FOREACH q = data  
    %]  
    <p>  
        [% q %]  
    </p>  
[% END %]
```

Note:

For more information, read our [Guide to Template Toolkit](#) documentation.

Notes:

- The `Fe`
- The `int`
- The `Ur`
- The `mu`
- The `us`
- The `20`
- The `or`
- The `20`
- The `20`
- The `or`
- The `20`
- The `).`

Find
a
func
tion

- UAPI Modules - Chrome - The Chrome module returns HTML for a page.

DAV:: is_dav_service_enabled

DAV:: is_horde_enabled

▼ DCV

DCV:: check_domains_via_dns

DCV:: check_domains_via_http

DCV:: ensure_domains_can_pass_dcv

▼ DomainInfo

DomainInfo:: domains_data

DomainInfo:: list_domains

DomainInfo:: main_domain_builtin_subdomain_aliases

DomainInfo:: single_domain_data

▼ DNS

DNS:: ensure_domains_reside_only_locally

DNS:: has_local_authority

▼ DNSSEC

DNSSEC:: disable_dnssec

DNSSEC:: enable_dnssec

DNSSEC:: fetch_dns_records

DNSSEC:: set_nsec3

DNSSEC:: unset_nsec3

▼ Email

Email:: account_name

Email:: add_auto_responder

Email:: add_domain_forwarder

Email:: add_forwarder

Email:: add_list

Email:: add_mailman_delegates

Email:: add_mx

Email:: add_pop

▼ Command Line

```
uapi --user=username  
Chrome get_domain_title=Test
```

Notes:

- You **must** URI-encode values.
- username represents your account-level username.
- For more information and additional output options, read our [Guide to UAPI](#) documentation or run the `uapi --help` command.
- If you run CloudLinux™, you **must** use the full path of the `uapi` command:

```
/usr/local  
/cpanel/bin/uapi
```

▼ Output (JSON)

```
{  
  "messages": null,  
  "errors": null,  
  "status": 1,  
  "metadata": {  
  
  },  
  "data": {  
    "footer": "\n  
</div><!-- end  
body-content -->\n  
</div>\n  
<!-- PAGE TEMPLATE'S  
CONTENT END -->\n  
</div>\n\n<footer>\n  
<!-- UI INCLUDES  
GLOBAL FOOTER -->\n  
<!-- UI INCLUDES  
GLOBAL FOOTER END  
-->\n\n  
<div  
class=\"container\">\n  
<div
```

Email: add_spam_filter
Email: browse_mailbox
Email: change_mx
Email: check_fast_mail
Email: check_pipe_forwarder
Email: delete_auto_responder
Email: delete_domain_forwarder
Email: delete_filter
Email: delete_forwarder
Email: delete_held_messages
Email: delete_list
Email: delete_mx
Email: delete_pop
Email: disable_filter
Email: disable_mailbox_autocreate
Email: disable_spam_assassin
Email: disable_spam_autodelete
Email: disable_spam_box
Email: dispatch_client_settings
Email: edit_pop_quota
Email: enable_filter
Email: enable_mailbox_autocreate
Email: enable_spam_assassin
Email: enable_spam_box
Email: fetch_charmaps
Email: fts_rescan_mailbox
Email: generate_mailman_otp
Email: get_auto_r

```
class=\"navbar\">\n<ul class=\"nav\nnavbar-nav\">\n<li>\n<a\nid=\"lnkFooterHome\"\nhref=\"../index.html\"\n>Home\n</a>\n</li>\n<li>\n<a\nid=\"lnkFooterTrademark\"\nhref=\"../trademarks.html\"\ntarget=\"_blank\">Trademarks\n</a>\n</li>\n<li>\n<a\nid=\"lnkFooterDocs\"\nhref=\"http://go.cpanel.net/paperlanterndocs\"\ntarget=\"_blank\">Documentation\n</a>\n</li>\n<li>\n<a\nid=\"lnkFooterContact\"\nhref=\"../contact/contactinfo.html\"\ntarget=\"_blank\">Contact\n</a>\n</li>\n</ul>\n<div\nclass=\"navbar-brand\"\nstyle=\"display:inline-block;\nz-index:2147483647;\nvisibility:visible;\"\n>\n<a\nid=\"lnkPoweredByCpanel\"\nhref=\"http://www.cpa
```

esponder
Email: get_charts
Email: get_client_settings
Email: get_default_email_quota
Email: get_default_email_quota_mib
Email: get_disk_usage
Email: get_filter
Email: get_held_message_count
Email: get_mailbox_autocreate
Email: get_mailman_delegates
Email: get_main_account_disk_usage
Email: get_main_account_disk_usage_bytes
Email: get_max_email_quota
Email: get_max_email_quota_mib
Email: get_pop_quota
Email: get_spam_settings
Email: get_webmail_settings
Email: has_delegated_mailman_lists
Email: has_plaintext_authentication
Email: hold_outgoing
Email: is_integer
Email: list_autoresponders
Email: list_default_address
Email: list_domain_forwarders
Email: list_filters
Email: list_filters_backups
Email: list_forward

```
nel.net\"
target=\"cpanel\"
title=\"cPanel,
Inc.\"
style=\"display:inline-block;
z-index:2147483647;
visibility:visible;\"
>\n
<img
id=\"imgPoweredByCpanel\"
src=\"/img-sys/powered_by_cpanel.png\"
alt=\"cPanel, Inc.\"
style=\"display:inline-block;
z-index:2147483647;
visibility:visible;\"
>\n
</a>\n
</div>\n
</div>\n
</div>\n
</footer>\n\n
<script
type=\"text/javascript\">\n
    CPANEL.lang.close=\"
Close\";CPANEL.lang.Close=
\"Close\";CPANEL.lang.cancel=
\"Cancel\";CPANEL.lang.unlimited=
\"Unlimited\";CPANEL.lang.or=
\"or\";CPANEL.lang.ajax_loading=
\"Loading
\u2026\";CPANEL.lang.password_generator=
\"Password
Generator\";CPANEL.lang.generate_password=
\"Generate
Password\";CPANEL.lang.advanced=
\"Advanced
Options\";CPANEL.lang.confirm_copy_password=
\"I have copied
this password in a
safe
place.\";CPANEL.lang.use_password=
\"Use
Password\";CPANEL.lan
```

ers

Email: list_forward
ers_backups

Email: list_lists

Email: list_mail_d
omains

Email: list_mx

Email: list_pops

Email: list_pops_
with_disk

Email: list_system
_filter_info

Email: passwd_list

Email: passwd_po
p

Email: release_ou
tgoing

Email: remove_m
ailman_delegates

Email: reorder_fil
ters

Email: set_always
_accept

Email: set_default
_address

Email: set_list_pri
vacy_options

Email: stats_db_st
atus

Email: store_filter

Email: suspend_in
coming

Email: suspend_lo
gin

Email: suspend_o
utgoing

Email: trace_filter

Email: unsuspend
_incoming

Email: unsuspend
_login

Email: unsuspend
_outgoing

Email: verify_pass
word

▼ EmailAuth

EmailAuth: disabl
e_dkim

EmailAuth: enable
_dkim

```
g.length=\"Length\";C
PANEL.lang.alpha_char
acters=\"Alpha
Characters\";CPANEL.l
ang.nonalpha_characte
rs=\"Non Alpha
Characters\";CPANEL.l
ang.both=\"Both\";CPA
NEL.lang.lowercase=\"
Lowercase\";CPANEL.la
ng.uppercase=\"Upperc
ase\";CPANEL.lang.num
bers=\"Numbers\";CPAN
EL.lang.symbols=\"Sym
bols\";CPANEL.lang.pa
ssword_strength=\"Pas
sword
Strength\";CPANEL.lan
g.passwords_match=\"P
asswords
Match\";CPANEL.lang.p
assword_validator_str
ength=\"Password
strength must be at
least:\";CPANEL.lang.
password_validator_no
_spaces=\"Password
cannot have
spaces.\";CPANEL.lang
.password_validator_n
o_empty=\"Password
cannot be
empty.\";CPANEL.lang.
password_validator_no
_match=\"Passwords do
not
match.\";CPANEL.lang.
Validation_Errors=\"V
alidation
Errors\";CPANEL.lang.
strength_phrase_very_
weak=\"Very
Weak\";CPANEL.lang.st
rength_phrase_weak=\"
Weak\";CPANEL.lang.st
rength_phrase_ok=\"OK
\";CPANEL.lang.stren
gth_phrase_strong=\"St
rong\";CPANEL.lang.st
rength_phrase_very_st
rong=\"Very
Strong\";CPANEL.lang.
click_to_close=\"Clic
```

```

EmailAuth:: ensure
_dkim_keys_exist

EmailAuth:: fetch_
dkim_private_keys

EmailAuth:: install
_dkim_private_key
s

EmailAuth:: install
_spf_records

EmailAuth:: validat
e_current_dkims

EmailAuth:: validat
e_current_ptrs

EmailAuth:: validat
e_current_spfs

ExternalAuthenticat
ion
ExternalAuthentica
tion:: add_authn_li
nk

ExternalAuthentica
tion:: configured_
modules

ExternalAuthentica
tion:: get_authn_lin
ks

ExternalAuthentica
tion:: has_external
_auth_modules_co
nfigured

ExternalAuthentica
tion:: remove_auth
n_link

Features
Features:: get_feat
ure_metadata

Features:: has_fea
ture

Features:: list_feat
ures

Fileman
Fileman:: autocom
pletedir

Fileman:: empty_tr
ash

Fileman:: get_file_
content

Fileman:: get_file_i
nformation

Fileman:: list_files

Fileman:: save_file
_content

Fileman:: transcod
e

```

```

k to
close.\";CPANEL.lang.
toggle_more=\"more
\u00bb\";CPANEL.lang.
toggle_less=\"less
\u00bb\";CPANEL.lang.
Error=\"Error\";CPANE
L.lang.json_error=\"E
rror\";CPANEL.lang.js
on_parse_failed=\"JSO
N parse
failed.\";CPANEL.lang
.ajax_error=\"AJAX
Error\";CPANEL.lang.a
jax_try_again=\"Pleas
e refresh the page
and try
again.\";CPANEL.lang.
Search=\"Search\";CPA
NEL.lang.Simple_Searc
h=\"Simple
Search\";CPANEL.lang.
Advanced_Search=\"Adv
anced
Search\";CPANEL.lang.
add_search_field=\"ad
d search
field\";CPANEL.lang.r
emove=\"remove\";CPAN
EL.lang.No_Results_Fo
und=\"No Results
Found\";CPANEL.lang.G
o_to=\"Go
to\";CPANEL.lang.Show
_rows=\"Show
rows\";CPANEL.lang.co
ntains=\"contains\";C
PANEL.lang.equals=\"e
quals\";CPANEL.lang.M
ore=\"More\";CPANEL.l
ang.ajax_error_with_i
mage=CPANEL.icons.err
or+\"
\"+this.ajax_error+\"
:
\"+this.ajax_try_agai
n;CPANEL.lang.json_er
ror_with_image=CPANEL
.icons.error+\"
\"+this.json_error+\"
:
\"+this.ajax_try_agai
n;\n

```

```

Fileman:: upload_files
  v Ftp
    Ftp:: add_ftp
    Ftp:: allows_anonymous_ftp
    Ftp:: allows_anonymous_ftp_incoming
    Ftp:: delete_ftp
    Ftp:: ftp_exists
    Ftp:: get_ftp_daemon_info
    Ftp:: get_port
    Ftp:: get_quota
    Ftp:: get_welcome_message
    Ftp:: kill_session
    Ftp:: list_ftp
    Ftp:: list_ftp_with_disk
    Ftp:: list_sessions
    Ftp:: passwd
    Ftp:: server_name
    Ftp:: set_anonymous_ftp
    Ftp:: set_anonymous_ftp_incoming
    Ftp:: set_homedir
    Ftp:: set_quota
    Ftp:: set_welcome_message
  v Integration
    Integration:: fetch_url
  v KnownHosts
    KnownHosts:: create
    KnownHosts:: delete
    KnownHosts:: update
    KnownHosts:: verify
  v LangPHP
    LangPHP:: php_get_domain_handler
    LangPHP:: php_get_impacted_domains

```

```

</script>\n
\n
<script
type=\"text/javascript\">\n
$(function(){\n\n
var img =
$(\"#imgPoweredByCpanel\");\n
if(img === null ||
img.length <= 0 ||\n
img.attr('src') !==
\"/img-sys/powered_by_cpanel.png\") {\n
window.location=\"/\n
\";\n
}\n\n
// Warning Duplicate
IDs\n
$('[id]').each(function(){\n
var ids =
$('[id=\\'+this.id+'\\']');\n
if(ids.length>1 &&
ids[0]==this) {\n
console.warn('Multiple IDs #' +this.id);\n
}\n\n
});\n
});\n
</script>\n
</body>\n
</html>\n\n",
  "header": "\n\n
<!DOCTYPE
html>\n\n<html
lang=\"en\"
dir=\"ltr\">\n
<head>\n
<title>cPanel -
Test</title>\n
<meta
charset=\"utf-8\"
/>\n
<meta
http-equiv=\"X-UA-Compatible\"
content=\"IE=edge\">\n
\n
<meta
name=\"viewport\"
content=\"width=device

```


LangPHP:: php_get_installed_versions

LangPHP:: php_get_system_default_version

LangPHP:: php_get_vhost_versions

LangPHP:: php_ini_get_user_basic_directives

LangPHP:: php_ini_get_user_content

LangPHP:: php_ini_get_user_paths

LangPHP:: php_ini_set_user_basic_directives

LangPHP:: php_ini_set_user_content

LangPHP:: php_set_vhost_versions

▼ LastLogin

LastLogin:: get_last_or_current_logged_in_ip

▼ Locale

Locale:: get_attributes

▼ Mailboxes

Mailboxes:: expunge_mailbox_messages

Mailboxes:: expunge_messages_for_mailbox_guid

Mailboxes:: get_mailbox_status

Mailboxes:: has_utf8_mailbox_names

Mailboxes:: set_utf8_mailbox_names

▼ Market

Market:: cancel_pending_ssl_certificate

Market:: create_shopping_cart

Market:: get_all_products

Market:: get_certificate_status_details

Market:: get_login_url

```
e-width,  
initial-scale=1">\n\  
\n  
<link rel="shortcut  
icon"  
href="/brand/favicon  
.ico?96992846"  
type="image/x-icon"  
/>\n\  
\n  
<link  
rel="stylesheet"  
type="text/css"  
href="/cPanel_magic_  
revision_1395856329/f  
rontend/paper_lantern  
/css/yui-core.css"  
/>\n\  
\n  
<link  
rel="stylesheet"  
type="text/css"  
href="/cPanel_magic_  
revision_1409853723/f  
rontend/paper_lantern  
/css/yui-custom.css"  
/>\n\  
\n  
<link  
rel="stylesheet"  
type="text/css"  
href="/cPanel_magic_  
revision_1392312282/f  
rontend/paper_lantern  
/3rdparty/bootstrap/o  
ptimized/css/bootstra  
p.min.css" />\n\  
\n  
<link  
rel="stylesheet"  
type="text/css"  
href="/cPanel_magic_  
revision_1386192030/f  
rontend/paper_lantern  
/3rdparty/ui-fonts/op  
en_sans/optimized/ope  
n_sans.min.css" />\n\  
\n  
<link  
rel="stylesheet"  
type="text/css"  
href="/cPanel_magic_  
revision_1383654921/f  
rontend/paper_lantern  
/3rdparty/fontawesome  
/css/font-awesome.min  
.css" />\n
```

Market:: get_pendi
ng_ssl_certificates

Market:: get_provi
der_specific_dcv_
constraints

Market:: get_provi
ders_list

Market:: get_ssl_c
ertificate_if_availa
ble

Market:: process_s
sl_pending_queue

Market:: request_s
sl_certificates

Market:: set_status
_of_pending_queu
e_items

Market:: set_url_af
ter_checkout

Market:: validate_l
ogin_token

▼ Mime

Mime:: add_handl
er

Mime:: add_hotlink

Mime:: add_mime

Mime:: add_redire
ct

Mime:: delete_han
dler

Mime:: delete_hotli
nk

Mime:: delete_mim
e

Mime:: delete_redi
rect

Mime:: list_handler
s

Mime:: list_hotlinks

Mime:: list_mime

Mime:: list_redirect
s

Mime:: redirect_inf
o

▼ ModSecurity

ModSecurity:: disa
ble_all_domains

ModSecurity:: disa
ble_domains

ModSecurity:: ena
ble_all_domains

```
<link
rel="stylesheet"
type="text/css"
href="/cPanel_magic_
revision_1414439806/fr
ontend/paper_lantern
/css/cpanel_base.min.
css" />\n\n
<script
type="text/javascrip
t"
src="/cPanel_magic_r
evision_1374783460/fr
ontend/paper_lantern/
3rdparty/jquery/1.10.
2/jquery-1.10.2.min.j
s"></script>\n
<script
type="text/javascrip
t"
src="/cPanel_magic_r
evision_1392312282/fr
ontend/paper_lantern/
3rdparty/bootstrap/op
timized/js/bootstrap.
min.js"></script>\n
<script
type="text/javascrip
t"
src="/cPanel_magic_r
evision_1389045136/yu
i-gen/utilities_conta
iner/utilities_contai
ner.js"></script>\n
<script
type="text/javascrip
t"
src="/cPanel_magic_r
evision_1409244679/fr
ontend/paper_lantern/
js/x3_optimized.js">
</script>\n
<script
type="text/javascrip
t"
src="/cPanel_magic_r
evision_1414435557/cj
t/cpanel-all-min-en.j
s"></script>\n
<script
type="text/javascrip
t">\n
CPANEL.validate.hide
```

```

ModSecurity:: enable_domains

ModSecurity:: has_modsecurity_installed

ModSecurity:: list_domains

Mysql
Mysql:: add_host

Mysql:: add_host_note

Mysql:: check_database

Mysql:: create_database

Mysql:: create_user

Mysql:: delete_database

Mysql:: delete_host

Mysql:: delete_user

Mysql:: get_host_notes

Mysql:: get_privileges_on_database

Mysql:: get_restrictions

Mysql:: get_server_information

Mysql:: locate_server

Mysql:: rename_database

Mysql:: rename_user

Mysql:: repair_database

Mysql:: revoke_access_to_database

Mysql:: set_password

Mysql:: set_privileges_on_database

Notifications
Notifications:: get_notifications_count

NVData
NVData:: get

NVData:: set

```

```

_validation_summary =
true;\n
</script>\n
\n
<script
type="text/javascript">\n
(function(){\n
window.PAGE = {};\n
window.NVData = {};\n
window.thisTheme =
"paper_lantern";\n\n
})();\n
</script>\n\n
<!-- custom style css
file (styles.css)
should go here -->\n
<link
rel="stylesheet"
type="text/css"
href="/styled/current_style/sprites/icon_spritemap.css?96992846" />\n
<link
rel="stylesheet"
type="text/css"
href="/styled/current_style/styles.css?96992846" />\n
</head>\n
<body
id="cpanel_body"
class="yui-skin-sam">\n
<div id="wrap">\n
<header>\n
<div class="navbar navbar-inverse navbar-cpanel navbar-fixed-top"
role="navigation">\n
\n
<div
class="container">\n
\n
<div
class="navbar-header">\n
\n
\n
<a
id="lnkHeaderHome"

```

- Parser: firstfile_relative_uri
- PassengerApps: disable_application
 - PassengerApps: edit_application
 - PassengerApps: enable_application
 - PassengerApps: ensure_deps
 - PassengerApps: list_applications
 - PassengerApps: register_application
 - PassengerApps: unregister_application
- PasswdStrength: get_required_strength
- Personalization: set
 - Personalization: get
- Postgresql: create_database
 - Postgresql: create_user
 - Postgresql: delete_database
 - Postgresql: get_restrictions
 - Postgresql: grant_all_privileges
 - Postgresql: rename_database
 - Postgresql: rename_user
 - Postgresql: rename_user_no_password
 - Postgresql: revoke_all_privileges
 - Postgresql: set_password
- Pushbullet: send_test_message

```

class=\"navbar-brand\"
\" target=\"_top\"
href=\"../index.html\"
\">\n

<img id=\"imgLogo\"
src=\"/brand/logo.png
?96992846\" alt=\"\"
title=\"\"/>\n

</a>\n
\n
<div
class=\"navbar-prefer
ences\">\n<div
class=\"btn-group\">\n
\n
<button
id=\"btnUserPref\"
data-toggle=\"dropdow
n\" class=\"btn
btn-primary
dropdown-toggle\">\n
<span id=\"userImg\"
class=\"glyphicon
glyphicon-user\"></sp
an>\n
<span
id=\"lblUserNameTxt\"
class=\"hidden-inline
-xs\">example</span>\n
\n
<span
id=\"caretImg\"
class=\"caret\"></spa
n>\n
</button>\n
<ul
class=\"dropdown-menu
dropdown-menu-right\"
>\n
\n
<li>\n
<a
id=\"lnkUserPrefChang
ePwd\"
href=\"../passwd/inde
x.html\">Change
Password
</a>\n
</li>\n
\n
\n

```

- Quota:: `get_quota_info`
- Resellers:: `list_accounts`
- ResourceUsage:: `get_usages`
- Restore:: `directory_listing`
 - Restore:: `get_users`
 - Restore:: `query_file_info`
 - Restore:: `restore_file`
- Session:: `create_temp_user`
- SiteTemplates:: `list_site_templates`
 - SiteTemplates:: `list_user_settings`
 - SiteTemplates:: `publish`
- SpamAssassin:: `clear_spam_box`
 - SpamAssassin:: `get_symbolic_test_names`
 - SpamAssassin:: `get_user_preferences`
 - SpamAssassin:: `update_user_preference`
- SSH:: `get_port`
- SSL:: `add_autossl_excluded_domains`
 - SSL:: `can_ssl_redirect`
 - SSL:: `check_shared_cert`
 - SSL:: `delete_cert`
 - SSL:: `delete_csr`
 - SSL:: `delete_key`

```

</li>\n
<a
id=\"lnkUserPrefChangeLang\"
href=\"../setlang/index.html\">Change
Language
</a>\n      </li>\n
\n
\n
</li>\n
<a
id=\"lnkUserPrefChangeStyle\"
href=\"../styleswitcher/index.html\">Change
Style
</a>\n
</li>\n
\n
\n
</li>\n
<a
id=\"lnkUserPrefUpdateContactInfo\"
href=\"../contact/index.html\">Contact
Information
</a>\n      </li>\n
\n
\n
</li>\n
<a
id=\"lnkUserPrefResetInterface\"
href=\"javascript:void(0)\"
onclick=\"reset_all_interface_settings()\"
>\n
  Reset Page
Settings\n
</a>\n
</li>\n
</ul>\n</div>\n\n
<a
id=\"lnkHeaderLogout\"
class=\"btn
btn-default\"
target=\"_top\"
href=\"/logout/?locale=en\">\n
  <span
id=\"logoutImg\"

```

SSL:: delete_ssl
SSL:: disable_mail_sni
SSL:: enable_mail_sni
SSL:: fetch_best_for_domain
SSL:: fetch_certificate
SSL:: fetch_certificates_for_fqdns
SSL:: fetch_key_and_bundle_for_certificate
SSL:: find_certificates_for_key
SSL:: find_csrs_for_key
SSL:: generate_certificate
SSL:: generate_csr
SSL:: generate_key
SSL:: get_autoss_excluded_domains
SSL:: get_autoss_pending_queue
SSL:: get_autoss_problems
SSL:: get_bundle
SSL:: get_cn_name
SSL:: install_ssl
SSL:: installed_hosts
SSL:: installed_hosts
SSL:: is_autoss_check_in_progress
SSL:: is_mail_sni_supported
SSL:: is_sni_supported
SSL:: list_certs
SSL:: list_csrs
SSL:: list_keys
SSL:: list_ssl_items
SSL:: mail_sni_sta

```
class=\"glyphicon  
glyphicon-log-out\"><  
/span>\n  
<span  
id=\"lblLogout\"  
class=\"hidden-inline  
-xs\">Logout</span>\n  
</a>\n  
</div>\n  
</div>\n  
</div>\n  
</div>\n  
<!-- UI INCLUDES  
GLOBAL HEADER -->\n  
<div  
id=\"include-global-h  
eader\">\n<nav  
id=\"quickLinks\"  
class=\"navbar  
navbar-default  
navbar-subnav\"  
role=\"navigation\">\n  
<div  
class=\"container\">\n  
<ul class=\"nav  
navbar-nav\">\n  
<li>\n  
<a  
id=\"lnkQuickHome\"  
href=\"../index.html\"  
>Home  
</a>\n  
</li>\n  
<li>\n  
<a  
id=\"lnkQuickDomains\"  
href=\"../addon/index  
.html\">Addon Domains  
</a>\n  
</li>\n  
<li>\n  
<a  
id=\"lnkQuickFilemgr\"  
href=\"../filemanager  
/index.html?showhidde  
n=1&dir=/public_html\"  
>File Manager
```

tus
SSL:: rebuild_mail
_ssl_config
SSL:: rebuildssldb
SSL:: remove_aut
ossl_excluded_do
mains
SSL:: set_autossl_
excluded_domains
SSL:: set_cert_frie
ndly_name
SSL:: set_csr_frien
dly_name
SSL:: set_key_frie
ndly_name
SSL:: set_primary
_ssl
SSL:: set_ssl_shar
e
SSL:: show_cert
SSL:: show_csr
SSL:: show_key
SSL:: start_autossl
_check
SSL:: toggle_ssl_r
edirects_for_doma
ins
SSL:: upload_cert
SSL:: upload_key
▼ StatsBar
StatsBar:: get_stat
s
▼ Styles
Styles:: current
Styles:: list
Styles:: set_default
Styles:: update
▼ SubDomain
SubDomain:: adds
ubdomain
▼ Themes
Themes:: get_the
me_base
Themes:: list
Themes:: update
▼ Tokens
Tokens:: create_fu
ll_access
Tokens:: list

```
</a>\n</li>\n<li>\n<a  
id=\"lnkQuickEmail\  
href=\"../mail/pops.h  
tml\">Email  
</a>\n</li>\n</ul>\n</div>\n</nav>\n</div>\n<!-- UI INCLUDES  
GLOBAL HEADER  
END-->\n</header>\n\n<!-- PAGE TEMPLATE'S  
CONTENT START -->\n<div id=\"content\  
class=\"container\  
>\n\n\n\n<h1  
class=\"page-header\  
>\n<span id=\"icon-\  
class=\"page-ic  
on-\"></span>\n<span  
id=\"pageHeading\  
>Test</span>\n\n</h1>\n\n<div  
class=\"body-cont  
>\n  "
```

Tokens:: rename

Tokens:: revoke

TwoFactorAuth

TwoFactorAuth:: generate_user_configuration

TwoFactorAuth:: get_user_configuration

TwoFactorAuth:: remove_user_configuration

TwoFactorAuth:: set_user_configuration

UserManager

UserManager:: check_account_conflicts

UserManager:: create_user

UserManager:: delete_user

UserManager:: dismiss_user

UserManager:: edit_user

UserManager:: list_users

UserManager:: lookup_service_account

UserManager:: lookup_user

UserManager:: merge_service_account

UserManager:: unlink_service_account

UserTasks

UserTasks:: delete

UserTasks:: retrieve

VersionControl


VersionControl:: create

VersionControl:: delete

VersionControl:: retrieve

VersionControl:: update



VersionControlDepl



Parameters

Parameter	Type	Description	Possible values	Example
page_title	string	Required The title of the page to wrap in the theme's headers and footers.	A valid string. Note : The function prepends this value with cPanel -	Test

Returns

Return	Type	Description	Possible values	Example
header	string	The pages' header.	A valid string.	Click to view... 
footer	string	The pages' footer.	A valid string.	Click to view... 

oyment

VersionControlDep
loyment:: **create**

VersionControlDep
loyment:: **delete**

VersionControlDep
loyment:: **retrieve**

▼ WebDisk

WebDisk:: **delete_**
user

WebDisk:: **set_ho**
medir

WebDisk:: **set_pas**
sword

WebDisk:: **set_per**
missions

▼ WebmailApps

WebmailApps:: **list**
webmailapps

▼ WebVhosts

WebVhost:: **list_do**
mains

WebVhost:: **list_ssl**
_capable_domains

▼ WordPressBackup

WordPressBackup
:: **any_running**

WordPressBackup
:: **cancel**

WordPressBackup
:: **cleanup**

WordPressBackup
:: **get_available_ba**
ckups

WordPressBackup
:: **is_running**

WordPressBackup
:: **start**

▼ WordPressInstance

Manager

WordPressInstanc
eManager:: **cancel**
_scan

WordPressInstanc
eManager:: **cleanu**
p_scan

WordPressInstanc
eManager:: **chang**
e_admin_passwor
d

WordPressInstanc
eManager:: **config**
ure_autoupdate

WordPressInstanc
eManager:: **get_ap**

i_version

WordPressInstanceManager:: **get_instance_by_id**

WordPressInstanceManager:: **get_instances**

WordPressInstanceManager:: **get_latest_wordpress_version_from_wordpress_org**

WordPressInstanceManager:: **get_scan_results**

WordPressInstanceManager:: **is_installable_addon_available**

WordPressInstanceManager:: **start_scan**

▼ WordPressRestore

WordPressRestore:: **any_running**

WordPressRestore:: **cleanup**

WordPressRestore:: **start**