

# UAPI Functions - SSL::show\_key

## Guide to UAPI

- Return Data
- Filter Output
- Sort Output
- Paginate Output
- Output Columns
- Calls from the WHM API
- Custom UAPI Modules

Backup  
Backup::  
fullbacku

p\_to\_ftp

Backup:: fullbacku  
p\_to\_homedir

Backup:: fullbacku  
p\_to\_scp\_with\_key

Backup:: fullbacku  
p\_to\_scp\_with\_pa  
ssword

Backup:: list\_back  
ups

### Bandwidth

Bandwidth:: get\_e  
nabled\_protocols

Bandwidth:: get\_re  
tention\_periods

Bandwidth:: query

### Batch

Batch:: strict

### Brand

Brand:: read

### Branding

Branding:: file

Branding:: get\_app  
lications

Branding:: get\_app  
lication\_informatio  
n

Branding:: get\_ava  
ilable\_applications

Branding:: get\_info  
rmation\_for\_applic  
ations

## Description

This function retrieves a private key.

## Examples

### ▼ cPanel or Webmail Session URL

```
https://hostname.example.com:2083/cpsess#####/execute/SSL/show_key?friendly_name=TestKey
```

#### Note:

This example calls the UAPI function via a cPanel session. For more information, read our [Guide to UAPI](#) documentation.

### ▼ LiveAPI PHP Class

```
$cpanel = new  
CPANEL(); // Connect  
to cPanel - only do  
this once.  
  
// List an account's  
keys.  
$SSL_show_key =  
$cpanel->uapi(  
    'SSL',  
    'show_key',    array(  
  
    'friendly_name'  
=> 'TestKey',  
    )  
);
```

#### Note:

For more information, read our [Guide to the LiveAPI System](#).

## Function information

## About this module

The SSL module manages certificates, certificate requests, and keys on your server.

## About UAPI

UAPI accesses and modifies data for cPanel accounts.

- Branding:: image
- Branding:: include
- Branding:: spritelist
- CacheBuster
  - CacheBuster:: read
  - CacheBuster:: update
- Chkservd
  - Chkservd:: get\_exim\_ports
  - Chkservd:: get\_exim\_ports\_ssl
- Chrome
  - Chrome:: get\_dom
- Contactus
  - Contactus:: is\_enabled
- cPAddons
  - cPAddons:: get\_available\_addons
  - cPAddons:: get\_instance\_settings
  - cPAddons:: list\_addon\_instances
- cPGreyList
  - cPGreyList:: disable\_all\_domains
  - cPGreyList:: disable\_domains
  - cPGreyList:: enable\_all\_domains
  - cPGreyList:: enable\_domains
  - cPGreyList:: has\_greylisting\_enabled
  - cPGreyList:: list\_domains
- DAV
  - DAV:: disable\_shared\_global\_addressbook
  - DAV:: enable\_shared\_global\_addressbook
  - DAV:: get\_calendar\_contacts\_config
  - DAV:: has\_shared\_global\_addressbook
  - DAV:: is\_dav\_service\_enabled

## LiveAPI Perl Module

```

my $cpliveapi =
Cpanel::LiveAPI->new(
); # Connect to
cPanel - only do this
once.

# List an account's
keys.
my $SSL_show_key =
$cpliveapi->uapi(
    'SSL',
    'show_key',
    {
        'friendly_name'
=> 'TestKey',
    }
);

```

**Note:**  
For more information, read our [Guide to the LiveAPI System](#).

## cPanel Template Toolkit

```

<!-- List an
account's keys. -->
[% data = execute(
'SSL', 'show_key', {
friendly_name =>
'TestKey' } ); %]
[% FOREACH q = data
%]
    <p>
        [% q %]
    </p>
[% END %]

```

**Note:**  
For more information, read our [Guide to Template Toolkit documentation](#).

### Notes:

- The
- Ur
- int
- us
- 20
- or
- 20
- 20
- or
- 20
- ).

## Find a function

- UAPI Functions - SSL: delete\_ssl | — This function removes SSL from a domain.

- DAV:: is\_horde\_enabled
- DCV
    - DCV:: check\_domains\_via\_dns
    - DCV:: check\_domains\_via\_http
    - DCV:: ensure\_domains\_can\_pass\_dcv
  - DomainInfo
  - DomainInfo:: domains\_data
  - DomainInfo:: list\_domains
  - DomainInfo:: main\_domain\_builtin\_subdomain\_aliases
  - DomainInfo:: single\_domain\_data
- DNS
  - DNS:: ensure\_domains\_reside\_only\_locally
  - DNS:: has\_local\_authority
- DNSSEC
  - DNSSEC:: disable\_dnssec
  - DNSSEC:: enable\_dnssec
  - DNSSEC:: fetch\_dns\_records
  - DNSSEC:: set\_nsec3
  - DNSSEC:: unset\_nsec3
- Email
  - Email:: account\_name
  - Email:: add\_auto\_responder
  - Email:: add\_domain\_forwarder
  - Email:: add\_forwarder
  - Email:: add\_list
  - Email:: add\_mailman\_delegates
  - Email:: add\_mx
  - Email:: add\_pop
  - Email:: add\_spam\_filter

## Command Line

```
uapi --user=username
      SSL show_key
      friendly_name=TestKey
```

### Notes:

- You **must** URI-encode values.
- username represents your account-level username.
- For more information and additional output options, read our [Guide to UAPI](#) documentation or run the `uapi --help` command.
- If you run CloudLinux™, you **must** use the full path of the `uapi` command:

```
/usr/local
/cpanel/bin/uapi
```

## Output (JSON)

```
{
  "messages": null,
  "errors": null,
  "status": 1,
  "data": {
    "text":
      "Private-Key: (2048
      bit)\nmodulus:\n
      00:b1:16:ee:3e:de:ff:
      41:3c:f2:cb:b5:c5:0a:
      3d:\n
      c8:0d:64:bc:02:9f:e1:
      90:c9:7f:da:e8:03:e6:
      2c:\n
      47:9f:e4:ff:5e:0d:95:
      64:5d:32:c2:b7:c9:01:
      ae:\n
      30:e5:17:da:82:78:f4:
      15:b9:46:40:eb:8b:99:
      5c:\n
      cc:4b:e4:2a:e4:ee:0e:
      28:29:01:79:ee:d4:90:
      bc:\n
```

- UAPI Functions - SSL: fetch\_certificate - This function retrieves the best-available certificate for the domain.
- UAPI Functions - SSL: fetch\_certificate - This function retrieves all of a certificate's available information.

Email: browse\_mailbox  
Email: change\_mx  
Email: check\_fast\_mail  
Email: check\_pipe\_forwarder  
Email: delete\_auto\_responder  
Email: delete\_do\_main\_forwarder  
Email: delete\_filter  
Email: delete\_forwarder  
Email: delete\_held\_messages  
Email: delete\_list  
Email: delete\_mx  
Email: delete\_pop  
Email: disable\_filter  
Email: disable\_mailbox\_autocreate  
Email: disable\_spam\_assassin  
Email: disable\_spam\_autodelete  
Email: disable\_spam\_box  
Email: dispatch\_client\_settings  
Email: edit\_pop\_quota  
Email: enable\_filter  
Email: enable\_mailbox\_autocreate  
Email: enable\_spam\_assassin  
Email: enable\_spam\_box  
Email: fetch\_charmaps  
Email: fts\_rescan\_mailbox  
Email: generate\_mailman\_opt  
Email: get\_auto\_responder  
Email: get\_chase

5d:9e:ab:b0:46:7c:de:  
4f:df:b2:d7:d1:76:89:  
88:\n  
ad:f3:6c:36:f3:a0:07:  
8c:90:88:19:52:0a:68:  
a1:\n  
4d:c0:26:9e:8d:53:70:  
91:83:87:f4:8a:d9:b5:  
0f:\n  
a7:ed:31:f3:8f:34:d2:  
ca:e7:d1:31:ea:42:17:  
5d:\n  
4d:48:7d:b3:73:07:72:  
40:9a:58:55:c8:b3:b6:  
ff:\n  
c2:b5:f6:ba:64:bd:3e:  
06:62:42:cd:44:0b:d2:  
f1:\n  
76:5e:bb:20:55:47:d4:  
10:86:2d:ec:6b:e7:d2:  
0e:\n  
5d:99:48:ca:4d:66:35:  
e1:1a:db:1b:96:0a:41:  
64:\n  
aa:c4:1b:1f:9d:90:e3:  
2e:aa:70:61:f7:77:b6:  
7b:\n  
f7:44:22:d8:73:0b:53:  
84:63:c3:f4:a4:19:e2:  
07:\n  
f6:0b:42:8a:3d:70:cb:  
92:24:80:44:e7:36:5d:  
01:\n  
a2:e0:e5:cd:50:e1:f7:  
7c:5a:9a:b5:da:c4:0f:  
c4:\n  
73:f5\npublicExponent  
: 65537  
(0x10001)\nprivateExponent:\n  
5b:c3:ae:21:16:1c:df:  
09:5e:27:01:41:e1:54:  
b2:\n  
5d:7e:5d:8e:5e:9a:dc:  
14:0e:14:b9:35:8c:08:

- UAPI Functions - SSL: :fetch\_key\_and\_certificate — This function extracts the private key and CA bundle information from a certificate.

ts

Email: get\_client\_settings

Email: get\_default\_email\_quota

Email: get\_default\_email\_quota\_mib

Email: get\_disk\_usage

Email: get\_filter

Email: get\_held\_message\_count

Email: get\_mailbox\_autocreate

Email: get\_mailman\_delegates

Email: get\_main\_account\_disk\_usage

Email: get\_main\_account\_disk\_usage\_bytes

Email: get\_max\_email\_quota

Email: get\_max\_email\_quota\_mib

Email: get\_pop\_quota

Email: get\_spam\_settings

Email: get\_webmail\_settings

Email: has\_delegated\_mailman\_lists

Email: has\_plaintext\_authentication

Email: hold\_outgoing

Email: is\_integer

Email: list\_autoresponders

Email: list\_default\_address

Email: list\_domain\_forwarders

Email: list\_filters

Email: list\_filters\_backups

Email: list\_forwarders

Email: list\_forward

55:\n

f5:1d:0c:d7:07:e2:e9:  
e7:01:6e:b5:1d:8b:a9:  
5f:\n

dc:d6:c7:7b:e4:81:56:  
e0:72:ef:21:1f:6d:91:  
10:\n  
ac:22:c7:b7:69:44:1c:  
bb:62:f0:74:39:e1:e6:  
39:\n

fd:06:aa:89:5c:1b:36:  
f8:8c:0c:19:96:7b:1e:  
40:\n  
45:6b:45:ee:68:76:80:  
f8:44:0e:1a:dd:19:ea:  
bc:\n

07:5d:fb:ba:f0:09:dc:  
dd:73:8d:dc:85:83:b5:  
61:\n  
27:20:43:3d:69:f9:f0:  
f9:e1:73:76:29:5a:b0:  
05:\n

23:65:47:e8:39:f0:21:  
be:17:84:73:0a:08:15:  
4e:\n  
7b:e2:14:6a:72:c7:d3:  
13:ff:98:ee:96:c9:40:  
a3:\n

d3:0d:6c:90:48:25:7c:  
79:74:bf:be:fa:18:62:  
4d:\n  
c9:95:d4:d9:1a:47:59:  
4b:98:9a:2f:95:94:f4:  
4e:\n

78:cc:39:ef:9f:f7:6e:  
eb:db:cb:e5:95:ef:8f:  
ee:\n  
5b:bf:c7:2a:29:e5:76:  
16:28:53:04:8e:ef:3f:  
66:\n

6f:34:a1:21:09:d6:da:  
ac:dd:ad:8c:2e:72:78:  
87:\n  
01:45:f2:fa:3b:b9:23:  
2d:cf:5f:66:dc:c7:1c:  
0b:\n

ers_backups	e1\nprime1:\n
Email: list_lists	00:e9:14:c4:18:92:16:
Email: list_mail_d	8e:ad:fd:cf:17:f0:8c:
omains	f7:\n
Email: list_mxs	55:e0:58:3d:e3:cd:bd:
Email: list_pops	4d:4e:00:64:ee:f0:cf:
Email: list_pops_	a5:\n
with_disk	b0:14:19:85:ea:03:a8:
Email: list_system	be:18:78:34:3b:04:8c:
_filter_info	b8:\n
Email: passwd_list	be:9a:ee:fc:0a:3e:6f:
Email: passwd_po	d2:8f:8f:fd:31:2d:02:
p	97:\n
Email: release_ou	6e:bb:18:5b:9c:6a:85:
tgoing	6e:25:95:a4:40:4e:0b:
Email: remove_m	91:\n
ailman_delegates	a1:c3:85:bd:84:0c:d5:
Email: reorder_filt	72:34:13:12:d9:20:56:
ers	52:\n
Email: set_always	06:53:aa:06:2d:d0:61:
_accept	2b:0b:d9:94:c6:d7:62:
Email: set_default	0f:\n
_address	c9:7d:17:cc:81:39:b3:
Email: set_list_pri	59:e5:ce:77:d5:8a:82:
vacancy_options	ab:\n
Email: stats_db_st	
atus	
Email: store_filter	2d:37:8a:51:49:3a:aa:
Email: suspend_in	c7:37\nprime2:\n
coming	00:c2:80:b7:b4:85:25:
Email: suspend_lo	37:30:b4:45:f3:3a:69:
gin	cf:\n
Email: suspend_o	c3:86:43:89:db:d4:09:
utgoing	6b:72:54:a6:89:b4:a7:
Email: trace_filter	43:\n
Email: unsuspend	3c:dd:da:c6:46:89:93:
_incoming	0a:05:9a:8c:d6:05:5c:
Email: unsuspend	6a:\n
_login	
Email: unsuspend	4d:34:1e:84:5b:14:28:
_outgoing	b7:ef:d2:be:a5:10:9c:
Email: verify_pass	5f:\n
word	e7:35:fb:15:e2:9e:4a:
▼ EmailAuth	60:0a:73:01:f0:55:6c:
EmailAuth: disabl	75:\n
e_dkim	
EmailAuth: enable	25:8a:9b:b0:32:d3:28:
_dkim	41:11:e2:85:2d:f6:35:
EmailAuth: ensure	76:\n
_dkim_keys_exist	6c:68:14:ba:02:98:44:

EmailAuth:: fetch_ dkim_private_keys	82:e1:c6:ca:f7:07:78: ca:\n
EmailAuth:: install _dkim_private_key s	ff:1a:60:3a:e1:88:91: 55:a1:ae:11:46:29:4b: f0:\n
EmailAuth:: install _spf_records	0f:e0:de:8a:0d:26:91: 5c:33\nexponent1:\n
EmailAuth:: validat e_current_dkims	
EmailAuth:: validat e_current_ptrs	1d:2a:ad:13:4a:0c:aa: 94:19:43:b6:02:33:11: ac:\n
EmailAuth:: validat e_current_spfs	5c:63:8e:73:18:46:cd: 0a:aa:bf:f6:aa:89:c1: 79:\n
ExternalAuthenticat ion	
ExternalAuthenticat ion:: add_authn_li nk	14:3a:d1:68:24:47:14: 6a:a9:78:17:be:8d:01: 7d:\n
ExternalAuthenticat ion:: configured_ modules	50:94:01:54:22:d6:09: 6a:4f:a1:66:6a:f4:7d: 10:\n
ExternalAuthenticat ion:: get_authn_lin ks	
ExternalAuthenticat ion:: has_external _auth_modules_co nfigured	ad:36:f2:17:d3:b8:98: bc:f9:49:d1:86:32:aa: 69:\n
ExternalAuthenticat ion:: remove_auth n_link	ac:b6:ea:ad:40:91:e1: 35:a5:01:61:cc:4b:20: fe:\n
Features	
Features:: get_feat ure_metadata	8b:af:a6:10:4b:98:2d: 33:d1:69:6d:ac:7c:27: ef:\n
Features:: has_fea ture	95:c8:c9:9d:8e:23:e4: 66:fe:7c:3e:6b:93:c8: 69:\n
Features:: list_feat ures	
Fileman	
Fileman:: autocom pletedir	e3:1e:5a:e7:a8:00:c0: e7\nexponent2:\n
Fileman:: empty_tr ash	6d:2e:3b:f0:c5:5c:a2: a2:60:4f:73:bd:32:70: 41:\n
Fileman:: get_file_ content	
Fileman:: get_file_i nformation	dd:38:44:46:75:bb:e3: e8:85:c4:06:40:b6:33: 74:\n
Fileman:: list_files	13:45:1f:4f:b1:22:2c: da:00:6b:56:28:24:3c: 37:\n
Fileman:: save_file _content	
Fileman:: transcod e	a2:2e:0f:35:e1:17:0a: 49:41:0f:6b:30:eb:d6: 99:\n
Fileman:: upload_fi les	

<ul style="list-style-type: none"> <li>▼ Ftp</li> <li>Ftp:: add_ftp</li> <li>Ftp:: allows_anonymous_ftp</li> <li>Ftp:: allows_anonymous_ftp_incoming</li> <li>Ftp:: delete_ftp</li> <li>Ftp:: ftp_exists</li> <li>Ftp:: get_ftp_daemon_info</li> <li>Ftp:: get_port</li> <li>Ftp:: get_quota</li> <li>Ftp:: get_welcome_message</li> <li>Ftp:: kill_session</li> <li>Ftp:: list_ftp</li> <li>Ftp:: list_ftp_with_disk</li> <li>Ftp:: list_sessions</li> <li>Ftp:: passwd</li> <li>Ftp:: server_name</li> <li>Ftp:: set_anonymous_ftp</li> <li>Ftp:: set_anonymous_ftp_incoming</li> <li>Ftp:: set_homedir</li> <li>Ftp:: set_quota</li> <li>Ftp:: set_welcome_message</li> <li>▼ Integration</li> <li>Integration:: fetch_url</li> <li>▼ KnownHosts</li> <li>KnownHosts:: create</li> <li>KnownHosts:: delete</li> <li>KnownHosts:: update</li> <li>KnownHosts:: verify</li> <li>▼ LangPHP</li> <li>LangPHP:: php_get_domain_handler</li> <li>LangPHP:: php_get_impacted_domains</li> <li>LangPHP:: php_get_installed_version</li> </ul>	<pre> bf:1f:76:a5:83:1d:54: d4:08:c2:e9:d9:c9:cb: e8:\n  8a:e9:e1:fa:65:b5:8e: f1:2f:2a:7b:26:5d:d4: 5f:\n  fd:fc:c4:7d:78:63:dc: e4:47:e6:de:cb:fe:ee: 54:\n  4c:c5:ff:c7:62:15:d2: ef:b2:fa:57:5c:0f:18: 6e:\n  91:57:da:3e:8f:8b:c1: 29\nncoefficient:\n  00:bd:71:a9:3c:18:7b: 0c:93:ab:d5:bf:f3:be: ea:\n  35:45:86:ce:60:0f:67: b3:2d:ba:5f:cf:9f:b6: 1a:\n  13:27:cb:da:e7:ad:f3: c7:c2:06:7c:9e:00:d5: 6c:\n  07:74:71:2c:35:39:c9: 4b:24:cc:11:fd:60:c2: a2:\n  0b:28:b9:8b:4d:48:c6: 0d:f0:39:34:dc:e2:c9: 3a:\n  b8:c6:64:0a:17:df:c4: f1:3d:fb:18:0b:af:ed: 27:\n  3f:98:3b:e1:24:72:fc: 5d:af:2c:e3:b6:07:3e: e1:\n  2f:fe:db:44:b0:8b:c3: e5:72:82:e5:a4:4a:3a: 37:\n  8f:c4:9f:db:e9:1c:33: 6a:f3\n",     "details": { "created": "1365633436", "modulus": "a74f7636fa </pre>
--	--



s

LangPHP:: php\_get\_system\_default\_version

LangPHP:: php\_get\_vhost\_versions

LangPHP:: php\_ini\_get\_user\_basic\_directives

LangPHP:: php\_ini\_get\_user\_content

LangPHP:: php\_ini\_get\_user\_paths

LangPHP:: php\_ini\_set\_user\_basic\_directives

LangPHP:: php\_ini\_set\_user\_content

LangPHP:: php\_set\_vhost\_versions

▼ LastLogin

LastLogin:: get\_last\_or\_current\_logged\_in\_ip

▼ Locale

Locale:: get\_attributes

▼ Mailboxes

Mailboxes:: expunge\_mailbox\_messages

Mailboxes:: expunge\_messages\_for\_mailbox\_guid

Mailboxes:: get\_mailbox\_status

Mailboxes:: has\_utf8\_mailbox\_names

Mailboxes:: set\_utf8\_mailbox\_names

▼ Market

Market:: cancel\_pending\_ssl\_certificate

Market:: create\_shopping\_cart

Market:: get\_all\_products

Market:: get\_certificate\_status\_details

Market:: get\_login\_url

Market:: get\_pending\_ssl\_certificates

```
6ac93ee6836a83a995b55
deb5019ea36d7ba3dafb0
0e38d693acdb0c81b2ff7
77d6b433a420fae523f12
7f352a68bcc8b8f2d6ee7
b70395bafabd8237ada81
64fdddf8376b30375c35d
4d4cbcce7d33d08069c17
b409176a3689f1ebc97c0
b08fe6ae44c19a92ac6d6
8448e7f1d13f3b360affd
4222a51b4f35342de99b5
a1fb5548e438f2d824664
562a448002eed7fce24de
dc7dc3e1ed179973d1dae
959b33716eeb410d17270
8954e00632cbf60a0e264
19860c8c0bc285d6bfe4b
479de0dd189772a5dae67
6bd2a92acccc1369821be
8cffddd8a7e6ecc061f8a
32a9ae0661e4e946ed8e3
827b277138d3a76116567
cbd129cbd869ef9dddf ",
```

```
"id": "b116e_473f5_ad6
b3bd9517fb157830d0e37
a03bc596",
```

```
"friendly_name": "NewT
estKey",
```

```
"modulus_length": "204
8"};
```

```
"key": "-----BEGIN RSA
PRIVATE
```

```
KEY-----MIIJJwIBAAKCA
gEA4yilqsoCdEpiNOyLcP
J4FLT7vgwaLdOBeJLTMUe
V2uZM4v65
```

```
/tiZe7H0soDp1C55SCr3u
EIEa7Lq7RUZ+F5p67BgRR
19rmerKGxfN7N5Vu97pfT
w
```

```
W1f+1VsxUF/561VeoAmm4
okU98xJHiGGLI8ZHGJbUM
YfLpY0OrA+gNwMHqMVOv1
B
```

```
SgpbEWCILMvnvtp0rwPut
jnPVX2Dj40ia40L4Wqvp+
0Yg7mZyhIOl+q6VZVIdXZ
s
```

Market:: get\_provider\_specific\_dc\_v\_constraints  
Market:: get\_providers\_list  
Market:: get\_ssl\_certificate\_if\_available  
Market:: process\_ssl\_pending\_queue  
Market:: request\_ssl\_certificates  
Market:: set\_status\_of\_pending\_queue\_items  
Market:: set\_url\_after\_checkout  
Market:: validate\_login\_token  
▼ Mime  
Mime:: add\_handler  
Mime:: add\_hotlink  
Mime:: add\_mime  
Mime:: add\_redirect  
Mime:: delete\_handler  
Mime:: delete\_hotlink  
Mime:: delete\_mime  
Mime:: delete\_redirect  
Mime:: list\_handlers  
Mime:: list\_hotlinks  
Mime:: list\_mime  
Mime:: list\_redirects  
Mime:: redirect\_info  
▼ ModSecurity  
ModSecurity:: disable\_all\_domains  
ModSecurity:: disable\_domains  
ModSecurity:: enable\_all\_domains  
ModSecurity:: enable\_domains

1R4ZywfrBYt3ieFBDYMyNw9wN3Xy44fCpHc77+ho84W3BqrGaWSSDyf6UkZGD5mf  
ohGf2JSp+c8J6H7hsxo7pta3K1diVXFOSfnaA+k56zW445XruwYs/SN/zvGetGi6  
uqhMAcVRQcYcMlCixcC6RkcUx3exxgR4q3gthDnFvWC4+NuTh8/K0BcxcuCEhRug  
/MfVfO3+f7RJFSJPFb9m9Lf4HHBSVkDP5WtG4XiBKCe++9Wuvxbd4QxS7YrnSopN  
KxkuHKswH8ONpADMYDqfL ODMhNrs1HnHu95Nv7A1Qr8weLqMGWmp7GFqzXcl39Rn  
Vkf4Bxd3bAAsMN8/JvanMKCPjTDrfzVFZcmHXPYOljYDdYlxfIstYVtbyFkUHZP  
2RPPBaPUAt901zrKGVF8a2vdIKRiey5SZ5qu9c/mGrizoz7Lkk7qkNPAqDMCAwEA  
AQKCAgA3f9raG3j2CKZt381Bzzvfc0h+a16LC736Q4Ut6RuH2/S1ER9IUItPWW87  
nZuDp8ciBr13W0nRNmmHexzZHlgqqXEb8dSfI90Bh1jMnyFSSDihl3KSHrGotBsc  
VBavViREXzdUicGBuXuxt kYno96yvKUq2v0K9MLkA+OBgEHFynqJaw7klBs j573d  
1AQO8TjI+eD8zKsHbB8U15rtRAY/C13YXWk75cDZSggev7A0jRd3o0w8aXDoSlE  
fYq7OTm3n3JJWZBFPKAXTzgtDr6qItJhjs4Ixxsq7RNyeIYES/8aGKKt6lJvjALr  
cdYt47IpHCOu447lG/h+f6xtDophLGZoAirO7lJFRVfLJh76sLF12bpXJKbbmMN+  
aut0nM+MLEw8A5K9OV24j

ModSecurity:: has _modsecurity_inst alled	J/3+afj//5789asIyvNaQ FPOX23SdLX0QbA5QWvJt2 t
ModSecurity:: list_ domains	WvvpS3ubcIJaBEMTK8asE BC68eUW0BBKJaSiYNzecU FYCBjQlxKsIrYuWZoW6fM y
▼ Mysql	
Mysql:: add_host	Rel+cnqMdiH7r2p6RmgF5 c9myDwq3E47jE+VrOy8uh w7EMQvT8+YSKaIbgtFZcU S
Mysql:: add_host_ note	U02BDRB7gWNa842m6nGs5 tj5xFNQ6Wt410vilTwL+6 zCQqJaKmcde3woiIgSdrw 5
Mysql :: check_dat abase	MssAHHjqo7QJthZfbpUAU Tc6jGPN013UlediIRAGdQ W5ALqTwQKCAQEA884bmFF Z
Mysql:: create_dat abase	LtewHIv1PJFfNxVZfk3C7 LhWE2JcI/5P/YrN4ZA8G0 8OYhgxa5XnsHHQPwMM85 i
Mysql:: create_use r	1HeOoPwqgTMiYLDX/Sf88 +eW3ef4V2M1Y4op0ahWFE wbwXKGxOhncElObN7dfZU w
Mysql:: delete_dat abase	VlxCREaiw2XQAGRqtQC0f +9dZysqPjr+Rz6poTiOtm 7DcpW/WiGfBPvVhzBENyq o
Mysql:: delete_hos t	uL9V3vCWYPJSLtCexECoG oPSPHKgUkwbh3+ra8SfG6 FOIBj4PpMB82R7oPDjIyX F
Mysql:: delete_use r	1VDfb0EwYQlKxyZoP9+NP T2MhZv/hF/Mbm/5Lo1VHx 92h09q6yxS6nvaFmEPr9f Y
Mysql:: get_host_n otes	1EOTWzzPOA+VyQKCAQEA7 oVioaTqxENT+wHITZq100 iYUpm4X1N1eENTp97QyQb Q
Mysql:: get_privile ges_on_database	OVR/t8iGLUdvOzdIxBSTS 3JFQ8TNCGDPPc+o319QGd ZABNnKwFGY3Ss+5QgVeX6 n
Mysql:: get_restrict ions	0WKdxCRe1UOUB174aBeXc JCKplh6xBUrLfSZxvZQQb 7fv0Mb+2eKUBKTymvESlk p
Mysql:: get_server _information	Ydn1T0vCCHA3bVpaHuqli CoDSX3RmQICZlfSgCGBbA
Mysql:: locate_ser ver	
Mysql:: rename_d atabase	
Mysql:: rename_us er	
Mysql:: repair_dat abase	
Mysql:: revoke_ac cess_to_database	
Mysql:: set_passw ord	
Mysql:: set_privile ges_on_database	
▼ Notifications	
Notifications:: get_ notifications_count	
▼ NVData	
NVData:: get	
NVData:: set	
▼ Parser	
Parser:: firstfile_rel ative_uri	

- PassengerApps:: disable\_application
  - PassengerApps:: edit\_application
  - PassengerApps:: enable\_application
  - PassengerApps:: ensure\_deps
  - PassengerApps:: list\_applications
  - PassengerApps:: register\_application
  - PassengerApps:: unregister\_application
- PasswdStrength:: get\_required\_strength
- Personalization::set
  - Personalization::get
- Postgresql:: create\_database
  - Postgresql:: create\_user
  - Postgresql:: delete\_database
  - Postgresql:: get\_restrictions
  - Postgresql:: grant\_all\_privileges
  - Postgresql:: rename\_database
  - Postgresql:: rename\_user
  - Postgresql:: rename\_user\_no\_password
  - Postgresql:: revoke\_all\_privileges
  - Postgresql:: set\_password
- Pushbullet:: send\_test\_message
- Quota:: get\_quota\_info

```

kmU8RuxDd9yR9l7O9MXUm
L
sqlsw6hvbUt+7Yl3YlDty
X8gbCwEEYsoALootYlxNF
XnyZKTAXhrg+xsQLrURYZ
U
oZiCJyK/mHCWRTPVkt89w
q4IexbJ9hq1Rjzpm1r8Gw
KCAQBxRSCs855q06SONre
h
HckQfmrFs3sMX9gdyWT1l
BG1yfc9BLXoOiKEkJKCLG
2o5H6eQnuo1go0jBdH0+A
r
hnpeQ0sV4q4y4zXEgzFt6
Dm1tUsYjQzxASskBQF4Gk
F0eZpmGmTtI5MBjHt931l
g
Tr0EcaLh1SIHDj5m4DcPU
TMyBnro3E3xlCRZ6Biu10
/6EMZzuIj42Gjq7HoIyd4
T
zIFCHsqkgyWwrAgBPwAdP
B7OJRKPTxpcy+RwJSmwaL
xPSC/n5gKhIbt4D8q+9Zp
0
esyZGbT1d/c2rJHMwV1FM
vzXkk5CwKs7enK18FXMTR
t4tXhtU8r193JVq8+aY/Y
i
JZuBAoIBAERG2lz7IFjeF
HVtpTDRwIqilTfP2P8wnM
e4PhInrgxdbu16SrUJKZ9
8
e1I5BBNc8G0AYONtSoGIt
Mo0z1phpkQ/GERLM8ap10
B6qJ5XGg6VOuStHgwfQO
t
PIp/nQvu9OK7/XRwj3Phu
2KESiCyEXdAdDwDsdBdZL
JXHwcqoh4Pf9EK2zW/seN
I
fBVJb9K5yHiZzicTZRQvh
xBUw2T6M1oCpH4GFM8GM3
OHEV4pgeqSSvLxnLjFvMA
q
5EKL5Ei4cdjkExvj3aZH9
0N8KicOPgH8SkVhN8OL/P
rein5c/LaKJV+8kEUzPT5
1
xc45cEGCteMsfjD97QINz
pG0jgopUVECgEADIAKsx
8NUQT3hm0wHRanEFJnQH5

```

- Resellers
  - Resellers:: list\_accounts
- ResourceUsage
  - ResourceUsage:: get\_usages
- Restore
  - Restore:: directory\_listing
  - Restore:: get\_users
  - Restore:: query\_file\_info
  - Restore:: restore\_file
- Session
  - Session:: create\_temp\_user
- SiteTemplates
  - SiteTemplates:: list\_site\_templates
  - SiteTemplates:: list\_user\_settings
  - SiteTemplates:: publish
- SpamAssassin
  - SpamAssassin :: clear\_spam\_box
  - SpamAssassin:: get\_symbolic\_test\_names
  - SpamAssassin:: get\_user\_preferences
  - SpamAssassin:: update\_user\_preference
- SSH
  - SSH:: get\_port
- SSL
  - SSL:: add\_autossl\_excluded\_domains
  - SSL:: can\_ssl\_redirect
  - SSL:: check\_shared\_cert
  - SSL:: delete\_cert
  - SSL:: delete\_csr
  - SSL:: delete\_key
  - SSL:: delete\_ssl
  - SSL :: disable\_mail\_sni

```

H
zxaQjWbsjm2uz0KROPNIK
1X5L8kypsb+Ez1JtvWUqx
PaOaTv4DZVpFaVzk8/2PP
G
sYR3mUjqMqNFYMrNwYZAX
vJ/huzDPqq6+w2Pn9jcAi
fHNw3S8UR650v8g17BU4f
V
BvhamG8JelvwLqeGwoiKS
T9NBXVqG5IKBpUkUiFOMU
NmRih9ooKvhy7GosoK8MW
b
mhWo1v8TTSXSagACUhaOI
zb6mMN/VFC5WDbFx5AEB/
G9tq/zmTqQkuo39dvg130
w
yZGRNwclafF1Kxeven10/
JN9ipp0mTa7NYSdn0RAe9
ZRp5cCkgmktqmB0g==
-----END RSA PRIVATE
KEY-----"
}
}

```

SSL::enable\_mail\_sni

SSL::fetch\_best\_for\_domain

SSL::fetch\_cert\_info

SSL::fetch\_certificates\_for\_fqdns

SSL::fetch\_key\_and\_bundle\_for\_certificate

SSL::find\_certificates\_for\_key

SSL::find\_csrs\_for\_key

SSL::generate\_certificate

SSL::generate\_certificate

SSL::generate\_key

SSL::get\_autossl\_excluded\_domains

SSL::get\_autossl\_pending\_queue

SSL::get\_autossl\_problems

SSL::get\_certificate

SSL::get\_cn\_name

SSL::install\_ssl

SSL::installed\_host

SSL::installed\_hosts

SSL::is\_autossl\_check\_in\_progress

SSL::is\_mail\_sni\_supported

SSL::is\_sni\_supported

SSL::list\_certs

SSL::list\_csrs

SSL::list\_keys

SSL::list\_ssl\_items

SSL::mail\_sni\_status

SSL::rebuild\_mail\_sni\_config

```
}
```

**Note:**

Use cPanel's *API Shell* interface (*cPanel >> Home >> Advanced >> API Shell*) to directly test cPanel API calls.

## Parameters

Parameter	Type	Description	Possible Values	Example
id	string	The key's ID.	A valid string.	<a href="#">Click to view...</a> example_com_c69ce_37ff5_1397169490_169c717cb2c260281df792788accf041
friendly_name	string	The key's friendly name.	A valid string.	TestKey

## Returns

Return	Type	Description	Possible values	Example
text	string	The raw information from the OpenSSL command-line tool.	A valid string.	<a href="#">Click to view...</a> Certificate Request: Data: Version: 0 (0x0) Subject: CN = example.com, C = US, emailAddress = username@example.com, /O = Example, ST = Texas, L = Houston Subject Public Key Info: Public Key Algorithm: rsaEncryption Public-Key: /

SSL:: rebuildssldb

SSL:: remove\_aut  
ossl\_excluded\_do  
mains

SSL:: set\_autossl\_  
excluded\_domains

SSL:: set\_cert\_frie  
ndly\_name

SSL:: set\_csr\_frien  
dly\_name

SSL:: set\_key\_frie  
ndly\_name

SSL:: set\_primary  
\_ssl

SSL:: set\_ssl\_shar  
e

SSL:: show\_cert

SSL:: show\_csr

SSL:: show\_key

SSL:: start\_autossl  
\_check

SSL:: toggle\_ssl\_r  
edirects\_for\_doma  
ins

SSL:: upload\_cert

SSL:: upload\_key

▼ StatsBar

StatsBar:: get\_stat  
s

▼ Styles

Styles:: current

Styles:: list

Styles:: set\_default

Styles:: update

▼ SubDomain

SubDomain:: adds  
ubdomain

▼ Themes

Themes:: get\_the  
me\_base

Themes:: list

Themes:: update

▼ Tokens

Tokens:: create\_fu  
ll\_access

Tokens:: list

Tokens:: rename

Tokens:: revoke

```
(2048 bit)
Modulus:
00:bf:44:22
:cb:13:2b:7
f:41:9f:48:
85:d6:2c:77
:
03:cf:84:db
:90:5c:5a:e
d:e5:9c:cb:
d6:9d:4b:fc
: /
67:58:b7:db
:71:dd:eb:8
e:5a:77:6f:
03:5d:96:85
:
60:dc:91:45
:59:85:ff:9
e:57:76:a5:
b5:cd:dc:48
: /
25:89:3f:8f
:17:c1:c2:1
e:4d:ec:f0:
08:1a:a9:cc
:
2d:45:34:be
:82:77:a5:e
4:bb:0b:82:
bc:82:51:c3
: /
ac:1b:ed:c3
:a4:b3:e6:1
4:4f:ba:9e:
39:af:08:ae
:
3c:2c:15:bd
:dc:03:17:9
3:01:95:4f:
c0:2a:0f:3b
: /
46:5f:5e:6f
:96:d5:b2:d
d:53:22:a9:
91:e4:36:8e
:
f2:60:5b:ca
:b3:72:e6:b
e:53:8b:9e:
b6:72:26:04
: /
85:37:f4:89
:c1:78:91:7
d:46:96:71:
c4:be:39:f3
:
cc:1d:79:bc
:33:61:5c:5
f:76:52:4a:
7d:d0:60:31
: /
79:96:44:6e
:6a:77:72:7
0:1f:3f:08:
24:e6:d1:50
:
c0:6a:86:98
:df:56:8b:a
e:2f:c1:97:
bc:ed:4c:70
: /
a1:a6:b2:7e
:25:97:8f:9
5:73:a1:84:
71:43:da:33
:
48:d5:44:17
:e1:28:1e:3
7:93:63:fa:
ec:45:17:39
: /
e5:ff:62:90
:6b:b2:eb:1
1:5b:32:b2:
ce:51:0b:8a
: 3e:95
Exponent:
65537
(0x10001)
Attributes:
/
a0:00
Signature
Algorithm:
sha1WithRSA
Encryption
41:bd:99:89
:7a:1b:c2:7
1:90:f7:5a:
17:05:c9:77
:c8:f0:0e:
/
```

- TwoFactorAuth:: generate\_user\_configuration
  - TwoFactorAuth:: get\_user\_configuration
  - TwoFactorAuth:: remove\_user\_configuration
  - TwoFactorAuth:: set\_user\_configuration

- UserManager:: check\_account\_conflicts
  - UserManager:: create\_user
  - UserManager:: delete\_user
  - UserManager:: dismiss\_user
  - UserManager:: edit\_user
  - UserManager:: list\_users
  - UserManager:: lookup\_service\_account
  - UserManager:: lookup\_user
  - UserManager:: merge\_service\_account
  - UserManager:: unlink\_service\_account

- UserTasks:: delete
  - UserTasks:: retrieve

- VersionControl:: create
  - VersionControl:: delete
  - VersionControl:: retrieve
  - VersionControl:: update

- VersionControlDeployment:: create

```

62:0f:85:0d
:fb:16:02:7
4:34:5f:7a:
93:3e:50:8e
:cf:f4:6f:
ee:ab:7b:c9
:ef:7c:76:5
9:dd:85:fd:
7d:4e:ac:95
:9d:b7:ae:
/
8a:89:fc:1f
:5b:ee:ee:6
b:cd:9b:4e:
2d:2a:fb:1b
:32:8f:8f:
56:70:d1:42
:c1:72:ed:0
4:4b:27:5a:
ee:5a:e1:2b
:6e:53:59:
/
aa:14:25:87
:7f:2b:c3:7
a:f5:b2:6c:
71:2a:93:62
:40:ca:87:
b4:fe:34:a1
:95:77:1e:9
8:f1:71:5e:
14:97:61:73
:07:8d:bc:
/
3e:e1:f8:47
:f7:00:8b:0
6:a5:1c:84:
a3:88:9a:7b
:37:74:5d:
34:a6:ae:22
:ab:a3:b8:9
f:d7:ab:60:
9a:70:81:15
:13:0f:d9:
/
ff:ab:7a:2b
:fd:cb:96:0
4:ad:00:6b:
e4:74:4e:59
:57:a5:9e:
84:c7:74:d8
:62:08:37:b
3:ee:cc:74:
b2:b6:26:e8
:c0:37:32:
/
19:dc:1c:ff
:97:4a:cc:1
c:36:c3:a7:
2d:ca:77:53
:c4:1d:1c:
3c:36:5b:f8
:90:46:01:4
8:49:61:9b:
ef:bb:b3:a8
:94:0b:3f:
/
50:51:93:29
:9f:aa:9a:a
b:ae:3d:3c:
72:8a:0b:bc
:2f:3f:19:
d7:5d:70:14

```

details	hash	A hash of the key's details.	This hash includes the created, modulus, id, friendly_name, modulus_length, and key returns.	
created	integer	The key's creation date.  The function returns this value in the details hash.	A date in Unix time format.	1365633415



VersionControlDeployment:: **delete**

VersionControlDeployment:: **retrieve**

▼ **WebDisk**

WebDisk:: **delete\_user**

WebDisk:: **set\_homedir**

WebDisk:: **set\_password**

WebDisk:: **set\_permissions**

▼ **WebmailApps**

WebmailApps:: **list\_webmailapps**

▼ **WebVhosts**

WebVhost:: **list\_domains**

WebVhost:: **list\_ssl\_capable\_domains**

▼ **WordPressBackup**

WordPressBackup:: **any\_running**

WordPressBackup:: **cancel**

WordPressBackup:: **cleanup**

WordPressBackup:: **get\_available\_backups**

WordPressBackup:: **is\_running**

WordPressBackup:: **start**

▼ **WordPressInstanceManager**

WordPressInstanceManager:: **cancel\_scan**

WordPressInstanceManager:: **cleanup\_scan**

WordPressInstanceManager:: **change\_admin\_password**

WordPressInstanceManager:: **configure\_autoupdate**

WordPressInstanceManager:: **get\_api\_version**

WordPressInstanceManager:: **get\_in**

modulus	string	The key's modulus.  The function returns this value in the details hash.	A valid string.	<a href="#">Click to view...</a>  a74f7636e6 ac93ee6836a 83a995b55de b5019ea36d7 ba3dafb00e3 8d693acdb0c 81b2ff777d6 b433a420fae 523f127f352 a68bcc8b8f2 d6ee7b70395 bafabd8237a da8164fdddf 8376b30375c 35d4d4cbce 7d33d08069c 17b409176a3 689f1ebc97c 0b08fe6ae44 c19a92ac6d6 8448e7f1d13 f3b360affd4 222a51b4f35 342de99b5a1 fb5548e438f 2d824664562 a448002eed7 fce24dedc7d c3e1ed17997 3d1dae959b3 3716eeb410d 172708954e0 0632cbf60a0 e26419860c8 c0bc285d6bf e4b479de0dd 189772a5dae 676bd2a92ac ccc1369821b e8cffddd8a7 e6ecc061f8a 32a9ae0661e 4e946ed8e38 27b277138d3 a76116567cb d129cbd869e f9dddf
id	string	The key's ID.  The function returns this value in the details hash.	A valid string.	<a href="#">Click to view...</a>  example_com _c69ce_37ff 5_139716949 0_169c717cb 2c260281df7 92788accf04 1
friendly_name	string	The key's friendly name.  The function returns this value in the details hash.	A valid string.	TestKey
modulus_length	integer	The length of the key's modulus, in bits.  The function returns this value in the details hash.	A positive integer.	2048
key	string	The key's contents.  The function returns this value in the details hash.	A valid private key	<a href="#">Click to view...</a>  -----BEGIN RSA PRIVATE KEY----- MIIJJwIBAAK CAgEA4yilqs oCdEpiNOyLc PJ4FLT7vgwa Ld0BeJLTMUe V2uZM4v65 /tiZe7H0soD p1C55Scr3uE IEa7Lq7RUZ+ F5p67BgRR19 rmerKGxfN7N 5Vu97pFTw Wlf+1VsxUF/ 561VeoAmm4o kU98xJHiGgl I8ZHGJbUMYf LPy00rA+gNw MHqMVOv1B SgpbEWCILMv nvtp0rwPutj nPVX2Dj40ia 40L4Wqvp+0Y g7mZyh101+q

stance\_by\_id

WordPressInstanceManager:: get\_instances

WordPressInstanceManager:: get\_latest\_wordpress\_version\_from\_wordpress\_org

WordPressInstanceManager:: get\_scan\_results

WordPressInstanceManager:: is\_installable\_addon\_available

WordPressInstanceManager:: start\_scan

▼ WordPressRestore

WordPressRestore:: any\_running

WordPressRestore:: cleanup

WordPressRestore:: start

6VZVidXZs  
1R42ywFRBYt  
3ieFBDVMyNw  
9wN3Xy44fCp  
Hc77+ho84W3  
BqrGaWSSDyf  
6UkZGD5mf  
ohGf2JSp+c8  
J6H7hsxo7pt  
a3K1diVXFOS  
fnaA+k56zW4  
45XruwYs/SN  
/zvGetGi6  
ughMAcVRQcY  
CmLCixcC6Rk  
cUx3exxgR4q  
3gthDnFvWC4  
+NuTh8/KOBc  
xcuCEhRug  
/MfVf03+f7R  
JFSJFb9m9L  
f4HHBSvKDP5  
WtG4XiBKCe+  
+9Wuvxbd4Qx  
S7YrnSopN  
KxkuHKswH80  
NpADMYDqfLO  
DMhNrs1HNNhu  
95Nv7A1Qr8w  
eLqMGWmp7GF  
qzXcl39Rn  
Vkf4Bxd3bAA  
sMN8/JvanMK  
CPjTTDrfzVF  
ZcmHXPYO1jY  
DdYlxfIstYV  
tbyFkUHZP  
2RFPBaPUAt9  
0lZrKGVF8a2  
vdIKRiey5SZ  
5qu9c/mGr i3  
oz7Lk7qkNP  
AgDMCAwEA  
AQKCAgA3f9r  
aG3j2CKZt38  
1Bzzvfc0h+a  
16LC736Q4Ut  
6RuH2/S1ER9  
IUItPWW87  
nZuDp8ciBr1  
3W0nRNmmHez  
xZHlqqqXeb8  
dSfI90Bh1jM  
NyFSSDihl3K  
SHrGotBsc  
VBavViREXZd  
UicGBuXuxtK  
Yno96yvKUg2  
vOK9MLkA+OB  
gEHFynqJaw7  
klBs j573d  
LAQO8TjI+eD  
8zKsHbB8U15  
rtRAy/Cl3YX  
Wk75cdZSgge  
vc7A0jRd3o0  
w8aXDoS1E  
fYq70Tm3n3J  
JWZBFPKAXTz  
gTDr6qItJhj  
S4IxXsq7RNY  
eIYES/8aGKK  
T61JvjALr  
cdYt47IpHCO  
u4471G/h+f6  
xtDophLGZoA  
ir071JFRVfL  
Jh76sLF12bp  
XJKbbmMN+  
aut0nM+MLEw  
8A5K9OV24jJ  
/3+afj//578  
9asIyvNaQFP  
OX23SdLX0Qb  
A5QWvJt2t  
WvvpS3ubcIJ  
aBEMTK8asEB  
C68eUW0BBKJ  
aSiYNzecuFY  
CBjQ1xKsIrY  
uWZoW6EMy  
Rel+cnqMdiH  
7r2p6RmgF5c  
9myDwq3E47j  
E+VrOy8uhw7  
EMQvT8+YSKa  
IbgtFZcUS  
U02BDRB7gWN  
a842m6nGs5t  
j5xPNQ6Wt41  
0viltWL+6zC  
QqJaKmedE3w  
oiIgsdrw5

MssAHhjgo7Q  
JthZfbpUAUT  
c6jGPN013U1  
ediIRAGdQW5  
ALqTwQKCAQE  
A884bmFFZ  
LTewHiv1PJF  
fNxVZfk3C7L  
hWE2JcI/5P/  
YrN4ZA8G08O  
YhgXga5XnsH  
HQPwMM85i  
lHeOoPwggTM  
IyLDX/Sf88+  
eW3ef4V2M1Y  
4op0ahWFEwb  
wXKGxOhncE1  
ObN7dfZUw  
VlxCRaaiw2X  
QAGRqtQC0f+  
9dZysqPJr+R  
z6poTiOtm7D  
cpw/W1GfBPv  
VhzBENygo  
uL9V3vCWYPJ  
SLtCexECoGo  
PSPHKgUkwbh  
3+ra8SfG6FO  
IBj4PpMB82R  
7oPDjIyXF  
1VDFb0EwYQ1  
KxyZoP9+NPT  
2MhZv/hf/Mb  
m/5LolVHx92  
hO9q6yxS6nv  
aFmEPr9fY  
1EOTWzzPOA+  
VyQKCAQEA7o  
VioaTqxENT+  
wHITZq100iY  
Upm4X1N1eEN  
Tp97QyQbQ  
OVR/t8iGLud  
vOzdIxBSTS3  
JFQ8TNcGDDP  
c+o319QGdZA  
BNnKwFGY3Ss  
+5QgVex6n  
0WKdxCRelUO  
UB174aBeXcJ  
CKplh6xBuRL  
fSZxvZQOb7f  
v0Mb+2eKUBK  
TymvES1kp  
Ydn1T0vCCHA  
3bvpaHuqliC  
oDSX3RmQICZ  
1fSgCGBbAkm  
U8RuxDd9yR9  
1709MXUmL  
sqlsw6hvbUt  
+7Y13Y1DtyX  
8gbCwEEYsoA  
LOotY1xNFXn  
yZKTAXhrG+x  
sQLrURYZU  
oZiCJyK/mHC  
WRTPVkt89wq  
4IexbJ9hq1R  
jzpm1r8GwKC  
AQBxRSCs855  
q06SOnreh  
HCKQfmrFs3s  
MX9gdyWT11B  
Glyfc9BLXoO  
iKEkJKCLG2o  
5H6eQnuo1go  
0jBdH0+Ar  
hnpeQ0sV4q4  
y4zXEgzFt6D  
mltUsYjQzxA  
SskBQF4GkF0  
eZpmGmTtI5M  
BjHt9311g  
Tr0EcaLh1SI  
HDj5m4DcPUT  
MyBnr03E3x1  
CRZ6Biu10/6  
EMZzuIj42Gj  
q7HoIyd4T  
zIFCHsqkgyW  
WrAgBPwAdPB  
7OJRKPtxpcy  
+RwJSmwaLxP  
SC/n5gKhIbt  
4D8q+9Zp0  
esyZGbT1d/c  
2zJHMwVlFMv  
zXkk5CwKs7e  
nK18FXMTRt4  
tXHTU8r193J  
Vg8+aY/Yi  
JZuBAoIBAER

G2lz7IFjeFH  
VtpTDRwIqil  
TFP2P8wnMe4  
PhInrgxdbul  
6SrUJKZ98  
e1I5BBNc8G0  
AYONtSoGItM  
o0z1phpkQ/G  
ERLM8aplOB6  
qJ5XGg6VOuS  
tHgwwfQ0t  
PIp/nQvu9OK  
7/XRwj3Phu2  
KESiCyEXdAd  
DwDsdDbdZLJX  
Hwcqoh4Pf9E  
K2zW/seNI  
fBVJb9K5yHi  
ZzicTZRQvHx  
BUw2T6M1oCp  
H4GFM8GM3OH  
EV4pgeqSSvL  
xnLjFVmAq  
5EKL5Ei4cdj  
kExvj3aZH90  
N8KicOPgH8S  
kVhN8OL/Pre  
in5c/LaKJV+  
8kEUzptS1  
xc45cEGCteM  
sfjD97QINzp  
G0jgopUVEcG  
gEADiAKsx8N  
UQT3hm0wHRa  
nEFJnQH5H  
zxaQjWbsjm2  
uz0KROPNIK1  
X5L8kypsb+E  
z1JtvWUqxPa  
OaTv4DZVpFa  
Vzk8/2PPG  
sYR3mUjgMqN  
FYMrNwYZAXv  
J/huzDPqg6+  
w2Pn9jcAifH  
Nw3S8UR650v  
8gl7BU4fV  
BvhamG8Jelv  
wLqeGwoikST  
9NBXVqG5IKB  
pUkUiFOMUNm  
Rih9ooKvhy7  
GosoK8Mwb  
mhWolV8TTSX  
SagACUhaAoIz  
b6mMN/VFC5W  
DbFx5AEB/G9  
tq/zmTqQkuo  
39dvg130w  
yZGRNwclafF  
1Kxeven10/J  
N9ipp0mTa7N  
YSdn0RAe9ZR  
p5cCkgmktqm  
B0g==

				-----END RSA PRIVATE KEY-----
--	--	--	--	-------------------------------------