

UAPI Functions - SSL::get_cabundle

Guide to UAPI

- Return Data
- Filter Output
- Sort Output
- Paginate Output
- Output Columns
- Calls from the WHM API
- Custom UAPI Modules

Backup
Backup::
fullbackup

p_to_ftp

Backup:: fullbacku
p_to_homedir

Backup:: fullbacku
p_to_scp_with_key

Backup:: fullbacku
p_to_scp_with_pa
ssword

Backup:: list_back
ups

Bandwidth

Bandwidth:: get_e
nabled_protocols

Bandwidth:: get_re
tention_periods

Bandwidth:: query

Batch

Batch:: strict

Brand

Brand:: read

Branding

Branding:: file

Branding:: get_app
lications

Branding:: get_app
lication_informatio
n

Branding:: get_ava
ilable_applications

Branding:: get_info

Description

This function retrieves a certificate's CA bundle and hostname.

Examples

▼ cPanel or Webmail Session URL

```
https://hostname.example.com:2083/cpsess#####/execute/SSL/get_cabundle?cert=---  
--BEGIN  
CERTIFICATE-----\r\nM  
IIDcTCCAlmgAwIBAgIFAU  
+BNVgwDQYJKoZIhvcNAQE  
FBQAwUTESMBAGAlUEAwwJ  
\r\n\nc2lza28udGxkMQswC  
QYDVQQGEwJVUzEPMA0GA1  
UECgwGY1BhbmVsMQswCQY  
DVQQI\r\n\ndAJUWDEQMA4G  
A1UEBwwHSG91c3RvbjaeF  
w0xNDEwMDYy\r\n\mji2MTlaFw  
0xNTEwMDYy\r\n\mji2MTl  
aMFExEjAQBgNVBAMMCXNp  
c2tvLnRzZDELMAkGAlUEB  
hMCAwVGVzZANBgNV\r\n\nBA  
oMBmNQYW51bDELMAkGAlU  
ECAwCVFgxEADAObgNVBACM  
B0hvdXN0b24wggeiMAOG\  
\r\n\nCSqGSIb3DQEBQUAA4  
IBDwAwggEKAoIBAQC9zx6  
zGiHdmWA0dKtoXmJiWXPz  
9E3P\r\n\nXx3YHsjFEWW7e  
5pH0vZ+jVMzDmm5nsJ7RX  
rAkZO1IvpIpVLvoQfiJOW  
VvkD+o9fW\r\n\nnvoK1tWJS  
72FSgPju+58mA2ieBuc87  
A790Pzuv1P3NR3zFLAjUR  
99zkHR1fpri/da\r\n\nm3P  
BWO8ET48FWkyU1kOeZaU1  
F67/+wrEiNgg+t1qhKOCA  
B61PdNVkLaSGHimksuC\r\n\n+Czk8Kq9nuS0E0TCnDt  
jjEyJ455FUcaCfcz1Tb8x  
kB/F90Re74yTzD+v1k0tF  
MG6\r\n\nPLj/ajIwWqw00q  
mQ8wX3NRxkWgGz5kVO1wr  
VJarKQ5EYQ3/mgvit0v6d  
AgMBAAGj\r\n\nUDBOMB0GA
```

Func tion infor mati on

About this mod ule

The SSL module manages certificates, certificate requests, and keys on your server.

About UAPI

information_for_applications

Branding:: image

Branding:: include

Branding:: spritelist

CacheBuster

CacheBuster:: read

CacheBuster:: update

Chkserverd

Chkserverd:: get_exim_ports

Chkserverd:: get_exim_ports_ssl

Chrome

Chrome:: get_domain

Contactus

Contactus:: is_enabled

cPAddons

cPAddons:: get_available_addons

cPAddons:: get_instance_settings

cPAddons:: list_addon_instances

cPGreyList

cPGreyList:: disable_all_domains

cPGreyList:: disable_domains

cPGreyList:: enable_all_domains

cPGreyList:: enable_domains

cPGreyList:: has_greylisting_enabled

cPGreyList:: list_domains

DAV

DAV:: disable_shared_global_addressbook

DAV:: enable_shared_global_addressbook

DAV:: get_calendar_contacts_config

DAV:: has_shared_global_addressbook

```
1UdDgQWBBRw+wKBo34+bg  
exjAa3EMDsgSCd7zAfBgN  
VHSMEGDAWgBRw\r\n+wKB  
o34+bgexjAa3EMDsgSCd7  
zAMBgNVHRMEBTADAQH/MA  
0GCSqGS1b3DQEEBBQUA\r\n  
nA4IBAQCHRXIs53opzKM2  
rM8Qe81cw524WK6hqy2EW  
rZHp78N7rU7/6DQ/I3hv3  
Wh\r\nncDDIO04I2/Xhe88  
MLBaLoM367Ya+vy7CaLr1  
4aLi/SfQszMA0ALBvMao+  
Fis0iVw\r\nnFYq/NLgSXw  
+fgnpFskt8v8iQZ+4Kaa1  
8U8e9sVgu8m0RgO7rzym1  
eRiIKpsKd1rh\r\nn/SD7L  
bSN7M7TRL3QqF71tw9sQh  
AAsQcRaBBF21pdWrqhiGZ  
+Eioo3hhgwNavH2ag\r\nn  
qz78ddHwrFpPHFwrEeUk10  
fpPb76MYIce7xIy/4oQNd  
g6fOq41/FrajBv+WkzDVP
```

UAPI accesses and modifies data for cPanel accounts.

Notes:

- This function uses 20 or 20).
- This function uses 20 or 20).

Find a function

- UAPI Functions - SSL: delete - This function removes SSL from a domain.

DAV:: is_dav_service_enabled

DAV:: is_horde_enabled

▼ DCV

DCV:: check_domains_via_dns

DCV:: check_domains_via_http

DCV:: ensure_domains_can_pass_dcv

▼ DomainInfo

DomainInfo:: domains_data

DomainInfo:: list_domains

DomainInfo:: main_domain_builtin_subdomain_aliases

DomainInfo:: single_domain_data

▼ DNS

DNS:: ensure_domains_reside_only_locally

DNS:: has_local_authority

▼ DNSSEC

DNSSEC:: disable_dnssec

DNSSEC:: enable_dnssec

DNSSEC:: fetch_dns_records

DNSSEC:: set_nsec3

DNSSEC:: unset_nsec3

▼ Email

Email:: account_name

Email:: add_auto_responder

Email:: add_domain_forwarder

Email:: add_forwarder

Email:: add_list

Email:: add_mailman_delegates

Email:: add_mx

Email:: add_pop

```
a\r\nKm6r7YmwfLN/YMZB
HXSR58oOGP9W\r\n-----
END CERTIFICATE-----
```

Note:

This example calls the UAPI function via a cPanel session. For more information, read our [Guide to UAPI documentation](#).

▼ LiveAPI PHP Class

```
$cpanel = new
CPANEL(); // Connect
to cPanel - only do
this once.

// Retrieve CA bundle
and hostname from
certificate.
$SSL_get_cabundle =
$cpanel->uapi(
    'SSL',
    'get_cabundle',
    array(
        'cert'
    ) => '-----BEGIN
CERTIFICATE-----
MIIDcTCCAImGAWIBAgIFA
U+BNVgwDQYJKoZIhvcNAQ
EFBQAwUTESMBAGA1UEAw
J
c2lza28udGxkMQswCQYDV
QQGEwJVUzEPMA0GA1UECg
wGY1BhbmVsmQswCQYDVQQ
I
DAJUWDEQMA4GA1UEBwwH
S
G91c3RvbjaEfw0xNDEwMD
YyMjI2MTlaFw0xNTEwMDY
y
MjI2MTlaMFExejAQBGNV
B
AMMCMXNpc2tvLnRsdELM
A
kGA1UEBhmCVVMxDzANBg
N
V
BAoMBmNQYW5lbDELMAkG
A
1UECAwCVFgxEDAObgNV
B
A
cMBOhvdXN0b24wggEiMA
O
G
CSqGSIB3DQEBAQUAA4IB
D
wAwggEKAoIBAQC9zx6zGi
```

- UAPI Functions - SSL: :fetch_best_for_domain

This function retrieves the best-available certificate for the domain.

- UAPI Functions -

SSL: :fetch_certificate_info — This function retrieves all of a certificate's available information.

Email:: add_spam_filter
Email:: browse_mailbox
Email:: change_mx
Email:: check_fastmail
Email:: check_pipe_forwarder
Email:: delete_auto_responder
Email:: delete_do_main_forwarder
Email:: delete_filter
Email:: delete_forwarder
Email:: delete_held_messages
Email:: delete_list
Email:: delete_mx
Email:: delete_pop
Email:: disable_filter
Email:: disable_mailbox_autocreate
Email:: disable_spam_assassin
Email:: disable_spam_autodelete
Email:: disable_spam_box
Email:: dispatch_client_settings
Email:: edit_pop_quota
Email:: enable_filter
Email:: enable_mailbox_autocreate
Email:: enable_spam_assassin
Email:: enable_spam_box
Email:: fetch_charmaps
Email:: fts_rescan_mailbox
Email:: generate_mailman_otp
Email:: get_auto_r

HdmWA0dKtoXmJiWXpZ9E3
P
Xx3YHsjFEWW7e5pH0vZ+j
VMzDmm5nsJ7RXrAkZO1Iv
pIpVLvoQfiJOWVvkD+o9f
W
voK1tWJS72FSgPju+58mA
2ieBuc87A790Pzuv1P3NR
3zFLAjUR99zkHR1fpri/d
a
M3PBWO8ET48FWkyUlkoEZ
aUlF67/+wrEiNgg+t1qhK
OCAB61PdNVkLaSGHimksu
C
+Czk8Kq9nuS0E0TCnDtjj
EyJ455FUcaCfcz1Tb8xkB
/F9ORe74yTzD+v1k0tFMG
6
PLj/ajIwWqw00qmQ8wX3N
RrkWgGz5kVO1wrVJarKQ5
EYQ3/mgvit0v6dAgMBAAG
j
UDBOMB0GA1UdDgQWBRRw+
wKBo34+bgexjAa3EMDsgS
Cd7zAfBgNVHSMEGDAWgBR
w
+wKBo34+bgexjAa3EMDsg
SCd7zAMBgnVHRMEBTADAQ
H/MA0GCSqGSIB3DQEBBQU
A
A4IBAQCHRXIs53opzKM2r
M8Qe8lcw524WK6hgy2EW
rZHp78N7rU7/6DQ/I3hv3W
h
cDDI004I2/Xhe88MLBaLo
M367Ya+vy7CaLr14aLi/S
fQszMA0ALBvMao+Fis0iV
w
FYq/NLgSXw+fgnpFskt8v
8iQZ+4Kaal8U8e9sVgu8m
0RgO7rzymleRiIKpsKdlr
h
/SD7LbSN7M7TRL3QqF71t
w9sQhAAsQcRaBBF21pdWr
qhiGZ+Eioo3hhgwNavH2a
g
qz78ddHwrFpHFwrEeUk10
fpPb76MYIce7xIy/4oQNd
g6fOq41/FrajBv+WkzDVP
a
Km6r7YmwfLN/YMZBHXSRS5
8oOGP9W
-----END

- UAPI Functions - SSL: fetch_key_and_certificate — This function extracts the private key and CA bundle information from a certificate.

esponder
Email: get_charts
Email: get_client_settings
Email: get_default_email_quota
Email: get_default_email_quota_mib
Email: get_disk_usage
Email: get_filter
Email: get_held_message_count
Email: get_mailbox_autocreate
Email: get_mailman_delegates
Email: get_main_account_disk_usage
Email: get_main_account_disk_usage_bytes
Email: get_max_email_quota
Email: get_max_email_quota_mib
Email: get_pop_quota
Email: get_spam_settings
Email: get_webmail_settings
Email: has_delegated_mailman_lists
Email: has_plaintext_authentication
Email: hold_outgoing
Email: is_integer
Email: list_auto_responders
Email: list_default_address
Email: list_domain_forwarders
Email: list_filters
Email: list_filters_backups
Email: list_forward

```
CERTIFICATE-----',  
)  
);
```

Note:
For more information, read our [Guide to the LiveAPI System](#).

LiveAPI Perl Module

```
my $cpliveapi =  
Cpanel::LiveAPI->new(  
); # Connect to  
cPanel - only do this  
once.  
  
# Retrieve CA bundle  
and hostname from  
certificate.  
my $SSL_get_cabundle  
= $cpliveapi->uapi(  
    'SSL',  
    'get_cabundle', {  
        'cert'  
    }  
=> '-----BEGIN  
CERTIFICATE-----  
MIIDcTCCAlmgAwIBAgIFA  
U+BNVgwDQYJKoZIhvcNAQ  
EFBQAwwUTESMBAGA1UEAw  
J  
c2lza28udGxkMQswCQYDV  
QQGEwJVUzEPMA0GA1UECg  
wGY1BhbmVsmQswCQYDVQQ  
I  
DAJUWDEQMA4GA1UEBwwHS  
G91c3RvbjaeFw0xNDEwMD  
YyMjI2MTlaFw0xNTEwMDY  
Y  
MjI2MTlaMFExEjAQBgNVB  
AMMCXNpc2tvLnRsdELMA  
kGA1UEBhmCVVMxZDZANBgN  
V  
BAoMBmNQYW51bDELMAkGA  
1UECAwCVFgxEDA0BgNVBA  
cMB0hvdxN0b24wggEiMA0  
G  
CSqGSIb3DQEBAQUAA4IBD  
wAwggEKAoIBAQC9zx6zGi  
HdmWA0dKtoXmJiWXPz9E3
```

ers

Email: list_forward_ers_backups

Email: list_lists

Email: list_mail_domains

Email: list_mx

Email: list_pops

Email: list_pops_with_disk

Email: list_system_filter_info

Email: passwd_list

Email: passwd_pop

Email: release_outgoing

Email: remove_mailman_delegates

Email: reorder_filters

Email: set_always_accept

Email: set_default_address

Email: set_list_privacy_options

Email: stats_db_status

Email: store_filter

Email: suspend_incoming

Email: suspend_login

Email: suspend_outgoing

Email: trace_filter

Email: unsuspend_incoming

Email: unsuspend_login

Email: unsuspend_outgoing

Email: verify_password

▼ EmailAuth

EmailAuth: disable_dkim

EmailAuth: enable_dkim

P

Xx3YHsjFEWW7e5pH0vZ+j
VMzDmm5nsJ7RXrAkZO1Iv
pIpVLvoQfiJOWVvkD+o9f
W

voK1tWJS72FSgPju+58mA
2ieBuc87A790Pzuv1P3NR
3zFLAjUR99zkHR1fpri/d
a

M3PBW08ET48FWkyU1kOeZ
aU1F67/+wrEiNgg+t1qhK
OCAB61PdNVkLaSGHimksu
C

+Czk8Kq9nuS0E0TCnDtjj
EyJ455FUcaCfcz1Tb8xkB
/F9ORe74yTzD+v1k0tFMG
6

PLj/ajIwWqw00qmQ8wX3N
RxkWgGz5kVO1wrVJarKQ5
EYQ3/mgvit0v6dAgMBAAG
j

UDBOMB0GA1UdDgQWBRRw+
wKBo34+bgexjAa3EMDsgS
Cd7zAfBgNVHSMEGDAWgBR
w

+wKBo34+bgexjAa3EMDsg
SCd7zAMBgNVHRMEBTADAQ
H/MA0GCSqGS1b3DQEBBQU
A

A4IBAQCHRXIs53opzKM2r
M8Qe81cw524WK6hgy2EWr
ZHp78N7rU7/6DQ/I3hv3W
h

cDDIO04I2/Xhe88MLBaLo
M367Ya+vy7CaLr14aLi/S
fQszMA0ALBvMao+Fis0iV
w

FYq/NLgSXw+fgnpFskt8v
8iQZ+4Kaa18U8e9sVgu8m
0Rg07rzym1eRiIKpsKdlr
h

/SD7LbSN7M7TRL3QqF7lt
w9sQhAAsQcRaBBF21pdWr
qhiGZ+Eioo3hhgwnavH2a
g

qz78ddHwrFpHFwrEeUk10
fpPb76MYIce7xIy/4oQNd
g6fOq41/FrajBv+WkzDVP
a

Km6r7YmwfLN/YMZBHXSr5
8oOGP9W

-----END

EmailAuth:: ensure
_dkim_keys_exist

EmailAuth:: fetch_
dkim_private_keys

EmailAuth:: install
_dkim_private_key
s

EmailAuth:: install
_spf_records

EmailAuth:: validat
e_current_dkims

EmailAuth:: validat
e_current_ptrs

EmailAuth:: validat
e_current_spfs

ExternalAuthenticat ion

ExternalAuthentica
tion:: add_authn_li
nk

ExternalAuthentica
tion:: configured_
modules

ExternalAuthentica
tion:: get_authn_lin
ks

ExternalAuthentica
tion:: has_external
_auth_modules_co
nfigured

ExternalAuthentica
tion:: remove_auth
n_link

Features

Features:: get_feat
ure_metadata

Features:: has_fea
ture

Features:: list_feat
ures

Fileman

Fileman:: autocom
pletedir

Fileman:: empty_tr
ash

Fileman:: get_file_
content

Fileman:: get_file_i
nformation

Fileman:: list_files

Fileman:: save_file
_content

Fileman:: transcod
e

```
CERTIFICATE-----',  
    }  
);
```

Note:

For more information, read our [Guide to the LiveAPI System](#).

cPanel Template Toolkit

```
<!-- Retrieve CA  
bundle and hostname  
from certificate. -->  
[% data = execute(  
    'SSL',  
    'get_cabundle', {  
        cert => '-----BEGIN  
CERTIFICATE-----  
MIIDcTCCA1mgAwIBAgIFA  
U+BNVgwDQYJKoZIhvcNAQ  
EFBQAwwUTESMBAGA1UEAww  
J  
c2lza28udGxkMQswCQYDV  
QQGEwJVUzEPMA0GA1UECg  
wGY1BhbmVsmQswCQYDVQQ  
I  
DAJUWDEQMA4GA1UEBwwHS  
G91c3RvbG91c3RvbG91c3R  
YyMjI2MTlaFw0xNTEwMDY  
Y  
MjI2MTlaMFExEjAQBGNVB  
AMMCXNpc2tvLnRsZDELMA  
kGA1UEBhmMCVVMxDzANBgN  
V  
BAoMBmNQYW5lbDELMAkGA  
1UECAwCVFgxEDEwBjNVBA  
cMB0hvdXN0b24wgGEiMA0  
G  
CSqGSIb3DQEBAQUAA4IBD  
wAwggEKAoIBAQC9zx6zGi  
HdmWA0dKtoXmJiWXPZ9E3  
P  
Xx3YHsjFEWW7e5pH0vZ+j  
VMzDmm5nsJ7RXrAkZO1Iv  
pIpVLvoQfiJOWVvkD+o9f  
W  
voK1tWJS72FSgPju+58mA  
2ieBuc87A790Pzuv1P3NR  
3zFLAjUR99zkHR1fpri/d
```

```

Fileman:: upload_files
  v Ftp
    Ftp:: add_ftp
    Ftp:: allows_anonymous_ftp
    Ftp:: allows_anonymous_ftp_incoming
    Ftp:: delete_ftp
    Ftp:: ftp_exists
    Ftp:: get_ftp_daemon_info
    Ftp:: get_port
    Ftp:: get_quota
    Ftp:: get_welcome_message
    Ftp:: kill_session
    Ftp:: list_ftp
    Ftp:: list_ftp_with_disk
    Ftp:: list_sessions
    Ftp:: passwd
    Ftp:: server_name
    Ftp:: set_anonymous_ftp
    Ftp:: set_anonymous_ftp_incoming
    Ftp:: set_homedir
    Ftp:: set_quota
    Ftp:: set_welcome_message
  v Integration
    Integration:: fetch_url
  v KnownHosts
    KnownHosts:: create
    KnownHosts:: delete
    KnownHosts:: update
    KnownHosts:: verify
  v LangPHP
    LangPHP:: php_get_domain_handler
    LangPHP:: php_get_impacted_domains

```

```

a
M3PBW08ET48FWkyU1kOeZ
aUlF67/+wrEiNgg+t1qhK
OCAB61PdNVkLaSGHimksu
C
+Czk8Kq9nuS0E0TCnDtjj
EyJ455FUcaCfcz1Tb8xkB
/F9ORe74yTzD+v1k0tFMG
6
PLj/ajIwWqw00qmQ8wX3N
RxxkWGz5kVO1wrVJarKQ5
EYQ3/mgvit0v6dAgMBAAG
j
UDBOMB0GA1UdDgQWBBRw+
wKBo34+bgexjAa3EMDsgS
Cd7zAfBgNVHSMEGDAWgBR
w
+wKBo34+bgexjAa3EMDsg
SCd7zAMBgNVHRMEBTADAQ
H/MA0GCSqGS Ib3DQEBBQU
A
A4IBAQCHRXIs53opzKM2r
M8Qe8lcw524WK6hgy2EWr
ZHp78N7rU7/6DQ/I3hv3W
h
cDDIO04I2/Xhe88MLBaLo
M367Ya+vy7CaLr14aLi/S
fQszMA0ALBvMao+Fis0iV
w
FYq/NLgSXw+fgnpFskt8v
8iQZ+4Kaal8U8e9sVgu8m
0Rg07rzymleRiIKpsKdlr
h
/SD7LbSN7M7TRL3QqF71t
w9sQhAAsQcRaBBF21pdWr
qhiGZ+Eioo3hhgwNavH2a
g
qz78ddHwrFpHFwrEeUk10
fpPb76MYIce7xIy/4oQNd
g6fOq4l/FrajBv+WkzDVP
a
Km6r7YmwfLN/YMZBHXSR5
8oOGP9W
-----END
CERTIFICATE-----' } );
% ]
[ % FOREACH q = data
% ]

```

<p>

LangPHP:: php_get_installed_versions

LangPHP:: php_get_system_default_version

LangPHP:: php_get_vhost_versions

LangPHP:: php_ini_get_user_basic_directives

LangPHP:: php_ini_get_user_content

LangPHP:: php_ini_get_user_paths

LangPHP:: php_ini_set_user_basic_directives

LangPHP:: php_ini_set_user_content

LangPHP:: php_set_vhost_versions

▼ LastLogin

LastLogin:: get_last_or_current_logged_in_ip

▼ Locale

Locale:: get_attributes

▼ Mailboxes

Mailboxes:: expunge_mailbox_messages

Mailboxes:: expunge_messages_for_mailbox_guid

Mailboxes:: get_mailbox_status

Mailboxes:: has_utf8_mailbox_names

Mailboxes:: set_utf8_mailbox_names

▼ Market

Market:: cancel_pending_ssl_certificate

Market:: create_shopping_cart

Market:: get_all_products

Market:: get_certificate_status_details

Market:: get_login_url

```
[ % q % ]  
</p>  
[ % END % ]
```

Note:

For more information, read our [Guide to Template Toolkit documentation](#).

▼ Command Line

```
uapi --user=username  
SSL get_cabundle  
cert=-----BEGIN  
CERTIFICATE-----\r\nMIIDcTCCA1mgAwIBAgIFAU  
+BNVgwDQYJKoZIhvcNAQE  
FBQAwUTESMBAGA1UEAwJ  
\r\n\nc2lza28udGxkMQswC  
QYDVQQGEwJVUzEPMA0GA1  
UECgwGY1BhbmVsmQswCQY  
DVQIQI\r\n\ndaJWDEQMA4G  
A1UEBwwHSG91c3RvbjaeF  
w0xNDEwMDYyMjI2MTlaFw  
0xNTEwMDYy\r\n\nMjI2MTlaFw  
0xNTEwMDYy\r\n\nMjI2MTlaFw  
aMFExEjAQBgnVBAMMCXNp  
c2tvLnRsdELMAkGA1UEB  
hMCMVMDZANBgNV\r\n\nBAoMBmNQYW51bDELMakGA1U  
ECAwCVFgxEDAObgNVBAcM  
B0hvdXN0b24wggeiMA0G  
\r\n\nCSqGSIB3DQEBAQUAA4  
IBDwAwggEKAoIBAQC9zx6  
zGiHdmWA0dKtoXmjiWxpZ  
9E3P\r\n\nXx3YHsjFEWW7e  
5pH0vZ+jVmzDmm5nsJ7RX  
rAkZO1IvpIpVLvoQfiJOW  
VvkD+o9fW\r\n\nnvoK1tWJS  
72FSgPju+58mA2ieBuc87  
A790Pzuv1P3NR3zFLAjUR  
99zkHR1fpri/da\r\n\nm3PBW08ET48FWkyU1kOeZaU1  
F67/+wrEiNgg+t1qhKOCA  
B61PdNVkLaSGHimksu\r\n\n\r\n+n+Czk8Kq9nuS0E0TCnDt  
jjEyJ455FUcaCfcz1Tb8x  
kB/F90Re74yTzD+v1k0tF  
MG6\r\n\nPLj/ajIwWqw00q  
mQ8wX3NRxkWgGz5kVO1wr  
VJarKQ5EYQ3/mgvit0v6d
```

Market:: get_pending_ssl_certificates

Market:: get_provider_specific_dcv_constraints

Market:: get_providers_list

Market:: get_ssl_certificate_if_available

Market:: process_ssl_pending_queue

Market:: request_ssl_certificates

Market:: set_status_of_pending_queue_items

Market:: set_url_after_checkout

Market:: validate_login_token

▼ Mime

Mime:: add_handler

Mime:: add_hotlink

Mime:: add_mime

Mime:: add_redirect

Mime:: delete_handler

Mime:: delete_hotlink

Mime:: delete_mime

Mime:: delete_redirect

Mime:: list_handlers

Mime:: list_hotlinks

Mime:: list_mime

Mime:: list_redirects

Mime:: redirect_info

▼ ModSecurity

ModSecurity:: disable_all_domains

ModSecurity:: disable_domains

ModSecurity:: enable_all_domains

AgMBAAGj\r\nUDBOMB0GA1UdDgQWBRRw+wKBo34+bgexjAa3EMDsgSCd7zAfBgNVHSMEGDAWgBRw\r\n+n+wKBo34+bgexjAa3EMDsgSCd7zAMBgNVHRMEBTADAQH/MA0GCSqGSIb3DQEBBQUA\r\nnA4IBAQCHRXIs53opzKM2rM8Qe8lcw524WK6hgy2EWrZHp78N7rU7/6DQ/I3hv3Wh\r\n\r\nncDDIO04I2/Xhe88MLBaLoM367Ya+vy7CaLr14aLi/SfQszMA0ALBvMao+Fis0iVw\r\n\r\nnFYq/NLgSXw+fgnpFskt8v8iQZ+4Kaal8U8e9sVgu8m0RgO7rzym1eRiIKpsKdlrh\r\n\r\nn/SD7LbSN7M7TRL3QqF7ltw9sQhAAsQcRaBBF2lpdWrqhiGZ+Eioo3hhgwNavH2ag\r\n\r\nnqz78ddHwrFpHFwrEeUk10fpPb76MYIce7xIy/4oQNdg6fOq4l/FrajBv+WkzDVP

ModSecurity:: enable_domains

ModSecurity:: has_modsecurity_installed

ModSecurity:: list_domains

▼ Mysql

Mysql:: add_host

Mysql:: add_host_note

Mysql:: check_database

Mysql:: create_database

Mysql:: create_user

Mysql:: delete_database

Mysql:: delete_host

Mysql:: delete_user

Mysql:: get_host_notes

Mysql:: get_privileges_on_database

Mysql:: get_restrictions

Mysql:: get_server_information

Mysql:: locate_server

Mysql:: rename_database

Mysql:: rename_user

Mysql:: repair_database

Mysql:: revoke_access_to_database

Mysql:: set_password

Mysql:: set_privileges_on_database

▼ Notifications

Notifications:: get_notifications_count

▼ NVData

NVData:: get

NVData:: set

```
a\r\nKm6r7YmwfLN/YMZB
HXSr58oOGP9W\r\n-----
END CERTIFICATE-----
```

Notes:

- You **must** URI-encode values.
- username represents your account-level username.
- For more information and additional output options, read our [Guide to UAPI](#) documentation or run the `uapi --help` command.
- If you run CloudLinux™, you **must** use the full path of the `uapi` command:

```
/usr/local
/cpanel/bin/uapi
```

▼ Output (JSON)

```
{
  "messages": null,
  "errors": null,
  "status": 1,
  "data": {
    "domain":
      "example.com",
    "bundle":
      "VeriSign Trial
      Secure Server CA -
      G2",
    "cab":
      "-----BEGIN
      CERTIFICATE-----
      MIIB+jCCAWMCAgGjMA0GC
      SqGSib3DQEBAUAMEUxCz
      AJBgNVBAYTAlVTMRgwFgY
      D
      VQQKEw9HVEUgQ29ycG9yY
      XRpb24xHDAaBgNVBAMTE0
      dURSBDWJlc1RydXN0IFJ
      v
      b3QwHhcNOTYwMjIzMjMwM
      TAwwHhcNMDYwMjIzMjM1OT
      AwWjBFMQswCQYDVQQGEWJ
      V
```


- Parser: firstfile_relative_uri
- PassengerApps: disable_application
 - PassengerApps: edit_application
 - PassengerApps: enable_application
 - PassengerApps: ensure_deps
 - PassengerApps: list_applications
 - PassengerApps: register_application
 - PassengerApps: unregister_application
- PasswdStrength: get_required_strength
- Personalization: set
 - Personalization: get
- Postgresql: create_database
 - Postgresql: create_user
 - Postgresql: delete_database
 - Postgresql: get_restrictions
 - Postgresql: grant_all_privileges
 - Postgresql: rename_database
 - Postgresql: rename_user
 - Postgresql: rename_user_no_password
 - Postgresql: revoke_all_privileges
 - Postgresql: set_password
- Pushbullet: send_test_message

```

UzEYMBYGAlUEChMPR1RFI
ENvcnBvcmF0aW9uMRwwGg
YDVQDExNHVEUgQ3liZXJ
U
cnVzdCBSb290MIGfMA0GC
SgGS1b3DQEBAQUAA4GNAD
CBiQKBgQC45k+625h8cXy
v
RLfTD0bZZOWTwUKOx7pJj
TUteueLveUFMVnGsS8KDP
ufpz+iCwaEVh43KRuH6X4
M
ypqfpX/1FZSj1aJGgthoT
NE3FQZor734sLPwKfVWwG
kWYXcKIiXUT0Wqx731lt/
5
1KiOQswkwB6RJ0q1bQaAY
znEo144AwIDAQABMA0GCS
qGS1b3DQEBBAUAA4GBABK
z
dcZfHeFhVYAA1IFLezEPI
2PnPfMD+fQ2qLvZ46WXTe
orKeDWanOB5sCJo9Px4KW
l
IjeaY8JIILThcuPI9t18v
rGvU9oUtCG41tWW4/5ODF
litppK+ULdjG+BqXH/9Ap
Y
bW1EDp3zdHSolTRJ6V6e6
bR64eVaH4QwnNOfpSXY
-----END
CERTIFICATE-----"

```

- Quota
 - Quota:: get_quota_info
 - Resellers
 - Resellers:: list_accounts
 - ResourceUsage
 - ResourceUsage:: get_usages
 - Restore
 - Restore:: directory_listing
 - Restore:: get_users
 - Restore:: query_file_info
 - Restore:: restore_file
 - Session
 - Session:: create_temp_user
 - SiteTemplates
 - SiteTemplates:: list_site_templates
 - SiteTemplates:: list_user_settings
 - SiteTemplates:: publish
 - SpamAssassin
 - SpamAssassin:: clear_spam_box
 - SpamAssassin:: get_symbolic_test_names
 - SpamAssassin:: get_user_preferences
 - SpamAssassin:: update_user_preference
 - SSH
 - SSH:: get_port
 - SSL
 - SSL:: add_autossl_excluded_domains
 - SSL:: can_ssl_redirect
 - SSL:: check_shared_cert
 - SSL:: delete_cert
 - SSL:: delete_csr
 - SSL:: delete_key



Parameters

Parameter	Type	Description	Possible values	Example
cert	string	<p>Required</p> <p>The certificate's text.</p>	A valid certificate.	<p>Click to view...</p> <pre> -----BEGIN CERTIFICAT E----- MIIDcTCCA1 mgAwIBAgIF AU+BNVgwDQ YJKoZIhvcN AQEFBQAwUT ESMBAG1UE AwwJ c21za28udG xkMQswCQYD VQQGEwJVUz EPMA0GA1UE CgwGY1Bhbm VsMQswCQYD VQQI DAJUWDEQMA 4GA1UEBwwH SG91c3Rvbj AeFw0xNDEw MDYyMjI2MT laFw0xNTEw MDYy MjI2MTIaMF ExEjAQBNV BAMMCXNpc2 tvLnRsZDEL MAKGA1UEBh MCVVMxZzAN BgNV BAoMBmNQYW 5lbDELMAKG A1UECAwCVF gxEDA0BgNV BAcMB0hvdX N0b24wggEi MA0G CSqGS1b3DQ EBAQUAA4IB DwAwggEKAo IBAQc9zx6z GiHdmWA0dK toXmJiWXpZ 9E3P Xx3YHs jFEW W7e5pH0vZ+ jVMzDmm5ns J7RXrAk201 IvpIpVLvoQ fiJOWVvkD+ o9fW voK1tWJS72 FSgPju+58m </pre>

SSL:: delete_ssl
SSL:: disable_mail_sni
SSL:: enable_mail_sni
SSL:: fetch_best_for_domain
SSL:: fetch_cert_info
SSL:: fetch_certificates_for_fqdns
SSL:: fetch_key_and_cabundle_for_certificate
SSL:: find_certificates_for_key
SSL:: find_csrs_for_key
SSL:: generate_certificate
SSL:: generate_certificate
SSL:: generate_key
SSL:: get_autossl_excluded_domains
SSL:: get_autossl_pending_queue
SSL:: get_autossl_problems
SSL:: get_cabundle
SSL:: get_cn_name
SSL:: install_ssl
SSL:: installed_hosts
SSL:: installed_hosts
SSL:: is_autossl_check_in_progress
SSL:: is_mail_sni_supported
SSL:: is_sni_supported
SSL:: list_certs
SSL:: list_csrs
SSL:: list_keys
SSL:: list_ssl_items
SSL:: mail_sni_status

A2ieBuc87A
790Pzuv1P3
NR3zFLAjUR
99zKHR1fpr
i/da
M3PBWO8ET4
8FWkyUlkOe
ZaUlF67/+w
rEiNgg+t1q
hKOCAB61Pd
NVkLaSGHim
ksuC
+Czk8Kq9nu
S0E0TCnDtj
jEyJ455FUc
aCfcz1Tb8x
kB/F90Re74
yTzD+v1k0t
FMG6
PLj/ajIwWq
w00qmQ8wX3
NRxkWgGz5k
V01wrVJarK
Q5EYQ3/mgv
it0v6dAgMB
AAGj
UDBOMB0GA1
UdDgQWBBRw
+wKBo34+bg
exjAa3EMDs
gScd7zAFBg
NVHSMEGDAW
gBRw
+wKBo34+bg
exjAa3EMDs
gScd7zAMBg
NVHRMEBTAD
AQH/MA0GCS
qGSIB3DQEB
BQUA
A4IBAQRX
Is53opzKM2
rM8Qe81cw5
24WK6hgy2E
WrZHp78N7r
U7/6DQ/I3h
v3Wh
cDDIO04I2/
Xhe88MLBaL
oM367Ya+vy
7CaLr14aLi
/SfQszMA0A
LBvMao+Pis
0iVw
FYq/NLgSXw
+fgnpFskt8
v8iQZ+4Kaa
18U8e9sVgu
8m0RgO7rzy
m1eRiIKpsK
dlrh
/SD7LbSN7M
7TRL3QqF7L
tw9sQhAAsQ
cRaBBF21pd
WrqhiGZ+Ei
oo3hhgWNav
H2ag
qz78ddHwrF
pHFwrEeUk1
OfpPb76MYI
ce7xIy/4oQ
Ndg6fOq41/
FrajBv+Wkz
DVPa
Km6r7YmwfL
N/YMZBHXS
SR
58oOGP9W

tus

SSL:: rebuild_mail
_sni_config

SSL:: rebuildssldb

SSL:: remove_aut
ossl_excluded_do
mains

SSL:: set_autossl_
excluded_domains

SSL:: set_cert_frie
ndly_name

SSL:: set_csr_frien
dly_name

SSL:: set_key_frie
ndly_name

SSL:: set_primary
_ssl

SSL:: set_ssl_shar
e

SSL:: show_cert

SSL:: show_csr

SSL:: show_key

SSL:: start_autossl_
_check

SSL:: toggle_ssl_r
edirects_for_doma
ins

SSL:: upload_cert

SSL:: upload_key

▼ StatsBar

StatsBar:: get_stat
s

▼ Styles

Styles:: current

Styles:: list

Styles:: set_default

Styles:: update

▼ SubDomain

SubDomain:: adds
ubdomain

▼ Themes

Themes:: get_the
me_base

Themes:: list

Themes:: update

▼ Tokens

Tokens:: create_fu
ll_access

Tokens:: list

-----END
CERTIFICAT
E-----

Returns

Return	Type	Description	Possible values	Example
domain	string	The certificate's hostname.	A valid domain name.	example.com
bundle	string	The CA bundle's tag.	A valid string.	VeriSign Trial Secure Server CA - G2
cab	string	The CA bundle's contents.	A valid CA bundle.	<p>▼ Click to view...</p> <pre>-----BEGIN IN CERTIFIC ATE----- MIIB+jCC AWMCAGGj MA0GCSqG SIb3DQEBA BAUAMEUx CzAJBgNV BAYTAlVT MRgwFgYD VQKKEw9H VEUgQ29y cG9yYXRp b24xHDAa BgNVBAMT E0dURSBD eWJlc1Ry dXN0IFJv b3QwHhcN OTYwMjIz MjMwMTAw WhcNMDYw MjIzMjM1 OTAwWjBF MQswCQYD VQKGEwJV UzEYMBYG A1UEChMP R1RFIENv cnBvcnF0 aW9uMRww GgYDVQQD ExNHVEUg Q3liZXJ1 cnVzdCBS b290MIGf MA0GCSqG SIb3DQEBA QUAA4GN ADCBiQKB gQC45k+6 25h8cXyv RLfTD0bZ ZOWTwUKO x7pJjTUt eueLveUF MVnGsS8K DPufpz+i CWaEVh43 KRuH6X4M ypqfpx/1 FZSj1aJG gthoTNE3</pre>

Tokens:: rename
Tokens:: revoke
▼ TwoFactorAuth
TwoFactorAuth:: generate_user_configuration
TwoFactorAuth:: get_user_configuration
TwoFactorAuth:: remove_user_configuration
TwoFactorAuth:: set_user_configuration
▼ UserManager
UserManager:: check_account_conflicts
UserManager:: create_user
UserManager:: delete_user
UserManager:: dismiss_user
UserManager:: edit_user
UserManager:: list_users
UserManager:: lookup_service_account
UserManager:: lookup_user
UserManager:: merge_service_account
UserManager:: unlink_service_account
▼ UserTasks
UserTasks:: delete
UserTasks:: retrieve
▼ VersionControl
VersionControl:: create
VersionControl:: delete
VersionControl:: retrieve
VersionControl:: update
▼ VersionControlDepl

FQZor734
sLPwKfWV
WgkWYXcK
IiXUT0Wq
x7311t/5
1KiOQswk
wB6RJ0q1
bQaAYznE
ol44AwID
AQABMA0G
CSqGSIB3
DQEBBAUA
A4GBABKz
dcZfHeFh
VYAA1IFL
ezEPI2Pn
PfMD+fQ2
qLvZ46WX
TeorKeDW
anOB5sCJ
o9Px4KW1
IjeaY8JI
ILTbcuPI
9t18vrGv
U9oUtCG4
1tWW4/5O
DFlitppK
+ULdjG+B
qXH/9Apy
bW1EDp3z
dHSolTRJ
6V6e6bR6
4eVaH4Qw
nNOfpSXY

oyment

VersionControlDep
loyment:: **create**

VersionControlDep
loyment:: **delete**

VersionControlDep
loyment:: **retrieve**

				-----END CERTIFIC ATE-----
--	--	--	--	----------------------------------

WebDisk

WebDisk:: **delete_**
user

WebDisk:: **set_ho**
medir

WebDisk:: **set_pas**
sword

WebDisk:: **set_per**
missions

WebmailApps

WebmailApps:: **list**
webmailapps

WebVhosts

WebVhost:: **list_do**
mains

WebVhost:: **list_ssl**
_capable_domains

WordPressBackup

WordPressBackup
:: **any_running**

WordPressBackup
:: **cancel**

WordPressBackup
:: **cleanup**

WordPressBackup
:: **get_available_ba**
ckups

WordPressBackup
:: **is_running**

WordPressBackup
:: **start**

WordPressInstance

Manager

WordPressInstanc
eManager:: **cancel**
_scan

WordPressInstanc
eManager:: **cleanu**
p_scan

WordPressInstanc
eManager:: **chang**
e_admin_passwor
d

WordPressInstanc
eManager:: **config**
ure_autoupdate

WordPressInstanc
eManager:: **get_ap**

i_version

WordPressInstanceManager:: **get_instance_by_id**

WordPressInstanceManager:: **get_instances**

WordPressInstanceManager:: **get_latest_wordpress_version_from_wordpress_org**

WordPressInstanceManager:: **get_scan_results**

WordPressInstanceManager:: **is_installable_addon_available**

WordPressInstanceManager:: **start_scan**

▼ WordPressRestore

WordPressRestore:: **any_running**

WordPressRestore:: **cleanup**

WordPressRestore:: **start**