

cPanel API 1 Modules - SubDomain

Guide to cPanel API 1

Return Data

cPanel Tags
(deprecated)

Bandwidth:
displaybandwidth

er

Bandwidth:
displaybandwidth

Bandwidth:
displaybandwidth

Bandwidth:
displaybandwidth

BoxTrapper

BoxTrapper:
change_status

BoxTrapper:
cleanconfigfilelist

BoxTrapper:
editmessage

BoxTrapper:
fetchconfigfile

BoxTrapper:
getboxconfdir

BoxTrapper:
listmessages

BoxTrapper:
logcontrols

BoxTrapper:
messageaction

BoxTrapper:
multimessageaction

BoxTrapper:
resetmessage

BoxTrapper:
saveconfigfile

BoxTrapper:
saveconfig

BoxTrapper:
showautowhitelist

BoxTrapper:
showemails

BoxTrapper:
showfromname

BoxTrapper:
show

Introduction

The `SubDomain` module manages subdomains.

Available functions

- cPanel API 1 Functions - `SubDomain::addsubdomain` — This function adds a subdomain to a domain.
- cPanel API 1 Functions - `SubDomain::cplistsubdomains` — This function lists an account's subdomains.
- cPanel API 1 Functions - `SubDomain::disablesubrd` — This function disables a subdomain redirection.
- cPanel API 1 Functions - `SubDomain::listsubdomainsop` — This function lists an account's subdomains.
- cPanel API 1 Functions - `SubDomain::setsuburl` — This function redirects a subdomain to a URL.

cPanel API 1 Basics

About cPanel API 1

cPanel API 1 accesses information about cPanel accounts.

Warning: cPanel API deprecated. We strongly recommend cPanel API or UAPI instead.

log

BoxTrapper:: show
message

BoxTrapper:: show
queue

BoxTrapper:: show
queuesearch

BoxTrapper:: show
queuetime

BoxTrapper:: statu
s

BoxTrapper:: statu
sbutton

▼ Branding

Branding:: file

Branding:: image

Branding:: killimg

Branding:: setbran
dingpkg

Branding:: setmya
cctspkg

Branding:: setupdir
s

Branding:: tempset
brandingpkg

▼ Cgi

Cgi:: backuplink

Cgi:: displayurchin

Cgi:: phpmyadminl
ink

▼ Chkservd

Chkservd:: getxi
mport

Chkservd:: getxi
mport_ssl

▼ ClamScanner

ClamScanner:: bar
s

▼ cPAddons

cPAddons:: mainp
g

▼ Cron

Cron:: crontab_per
ms

▼ CustInfo

CustInfo:: getemail

▼ Denylp

Denylp:: adddenyi
p

Denylp:: deldenyip

Notes:

- Th
Fe
- Ur
mu
us
20
or
20
)`
20
or
20
).

Relate
d
Docu
menta
tion

- Use
WH
M
API
to
Call
cPan
el
API
and
UAPI
—
You
can
call
cPan
el
API
and
UAPI
functi
ons
throu
gh
the
WH
M
API.

DenyIp:: listdenyips

▼ DiskUsage

DiskUsage:: showmanager

▼ Email

Email:: addautoresponder

Email:: addforward

Email:: addfilter

Email:: addlist

Email:: addmx

Email:: addpop

Email:: addspam

Email:: addspambox

Email:: addspamfilter

Email:: changemx

Email:: checkfastmail

Email:: checkpipewd

Email:: clearspambox

Email:: delautoresponder

Email:: deldforward

Email:: delfilter

Email:: dellist

Email:: delmx

Email:: delpop

Email:: delspam

Email:: delspambox

Email:: disable_spam_autodelete

Email:: editquota

Email:: enable_spam_autodelete

Email:: getaging

Email:: getarsbody

Email:: getarscharset

Email:: getarsfrom

Email:: getarshtml

- [Guide to the Manage2 API](#)

—
The Manage2 API automates cPanel license management procedures.

- [Guide to UAPI](#)

—
UAPI accesses the cPanel interface's features.

- [Guide to WHM API 0](#)

—
WHM API 0 accesses the WHM interface's features.

Email:: getarsinter
val

Email:: getarsstart

Email:: getarsstop

Email:: getarssubj
ect

Email:: getmailserv
er

Email:: getmailserv
eruser

Email:: getpopquot
a

Email:: has_spam
_as_acl

Email:: has_spam
_autodelete

Email:: listmaildom
ains

Email:: listmaildom
ainsopt

Email:: listmaildom
ainsoptndef

Email:: mainacctdi
skused

Email:: passwdlist

Email:: passwdpop

Email:: setmxacce
pt

Email:: spamboxst
atus

Email:: spamstatus

Email:: tracefilter

▼ Fileman

Fileman:: changep
erm

Fileman:: delfile

Fileman:: dofileop

Fileman:: emptytra
sh

Fileman:: extractfil
e

Fileman:: fileimg

Fileman:: fmmkdir

Fileman:: fmmkfile

Fileman:: fmpushfil
e

Fileman:: fmrenam
e

Fileman:: fmsavefil

- Guide to cPanel API 2 — cPanel API 2 accesses cPanel account information and modifies settings.

e

Fileman:: fmsaveht
mlfile

Fileman:: fullbacku
p

Fileman:: getfile

Fileman:: htmledito
r

Fileman:: killdir

Fileman:: listfiles

Fileman:: listfullba
ckups

Fileman:: listtempl
ates

Fileman:: restoreaf

Fileman:: restored
b

Fileman:: restorefil
e

Fileman:: restorefil
es

Fileman:: savehtml
file

Fileman:: showper
m

Fileman:: uploadfil
es

Fileman:: viewfile

▼ Frontpage

FrontPage:: addfp

FrontPage:: delfp

FrontPage:: fpstat
us

▼ Ftp

Ftp:: addftp

Ftp:: delftp

Ftp:: ftpquota

Ftp:: ftpservernam
e

Ftp:: ftpstatslogin

Ftp:: get_anonftp

Ftp:: get_anonftpin

Ftp:: get_welcome
msg

Ftp:: getftpquota

Ftp:: kill_ftp_sessi
on

Ftp:: listftpstatsurl

Ftp:: passwdftp

Ftp:: set_anonftp

Ftp:: set_anonftpin

Ftp:: set_welcome
msg

▼ Gpg

Gpg:: deletekey

Gpg:: exportkey

Gpg:: exportsecret
key

Gpg:: genkey

Gpg:: importkeys

▼ Htaccess

Htaccess:: checkpr
otected

Htaccess:: del_use
r

Htaccess:: getinde
x

Htaccess:: htdirls

Htaccess:: number
_of_users

Htaccess:: phpsele
ctable

Htaccess:: resnam
e

Htaccess:: set_pas
s

Htaccess:: set_pro
tect

Htaccess:: setinde
x

Htaccess:: setphpr
eference

Htaccess:: showus
ers

▼ ImageManager

ImageManager:: c
onvert

ImageManager:: di
mensions

ImageManager:: h
dimension

ImageManager:: s
cale

ImageManager:: th
umbnail

ImageManager:: w
dimension

▼ LastLogin

LastLogin:: lastlogi
n

▼ LeechProtect

LeechProtect:: dis
able

LeechProtect:: ena
ble

LeechProtect:: set
up

LeechProtect:: sho
wpasswdfile

LeechProtect:: stat
us

▼ LogManager

LogManager:: listd
ownloads

LogManager:: sav
esettings

LogManager:: sho
wsettings

▼ MagicRevision

MagicRevision:: uri

▼ Mime

Mime:: add_handl
er

Mime:: add_hotlink

Mime:: add_mime

Mime:: add_redire
ct

Mime:: del_handler

Mime:: del_hotlink

Mime:: del_mime

Mime:: del_redirect

Mime:: linkallownul
l

Mime:: linkenable

Mime:: linkexts

Mime:: linkrurl

Mime:: linkurIs

▼ Mysql

Mysql:: adddb

Mysql:: addhost

Mysql:: adduser

Mysql:: adduserdb

Mysql:: checkdb

Mysql:: deldb

Mysql:: delhost

Mysql:: deluser

Mysql:: deluserdb

Mysql:: gethost

Mysql:: initcache

Mysql:: listdbs

Mysql:: listdbsopt

Mysql:: listusers

Mysql:: listusersopt

Mysql:: number_of
_dbs

Mysql:: number_of
_users

Mysql:: repairdb

Mysql:: routines

Mysql:: updatepriv
s

▼ Net

Net:: dnslookup

Net:: dnszone

Net:: sethastracero
ute

▼ News

News:: displaynew
s

▼ NVData

NVData:: set

▼ OptimizeWS

OptimizeWS:: load
optimizesettings

OptimizeWS:: load
optimizesettings (b
ytes)

OptimizeWS:: opti
mizews

▼ Park

Park:: disabledir
ect

Park:: getredirectu
rl

Park:: park

Park:: setredirectur
l

Park:: unpark

▼ Postgres

Postgres:: adddb

Postgres:: adduser

Postgres:: adduser
db

Postgres:: deldb

Postgres:: deluser

Postgres:: deluser
db

Postgres:: initcach
e

Postgres:: listdbso
pt

Postgres:: listusers
opt

Postgres:: number
_of_dbs

Postgres:: number
_of_users

▼ ProxyUtils

ProxyUtils:: proxya
ddress

▼ Resellers

Resellers:: accoun
tlistopt

Resellers:: themeli
stopt

▼ Serverinfo

Serverinfo:: servic
estatus

▼ SetLang

SetLang:: listlangs
opt

SetLang:: setlang

▼ SpamAssassin

SpamAssassin:: co
nfig

SpamAssassin:: sa
veconfig

▼ SSH

SSH:: getport

▼ SSL

SSL:: delete

SSL:: deletecrt

SSL:: deletecsr

SSL:: deletekey

SSL:: genctr

SSL:: gencsr

SSL:: genkey

SSL:: getcabundle

SSL:: getcnname

SSL:: install

SSL:: installedhost

SSL:: listkeysopt

SSL:: showcrt

SSL:: showcsr

SSL:: showkey

SSL:: sslsharedsta
tus

SSL:: uploadcrt

SSL:: uploadkey

▼ StatManager

StatManager:: doF
orm

StatManager:: upd
ateUserConfig

▼ Stats

Stats:: analoglist

Stats:: awstats

Stats:: bwbar

Stats:: errlog

Stats:: lastvisitors

Stats:: showbandw
idth

Stats:: webalizer

Stats:: webalizerftp

▼ SubDomain

SubDomain:: adds
ubdomain

SubDomain:: cplist
subdomains

SubDomain:: disab
lesubrd

SubDomain:: listsu
bdomainsop

SubDomain:: setsu
burl

▼ UI

UI:: confirm

UI:: redirect

UI:: showresult