

UAPI Functions - WordPressInstanceManager::configure_autoupdate

Guide to UAPI

- Return Data
- Filter Output
- Sort Output
- Paginate Output
- Output Columns
- Calls from the WHM API
- Custom UAPI Modules

Description

This function configures a WordPress® cPAddon instance's automatic updates settings. If you enable automatic updates for a legacy WordPress cPAddon instance, the function will convert it to use the RPM-based WordPress cPAddon.

Important:

This function changes the instance's automatic update setting in the `wp-config.php` file. Before you run this function, you should verify that a filter does **not** exist for the automatic update settings. Use the `get_instance_by_id` function and view the `autoupdate.core.has_filter` return to determine if a filter exists.

Note:

You **must** install the [WordPress Manager](#) cPanel plugin to access this API function.

Examples

▼ cPanel or Webmail Session URL

```
https://hostname.example.com:2083/cpsess#####/execute/WordPressInstanceManager/configure_autoupdate?id=cPanel__Blogs__WordPressX.0.1491917088&autoupdate.core.major=0&autoupdate.core.minor=0
```

Note:

This example calls the UAPI function via a cPanel session. For more information, read our [Guide to UAPI](#) documentation.

Function information

About this module

The WordPressInstanceManager module manages cPanel's WordPress® cPAddon instances. The system installs this module with the WordPress Instance Manager cPanel plugin.

Backup
Backup::
fullbackup

p_to_ftp

Backup:: fullbackup
p_to_homedir

Backup:: fullbackup
p_to_scp_with_key

Backup:: fullbackup
p_to_scp_with_password

Backup:: list_backups

▼ Bandwidth

Bandwidth:: get_enabled_protocols

Bandwidth:: get_retention_periods

Bandwidth:: query

▼ Batch

Batch:: strict

▼ Brand

Brand:: read

▼ Branding

Branding:: file

Branding:: get_applications

Branding:: get_application_information

Branding:: get_available_applications

Branding:: get_info

rmation_for_applications

Branding:: image

Branding:: include

Branding:: spritelist

CacheBuster

CacheBuster:: read

CacheBuster:: update

Chkserverd

Chkserverd:: get_exim_ports

Chkserverd:: get_exim_ports_ssl

Chrome

Chrome:: get_dom

Contactus

Contactus:: is_enabled

cPAddons

cPAddons:: get_available_addons

cPAddons:: get_instance_settings

cPAddons:: list_addon_instances

cPGreyList

cPGreyList:: disable_all_domains

cPGreyList:: disable_domains

cPGreyList:: enable_all_domains

cPGreyList:: enable_domains

cPGreyList:: has_greylisting_enabled

cPGreyList:: list_domains

DAV

DAV:: disable_shared_global_addressbook

DAV:: enable_shared_global_addressbook

DAV:: get_calendar_contacts_config

DAV:: has_shared_global_addressbook

LiveAPI PHP Class

```
$cpanel = new  
CPANEL(); // Connect  
to cPanel - only do  
this once.  
  
// Configure a single  
WordPress instance's  
automatic update  
settings.  
$instances =  
$cpanel->uapi(  
  
    'WordPressInstanceMan  
ager',  
    'configure_autoupdate  
,  
    array(  
        'id'  
    )  
=>  
    'cPanel__Blogs__WordP  
ressX.0.1491917088',  
  
    'autoupdate.core.majo  
r' => '0',  
  
    'autoupdate.core.mino  
r' => '0',  
    )  
);
```

Note:

For more information, read our [Guide to the LiveAPI System](#).

About UAPI

UAPI accesses and modifies data for cPanel accounts.

Notes:

- Th
Fe

int
• Ur
mi
us
20
or
20
)'.
20
or
20
)

Find a function

DAV:: is_dav_service_enabled

DAV:: is_horde_enabled

▼ DCV

DCV:: check_domains_via_dns

DCV:: check_domains_via_http

DCV:: ensure_domains_can_pass_dcv

▼ DomainInfo

DomainInfo:: domains_data

DomainInfo:: list_domains

DomainInfo:: main_domain_builtin_subdomain_aliases

DomainInfo:: single_domain_data

▼ DNS

DNS:: ensure_domains_reside_only_locally

DNS:: has_local_authority

▼ DNSSEC

DNSSEC:: disable_dnssec

DNSSEC:: enable_dnssec

DNSSEC:: fetch_dns_records

DNSSEC:: set_nsec3

DNSSEC:: unset_nsec3

▼ Email

Email:: account_name

Email:: add_auto_responder

Email:: add_domain_forwarder

Email:: add_forwarder

Email:: add_list

Email:: add_mailman_delegates

Email:: add_mx

Email:: add_pop

▼ LiveAPI Perl Module

```
my $cpliveapi =
Cpanel::LiveAPI->new(
); # Connect to
cPanel - only do this
once.

# Configure a single
WordPress instance's
automatic update
settings.
my $instances =
$cpliveapi->uapi(

'WordPressInstanceMan
ager',
'get_instance_by_id',
{
'id'
=>
'cPanel__Blogs__WordP
ressX.0.1491917088',

'autoupdate.core.majo
r' => '0',

'autoupdate.core.mino
r' => '0',
}
);
```

Note:

For more information, read our [Guide to the LiveAPI System](#).

- UAPI Functions - WordPress Instance Manager: `change_admin_password` — This function updates a WordPress® cPanel don instance's administrator password.
- UAPI Functions - WordPress Instance Manager: `get_api_version` — This function retrieves the WordPress Manager plugin's version.

Email:: add_spam_filter
Email:: browse_mailbox
Email:: change_mx
Email:: check_fast_mail
Email:: check_pipe_forwarder
Email:: delete_auto_responder
Email:: delete_domain_forwarder
Email:: delete_filter
Email:: delete_forwarder
Email:: delete_help_messages
Email:: delete_list
Email:: delete_mx
Email:: delete_pop
Email:: disable_filter
Email:: disable_mailbox_autocreate
Email:: disable_spam_assassin
Email:: disable_spam_autodelete
Email:: disable_spam_box
Email:: dispatch_client_settings
Email:: edit_pop_quota
Email:: enable_filter
Email:: enable_mailbox_autocreate
Email:: enable_spam_assassin
Email:: enable_spam_box
Email:: fetch_charmaps
Email:: fts_rescan_mailbox
Email:: generate_mailman_otp
Email:: get_auto_r

▼ cPanel Template Toolkit

```
<!-- Configure a single WordPress instance's automatic update settings.. -->[% data = execute('WordPressInstanceManager', 'configure_autoupdate' { 'id' => 'cPanel__Blogs__WordPressX.0.1491917088', 'autoupdate.core.major' => '0', 'autoupdate.core.minor' => '0', } ); %]
```

Note:
For more information, read our [Guide to Template Toolkit](#) documentation.

- UAPI Functions - WordPress Instance Manager: configure_autoupdate
— This function configures a WordPress® cPanel Addon instance's automatic update settings.

esponder

Email: get_charts

Email: get_client_settings

Email: get_default_email_quota

Email: get_default_email_quota_mib

Email: get_disk_usage

Email: get_filter

Email: get_held_message_count

Email: get_mailbox_autocreate

Email: get_mailman_delegates

Email: get_main_account_disk_usage

Email: get_main_account_disk_usage_bytes

Email: get_max_email_quota

Email: get_max_email_quota_mib

Email: get_pop_quota

Email: get_spam_settings

Email: get_webmail_settings

Email: has_delegated_mailman_lists

Email: has_plaintext_authentication

Email: hold_outgoing

Email: is_integer

Email: list_auto_responders

Email: list_default_address

Email: list_domain_forwarders

Email: list_filters

Email: list_filters_backups

Email: list_forward

Command Line

```
uapi --user=username
WordPressInstanceManager
configure_autoupdate
id=cPanel__Blogs__WordPressX.0.1491917088
autoupdate.core.major=0
autoupdate.core.minor=0
```

Notes:

- You **must** URI-encode values.
- username represents your account-level username.
- For more information and additional output options, read our [Guide to UAPI](#) documentation or run the `uapi --help` command.
- If you run CloudLinux™, you **must** use the full path of the `uapi` command:

```
/usr/local
/cpanel/bin/uapi
```

Output (JSON)

```
{
  "apiversion" : 3,
  "result" : {
    "messages" :
null,
    "data" : {
      "before" : {
        "admin_username" :
"wpadmin",
        "id" :
"cPanel__Blogs__WordPress.1.1509732223",
        "db_prefix" :
"example",
        "homedir"
: "/home/example",
```

- UAPI Functions - WordPressInstanceManager:is_installable_available - This function verifies that the RPM-based WordPress® cPanel add-on exists on the system.

ers
Email: list_forward
ers_backups
Email: list_lists
Email: list_mail_d
omains
Email: list_mxs
Email: list_pops
Email: list_pops_
with_disk
Email: list_system
_filter_info
Email: passwd_list
Email: passwd_po
p
Email: release_ou
tgoing
Email: remove_m
ailman_delegates
Email: reorder_filt
ers
Email: set_always
_accept
Email: set_default
_address
Email: set_list_pri
vacy_options
Email: stats_db_st
atus
Email: store_filter
Email: suspend_in
coming
Email: suspend_lo
gin
Email: suspend_o
utgoing
Email: trace_filter
Email: unsuspend
_incoming
Email: unsuspend
_login
Email: unsuspend
_outgoing
Email: verify_pass
word
▼ EmailAuth
EmailAuth: disabl
e_dkim
EmailAuth: enable
_dkim

```
        "db_type"  
: "mysql",  
  
"db_username" :  
"example_wpl",  
        "db_name"  
: "example_wpl",  
  
"available_version" :  
4.1,  
  
"admin_url" :  
"example.com/wordpres  
s-41/wp-login.php",  
  
"db_server" :  
"localhost",  
  
"addon_config" :  
"/home/example/.cpadd  
ons/cPanel::Blogs::Wo  
rdPress.1.yaml",  
  
"addon_name" :  
"cPanel::Blogs::WordP  
ress",  
  
"addon_type" :  
"legacy",  
  
"current_version" :  
4.1,  
  
"full_path" :  
"/home/example/public  
_html/wordpress-41",  
  
"initial_install_vers  
ion" : "4.1",  
        "domain"  
: "example.com",  
  
"site_url" :  
"example.com/wordpres  
s-41",  
  
"rel_path" :  
"wordpress-41"  
    },  
    "after" : {  
  
"db_username" :  
"example_wpl",
```

EmailAuth:: ensure
_dkim_keys_exist

EmailAuth:: fetch_
dkim_private_keys

EmailAuth:: install
_dkim_private_key
s

EmailAuth:: install
_spf_records

EmailAuth:: validat
e_current_dkims

EmailAuth:: validat
e_current_ptrs

EmailAuth:: validat
e_current_spfs

ExternalAuthenticat
ion

ExternalAuthentica
tion:: add_authn_li
nk

ExternalAuthentica
tion:: configured_
modules

ExternalAuthentica
tion:: get_authn_lin
ks

ExternalAuthentica
tion:: has_external
_auth_modules_co
nfigured

ExternalAuthentica
tion:: remove_auth
n_link

Features

Features:: get_feat
ure_metadata

Features:: has_fea
ture

Features:: list_feat
ures

Fileman

Fileman:: autocom
pletedir

Fileman:: empty_tr
ash

Fileman:: get_file_
content

Fileman:: get_file_i
nformation

Fileman:: list_files

Fileman:: save_file
_content

Fileman:: transcod
e

```
        "db_name"  
      : "example_wp1",  
        "db_type"  
      : "mysql",  
        "homedir"  
      : "/home/example",  
  
      "migrated_from" :  
      "cPanel::Blogs::WordP  
ress",  
  
      "addon_config" :  
      "/home/example/.cpadd  
ons/cPanel::Blogs::Wo  
rdPressX.2.yaml",  
  
      "admin_url" :  
      "example.com/wordpres  
s-41/wp-login.php",  
  
      "db_server" :  
      "localhost",  
  
      "available_version" :  
      4.9.1,  
  
      "admin_username" :  
      "wpadmin",  
  
      "db_prefix" :  
      "example",  
  
        "id" :  
      "cPanel__Blogs__WordP  
ressX.2.1509732223",  
        "domain"  
      : "example.com",  
  
      "rel_path" :  
      "wordpress-41",  
  
      "site_url" :  
      "example.com/wordpres  
s-41",  
  
      "migrated_on" :  
      "1513965986",  
  
      "addon_type" :  
      "modern",  
  
      "addon_name" :  
      "cPanel::Blogs::WordP  
ressX",
```

Fileman:: upload_files

▼ Ftp

Ftp:: add_ftp

Ftp:: allows_anonymous_ftp

Ftp:: allows_anonymous_ftp_incoming

Ftp:: delete_ftp

Ftp:: ftp_exists

Ftp:: get_ftp_daemon_info

Ftp:: get_port

Ftp:: get_quota

Ftp:: get_welcome_message

Ftp:: kill_session

Ftp:: list_ftp

Ftp:: list_ftp_with_disk

Ftp:: list_sessions

Ftp:: passwd

Ftp:: server_name

Ftp:: set_anonymous_ftp

Ftp:: set_anonymous_ftp_incoming

Ftp:: set_homedir

Ftp:: set_quota

Ftp:: set_welcome_message

▼ Integration

Integration:: fetch_url

▼ KnownHosts

KnownHosts:: create

KnownHosts:: delete

KnownHosts:: update

KnownHosts:: verify

▼ LangPHP

LangPHP:: php_get_domain_handler

LangPHP:: php_get_impacted_domains

```
"initial_install_version" : "4.1",

"full_path" :
"/home/example.com/public_html/wordpress-4.1",

"current_version" :
4.9.1
    }
    },
    "errors" :
null,
    "status" : 1,
    "metadata" : {}
    },
    "func" :
"configure_autoupdate",
    "module" :
```


LangPHP:: php_get_installed_versions

LangPHP:: php_get_system_default_version

LangPHP:: php_get_vhost_versions

LangPHP:: php_ini_get_user_basic_directives

LangPHP:: php_ini_get_user_content

LangPHP:: php_ini_get_user_paths

LangPHP:: php_ini_set_user_basic_directives

LangPHP:: php_ini_set_user_content

LangPHP:: php_set_vhost_versions

▼ LastLogin

LastLogin:: get_last_or_current_logged_in_ip

▼ Locale

Locale:: get_attributes

▼ Mailboxes

Mailboxes:: expunge_mailbox_messages

Mailboxes:: expunge_messages_for_mailbox_guid

Mailboxes:: get_mailbox_status

Mailboxes:: has_utf8_mailbox_names

Mailboxes:: set_utf8_mailbox_names

▼ Market

Market:: cancel_pending_ssl_certificate

Market:: create_shopping_cart

Market:: get_all_products

Market:: get_certificate_status_details

Market:: get_login_url



Parameters

Parameter	Type	Description	Possible values	Example
id	string	Required The cPAddon instance's unique ID. Note : You can retrieve an instance ID with the <code>get_instances</code> function.	A valid instance ID.	cPanel_Blogs_WordPress_X.0.1491917088
autoupdate.core.major	Boolean	Required Whether to enable automatic updates for major releases.	<ul style="list-style-type: none">1 — Enable.0 — Disable.	0
autoupdate.core.minor	Boolean	Required Whether to enable automatic updates for minor releases.	<ul style="list-style-type: none">1 — Enable.0 — Disable.	0

Returns

Market: `get_pending_ssl_certificates`

Market: `get_provider_specific_dcv_constraints`

Market: `get_providers_list`

Market: `get_ssl_certificate_if_available`

Market: `process_ssl_pending_queue`

Market: `request_ssl_certificates`

Market: `set_status_of_pending_queue_items`

Market: `set_url_after_checkout`

Market: `validate_login_token`

▼ Mime

Mime:: `add_handler`

Mime:: `add_hotlink`

Mime:: `add_mime`

Mime:: `add_redirect`

Mime:: `delete_handler`

Mime:: `delete_hotlink`

Mime:: `delete_mime`

Mime:: `delete_redirect`

Mime:: `list_handlers`

Mime:: `list_hotlinks`

Mime:: `list_mime`

Mime:: `list_redirects`

Mime:: `redirect_info`

▼ ModSecurity

ModSecurity:: `disable_all_domains`

ModSecurity:: `disable_domains`

ModSecurity:: `enable_all_domains`

This function returns only metadata if a conversion to the RPM-based WordPress cPAddon is unnecessary.

Note:

Previous to WordPress Manager version 1.1.3, this function only returned metadata.

Return	Type	Description	Possible value	Example
<code>before</code>	<i>hash</i>	A hash that contains the instance's information before conversion.	A hash that contains the <code>admin_username</code> , <code>id</code> , <code>db_prefix</code> , <code>homedir</code> , <code>db_type</code> , <code>db_username</code> , <code>db_name</code> , <code>available_version</code> , <code>admin_url</code> , <code>db_server</code> , <code>addon_config</code> , <code>addon_name</code> , <code>addon_type</code> , <code>current_version</code> , <code>full_path</code> , <code>initial_install_version</code> , <code>domain</code> , <code>site_url</code> , and <code>rel_path</code> returns.	
<code>admin_username</code>	<i>string</i>	The instance's administrator username.	A valid string.	<code>wpadmin</code>
<code>id</code>	<i>string</i>	The instance's unique ID.	A valid string.	<code>cPanel__Blogs__WordPress.1.1509732223</code>
<code>db_prefix</code>	<i>string</i>	The instance's database prefix.	A valid string.	<code>example</code>
<code>homedir</code>	<i>string</i>	The cPanel account's home directory.	An absolute file path.	<code>/home/example</code>
<code>db_type</code>	<i>string</i>	The instance's database type.	<code>mysql</code>	<code>mysql</code>
<code>db_username</code>	<i>string</i>	The instance's database username.	A valid string.	<code>example_wp1</code>
<code>db_name</code>	<i>string</i>	The instance's database name.	A valid string.	<code>example_wp1</code>
<code>available_version</code>	<i>string</i>	The latest WordPress version.	A WordPress version number.	<code>4.9.1</code>
<code>admin_url</code>	<i>string</i>	The instance's administrator login URL.	A valid URL.	<code>example.com/wordpress-41/wp-login.php</code>
<code>db_server</code>	<i>string</i>	The instance's database server network path.	A valid network path.	<code>localhost</code>

- ModSecurity:: enable_domains
- ModSecurity:: has_modsecurity_installed
- ModSecurity:: list_domains
- ▼ Mysql
 - Mysql:: add_host
 - Mysql:: add_host_note
 - Mysql:: check_database
 - Mysql:: create_database
 - Mysql:: create_user
 - Mysql:: delete_database
 - Mysql:: delete_host
 - Mysql:: delete_user
 - Mysql:: get_host_notes
 - Mysql:: get_privileges_on_database
 - Mysql:: get_restrictions
 - Mysql:: get_server_information
 - Mysql:: locate_server
 - Mysql:: rename_database
 - Mysql:: rename_user
 - Mysql:: repair_database
 - Mysql:: revoke_access_to_database
 - Mysql:: set_password
 - Mysql:: set_privileges_on_database
- ▼ Notifications
 - Notifications:: get_notifications_count
- ▼ NVData
 - NVData:: get
 - NVData:: set

addon_config	string	The instance's cPAddon YAML file path.	An absolute file path.	/home/example/.cpaddons/cPanel::Blogs::WordPress.1.yaml
addon_name	string	The instance's cPAddon name.	A valid string.	cPanel::Blogs::WordPress
addon_type	string	The instance's cPAddon type.	legacy is this only possible value.	legacy
current_version	string	The instance's WordPress version.	A WordPress version number.	4.1
full_path	string	The instance's full installation path.	An absolute file path.	/home/example/public_html/wordpress-41
initial_install_version	string	The instance's original installation version.	A WordPress version number.	4.1
domain	string	The instance's domain name.	A valid domain.	example.com
site_url	string	The instance's URL.	A valid URL.	example.com/wordpress-41
rel_path	string	The relative file path to the instance's document root.	A relative file path.	wordpress-41
after	hash	A hash that contains the instance's information after conversion.	A hash that contains the db_username, db_name, db_type, homedir, migrated_from, addon_config, admin_url, db_server, available_version, admin_username, db_prefix, id, domain, rel_path, site_url, migrated_on, addon_type, addon_name, initial_install_version, full_path, and current_version returns.	
db_username	string	The converted instance's database username.	A valid string.	example_wp1
db_name	string	The converted instance's database name.	A valid string.	example_wp1
db_type	string	The converted instance's database type.	mysql is the only possible value.	mysql
homedir	string	The cPanel account's home directory.	An absolute file path.	/home/example

- Parser
 - Parser::firstfile_relative_uri
- PassengerApps
 - PassengerApps::disable_application
 - PassengerApps::edit_application
 - PassengerApps::enable_application
 - PassengerApps::ensure_deps
 - PassengerApps::list_applications
 - PassengerApps::register_application
 - PassengerApps::unregister_application
- PasswdStrength
 - PasswdStrength::get_required_strength
- Personalization
 - Personalization::set
 - Personalization::get
- Postgresql
 - Postgresql::create_database
 - Postgresql::create_user
 - Postgresql::delete_database
 - Postgresql::get_restrictions
 - Postgresql::grant_all_privileges
 - Postgresql::rename_database
 - Postgresql::rename_user
 - Postgresql::rename_user_no_password
 - Postgresql::revoke_all_privileges
 - Postgresql::set_password
- Pushbullet
 - Pushbullet::send_test_message

migrated_from	string	The instance's original installation cPAddon name.	cPanel::Blogs::WordPress is the only possible value.	cPanel::Blogs::WordPress
addon_config	string	The converted instance's cPAddon YAML file path.	An absolute file path.	/home/example/.cpaddons/cPanel::Blogs::WordPressX.2.yaml
admin_url	string	The converted instance's administrator login URL.	A valid URL.	example.com/wordpress-41/wp-login.php
db_server	string	The converted instance's database server network path.	A valid network path.	localhost
available_version	string	The latest WordPress version.	A valid WordPress version.	4.9.1
admin_username	string	The instance's administrator username.	A valid string.	wpadmin
db_prefix	string	The converted instance's database prefix.	A valid string.	example
id	string	The converted instance's unique ID.	A valid string.	cPanel__Blogs__WordPressX.2.1509732223
domain	string	The converted instance's domain.	A valid domain.	example.com
rel_path	string	The converted instance's relative file path to the instance's document root.	A relative file path.	wordpress-41
site_url	string	The converted instance's URL.	A valid URL.	example.com/wordpress-41
migrated_on	string	The time the system converted the instance.	The date in Unix epoch time.	1513965986
addon_type	string	The converted instance's cPAddon type.	modern is this only possible value.	modern
addon_name	string	The converted instance's cPAddon name.	cPanel::Blogs::WordPressX is the only possible value.	cPanel::Blogs::WordPressX
initial_install_version	string	The instance's original installation version.	A WordPress version number.	4.1
full_path	string	The instance's full installation path.	An absolute file path.	/home/example.com/public_html/wordpress-41
current_version	string	The instance's WordPress version.	A WordPress version number.	4.9.1

- ▼ Quota
 - Quota:: get_quota_info
- ▼ Resellers
 - Resellers:: list_accounts
- ▼ ResourceUsage
 - ResourceUsage:: get_usages
- ▼ Restore
 - Restore:: directory_listing
 - Restore:: get_users
 - Restore:: query_file_info
 - Restore:: restore_file
- ▼ Session
 - Session:: create_temp_user
- ▼ SiteTemplates
 - SiteTemplates:: list_site_templates
 - SiteTemplates:: list_user_settings
 - SiteTemplates:: publish
- ▼ SpamAssassin
 - SpamAssassin :: clear_spam_box
 - SpamAssassin:: get_symbolic_test_names
 - SpamAssassin:: get_user_preferences
 - SpamAssassin:: update_user_preference
- ▼ SSH
 - SSH:: get_port
- ▼ SSL
 - SSL:: add_autossl_excluded_domains
 - SSL:: can_ssl_redirect
 - SSL:: check_shared_cert
 - SSL:: delete_cert
 - SSL:: delete_csr
 - SSL:: delete_key

SSL:: delete_ssl

SSL:: disable_mail_sni

SSL:: enable_mail_sni

SSL:: fetch_best_for_domain

SSL:: fetch_cert_info

SSL:: fetch_certificates_for_fqdns

SSL:: fetch_key_and_cabundle_for_certificate

SSL:: find_certificates_for_key

SSL:: find_csrs_for_key

SSL:: generate_certificate

SSL:: generate_csr

SSL:: generate_key

SSL:: get_autossl_excluded_domains

SSL:: get_autossl_pending_queue

SSL:: get_autossl_problems

SSL:: get_cabundle

SSL:: get_cn_name

SSL:: install_ssl

SSL:: installed_host

SSL:: installed_hosts

SSL:: is_autossl_check_in_progress

SSL:: is_mail_sni_supported

SSL:: is_sni_supported

SSL:: list_certs

SSL:: list_csrs

SSL:: list_keys

SSL:: list_ssl_items

SSL:: mail_sni_status

tus

SSL:: rebuild_mail
_snl_config

SSL:: rebuildssldb

SSL:: remove_aut
ossl_excluded_do
mains

SSL:: set_autossl_
excluded_domains

SSL:: set_cert_frie
ndly_name

SSL:: set_csr_frien
dly_name

SSL:: set_key_frie
ndly_name

SSL:: set_primary
_ssl

SSL:: set_ssl_shar
e

SSL:: show_cert

SSL:: show_csr

SSL:: show_key

SSL:: start_autossl_
_check

SSL:: toggle_ssl_r
edirects_for_doma
ins

SSL:: upload_cert

SSL:: upload_key

▼ StatsBar

StatsBar:: get_stat
s

▼ Styles

Styles:: current

Styles:: list

Styles:: set_default

Styles:: update

▼ SubDomain

SubDomain:: adds
ubdomain

▼ Themes

Themes:: get_the
me_base

Themes:: list

Themes:: update

▼ Tokens

Tokens:: create_fu
ll_access

Tokens:: list

Tokens:: rename

Tokens:: revoke

▼ TwoFactorAuth

TwoFactorAuth:: generate_user_configuration

TwoFactorAuth:: get_user_configuration

TwoFactorAuth:: remove_user_configuration

TwoFactorAuth:: set_user_configuration

▼ UserManager

UserManager:: check_account_conflicts

UserManager:: create_user

UserManager:: delete_user

UserManager:: dismiss_user

UserManager:: edit_user

UserManager:: list_users

UserManager:: lookup_service_account

UserManager:: lookup_user

UserManager:: merge_service_account

UserManager:: unlink_service_account

▼ UserTasks

UserTasks:: delete

UserTasks:: retrieve

▼ VersionControl

VersionControl:: create

VersionControl:: delete

VersionControl:: retrieve

VersionControl:: update

▼ VersionControlDepl

oyment

VersionControlDep
loyment:: **create**

VersionControlDep
loyment:: **delete**

VersionControlDep
loyment:: **retrieve**

▼ WebDisk

WebDisk:: **delete_**
user

WebDisk:: **set_ho**
medir

WebDisk:: **set_pas**
sword

WebDisk:: **set_per**
missions

▼ WebmailApps

WebmailApps:: **list**
webmailapps

▼ WebVhosts

WebVhost:: **list_do**
mains

WebVhost:: **list_ssl**
_capable_domains

▼ WordPressBackup

WordPressBackup
:: **any_running**

WordPressBackup
:: **cancel**

WordPressBackup
:: **cleanup**

WordPressBackup
:: **get_available_ba**
ckups

WordPressBackup
:: **is_running**

WordPressBackup
:: **start**

▼ WordPressInstance

Manager

WordPressInstanc
eManager:: **cancel**
_scan

WordPressInstanc
eManager:: **cleanu**
p_scan

WordPressInstanc
eManager:: **chang**
e_admin_passwor
d

WordPressInstanc
eManager:: **config**
ure_autoupdate

WordPressInstanc
eManager:: **get_ap**

i_version

WordPressInstanceManager:: **get_instance_by_id**

WordPressInstanceManager:: **get_instances**

WordPressInstanceManager:: **get_latest_wordpress_version_from_wordpress_org**

WordPressInstanceManager:: **get_scan_results**

WordPressInstanceManager:: **is_installable_addon_available**

WordPressInstanceManager:: **start_scan**

▼ WordPressRestore

WordPressRestore:: **any_running**

WordPressRestore:: **cleanup**

WordPressRestore:: **start**