

# Guide to the LiveAPI System - The header() Method

## Guide to the LiveAPI System

PHP Class

Perl Module

LiveAPI Methods

api()

api1()

api2()

cpanelfeature()

cpanelif()

cpanellangprint()

cpanelprint()

debug\_log()

debug\_log\_json()

end()

exec()

fetch()

footer()

get\_debug\_level()

get\_debug\_log()

get\_result()

header()

new()

set\_debug()

uapi()

## Description

The `header()` method calls the cPanel interface's header. Use this method to add the necessary header buttons at the top of the interface.

### Note:

This method is available in cPanel & WHM version 11.46 and later. The `app_key` parameter is only available in cPanel & WHM version 11.52 and later. This method is **only** compatible with cPanel's Paper Lantern theme.

## Example

### LiveAPI PHP Class

```
// Inject the title page
and application icon
into the header element.
$cpanel->header(title ,
app_key);
```

### LiveAPI Perl Module

```
# Inject the title page
and application icon
into the header element.
$curliveapi->header(title
, app_key);
```

## Parameters

Parameter	Type	Description	Possible values	Example
title	string	The title of the page to inject into the cPanel interface's <code>&lt;header&gt;</code> element.	A valid HTML page's title value.	title

Live  
API  
Licen  
se  
Infor  
mati  
on

Relate  
d  
Docu  
menta  
tion

app_key	<i>string</i>	<p>The app_key value for the application interface that you want to inject into the cPanel interface's &lt;header&gt; element.</p> <div data-bbox="732 367 870 1843" style="border: 1px solid orange; padding: 5px;"> <p><b>Note</b> : This parameter is only available in cPanel &amp; WHM version 11.52 and later. To find a valid value for this parameter, use UAP's Branding::getApplication() function or read our Guide to cPanel Interface Customization - Appkeys documentation.</p> </div>	A valid app_key value.	mx_entry
---------	---------------	--	------------------------	----------

- [Guide to the Live API System](#) — The Live API System provides environments for applications in the cPanel interface.
- [Guide to the Live API System - PHP Classes](#) — The Live API PHP Classes provides an environment for PHP applications.

## Returns

This method returns a string value that contains the contents of the interface page before the `<header>` element.

- [Guide to the Live API System - Perl Module](#) — The Live API Perl Module provides an environment for Perl applications.
- [Guide to the Live API System - The api\(\) Method](#) — The `api()` method executes a cPanel API 1 or cPanel API 2 function.

- [Guide to the Live API System - The cpanelfeature\(\) Method](#) — The cpanelfeature() method is a wrapper for the feature tag, which checks whether the authenticated user has access to a feature.