

# cPanel API 2 Functions - Encoding::get\_encodings

Guide to cPanel API 2

Return Data

Filter and Sort Output

Paginate Output

Output Columns

Calls from the WHM API

cPanel Tags  
(deprecated)

AddonDomain:: adddondomain

omain

AddonDomain:: deladdondomain

AddonDomain:: listaddondomains

## Backups

Backups:: listfullbackups

## Bandwidth

Bandwidth:: addhttpbandwidth

Bandwidth:: getbwdata

Bandwidth:: gethourlyaveragebwoveryear

## BoxTrapper

BoxTrapper:: accountmanagelist

## Branding

Branding:: addbrandingobj

Branding:: applist

Branding:: brandingeditor

Branding:: createpkg

Branding:: cssmerge

Branding:: delbrandingobj

Branding:: delpkg

Branding:: gensprites

## Description

This function retrieves a list of available file [character encodings](#).

### Warning:

We **strongly** recommend that you use [UAPI](#) instead of cPanel API 2. However, no equivalent UAPI function exists.

## Examples

### WHM API (JSON)

AddonDomain

```
https://hostname.example.com:2087/cpsess#####/json-api/cpanel?cpanel_jsonapi_user=user&cpanel_jsonapi_api_version=2&cpanel_jsonapi_module=Encoding&cpanel_jsonapi_function=get_encodings
```

### Note:

For more information, read our [Calls from the WHM API documentation](#).

## Function information

## About this module

The Encoding module looks up a file's text encoding.

## About cPanel API 2

Branding:: getbrandingpkg

Branding:: getbrandingpkgstatus

Branding:: getdefaultbrandingpkg

Branding:: installbrandingpkgs

Branding:: installimages

Branding:: killimages

Branding:: listingtypes

Branding:: listobjecttypes

Branding:: preloadconf

Branding:: resetall

Branding:: resetscripts

Branding:: resethtml

Branding:: resolvefile

Branding:: resolvelocalcss

Branding:: savelocalcss

Branding:: setbrandingpkgstatus

Branding:: showpackages

Branding:: spritelist

#### ▼ CSVImport

CSVImport:: columnchoices

CSVImport:: configimport

CSVImport:: data

CSVImport:: fetchimportdata

CSVImport:: isenabled

CSVImport:: loaddata

CSVImport:: processdata

CSVImport:: sendcontact

CSVImport:: uploadimport

#### ▼ LiveAPI PHP Class

```
$cpanel = new  
CPANEL(); // Connect  
to cPanel - only do  
this once.  
  
// Retrieve available  
encodings for  
example.com.  
$get__account_encodin  
gs = $cpanel->api2(  
    'Encoding',  
    'get_encodings'  
);
```

##### Note:

For more information, read our [Guide to the LiveAPI System](#).

#### ▼ LiveAPI Perl Module

```
my $cpliveapi =  
Cpanel::LiveAPI->new(  
); # Connect to  
cPanel - only do this  
once.  
  
# Retrieve available  
encodings for  
example.com.  
my  
$get_available_encodi  
ngs =  
$cpliveapi->api2(  
    'Encoding',  
    'get_encodings'  
);
```

##### Note:

For more information, read our [Guide to the LiveAPI System](#).

cPanel API 2 accesses and modifies data for cPanel accounts.

##### Notes:

- The `Fe`
- The `Urmtus20 or 20).`

Find a function

- Contactus:: isenab  
led
    - Contactus:: sendc  
ontact
  - Cron:: add\_line
    - Cron:: edit\_line
    - Cron:: fetchcron
    - Cron:: get\_email
    - Cron:: listcron
    - Cron:: remove\_line
    - Cron:: set\_email
  - CustInfo:: contacte  
mails
    - CustInfo:: contactp  
refs
    - CustInfo:: displayc  
ontactinfo
    - CustInfo:: savecon  
tactinfo
  - DBmap:: status
    - DBmap:: version
  - DKIMUI:: available
    - DKIMUI:: getrecor  
ds
    - DKIMUI:: install
    - DKIMUI:: installed
    - DKIMUI:: uninstall
  - DenyIp:: listdenyip  
s
  - DiskCounter:: disk  
\_counter
  - DiskUsage:: buildc  
ache
    - DiskUsage:: clearc  
ache
    - DiskUsage:: fetch\_  
raw\_disk\_usage
    - DiskUsage:: fetchd  
iskusage
    - DiskUsage:: fetchd  
iskusagewithextras

## ▼ cPanel Tag System (deprecated)

### Warnings:

- In cPanel & WHM version 11.30 and later, cPanel tags are **deprecat**ed. We **strongly** recommend that you **only** use the [LiveAPI](#) system to call the cPanel APIs. Examples are **only** present in order to help developers move from the old cPanel tag system to our [LiveAPI](#).
- cPanel API 2 calls that use cPanel tags vary in code syntax and in their output.
- For more information, read our [Deprecat](#)ed cPanel Tag Usage docume  
ntation.

## ▼ Command Line

```
cpapi2
--user=username
Encoding
get_encodings
```

### Notes:

- You **must** **URI-encode** values.
- username represents your account-level username.
- You **must** run the `--user=username` command.
- For more information and additional output options, read our [Guide to cPanel API 2](#) documentation or run the `cpapi2 --help` command.
- If you run CloudLinux™, you **must** use the full path of the `cpapi2` command:

```
/usr/local
/cpanel/bi
n/cpapi2
```

## ▼ Output (JSON)

```
{
  "cpanelresult": {
    "apiversion": 2,
    "func":
      "get_encodings",
    "data": [
      {
```

- cPan  
el  
API  
2  
Func  
tions  
-  
Enco  
ding:  
:gue  
ss\_fil  
e\_op  
ts —  
This  
functi  
on  
retrie  
ves a  
file's  
enco  
ding  
and  
a list  
of all  
cPan  
el-su  
pport  
ed c  
hara  
cter  
enco  
dings  
.
- cPan  
el  
API  
2  
Func  
tions  
-  
Enco  
ding:  
:gue  
ss\_fil  
e —  
This  
functi  
on  
atte  
mpts  
to  
retrie  
ve a  
file's  
char  
acter  
enco  
ding.

- ▼ DnsLookup
  - DnsLookup:: name2ip
- ▼ DomainLookup
  - DomainLookup:: countbaseddomains
  - DomainLookup:: getbaseddomains
  - DomainLookup:: getdocroot
  - DomainLookup:: getdocroots
  - DomainLookup:: getmaindomain
- ▼ Email
  - Email:: accountname
  - Email:: adddomainforward
  - Email:: addforward
  - Email:: addmx
  - Email:: addpop
  - Email:: browseboxes
  - Email:: changemx
  - Email:: checkmaindiscard
  - Email:: clearpopcache
  - Email:: deletefilter
  - Email:: delforward
  - Email:: delmx
  - Email:: delpop
  - Email:: disablefilter
  - Email:: editquota
  - Email:: enablefilter
  - Email:: fetchautosponder
  - Email:: fetchcharmaps
  - Email:: filteractions
  - Email:: filterlist
  - Email:: filtername
  - Email:: filterrules
  - Email:: get\_archiving\_configuration
  - Email:: get\_archiving\_default\_configu

```

      "map":
"ansi_x3.110-1983",
      "selected":
""
    },
    {
      "map":
"ansi_x3.4-1968",
      "selected":
""
    },
    {
      "map":
"armscii-8",
      "selected":
""
    },
    {
      "map":
"asmo_449",
      "selected":
""
    },
    {
      "map":
"big5",
      "selected":
""
    },
    {
      "map":
"big5-hkscs",
      "selected":
""
    },
    {
      "map":
"bs_4730",
      "selected":
""
    },
    {
      "map":
"bs_viewdata",
      "selected":
""
    },
    {
      "map":
"cp10007",
      "selected":
""
    },
  },

```

- cPanel API 2 Functions - Encoding: get\_encodings — This function retrieves a list of available file character encodings.
- cPanel API 2 Functions - Disk Counter: disk\_counter — This function lists files on your server as a nested directory tree.

ration  
Email: get\_archiving\_types  
Email: get\_default\_email\_quota  
Email: get\_email\_signing  
Email: get\_max\_email\_quota  
Email: getabsbrowse\_dir  
Email: getalwaysaccept  
Email: getdiskusage  
Email: getmxcheck  
Email: has\_delegated\_mailman\_lists  
Email: list\_system\_filter\_info  
Email: listaliasesbackups  
Email: listautoresponders  
Email: listdefaultaddresses  
Email: listdomainforwards  
Email: listfilterbackups  
Email: listfilters  
Email: listforwards  
Email: listlists  
Email: listmaildomains  
Email: listmx  
Email: listmxs  
Email: listpops  
Email: listpopssingle  
Email: listpopswitchdisk  
Email: listpopswitchimage  
Email: loadfilter  
Email: passwdpop  
Email: reorderfilters

```
{  
  "map":  
    "cp1125",  
    "selected":  
    ""  
  },  
  {  
    "map":  
      "cp1250",  
      "selected":  
      ""  
    },  
    {  
      "map":  
        "cp1253",  
        "selected":  
        ""  
      },  
      {  
        "map":  
          "cp1254",  
          "selected":  
          ""  
        },  
        {  
          "map":  
            "cp1255",  
            "selected":  
            ""  
          },  
          {  
            "map":  
              "cp1256",  
              "selected":  
              ""  
            },  
            {  
              "map":  
                "cp1257",  
                "selected":  
                ""  
              },  
              {  
                "map":  
                  "cp1258",  
                  "selected":  
                  ""  
                },  
                {  
                  "map":  
                    "cp737",  
                    "selected":  
                    ""  
                  }  
                }  
              }  
            }  
          }  
        }  
      }  
    }  
  }  
}
```

Email:: set\_archiving\_configuration

Email:: set\_archiving\_default\_configuration

Email:: set\_email\_signing

Email:: setalwaysaccept

Email:: setdefaultaddress

Email:: setmxcheck

Email:: storefilter

Email:: tracefilter

▼ EmailTrack

EmailTrack:: search

EmailTrack:: stats

EmailTrack:: trace

▼ Encoding

Encoding:: get\_encodings

Encoding:: guess\_file

Encoding:: guess\_file\_opts

▼ FSTest

FSTest:: dirisempty

▼ Fileman

Fileman:: autocompletedir

Fileman:: fileop

Fileman:: getabsdir

Fileman:: getdir

Fileman:: getdiractions

Fileman:: getdiskinfo

Fileman:: geteditty

Fileman:: getfileactions

Fileman:: getpath

Fileman:: listfiles

Fileman:: mkdir

Fileman:: mkfile

Fileman:: savefile

```

    },
    {
      "map" :
"cp775" ,
      "selected" :
""
    },
    {
      "map" :
"csa_z243.4-1985-1" ,
      "selected" :
""
    },
    {
      "map" :
"csa_z243.4-1985-2" ,
      "selected" :
""
    },
    {
      "map" :
"csa_z243.4-1985-gr" ,
      "selected" :
""
    },
    {
      "map" :
"csn_369103" ,
      "selected" :
""
    },
    {
      "map" : "cwi" ,
      "selected" :
""
    },
    {
      "map" :
"dec-mcs" ,
      "selected" :
""
    },
    {
      "map" :
"din_66003" ,
      "selected" :
""
    },
    {
      "map" :
"ds_2089" ,
      "selected" :
""

```

```

Fileman:: search
Fileman:: staffiles
Fileman:: uploadfiles
Fileman:: viewfile
  ForcePassword
    ForcePassword:: get_force_password_flags
    ForcePassword:: update_force_password_flags
  Frontpage
    Frontpage:: fpenabled
    Frontpage:: list
  Ftp
    Ftp:: addftp
    Ftp:: delftp
    Ftp:: listftp
    Ftp:: listftpssessions
    Ftp:: listftpwithdisk
    Ftp:: passwd
    Ftp:: setquota
  Gpg
    Gpg:: listgpgkeys
    Gpg:: listsecretgpgkeys
    Gpg:: number_of_private_keys
    Gpg:: number_of_public_keys
  Htaccess
    Htaccess:: listuser
    Htaccess:: listusers
  HttpUtils
    HttpUtils:: getdirindices
  ImageManager
    ImageManager:: thumbnail
  LVEInfo
    LVEInfo:: getUsage
  LangMods
    LangMods:: getarchname
    LangMods:: getkey

```

```

    },
    {
      "map":
"ebcdic-at-de",
      "selected":
""
    },
    {
      "map":
"ebcdic-at-de-a",
      "selected":
""
    },
    {
      "map":
"ebcdic-ca-fr",
      "selected":
""
    },
    {
      "map":
"ebcdic-dk-no",
      "selected":
""
    },
    {
      "map":
"ebcdic-dk-no-a",
      "selected":
""
    },
    {
      "map":
"ebcdic-es",
      "selected":
""
    },
    {
      "map":
"ebcdic-es-a",
      "selected":
""
    },
    {
      "map":
"ebcdic-es-s",
      "selected":
""
    },
    {
      "map":
"ebcdic-fi-se",
      "selected":

```

LangMods:: getpre  
fix  
LangMods:: install  
LangMods:: langlis  
t  
LangMods:: list\_av  
ailable  
LangMods:: list\_in  
stalled  
LangMods:: magic  
\_status  
LangMods:: pre\_ru  
n  
LangMods:: search  
LangMods:: setup  
LangMods:: uninst  
all  
LangMods:: updat  
e  
▼ LeechProtect  
LeechProtect:: set  
up  
▼ Locale  
Locale:: get\_encod  
ing  
Locale:: get\_html\_  
dir\_attr  
Locale:: get\_locale  
\_name  
Locale:: get\_user\_  
ocale  
Locale:: get\_user\_  
ocale\_name  
Locale:: numf  
▼ Logaholic  
Logaholic:: adduse  
r  
Logaholic:: adduse  
rprofile  
Logaholic:: deleteu  
ser  
Logaholic:: deleteu  
serprofile  
Logaholic:: edituse  
r  
Logaholic:: fetchus  
er  
Logaholic:: listuser  
profiles  
Logaholic:: logahol  
iclink

```
""  
    },  
    {  
        "map":  
"ebcdic-fi-se-a",  
        "selected":  
""  
    },  
    {  
        "map":  
"ebcdic-fr",  
        "selected":  
""  
    },  
    {  
        "map":  
"ebcdic-is-friss",  
        "selected":  
""  
    },  
    {  
        "map":  
"ebcdic-it",  
        "selected":  
""  
    },  
    {  
        "map":  
"ebcdic-pt",  
        "selected":  
""  
    },  
    {  
        "map":  
"ebcdic-uk",  
        "selected":  
""  
    },  
    {  
        "map":  
"ebcdic-us",  
        "selected":  
""  
    },  
    {  
        "map":  
"ecma-cyrillic",  
        "selected":  
""  
    },  
    {  
        "map": "es",  
        "selected":
```



```

Logaholic:: proces
sstats
  Mime
  Mime:: list_hotlinks
  Mime:: listhandlers
  Mime:: listmime
  Mime:: listredirects
  Mime:: redirectname
  Mime:: redirecturlname
  MysqlFE
  MysqlFE:: authorizehost
  MysqlFE:: change
dbuserpassword
  MysqlFE:: createdb
  MysqlFE:: createdbuser
  MysqlFE:: dbuserexists
  MysqlFE:: deauthorizehost
  MysqlFE:: deletedb
  MysqlFE:: deletedbuser
  MysqlFE:: getalldb
sinfo
  MysqlFE:: getalldb
usersanddbs
  MysqlFE:: getdbuser
privileges
  MysqlFE:: getdbusers
  MysqlFE:: gethosts
  MysqlFE:: getmysql
privileges
  MysqlFE:: getmysql
serverprivileges
  MysqlFE:: has_my
cnf_for_cpuser
  MysqlFE:: listdbs
  MysqlFE:: listdbsb
ackup
  MysqlFE:: listhosts
  MysqlFE:: listusers
  MysqlFE:: listusers
indb

```

```

" "
  },
  {
    "map": "es2",
    "selected":
" "
  },
  {
    "map":
"euc-jisx0213",
    "selected":
" "
  },
  {
    "map":
"euc-jp",
    "selected":
" "
  },
  {
    "map":
"euc-jp-ms",
    "selected":
" "
  },
  {
    "map":
"euc-kr",
    "selected":
" "
  },
  {
    "map":
"euc-tw",
    "selected":
" "
  },
  {
    "map":
"gb18030",
    "selected":
" "
  },
  {
    "map":
"gb2312",
    "selected":
" "
  },
  {
    "map":
"gb_1988-80",
    "selected":

```

- MysqlFE:: revoked  
buserprivileges
- MysqlFE:: setdbus  
erprivileges
- MysqlFE:: userdbp  
rivs
- ▼ MysqlOptimizer
  - MysqlOptimizer:: f  
etch\_slow\_queries
- ▼ NVData
  - NVData:: get
  - NVData:: set
  - NVData:: setall
- ▼ Net
  - Net:: dnszone
  - Net:: traceroute
- ▼ News
  - News:: does\_news  
\_exist
  - News:: does\_news  
\_type\_exist
  - News:: get\_news
- ▼ PHPINI
  - PHPINI:: getallopti  
ons
  - PHPINI:: getoption  
s
- ▼ Park
  - Park:: listaddondo  
mains
  - Park:: listparkeddo  
mains
  - Park:: park
  - Park:: unpark
- ▼ Passwd
  - Passwd:: change\_  
password
  - Passwd:: set\_dige  
st\_auth
- ▼ PasswdStrength
  - PasswdStrength::  
appstrengths
  - PasswdStrength::  
get\_password\_stre  
ngth
  - PasswdStrength::  
get\_required\_stren  
gth
- ▼ Postgres
  - Postgres:: listdbs
  - Postgres:: listusers

```

" "
    },
    {
      "map": "gbk",
      "selected":
" "
    },
    {
      "map":
"georgian-academy",
      "selected":
" "
    },
    {
      "map":
"georgian-ps",
      "selected":
" "
    },
    {
      "map":
"gost_19768-74",
      "selected":
" "
    },
    {
      "map":
"greek-ccitt",
      "selected":
" "
    },
    {
      "map":
"greek7",
      "selected":
" "
    },
    {
      "map":
"greek7-old",
      "selected":
" "
    },
    {
      "map":
"gsm03.38",
      "selected":
" "
    },
    {
      "map":
"hp-roman8",
      "selected":

```

```

Postgres:: listusers
indb

Postgres:: userexi
sts

v Rand
  Rand:: getranddat
  a

v Resellers
  Resellers:: get_su
  b_accounts

v RoR
  RoR:: addapp
  RoR:: changeapp
  RoR:: importrails
  RoR:: listapps
  RoR:: listrewrites
  RoR:: needsimport
  RoR:: removeapp
  RoR:: removerewri
  te
  RoR:: restartapp
  RoR:: setuprewrite
  RoR:: softrestartap
  p
  RoR:: startapp
  RoR:: stopapp

v SetLang
  SetLang:: setlocale

v SourceIPCheck
  SourceIPCheck:: a
  ddip
  SourceIPCheck:: d
  elip
  SourceIPCheck:: g
  etaccount
  SourceIPCheck:: li
  stips
  SourceIPCheck:: l
  oadsecquestions
  SourceIPCheck:: r
  esetsecquestions
  SourceIPCheck:: s
  amplequestions
  SourceIPCheck:: s
  avesecquestions

v SPFUI
  SPFUI:: available
  SPFUI:: count_set
  tings

```

```

" "
    },
    {
      "map":
"hz-gb-2312",
      "selected":
" "
    },
    {
      "map":
"ibm037",
      "selected":
" "
    },
    {
      "map":
"ibm038",
      "selected":
" "
    },
    {
      "map":
"ibm1004",
      "selected":
" "
    },
    {
      "map":
"ibm1026",
      "selected":
" "
    },
    {
      "map":
"ibm1047",
      "selected":
" "
    },
    {
      "map":
"ibm1124",
      "selected":
" "
    },
    {
      "map":
"ibm1129",
      "selected":
" "
    },
    {
      "map":
"ibm1132",

```

```
SPFUI:: entries_co
mplete
SPFUI:: get_raw_r
ecord
SPFUI:: getmainse
rverip
SPFUI:: install
SPFUI:: installed
SPFUI:: list_settin
gs
SPFUI:: load_curr
ent_values
SPFUI:: uninstall
  ✓ SSH
    SSH:: authkey
    SSH:: converttop
k
    SSH:: delkey
    SSH:: fetchkey
    SSH:: genkey
    SSH:: genkey_leg
acy
    SSH:: importkey
    SSH:: listkeys
  ✓ SSL
    SSL:: fetchcabund
le
    SSL:: fetchinfo
    SSL:: genctr
    SSL:: genscr
    SSL:: genkey
    SSL:: getcname
    SSL:: installssl
    SSL:: listcrts
    SSL:: listcsrs
    SSL:: listkeys
    SSL:: listsslitem
s
    SSL:: uploadcrt
    SSL:: uploadkey
  ✓ SSLInfo
    SSLInfo:: fetchinfo
  ✓ StatCache
    StatCache:: clearc
ache
  ✓ Stats
    Stats:: getmonth
ly
```

```
      "selected":
      ""
        },
        {
          "map":
          "ibm1133",
          "selected":
          ""
            },
            {
              "map":
              "ibm1160",
              "selected":
              ""
                },
                {
                  "map":
                  "ibm1161",
                  "selected":
                  ""
                    },
                    {
                      "map":
                      "ibm1162",
                      "selected":
                      ""
                        },
                        {
                          "map":
                          "ibm1163",
                          "selected":
                          ""
                            },
                            {
                              "map":
                              "ibm1164",
                              "selected":
                              ""
                                },
                                {
                                  "map":
                                  "ibm256",
                                  "selected":
                                  ""
                                    },
                                    {
                                      "map":
                                      "ibm273",
                                      "selected":
                                      ""
                                        },
                                        {
                                          "map":
```

bandwidth  
Stats:: getmonthly  
domainbandwidth  
Stats:: getthismont  
hsbwusage  
Stats:: lastapache  
hits  
Stats:: lastvisitors  
Stats:: listanalog  
Stats:: listawstats  
Stats:: listlastvisito  
rs  
Stats:: listrawlogs  
Stats:: listurchin  
Stats:: listwebalize  
r  
▼ StatsBar  
StatsBar:: getrowc  
ounter  
StatsBar:: rowcoun  
ter  
StatsBar:: setrowc  
ounter  
StatsBar:: stat  
▼ SubDomain  
SubDomain:: adds  
ubdomain  
SubDomain:: chan  
gedocroot  
SubDomain:: delsu  
bdomain  
SubDomain:: getre  
servedsubdomains  
SubDomain:: listsu  
bdomains  
SubDomain:: validr  
egex  
▼ Themes  
Themes:: apply\_n  
ew\_theme  
Themes:: does\_cp  
anel\_theme\_exist  
Themes:: get\_avail  
able\_themes  
Themes:: get\_the  
mes\_list  
Themes:: restore\_  
saved\_theme  
▼ UI  
UI:: dynamicinclu  
elist

```
"ibm274",  
  "selected":  
  ""  
  },  
  {  
    "map":  
    "ibm275",  
    "selected":  
    ""  
  },  
  {  
    "map":  
    "ibm277",  
    "selected":  
    ""  
  },  
  {  
    "map":  
    "ibm278",  
    "selected":  
    ""  
  },  
  {  
    "map":  
    "ibm280",  
    "selected":  
    ""  
  },  
  {  
    "map":  
    "ibm281",  
    "selected":  
    ""  
  },  
  {  
    "map":  
    "ibm284",  
    "selected":  
    ""  
  },  
  {  
    "map":  
    "ibm285",  
    "selected":  
    ""  
  },  
  {  
    "map":  
    "ibm290",  
    "selected":  
    ""  
  },  
  {  
    "selected":  
    ""  
  }  
}
```

- Ul:: includelist
- Ul:: listform
- Ul:: paginate
- Ul:: paginate\_list
- ▼ UserHttpUtils
  - UserHttpUtils:: get\_dirindices
- ▼ WebDisk
  - WebDisk:: addwebdisk
  - WebDisk:: delwebdisk
  - WebDisk:: hasdigest
  - WebDisk:: listwebdisks
  - WebDisk:: passwdwebdisk
  - WebDisk:: set\_digest\_auth
  - WebDisk:: set\_homedir
  - WebDisk:: set\_permissions
  - WebDisk:: setstatus
- ▼ WebmailApps
  - WebmailApps:: listwebmailapps
- ▼ ZoneEdit
  - ZoneEdit:: add\_zone\_record
  - ZoneEdit:: edit\_zone\_record
  - ZoneEdit:: fetch\_panel\_generated\_domains
  - ZoneEdit:: fetchzone
  - ZoneEdit:: fetchzone\_records
  - ZoneEdit:: fetchzones
  - ZoneEdit:: get\_zone\_record
  - ZoneEdit:: remove\_zone\_record
  - ZoneEdit:: resetzone

```

      "map" :
"ibm297",
      "selected" :
""
    },
    {
      "map" :
"ibm420",
      "selected" :
""
    },
    {
      "map" :
"ibm423",
      "selected" :
""
    },
    {
      "map" :
"ibm424",
      "selected" :
""
    },
    {
      "map" :
"ibm437",
      "selected" :
""
    },
    {
      "map" :
"ibm500",
      "selected" :
""
    },
    {
      "map" :
"ibm850",
      "selected" :
""
    },
    {
      "map" :
"ibm851",
      "selected" :
""
    },
    {
      "map" :
"ibm852",
      "selected" :
""
    },
  },

```

```
{
  "map":
  "ibm855",
  "selected":
  ""
},
{
  "map":
  "ibm856",
  "selected":
  ""
},
{
  "map":
  "ibm857",
  "selected":
  ""
},
{
  "map":
  "ibm860",
  "selected":
  ""
},
{
  "map":
  "ibm861",
  "selected":
  ""
},
{
  "map":
  "ibm862",
  "selected":
  ""
},
{
  "map":
  "ibm863",
  "selected":
  ""
},
{
  "map":
  "ibm864",
  "selected":
  ""
},
{
  "map":
  "ibm865",
  "selected":
  ""
}
```

```
    },
    {
      "map":
"ibm866",
      "selected":
""
    },
    {
      "map":
"ibm866nav",
      "selected":
""
    },
    {
      "map":
"ibm868",
      "selected":
""
    },
    {
      "map":
"ibm869",
      "selected":
""
    },
    {
      "map":
"ibm870",
      "selected":
""
    },
    {
      "map":
"ibm871",
      "selected":
""
    },
    {
      "map":
"ibm874",
      "selected":
""
    },
    {
      "map":
"ibm875",
      "selected":
""
    },
    {
      "map":
"ibm880",
      "selected":
```



```
""
  },
  {
    "map":
"ibm891",
    "selected":
""
  },
  {
    "map":
"ibm903",
    "selected":
""
  },
  {
    "map":
"ibm904",
    "selected":
""
  },
  {
    "map":
"ibm905",
    "selected":
""
  },
  {
    "map":
"ibm918",
    "selected":
""
  },
  {
    "map":
"ibm922",
    "selected":
""
  },
  {
    "map":
"iec_p27-1",
    "selected":
""
  },
  {
    "map":
"inis",
    "selected":
""
  },
  {
    "map":
"inis-8",
```

```
        "selected":
""
      },
      {
        "map":
"inis-cyrillic",
        "selected":
""
      },
      {
        "map":
"invariant",
        "selected":
""
      },
      {
        "map":
"isiri-3342",
        "selected":
""
      },
      {
        "map":
"iso-8859-1",
        "selected":
""
      },
      {
        "map":
"iso-8859-10",
        "selected":
""
      },
      {
        "map":
"iso-8859-11",
        "selected":
""
      },
      {
        "map":
"iso-8859-13",
        "selected":
""
      },
      {
        "map":
"iso-8859-14",
        "selected":
""
      },
      {
        "map":
```

```
"iso-8859-15",
  "selected":
  ""
  },
  {
    "map":
"iso-8859-16",
  "selected":
  ""
  },
  {
    "map":
"iso-8859-2",
  "selected":
  ""
  },
  {
    "map":
"iso-8859-3",
  "selected":
  ""
  },
  {
    "map":
"iso-8859-4",
  "selected":
  ""
  },
  {
    "map":
"iso-8859-5",
  "selected":
  ""
  },
  {
    "map":
"iso-8859-6",
  "selected":
  ""
  },
  {
    "map":
"iso-8859-7",
  "selected":
  ""
  },
  {
    "map":
"iso-8859-8",
  "selected":
  ""
  },
  {
```

```
        "map":
"iso-8859-9",
        "selected":
""
        },
        {
        "map":
"iso-ir-197",
        "selected":
""
        },
        {
        "map":
"iso-ir-209",
        "selected":
""
        },
        {
        "map":
"iso-ir-90",
        "selected":
""
        },
        {
        "map":
"iso_10367-box",
        "selected":
""
        },
        {
        "map":
"iso_10646",
        "selected":
""
        },
        {
        "map":
"iso_11548-1",
        "selected":
""
        },
        {
        "map":
"iso_2033-1983",
        "selected":
""
        },
        {
        "map":
"iso_5427",
        "selected":
""
        },
        },
```

```
    {
      "map":
"iso_5427-ext",
      "selected":
""
    },
    {
      "map":
"iso_5428",
      "selected":
""
    },
    {
      "map":
"iso_646.basic",
      "selected":
""
    },
    {
      "map":
"iso_646.irv",
      "selected":
""
    },
    {
      "map":
"iso_6937",
      "selected":
""
    },
    {
      "map":
"iso_6937-2-25",
      "selected":
""
    },
    {
      "map":
"iso_6937-2-add",
      "selected":
""
    },
    {
      "map":
"iso_8859-1,g1",
      "selected":
""
    },
    {
      "map":
"iso_8859-suppl",
      "selected":
""
    }
```

```
    },
    {
      "map": "it",
      "selected":
""
    },
    {
      "map":
"jis_c6220-1969-jp",
      "selected":
""
    },
    {
      "map":
"jis_c6220-1969-ro",
      "selected":
""
    },
    {
      "map":
"jis_c6229-1984-a",
      "selected":
""
    },
    {
      "map":
"jis_c6229-1984-b",
      "selected":
""
    },
    {
      "map":
"jis_c6229-1984-b-add",
      "selected":
""
    },
    {
      "map":
"jis_c6229-1984-hand",
      "selected":
""
    },
    {
      "map":
"jis_c6229-1984-hand-
add",
      "selected":
""
    },
    {
      "map":
```

```
"jis_c6229-1984-kana"  
,  
    "selected":  
    ""  
    },  
    {  
        "map":  
        "jis_x0201",  
        "selected":  
        ""  
    },  
    {  
        "map":  
        "johab",  
        "selected":  
        ""  
    },  
    {  
        "map":  
        "jus_i.bl.002",  
        "selected":  
        ""  
    },  
    {  
        "map":  
        "jus_i.bl.003-mac",  
        "selected":  
        ""  
    },  
    {  
        "map":  
        "jus_i.bl.003-serb",  
        "selected":  
        ""  
    },  
    {  
        "map":  
        "koi-8",  
        "selected":  
        ""  
    },  
    {  
        "map":  
        "koi8-r",  
        "selected":  
        ""  
    },  
    {  
        "map":  
        "koi8-t",  
        "selected":  
        ""  
    },  
    },
```

```
{
  "map":
"koi8-u",
  "selected":
""
},
{
  "map":
"ks_c_5601-1987",
  "selected":
""
},
{
  "map":
"ksc5636",
  "selected":
""
},
{
  "map":
"latin-greek",
  "selected":
""
},
{
  "map":
"latin-greek-1",
  "selected":
""
},
{
  "map":
"mac-cyrillic",
  "selected":
""
},
{
  "map":
"mac-is",
  "selected":
""
},
{
  "map":
"mac-sami",
  "selected":
""
},
{
  "map":
"mac-uk",
  "selected":
""
}
```



```
    },
    {
      "map":
"macintosh",
      "selected":
""
    },
    {
      "map": "mik",
      "selected":
""
    },
    {
      "map":
"msz_7795.3",
      "selected":
""
    },
    {
      "map":
"nats-dano",
      "selected":
""
    },
    {
      "map":
"nats-dano-add",
      "selected":
""
    },
    {
      "map":
"nats-sefi",
      "selected":
""
    },
    {
      "map":
"nats-sefi-add",
      "selected":
""
    },
    {
      "map":
"nc_nc00-10",
      "selected":
""
    },
    {
      "map":
"nextstep",
      "selected":
""
    }
  ],
  "selected":
""
}
```

```
    },
    {
      "map":
"nf_z_62-010",
      "selected":
""
    },
    {
      "map":
"nf_z_62-010_1973",
      "selected":
""
    },
    {
      "map":
"ns_4551-1",
      "selected":
""
    },
    {
      "map":
"ns_4551-2",
      "selected":
""
    },
    {
      "map": "pt",
      "selected":
""
    },
    {
      "map":
"pt154",
      "selected":
""
    },
    {
      "map": "pt2",
      "selected":
""
    },
    {
      "map":
"rk1048",
      "selected":
""
    },
    {
      "map":
"sami",
      "selected":
""
    },
  },
```

```
    {
      "map":
"sami-ws2",
      "selected":
""
    },
    {
      "map":
"sen_850200_b",
      "selected":
""
    },
    {
      "map":
"sen_850200_c",
      "selected":
""
    },
    {
      "map":
"shift_jis",
      "selected":
""
    },
    {
      "map":
"shift_jisx0213",
      "selected":
""
    },
    {
      "map":
"t.101-g2",
      "selected":
""
    },
    {
      "map":
"t.61-7bit",
      "selected":
""
    },
    {
      "map":
"t.61-8bit",
      "selected":
""
    },
    {
      "map":
"tcvn5712-1",
      "selected":
""
    }
```

```
    },
    {
      "map":
"tis-620",
      "selected":
""
    },
    {
      "map":
"tscii",
      "selected":
""
    },
    {
      "map":
"us-ascii",
      "selected":
""
    },
    {
      "map":
"utf-7",
      "selected":
""
    },
    {
      "map":
"utf-8",
      "selected":
"selected"
    },
    {
      "map":
"videotex-suppl",
      "selected":
""
    },
    {
      "map":
"viscii",
      "selected":
""
    },
    {
      "map":
"windows-1251",
      "selected":
""
    },
    {
      "map":
"windows-1252",
      "selected":

```

```
""
  },
  {
    "map":
"windows-31j",
    "selected":
""
  }
],
"event": {
  "result": 1
},
"module":
```

```
"Encoding"  
  }  
}
```

**Note:**

Use cPanel's *API Shell* interface (*cPanel >> Home >> Advanced >> API Shell*) to directly test cPanel API calls.

## Parameters

This function does not accept parameters.

## Returns

Return	Type	Description	Possible values	Example
map	<i>string</i>	A cPanel-supported character encoding.	Any cPanel-supported character encoding.	ansi_x3.110-1983
selected	<i>string</i>	Whether the character encoding is account's default encoding.	<ul style="list-style-type: none"><li>selected — The default encoding.</li><li>"" — <b>Not</b> the default encoding.</li></ul>	selected
reason	<i>string</i>	A reason for failure.  <b>Note</b> : This function only returns a reason value if there was an error.	A string that describes the error.	This is an error message.

result	<i>Boolean</i>	Whether the function succeeded.	<ul style="list-style-type: none"><li>• 1 — The function succeeded.</li><li>• 0 — The function failed.</li></ul>	1
--------	----------------	---------------------------------	------------------------------------------------------------------------------------------------------------------	---