

cPanel API 2 Functions - SSLInfo::fetchinfo

Guide to cPanel API 2

Return Data

Filter and Sort Output

Paginate Output

Output Columns

Calls from the WHM API

cPanel Tags (deprecated)

AddonDomain:
main:: add
daddond

omain

AddonDomain:: del
addondomain

AddonDomain:: list
addondomains

Backups

Backups:: listfullbackups

Bandwidth

Bandwidth:: addhttpbandwidth

Bandwidth:: getbwdata

Bandwidth:: gethourlyaveragebwoveryear

BoxTrapper

BoxTrapper:: accountmanagelist

Branding

Branding:: addbrandingobj

Branding:: applist

Branding:: brandingeditor

Branding:: createpkg

Branding:: cssmerge

Branding:: delbrandingobj

Branding:: delpkg

Description

This function retrieves an SSL certificate, private key, related CA bundle, and other information for a specified domain.

Warning:

We **strongly** recommend that you use [UAPI](#) instead of cPanel API 2. However, no equivalent UAPI function exists.

Examples

WHM API (JSON)

```
https://hostname.example.com:2087/cpsess#####/json-api/cpanel?cpanel_jsonapi_user=user&cpanel_jsonapi_apiversion=2&cpanel_jsonapi_module=SSLInfo&cpanel_jsonapi_function=fetchinfo&domain=example.com
```

Note:

For more information, read our [Calls from the WHM API](#) documentation.

Function information

About this module

The SSLInfo module retrieves information about a domain's certificates.

Branding:: gensprites

Branding:: getbrandingpkg

Branding:: getbrandingpkgstatus

Branding:: getdefaultbrandingpkg

Branding:: installbrandingpkgs

Branding:: installimages

Branding:: killimages

Branding:: listingtypes

Branding:: listobjecttypes

Branding:: preloadconf

Branding:: resetalls

Branding:: resetscss

Branding:: resethtml

Branding:: resolvefile

Branding:: resolveocalcss

Branding:: saveocalcss

Branding:: setbrandingpkgstatus

Branding:: showpkgs

Branding:: spritelist

▼ CSVImport

CSVImport:: columnchoices

CSVImport:: configimport

CSVImport:: data

CSVImport:: fetchimportdata

CSVImport:: isenabled

CSVImport:: loaddata

CSVImport:: processdata

CSVImport:: sendcontact

▼ LiveAPI PHP Class

```

$cpanel = new
CPANEL(); // Connect
to cPanel - only do
this once.

// Retrieve
certificate
information for
"example.com" domain
$retrieve_sslinfo =
$cpanel->api2(
    'SSLInfo',
    'fetchinfo',
    array(
        'domain' =>
        'example.com',
    )
);

```

Note:
For more information, read our [Guide to the LiveAPI System](#).

About cPanel API 2

cPanel API 2 accesses and modifies data for cPanel accounts.

Notes:

- The *Fe* int *Ur* *mi* *us* *or* *20* *or* *20* *).* *'* *20* *or* *20* *).*

Find a function

•

- CSVImport:: uploadimport
- Contactus:: isenabled
 - Contactus:: sendcontact
 - Cron:: add_line
 - Cron:: edit_line
 - Cron:: fetchcron
 - Cron:: get_email
 - Cron:: listcron
 - Cron:: remove_line
 - Cron:: set_email
 - CustInfo:: contactemails
 - CustInfo:: contactrefs
 - CustInfo:: displaycontactinfo
 - CustInfo:: savecontactinfo
 - DBmap:: status
 - DBmap:: version
 - DKIMUI:: available
 - DKIMUI:: getrecords
 - DKIMUI:: install
 - DKIMUI:: installed
 - DKIMUI:: uninstall
 - DenyIp:: listdenyps
 - DiskCounter:: disk_counter
 - DiskUsage:: buildcache
 - DiskUsage:: clearcache
 - DiskUsage:: fetch_raw_disk_usage
 - DiskUsage:: fetchdiskusage

LiveAPI Perl Module

```

my $cpliveapi =
Cpanel::LiveAPI->new(
); # Connect to
cPanel - only do this
once.

# Retrieve
certificate
information for
"example.com" domain
my $retrieve_sslinfo
= $cpliveapi->api2(
  'SSLInfo',
  'fetchinfo',
  {
    'domain' =>
    'example.com',
  }
);

```

Note:
For more information, read our [Guide to the LiveAPI System](#).

cPanel Tag System (deprecated)

Warnings:

- In cPanel & WHM version 11.30 and later, cPanel tags are **deprecated**. We **strongly** recommend that you **only** use the [LiveAPI](#) system to call the cPanel APIs. Examples are **only** present in order to help developers move from the old cPanel tag system to our [LiveAPI](#).
- cPanel API 2 calls that use cPanel tags vary in code syntax and in their output.
- For more information, read our [Deprecated cPanel Tag Usage](#) documentation.

- cPanel API 2 Functions - SSL: :listcerts — This function lists the account's SSL certificates.
- cPanel API 2 Functions - SSL: :listkeys — This function lists the account's SSL keys.
- cPanel API 2 Functions - SSL: :fetchcertificate — This function retrieves a certificate's Certificate Authority (CA) bundle.

DiskUsage:: fetchdiskusagewithextras

▼ DnsLookup

DnsLookup:: name2ip

▼ DomainLookup

DomainLookup:: countbaseddomains

DomainLookup:: getbaseddomains

DomainLookup:: getdocroot

DomainLookup:: getdocroots

DomainLookup:: getmaindomain

▼ Email

Email:: accountname

Email:: adddomainforward

Email:: addforward

Email:: addmx

Email:: addpop

Email:: browseboxes

Email:: changemx

Email:: checkmaindiscard

Email:: clearpopcache

Email:: deletefilter

Email:: delforward

Email:: delmx

Email:: delpop

Email:: disablefilter

Email:: editquota

Email:: enablefilter

Email:: fetchautoreponder

Email:: fetchcharmaps

Email:: filteractions

Email:: filterlist

Email:: filtername

Email:: filterrules

Email:: get_archiving_configuration

▼ Command Line

```
cpapi2
--user=username
SSLInfo fetchinfo
domain=example.com
```

Notes:

- You **must** URI-encode values.
- `username` represents your account-level username.
- You **must** run the `--user=username` command.
- For more information and additional output options, read our [Guide to cPanel API 2](#) documentation or run the `cpapi2 --help` command.
- If you run CloudLinux™, you **must** use the full path of the `cpapi2` command:

```
/usr/local
/cpanel/bin/cpapi2
```

▼ Output (JSON)

```
{
  "cpanelresult": {
    "apiversion": 2,
    "func":
    "fetchinfo",
    "data": [
      {
        "statusmsg":
        "ok",
        "status": 1,
        "ip": ".\n",
        "key":
        "-----BEGIN RSA
        PRIVATE
        KEY-----\nMIEpAIBAAK
        CAQEA7jDRbXUxnPrV5IYI
        2oOB6+86PChpTbdjLZeC\
        /OaLxIs9cga0\nTznXBkU
        Kal\VOdP\51uZkDTSzo
        VMNffKa7mqumGcoxyBmkO
        FAyRYK99WYlxyBKre\n3v
        CkwHxJL+3Y4Cchbfh4oC6
        KmctrFP\xSuQ+F8R5XG7
```

- cPanel API 2 Functions - SSL: :uplo adrcrt — This function uploads an SSL certificate.

Email: get_archiving_default_configuration
Email: get_archiving_types
Email: get_default_email_quota
Email: get_email_signing
Email: get_max_email_quota
Email: getabsbrowsedir
Email: getalwaysaccept
Email: getdiskusage
Email: getmxcheck
Email: has_delegated_mailman_lists
Email: list_system_filter_info
Email: listaliasbackups
Email: listautoresponders
Email: listdefaultaddresses
Email: listdomainforwards
Email: listfilterbackups
Email: listfilters
Email: listforwards
Email: listlists
Email: listmaildomains
Email: listmx
Email: listmxs
Email: listpops
Email: listpopssingle
Email: listpopswithdisk
Email: listpopswithimage
Email: loadfilter
Email: passwdpop

RXCETtJlHbaOmwceCQW7G
\no3l8wNBHCvXKaJa\ /Qj
sH8cHeGM9eSVuJpExlFdL
Qz14MMf4jEcEWFj2wCHBy
f18Q\neel71mVNCRAe67a
bD04g610Sn51Hgb9qutzW
TQfNFRgLlyAGW7CWuJVef
aFZRxiU\n0tWeeyGRnoY3
pPLiZSmcR+W8ABR8xkkv+
cYhDQIDAQABAoIBAFfyQo
GN0gHKRAua\nyc4U3HXG4
NOxgB+OSxpcZQsH\ /PdXC
hr+Cr1t+8ze1RetxscRVd
2Q3sR2HHGqKheL\nJHxeE
4G55OH89oWFBKnCU6PvVK
9VbAv5I01hwRMpUMSxp4o
sKJW4NqG+TYK3rxQT\n5H
3ohFy2OLE+YaMIu4Pmxqb
e1AWb9ETMZS1MR2eYZp4x
8a8SpusnavWrCUw8Tq97\
ncNqeAghIOFcoBpQXkYaP
FtZML2F6a3GjEy9+unU\
ZH82q+P\ /75VZ+OKnC3dt
h4nV\n4b12LCo8j1LyZRK
mTavnCk+VA+NCYQhrT1jh
lEhum4UbG03pgmx143g\
r1ZTsn7X\n866CRkECgYE
A+07ZOAJLE\ /nPqmQhYeA
EqfQO6JnLyXUHzWrZxtl8
o36PBPgSTCQ2\nLewyIvF
QZqchoscYnPS8FI4t1VFy
k+8iny3jHDUycx05fHnkS
WChHAsCkL2Zy4kU\n\ /pn
GWOH5bskT7Zymc5eh\ /Ep
WU3ygS9WpCUAZfz4hf7SM
I7jMbkD4m7UCgYEA8qNG\
nK3DKmM8hIXWARzFqA jN3
Z3Zdz9bRld1nwNLoD07V7
uzIpzu8g8bs9eFVwDuFON
YE\n2bCeAsyhffjj41enP4
4jJ5E6W6ZTFk+XL5o8tCc
oVu863GseARIX29KopY2t
yL6at\nnC50+w6tMqAE2d
XL+JvdvFy9MaxYHkn\ /Jx
a0tvkCgYEA1OezbaxuL\
f1RGDwJr5G\nBS3HZ6s5R
LVDWkPlph1X7MgglieNn1
Z+g9dgHbQ+n5SIKZsuy1F
43\ /UerUsFSQJ4\n0TivS
Rd8PRkj5s2SpqfHQGaFrp
2pcyBWgEU9cYzz7uDWHgS
j2\ /oM0SB65h0CHE0L\nnq
59\ /fBWkY7bnEoN9HhcBN

Email:: reorderfilter
s

Email:: set_archiving_configuration

Email:: set_archiving_default_configuration

Email:: set_email_signing

Email:: setalwaysaccept

Email:: setdefaultaddress

Email:: setmxcheck

Email:: storefilter

Email:: tracefilter

▼ EmailTrack

EmailTrack:: search

EmailTrack:: stats

EmailTrack:: trace

▼ Encoding

Encoding:: get_encodings

Encoding:: guess_file

Encoding:: guess_file_opts

▼ FSTest

FSTest:: dirisempty

▼ Fileman

Fileman:: autocompletedir

Fileman:: fileop

Fileman:: getabsdir

Fileman:: getdir

Fileman:: getdiractions

Fileman:: getdiskinfo

Fileman:: getedittypes

Fileman:: getfileactions

Fileman:: getpath

Fileman:: listfiles

Fileman:: mkdir

Fileman:: mkfile

```
8ECgYEAxRWsXIK8fYzZO2
VHROabtff6CBcUMksqaFG
0\nAeMOTcjaarz4ayZRhL
RODRygW4m9N6JXxD76ygl
PL8i1DoRhsU8dto3DdS27
otto\nWP15Otdj+e35uw3
LeV1bb\Z7sd7HnD8F1M6
XJIoSUum5pvtLN7\brZi
JFz0HQmsW\njriZx3kCgY
A\bFaFws8qRWD8UrZ+0H
Eaj4sfgIj16I5WJw8Zsec
+h94nN9nf0ru8\nWjeVZ8
aJDxeUFRbBFNIjsoddRa7
gEO61TJAFaxezws\svHq
8wFrS01IUouY5Phoj\nU7
KxemjUAMXeIRo262zWbRu
f7Or4MpGKOnnXgJqcCVvX
9+XNd4eACQ==\n-----EN
D RSA PRIVATE
KEY-----",
    "crt_origin":
"example",

"searched_users": [
    "example"
],
    "key_origin":
"example",
    "domain":
"example.com",
    "user":
"example",
    "crt":
"-----BEGIN
CERTIFICATE-----\nMII
ECzCCAvOgAwIBAgIFAcRS
LckwDQYJKoZIhvcNAQEFB
QAwwZ0x0FDASBgNVBAMM\n
C2V4YW1wbGUuY29tMRYwF
AYDVQQLEA1EbnN1bWVudG
F0aW9uMQswCQYDVQQGEwJ
V\nUzEoMCYGCsQGS1b3DQ
EJARYZbGF1cmV1Y2Uuc2l
tb25AY3BhbmVsIm5ldDEU
MBIG\nA1UECgwLY1BhbmV
sIEluYy4xDjAMBGNVBAGM
BVRleGFzMRAdG9uMB4XDTE0
AdIb3Vz\ndG9uMB4XDTE0
MDkxMTIxNDUxNFoXDTE1M
DkxMTIxNDUxNFowZ0x0FD
ASBgNVBAMM\nC2V4YW1wb
GUuY29tMRYwFAYDVQQLEA
1EbnN1bWVudGF0aW9uMQs
```


Fileman:: savefile
Fileman:: search
Fileman:: statfiles
Fileman:: uploadfiles
Fileman:: viewfile
▼ ForcePassword
ForcePassword:: get_force_password_flags
ForcePassword:: update_force_password_flags
▼ Frontpage
Frontpage:: fpenabled
Frontpage:: list
▼ Ftp
Ftp:: addftp
Ftp:: delftp
Ftp:: listftp
Ftp:: listftpsessions
Ftp:: listftpwithdisk
Ftp:: passwd
Ftp:: setquota
▼ Gpg
Gpg:: listgpgkeys
Gpg:: listsecretgpgkeys
Gpg:: number_of_private_keys
Gpg:: number_of_public_keys
▼ Htaccess
Htaccess:: listusers
Htaccess:: listusers
▼ HttpUtils
HttpUtils:: getdirindices
▼ ImageManager
ImageManager:: thumbnails
▼ LVEInfo
LVEInfo:: getUsage
▼ LangMods
LangMods:: getarchname

```
wCQYDVQQGEwJV\nUzEoMC
YGCSqGSIB3DQEJARYZbGF
1cmVuY2Uuc2ltb25AY3Bh
bmVsLm5ldDEUMBIG\nA1U
ECgwLY1BhbmVsIEluYy4x
DjAMBgNVBAGMBVRleGFzM
RAwDgYDVQQHDAIb3Vz\n
dG9uMIIBIjANBgkqhkiG9
w0BAQEFAAOCAQ8AMIIBCg
KCAQEA7jDRbXUxnPrV5IY
I\n2oOB6+86PChpTbdjLZ
eC/OaLxIs9cga0TznXBk
UKa1/VodP/51uZkDTSZ
oVMNffK\na7mqumGcoxyB
mkOFAYRYK99WYIxyBKre3
vCkwHxJL+3Y4Cchbfh4oC
6KmctrFP/x\nSuQ+F8R5
XG7RXCEttJ1HbaOmwceCQ
W7Go318wNBHCvXKaJa/Q
jsH8cHeGM9eSVuJ\npEx1
FdLQz14MMf4jEcEWFj2wC
HByf18Qee171mVNCRae67
abD04g610Sn51Hgb9q\nu
tzWTQfNFRgLlyAGW7CWuJ
VefaFZRxiU0tWeeyGRnoY
3pPLiZSmcR+W8ABR8xkkv
\n+cYhDQIDAQABo1AwTjA
dBgNVHQ4EFgQUA6gTJckN
0Lah5W53Cna0oC/kc1Uw
HwYD\nVR0jBBgwFoAUA6g
TJckN0Lah5W53Cna0oC/
kc1UwDAYDVR0TBAUwAwEB
/zANBgkq\nhkiG9w0BAQ
UFAAOCAQEAek1JfiOK81U
OTJp11SBOFlKaIXToS4pY
/4nC8bumJNTX\nJTYANb
av+X6Z4i11BXMxilAejUr
5VEZIBnIsKV3VjllkuDYh
hs7abOC5Szy64Q60\nnqMQ
iTvJhipgCLj6/khuQNrA
KMAAZDtrIO+oeD8smkvFG
g3z1jrGidfOTxXAn6Us+\
nsxBU9msYQImGHEP50wSf
1VxL9/t5GaRenITS\\/\
ApLiETEgpi4Bj4FNT9Uw
xTbNB\ncd1aH6wm/J/e
8FUvPIJ0DxSUu6CiYITte
U2sHyPOrgJSzd19jEgX/\
TX5KHBjcU5u\npDeVYq4N
H7brrkgqvOcCyCCrhmeIe
XhqVeY6FWFreA==\n----
-END
CERTIFICATE-----" ,
```

LangMods:: getkey
LangMods:: getpre
fix
LangMods:: install
LangMods:: langlis
t
LangMods:: list_av
ailable
LangMods:: list_in
stalled
LangMods:: magic
_status
LangMods:: pre_ru
n
LangMods:: search
LangMods:: setup
LangMods:: uninst
all
LangMods:: updat
e
▼ LeechProtect
LeechProtect:: set
up
▼ Locale
Locale:: get_encod
ing
Locale:: get_html_
dir_attr
Locale:: get_locale
_name
Locale:: get_user_
locale
Locale:: get_user_
locale_name
Locale:: numf
▼ Logaholic
Logaholic:: adduse
r
Logaholic:: adduse
rprofile
Logaholic:: deleteu
ser
Logaholic:: deleteu
serprofile
Logaholic:: edituse
r
Logaholic:: fetchus
er
Logaholic:: listuser
profiles
Logaholic:: logahol

```
        "cab": ""  
    }  
],  
"event": {  
    "result": 1  
},  
"module":
```


- iclink
- Logaholic:: proces
sstats
- ▼ Mime
 - Mime:: list_hotlinks
 - Mime:: listhandlers
 - Mime:: listmime
 - Mime:: listredirects
 - Mime:: redirectname
 - Mime:: redirecturlname
- ▼ MySQLFE
 - MySQLFE:: authorizehost
 - MySQLFE:: change
dbuserpassword
 - MySQLFE:: createdb
 - MySQLFE:: createdbuser
 - MySQLFE:: dbuserexists
 - MySQLFE:: deauthorizehost
 - MySQLFE:: deletedb
 - MySQLFE:: deletedbuser
 - MySQLFE:: getalldb
sinfo
 - MySQLFE:: getalldb
usersanddbs
 - MySQLFE:: getdbuserprivileges
 - MySQLFE:: getdbusers
 - MySQLFE:: gethosts
 - MySQLFE:: getmysqlprivileges
 - MySQLFE:: getmysqlserverprivileges
 - MySQLFE:: has_my
cnf_for_cpuser
 - MySQLFE:: listdbs
 - MySQLFE:: listdbsback
up
 - MySQLFE:: listhosts
 - MySQLFE:: listusers
 - MySQLFE:: listusers



Parameters

Note: You **must** use either the domain or the crtdata parameter.

Parameter	Type	Description	Possible Values	Example
domain	string	The domain name.	A valid domain.	example.com
		<p>Note: If you submit both the domain and crtdata parameters, the function will use only the domain parameter.</p>		
crtdata	string	The SSL certificate's text.	Valid certificate data.	<p>▼ Click to view...</p> <pre>-----BEGIN CERTIFICATE ----- MIIDcTCCAl mgAwIBAgIF AU+BNVgwDQ YJKoZIhvcN AQEFBQAwUT ESMBAG1UE AwwJ c21za28udG xkMQswCQYD VQQGEwJVUz EPMA0GA1UE CgwGY1Bhbm VsMQswCQYD VQQI</pre>

- indb
- MysqlFE:: revoked
buserprivileges
- MysqlFE:: setdbu
erprivileges
- MysqlFE:: userdbp
rivs
- ▼ MysqlOptimizer
 - MysqlOptimizer:: f
etch_slow_queries
- ▼ NVData
 - NVData:: get
 - NVData:: set
 - NVData:: setall
- ▼ Net
 - Net:: dnszone
 - Net:: traceroute
- ▼ News
 - News:: does_news
_exist
 - News:: does_news
_type_exist
 - News:: get_news
- ▼ PHPINI
 - PHPINI:: getallopti
ons
 - PHPINI:: getoptio
ns
- ▼ Park
 - Park:: listaddondo
mains
 - Park:: listparkeddo
mains
 - Park:: park
 - Park:: unpark
- ▼ Passwd
 - Passwd:: change_
password
 - Passwd:: set_dige
st_auth
- ▼ PasswdStrength
 - PasswdStrength::
appstrengths
 - PasswdStrength::
get_password_stre
ngth
 - PasswdStrength::
get_required_stren
gth
- ▼ Postgres
 - Postgres:: listdbs

DAJUWDEQMA
 4GA1UEBwwH
 SG91c3Rvbj
 AeFw0xNDEw
 MDYyMjI2MT
 laFw0xNTEw
 MDYy
 MjI2MTlaMF
 ExEjAQBGNV
 BAMMCXNpc2
 tvLnRsZDEL
 MAkGA1UEBh
 MCVVMxZzAN
 BgNV
 BAoMBmNQYW
 51bDELMAkG
 A1UECAwCVF
 gxEDA0BgNV
 BAcMB0hvdX
 N0b24wggEi
 MAOG
 CSqGS1b3DQ
 EBAQUAA4IB
 DwAwggEKAo
 IBAQC9zx6z
 GiHdmWA0dK
 toXmJiWXPz
 9E3P
 Xx3YHsjFEW
 W7e5pH0vZ+
 jVMzDmm5ns
 J7RXrAkZ01
 IvpIpVlvoQ
 fiJOWVvkD+
 o9fW
 voK1tWJS72
 FSgPju+58m
 A2ieBuc87A
 790Pzuv1P3
 NR3zFLAjUR
 99zkHR1fpr
 i/da
 M3PBW08ET4
 8FWkyU1kOe
 ZaU1F67/+w
 rEiNgg+t1q
 hKOCAB61Pd
 NVkLaSGHim
 ksuC
 +Czk8Kq9nu
 S0E0TCnDtj
 jEyJ455FUc
 aCfcz1Tb8x
 kB/F90Re74
 yTzD+v1k0t
 FMG6
 PLj/ajIwWg
 w00qmQ8wX3
 NRxkWgGz5k
 VO1wrVJarK
 Q5EYQ3/mgv
 it0v6dAgMB
 AAGj
 UDBOMB0GA1
 UdDgQWBBRw
 +wKBo34+bg
 exjAa3EMDs
 gSCd7zAfBg
 NVHSMEGDAW
 gBRw
 +wKBo34+bg
 exjAa3EMDs
 gSCd7zAMBg
 NVHRMEBTAD
 AQH/MA0GCS
 qGS1b3DQEB
 BQUA
 A4IBAQCHRX
 Is53opzKM2
 rM8Qe81cw5
 24WK6hcy2E
 WrZHp78N7r
 U7/6DQ/I3h
 v3Wh
 cDDIO04I2/

Postgres:: listusers
Postgres:: listusers
indb
Postgres:: userexi
sts
▼ Rand
Rand:: getranddat
a
▼ Resellers
Resellers:: get_su
b_accounts
▼ RoR
RoR:: addapp
RoR:: changeapp
RoR:: importrails
RoR:: listapps
RoR:: listrewrites
RoR:: needsimport
RoR:: removeapp
RoR:: removerewri
te
RoR:: restartapp
RoR:: setuprewrite
RoR:: softrestartap
p
RoR:: startapp
RoR:: stopapp
▼ SetLang
SetLang:: setlocale
▼ SourceIPCheck
SourceIPCheck:: a
ddip
SourceIPCheck:: d
elip
SourceIPCheck:: g
etaccount
SourceIPCheck:: li
stips
SourceIPCheck:: l
oadsecquestions
SourceIPCheck:: r
esetsecquestions
SourceIPCheck:: s
amplequestions
SourceIPCheck:: s
avesecquestions
▼ SPFUI
SPFUI:: available

Xhe88MLBaL
oM367Ya+vy
7CaLr14aLi
/SfQszMA0A
LBvMao+Fis
0iVw
FYq/NLgSXw
+fgnpFskt8
v8iQZ+4Kaa
l8U8e9sVgu
8m0RgO7rzy
mleRiIKpsK
dlrh
/SD7LbSN7M
7TRL3QqF7l
tw9sQhAAsQ
cRaBBF2lpd
WrqhiGZ+Ei
oo3hhgwNav
H2ag
qz78ddHwrF
pHFwrEeUk1
OfpPb76MYI
ce7xIy/4oQ
Ndg6fOq4l/
FrajBv+Wkz
DVPa
Km6r7YmwfL
N/YMZBHXS
SR
58oOGP9W

SPFUI:: count_settings
 SPFUI:: entries_complete
 SPFUI:: get_raw_record
 SPFUI:: getmainserverip

				-----END CERTIFICATE-----
--	--	--	--	---------------------------

SPFUI:: install
 SPFUI:: installed
 SPFUI:: list_settings
 SPFUI:: load_current_values
 SPFUI:: uninstall

SSH

SSH:: authkey
 SSH:: converttopk
 SSH:: delkey
 SSH:: fetchkey
 SSH:: genkey
 SSH:: genkey_legacy
 SSH:: importkey
 SSH:: listkeys

SSL

SSL:: fetchcertificate
 SSL:: fetchinfo
 SSL:: genctr
 SSL:: gencsr
 SSL:: genkey
 SSL:: getcname
 SSL:: installssl
 SSL:: listcrts
 SSL:: listcsrs
 SSL:: listkeys
 SSL:: listsslitems
 SSL:: uploadcrt
 SSL:: uploadkey

SSLInfo

SSLInfo:: fetchinfo

StatCache

StatCache:: clearcache

Returns

Return	Type	Description	Possible Values	Example
domain	string	The domain name.	A valid domain.	example.com
statusmsg	string	The certificate's status.	<ul style="list-style-type: none"> ok — The request succeeded. An error message — The request failed. 	ok
status	Boolean	Whether the function succeeded.	<ul style="list-style-type: none"> 1 — The function succeeded. 0 — The function failed. 	1
ip	string	The domain's IP address.	A valid IP address.	192.168.0.1
user	string	The domain's owner.	A valid user account.	example
crt	string	The SSL certificate's contents.	A valid SSL certificate file in Base64 PEM format.	<p>Click to view...</p> <pre>-----BEGIN CERTIFICATE----- MIIDcTCCAIm gAwIBAgIFAU +BNVgwDQYJK oZIhvcNAQEF BQAwUTESMBA GA1UEAwWJ c21za28udGx kMQswCQYDVQ QGEwJVUzEPM A0GAlUECgW Y1BhbmVzM0Qs wCQYDVQQI DAJlUWDEQMA4 GA1UEBwwHSG 9lc3Rvb2J1eF w0xNDEwMDYy MjI2MTI1aFw0 xNTEwMDYy MjI2MTI1aFpE xEjAQBghNVBA MMCNpc2tVl nRszDELMAkG A1UEBHMVVM xDzANBgNV BAoMBmN0YW5 lbDELMAkGA1 UECAwCVPgx E DA0BgNVBAcM B0hvdXN0b24 wggEiMA0G CSqGSIb3DQ EAQUAA4IBDw AwggEKAoIBA QC9zx6zGiHd mWA0dKtoXmJ iWXpZ9E3P Xx3YHsjFEWW 7e5pH0vz+jV MzDmm5nsJ7R XrAkZ01IvpI pVLvoQFijJOW VvkD+o9fW voK1tWJS72F SgPju+58mA2 ieBuc87A790 Pzuv1P3NR3z FLAJUR99zkH Rlfpri/da M3PBW08ET48 FWkyUlkOeZa ULF67/+wrEi Ngg+t1qhKOC AB61PdNVkLa SGHimksuC +Czk8Kq9nuS 0E0TCnDtjJE</pre>

- Stats:: getmonthly bandwidth
 - Stats:: getmonthly domainbandwidth
 - Stats:: getthismont hsbwusage
 - Stats:: lastapache hits
 - Stats:: lastvisitors
 - Stats:: listanalog
 - Stats:: listawstats
 - Stats:: listlastvisitors
 - Stats:: listrawlogs
 - Stats:: listurchin
 - Stats:: listwealize r
- StatsBar:: getrowcounter
 - StatsBar:: rowcounter
 - StatsBar:: setrowcounter
 - StatsBar:: stat
- SubDomain:: adds ubdomain
 - SubDomain:: changedocroot
 - SubDomain:: delsubdomain
 - SubDomain:: getservedsubdomains
 - SubDomain:: listsubdomains
 - SubDomain:: validategex
- Themes:: apply_new_theme
 - Themes:: does_cp_anel_theme_exist
 - Themes:: get_available_themes
 - Themes:: get_themes_list
 - Themes:: restore_saved_theme

```

yJ455FUcaCf
czlTb8xB/F
90Re74yTzD+
v1k0tFMG6
PLj/a jIwWqw
00qmQ8wX3NR
xkWgGz5kVO1
wrVJarKQ5EY
Q3/mgvit0v6
dAgMBAAGj
UDBOMB0GA1U
dDgQWBBRw+w
KBo34+bgexj
Aa3EMDsgScD
7zAFBgNVHSM
EGDAWgBRw
+wKBo34+bgex
xjAa3EMDsgS
Cd7zAMBgNVH
RMEBTADAQH/
MA0GCSqGSIB
3DQEBBQUA
A4IBAQCCHRXI
s53opzKM2rM
8Qe81cw524W
K6hgy2EWrZH
p78N7rU7/6D
Q/I3hv3Wh
cDDIO04I2/X
he88MLBaLoM
367Ya+vy7Ca
Lr14aLi/SfQ
szMA0ALBvMa
o+Fis0iVw
FYq/NLgSXw+
fgnpFskt8v8
iQZ+4Kaa18U
8e9sVgu8m0R
g07rzymleRi
IKpsKdlrh
/SD7LbsN7M7
TRL3QqF7ltw
9sQhAAsQcRa
BBF21pdWrqh
iGZ+Eioo3hh
gwNavH2ag
qz78ddHwrFp
HFwrEeUklOf
pPb76MYIce7
xIy/4oQNdG6
fOq41/FraJB
v+WkzDVPa
Km6r7YmwELN
/YMZBHXSR58
oOGP9W

```

- ▼ UI
 - UI:: dynamicincludelist
 - UI:: includelist
 - UI:: listform
 - UI:: paginate
 - UI:: paginate_list
- ▼ UserHttpUtils
 - UserHttpUtils:: getdirindices
- ▼ WebDisk
 - WebDisk:: addwebdisk
 - WebDisk:: delwebdisk
 - WebDisk:: hasdigest
 - WebDisk:: listwebdisks
 - WebDisk:: passwdwebdisk
 - WebDisk:: set_digest_auth
 - WebDisk:: set_homedir
 - WebDisk:: set_perms
 - WebDisk:: setstatus
- ▼ WebmailApps
 - WebmailApps:: listwebmailapps
- ▼ ZoneEdit
 - ZoneEdit:: add_zone_record
 - ZoneEdit:: edit_zone_record
 - ZoneEdit:: fetch_cpanel_generated_domains
 - ZoneEdit:: fetchzone
 - ZoneEdit:: fetchzone_records
 - ZoneEdit:: fetchzones
 - ZoneEdit:: get_zone_record
 - ZoneEdit:: remove_zone_record
 - ZoneEdit:: resetzone

				<pre>-----END CERTIFICATE -----</pre>
cab	string	The CA bundle's contents.	A valid CA bundle file in Base64 PEM format.	<p>▼ Click to view...</p> <pre>-----BEGIN CERTIFICATE ----- MIIB+jCCAWM CAgGjMA0GCS qGS1b3DQEBB AUAMEUxCzAJ BgNVBAYTA1V TMRgwFgYD VQKKEw9HVEU gQ29ycG9yYX Rpb24xHDAaB gNVBAMTE0dU RSBDeWJlc1R ydxN0IFJv b3QwHhcNOTY wMjIzZjMwMT AwWhcnMDYwM jIzZjM1OTAw WjBFMQswCQY DVQQGEwJV UzEYMBYGA1U EChMPRIRFIE NvcnBvcnF0a W9uMRwwGgYD VQDExNHVEU gQ3liZXJU cnVzdCBSb29 0MIGFMA0GCS qGS1b3DQEBA QUAA4GNADCB iQKBgQC45k+ 625h8cXyv RLfTD0bZZOW TwUKOx7pJjT UteueLveUFM VnGsS8KDPuf pz+iCwaEVh4 3KRuH6X4M yppfpX/1FZS jIajGgthoTN E3FQZor734s LPwKfVWwGkW YXcKIiXUT0W qx73llt/5 lKiQqswkWB6 Rj0qlbQaYz nEo144AwIDA QABMA0GCSqG SIb3DQEBAU AA4GBABKz dcZfHePhVYA AlIFLezEPI2 PnPFMD+fQ2q LvZ46WXTeor KeDwanOB5sC Jo9Pp4KW1 IjeaY8JILLT bcuPI9t18vr GvU9oUtCG41 tWW4/5ODF1i tppK+ULdjG+ BqXH/9Apy bW1EDp3zdHS o1TRJ6V6e6b R64eVaH4Qwn NOfpSXY -----END CERTIFICATE -----</pre>
key	string	The certificate's key file.	A valid key file in Base64 PEM format.	<p>▼ Click to view...</p> <pre>-----BEGIN RSA PRIVATE KEY----- MIIEJwIBAAK CAgEA4yilqs oCdEpiNOyLc PJ4PLT7vgwa Ld0BeJLTmUE V2uZM4v65 /tize7H0soD pLC55Scr3uE IEa7Lq7RUZ+ F5p67BgRR19 rmerKGxfN7N 5Vu97pFTw W1f+1VsxUF/ 561Ve0Amm4o kU98xJHiGcl I8ZHGUBUMYf LPy00rA+gNW</pre>

MHgMV0v1B
SgpbEWCILMv
nvtP0rwPutj
nPVX2Dj40ia
40L4Wqvp+0Y
g7m2yh101+q
6VZVidXZs
1R42ywFRBYt
3ieFBDYMyNw
9wN3Xy44fCp
Hc77+ho84W3
BqrGaWSSDyf
6UkZGD5mf
ohGf2JSp+c8
J6H7hsxo7pt
a3K1diVXFOS
fnaA+k56zW4
45XruwYs/SN
/zvGetGi6
ughMAcVRQcY
CmLCixcC6Rk
cUx3exxgR4q
3gthDnFwWC4
+NuTh8/K0Bc
xcuCEhRug
/MFVfO3+f7R
JFSJPFb9m9L
f4HHBSVkdP5
WtG4XiBKCe+
+9Wuvxbd4Qx
S7YrnSopN
KxkuHKswH80
NpADMYDqfLO
DMhNrs1HNHu
95Nv7A1Qr8w
eLqMGWmp7GF
qzXcl39Rn
VkF4Bxd3bAA
sMN8/JvanMK
CPjTDrfzVF
ZcmHXPY01jY
DdYlxfIstYV
tbyFkUHZP
2RPPBaPUAt9
0lZrKGVF8a2
vdIKRiey5SZ
5qu9c/mGri3
oz7Lkk7qkNP
AqDMCAwEA
AQKCAgA3f9r
aG3j2CKZt38
1Bzzvfc0h+a
16LC736Q4Ut
6RuH2/S1ER9
IUItPWW87
nZuDp8ciBr1
3W0nRNmmHez
xZhlqqXEb8
dsfI90Bh1jM
NyFSSDihl3K
ShrGotBsc
VBavViREXZd
UicCBuXutk
Yno96yVKUg2
v0K9MLKA+OB
gEHPynqJaw7
klBs j573d
lAQO8TjI+eD
8zKsHbB8U15
rtRAy/Cl3YX
Wk75cDZSgge
vc7A0jrd3o0
w8aXDoS1E
fYq70Tm3n3J
JWZBFPKAXTz
gTDr6qItJhj
S4IxXsq7RNy
eIYES/8aGKK
T6lJvjALr
cdYt47IpHCO
u4471G/h+f6
xtDophLGZoA
ir07lJFRVfL
Jh76sLF12bp
XJKbbmMN+
aut0nM+MLEw
8A5K9OV24jJ
/3+afj//578
9asIyvNaQFP
OX23SdLX0Qb
A5QWvJt2t
WvvpS3ubcIJ
aBEMTK8asEB
C68eUW0BBKJ
aSiYNzecuFY
CBjQlxKsIrY
uWZcW6fMy
Rel+cnqMdiH
7x2p6RmgF5c
9myDwq3E47j
E+VrOy8uhw7
EMQvT8+YSKa
IbgtFZcUS

U02BDRB7gWN
a842m6nGs5t
j5xPNO6Wt41
0viltwL+6zC
QqJaKmcE3w
oiIgsDrw5
MssAHHjqo7Q
JthZfbpUAUT
c6jGFNO13U1
ediIRAGdQW5
ALqTwQKCAQE
A884bmFFZ
LTewHiv1PJF
fNxVZfk3C7L
hWE2JcI/5P/
YrN4ZA8G080
Yhgxa5XnsH
HQPwMM85i
1HeOoPwggTM
IyLDX/Sf88+
eW3ef4V2M1Y
4op0ahWFEwb
wXKGx0hncE1
ObN7dfZUw
VlxCRaaiw2X
QAGRqtQCOf+
9dZysqPjx+r
z6poTiOtm7D
cpW/WiGfBPv
VhzBENygo
uL9V3vCWYPJ
SLtCexECoGo
PspHKgUkwbh
3+ra8SfG6FO
IBj4PpMB82R
7oPDjIyXF
1VDEb0EwYQ1
KxyZoP9+NPT
2MhZv/HF/Mb
m/5LolVhx92
hO9q6yxS6nv
aFmEPr9fY
1EOTWzzPOA+
VyQKCAQEA7o
VioaTqxENT+
wHITZq100iY
Upm4X1NleEN
Tp97QyQbQ
OVR/t8iGLUd
vOzdIxBSTS3
JFQ8TNcGDPP
c+o3l9QGdZA
BNnKwFGY3Ss
+5QgVeX6n
0WKdxCRelUO
UB174aBeXcJ
CKplh6xBurL
fSZxv2Qqb7f
v0Mb+2eKUBK
TymvES1kp
Ydn1T0vCCHA
3bVpaHuqlc
oDSX3RmQICZ
lfSgCGbBakm
U8RuxDd9yr9
1709MXUmL
sq1sw6hvbUt
+7Y13Y1DtyX
8gbCwEEYsoA
LOotY1xNEXn
yZKTAxhrg+x
sQLrURVZU
oZiCJyK/mHC
WRTPVkt89wq
4Iexbj9hq1R
jzpm1r8GwKC
AQBxRSCs855
q06SONreh
HCKQfmrFs3s
MX9gdyWT11B
Glyfc9BLXoO
iKEkJKCLG2o
5H6eQnuo1go
0jBdH0+Ar
hnpeQ0sV4q4
y4zXEgzFt6D
mltUsYjQzxA
SskBQF4GkF0
eZpmGmTtI5M
Bjht931lg
Tr0EcaLh1SI
HDj5m4DcPUT
MyBnr03E3xl
CRZ6Biu10/6
EMZzuIj42Gj
q7HoIy4d4T
zIFCHsqkyW
WrAgBPwAdPB
7OJRKPTxpcy
+RwJSmwaLxP
SC/n5gKhIbt
4D8q+9Zp0
esyZGbT1d/c

2rJHMwV1FMv
zXkk5CwKs7e
nKl8FXMTRt4
tXhtU8r193J
Vq8+aY/Yi
JZuBAoIBAER
G2l27IFjeFH
VtpTDRwIqi1
TfP2P8wnMe4
PhInrgxdbul
6SrUJKZ98
eLI5BBNc8G0
AYOntSoGI tM
o0z1phpkQ/G
ERLM8ap1OB6
qJ5XGg6VOuS
tHgwvfQot
PIp/nQvu9OK
7/XRwj3Phu2
KESiCyEXdAd
DwDsdbdZLJX
Hwcqoh4PF9E
K2zW/seNI
fBVJb9K5yHi
ZzicTZRQvhx
BUw2T6MloCp
H4GFM8GM3OH
EV4pgeqSSvL
xnLjFVmAq
5EKL5Ei4cdj
kExvj3aZH90
N8KicOPgH8S
kVhN8OL/Pre
in5c/LaKJV+
8kEUzpTS1
xc45cEGCteM
sfjD97QINzp
G0jgopUVECG
gEADiaKsx8N
UQT3hmOwHRa
nEFJnQH5H
zxaQjWbsjm2
uz0KR0PNIK1
X5L8kyyps+E
zLJtvWUqxPa
OaTv4DZVpFa
Vzk8/2PPG
sYR3mUjqMqN
FYMrNwYZAXv
J/huzDFqq6+
w2Pn9jcAifH
Nw3S8UR650v
8g17BU4fV
BvhamG8Jelv
wLqeGwoikST
9NBXVqG5IKB
pUkU1FOMUNm
Rih9ooKvhy7
GosoK8MWb
mhWo1v8TTSX
SagACUhAoIz
b6mMN/VFC5W
DbFx5AEB/G9
tq/zmTqQkuo
39dvg130w
yZGRNwclaFf
lKxeven10/J
N9ipp0mTa7N
Ysdn0RAe9ZR
p5cCkgmktqm
B0g==

				-----END RSA PRIVATE KEY-----
reason	<i>string</i>	A reason for failure. Note: This function only returns a reason value if it failed.	A string that describes the error.	This is an error message.
result	<i>Boolean</i>	Whether the function succeeded.	<ul style="list-style-type: none"> • 1 — The function succeeded. • 0 — The function failed. 	1