

UAPI Functions - WordPressInstanceManager::get_latest_wordpress_version_from_wordpress_org

Guide to UAPI

- Return Data
- Filter Output
- Sort Output
- Paginate Output
- Output Columns
- Calls from the WHM API
- Custom UAPI Modules

Backup
Backup::fullbackup

p_to_ftp

Backup::fullbackup
p_to_homedir

Backup::fullbackup
p_to_scp_with_key

Backup::fullbackup
p_to_scp_with_password

Backup::list_backups

Bandwidth

Bandwidth::get_enabled_protocols

Bandwidth::get_retention_periods

Bandwidth::query

Batch

Batch::strict

Brand

Brand::read

Branding

Branding::file

Branding::get_applications

Branding::get_application_information

Description

This function returns the available WordPress® updates from wordpress.org.

Note:

You **must** install the [WordPress Manager cPanel](#) plugin to access this API function.

Examples

▼ cPanel or Webmail Session URL

```
https://hostname.example.com:2083/cpsess#####/execute/WordPressInstanceManager/  
▼ get_latest_wordpress_version_from_wordpress_org?force=1&cache_time=3600
```

Note:

This example calls the UAPI function via a cPanel session. For more information, read our [Guide to UAPI](#) documentation.

Function information

About this module

The WordPressInstanceManager module manages cPanel's WordPress® cPAddon instances. The system installs this module with the WordPress Instance Manager cPanel plugin.

Branding:: get_available_applications

Branding:: get_information_for_applications

Branding:: image

Branding:: include

Branding:: spritelist

CacheBuster

CacheBuster:: read

CacheBuster:: update

Chkservd

Chkservd:: get_exim_ports

Chkservd:: get_exim_ports_ssl

Chrome

Chrome:: get_dom

Contactus

Contactus:: is_enabled

cPAddons

cPAddons:: get_available_addons

cPAddons:: get_instance_settings

cPAddons:: list_addon_instances

cPGreyList

cPGreyList:: disable_all_domains

cPGreyList:: disable_domains

cPGreyList:: enable_all_domains

cPGreyList:: enable_domains

cPGreyList:: has_greylisting_enabled

cPGreyList:: list_domains

DAV

DAV:: disable_shared_global_addressbook

DAV:: enable_shared_global_addressbook

DAV:: get_calendar_contacts_config

LiveAPI PHP Class

```
$cpanel = new  
CPANEL(); // Connect  
to cPanel - only do  
this once.
```

```
// Retrieve the  
latest WordPress  
version from  
WordPress.org.  
$instances =  
$cpanel->uapi(  
  
'WordPressInstanceMan  
ager',  
'get_latest_wordpress  
_version_from_wordpre  
ss_org',  
array(  
    'force' => '1',  
    'cache_time' =>  
    '3600',  
    )  
);
```

Note:

For more information, read our [Guide to the LiveAPI System](#).

About UAPI

UAPI accesses and modifies data for cPanel accounts.

Notes:

- The
Fe

int
• Ur
mu
us
20
or
20
).`
20
or
20
).

Find a function

DAV:: has_shared
_global_addressbook

DAV:: is_dav_service_enabled

DAV:: is_horde_enabled

▼ DCV

DCV:: check_domains_via_dns

DCV:: check_domains_via_http

DCV:: ensure_domains_can_pass_dcv

▼ DomainInfo

DomainInfo:: domains_data

DomainInfo:: list_domains

DomainInfo:: main_domain_builtin_subdomain_aliases

DomainInfo:: single_domain_data

▼ DNS

DNS:: ensure_domains_reside_only_locally

DNS:: has_local_authority

▼ DNSSEC

DNSSEC:: disable_dnssec

DNSSEC:: enable_dnssec

DNSSEC:: fetch_dns_records

DNSSEC:: set_nsec3

DNSSEC:: unset_nsec3

▼ Email

Email:: account_name

Email:: add_auto_responder

Email:: add_domain_forwarder

Email:: add_forwarder

Email:: add_list

Email:: add_mailman_delegates

▼ LiveAPI Perl Module

```
my $cpliveapi =  
Cpanel::LiveAPI->new(  
); # Connect to  
cPanel - only do this  
once.
```

```
# Retrieve the latest  
WordPress version  
from WordPress.org.  
my $instances =  
$cpliveapi->uapi(  
  
'WordPressInstanceMan  
ager',  
'get_latest_wordpress  
_version_from_wordpre  
ss_org',  
{  
'force' => '1',  
'cache_time' =>  
'3600',  
});
```

Note:

For more information, read our [Guide to the LiveAPI System](#).

▼ cPanel Template Toolkit

```
<!-- Retrieve the  
latest WordPress  
version from  
WordPress.org. -->  
[% data = execute(  
'WordPressInstanceMan  
ager',  
'get_latest_wordpress  
_version_from_wordpre  
ss_org', { 'force' =>  
'1', 'cache_time' =>  
'3600', } )]; %]
```

Note:

For more information, read our [Guide to Template Toolkit](#) documentation.

- UAPI Functions - cPanel addons::list_addon_instances — This function lists an account's deployed cPanel addons instances.
- UAPI Functions - cPanel addons::get_instance_settings — This function lists a cPanel addons instance's settings.
- UAPI Modules - cPanel addons — The cPanel addons module accesses cPanel's cPanel addons system.

Email:: add_mx
Email:: add_pop
Email:: add_spam_filter
Email:: browse_mailbox
Email:: change_mx
Email:: check_fastmail
Email:: check_pipe_forwarder
Email:: delete_auto_responder
Email:: delete_domain_forwarder
Email:: delete_filter
Email:: delete_forwarder
Email:: delete_held_messages
Email:: delete_list
Email:: delete_mx
Email:: delete_pop
Email:: disable_filter
Email:: disable_mailbox_autocreate
Email:: disable_spam_assassin
Email:: disable_spam_autodelete
Email:: disable_spam_box
Email:: dispatch_client_settings
Email:: edit_pop_quota
Email:: enable_filter
Email:: enable_mailbox_autocreate
Email:: enable_spam_assassin
Email:: enable_spam_box
Email:: fetch_charmaps
Email:: fts_rescan_mailbox

Command Line

```
uapi --user=username  
WordPressInstanceManager  
get_latest_wordpress_  
version_from_wordpres  
s_org force=1  
cache_time=3600
```

Notes:

- You **must** URI-encode values.
- username represents your account-level username.
- For more information and additional output options, read our [Guide to UAPI](#) documentation or run the `uapi --help` command.
- If you run CloudLinux™, you **must** use the full path of the `uapi` command:

```
/usr/local  
/cpanel/bin/uapi
```

Output (JSON)

```
{  
  "errors": null,  
  "metadata": {},  
  "status": 1,  
  "messages": null,  
  "data": {  
    "offers": [{  
      "mysql_version":  
"5.0",  
      "locale": "en_US",  
      "packages": {  
        "partial": false,  
        "rollback":  
false,  
        "full":  
"https://downloads.wordpress.org/release/wordpress-4.7.5.zip",  
        "new_bundled":  
"https://downloads.wordpress.org/release/w
```

Email: generate_mailman_otp
Email: get_auto_responder
Email: get_charts
Email: get_client_settings
Email: get_default_email_quota
Email: get_default_email_quota_mib
Email: get_disk_usage
Email: get_filter
Email: get_held_message_count
Email: get_mailbox_autocreate
Email: get_mailman_delegates
Email: get_main_account_disk_usage
Email: get_main_account_disk_usage_bytes
Email: get_max_email_quota
Email: get_max_email_quota_mib
Email: get_pop_quota
Email: get_spam_settings
Email: get_webmail_settings
Email: has_delegated_mailman_lists
Email: has_plaintext_authentication
Email: hold_outgoing
Email: is_integer
Email: list_auto_responders
Email: list_default_address
Email: list_domain_forwarders
Email: list_filters

```
ordpress-4.7.5-new-bundled.zip",
  "no_content":
  "https://downloads.wordpress.org/release/wordpress-4.7.5-no-content.zip"
},
  "version":
  "4.7.5",
  "current":
  "4.7.5",
  "partial_version":
  false,
  "new_bundled":
  "4.7",
  "response":
  "upgrade",
  "php_version":
  "5.2.4",
  "download":
  "https://downloads.wordpress.org/release/wordpress-4.7.5.zip"
}, {
  "new_files": true,
  "partial_version":
  false,
  "new_bundled":
  "4.7",
  "current":
  "4.7.5",
  "version":
  "4.7.5",
  "packages": {
    "partial": false,
    "full":
  "https://downloads.wordpress.org/release/wordpress-4.7.5.zip",
    "rollback":
  false,
  "new_bundled":
  "https://downloads.wordpress.org/release/wordpress-4.7.5-new-bundled.zip",
  "no_content":
  "https://downloads.wordpress.org/release/wordpress-4.7.5-no-content.zip"
},
```

Email: list_filters_backups
Email: list_forwarders
Email: list_forwarders_backups
Email: list_lists
Email: list_mail_domains
Email: list_mx
Email: list_pops
Email: list_pops_with_disk
Email: list_system_filter_info
Email: passwd_list
Email: passwd_pop
Email: release_outgoing
Email: remove_mailman_delegates
Email: reorder_filters
Email: set_always_accept
Email: set_default_address
Email: set_list_privacy_options
Email: stats_db_status
Email: store_filter
Email: suspend_incoming
Email: suspend_login
Email: suspend_outgoing
Email: trace_filter
Email: unsuspend_incoming
Email: unsuspend_login
Email: unsuspend_outgoing
Email: verify_password

▼ EmailAuth

EmailAuth: disable_dkim

```
"locale": "en_US",
"mysql_version":
"5.0",
"download":
"https://downloads.wordpress.org/release/wordpress-4.7.5.zip",
"php_version":
"5.2.4",
"response":
"autoupdate"
}, {
"response":
"autoupdate",
"download":
"https://downloads.wordpress.org/release/wordpress-4.6.6.zip",
"php_version":
"5.2.4",
"mysql_version":
"5.0",
"locale": "en_US",
"packages": {
"no_content":
"https://downloads.wordpress.org/release/wordpress-4.6.6-no-content.zip",
"new_bundled":
"https://downloads.wordpress.org/release/wordpress-4.6.6-new-bundled.zip",
"partial": false,
"full":
"https://downloads.wordpress.org/release/wordpress-4.6.6.zip",
"rollback": false
},
"partial_version":
false,
"new_bundled":
"4.7",
"new_files": true,
"version":
"4.6.6",
"current": "4.6.6"
}, {
"response":
"autoupdate",
"download":
```

EmailAuth:: enable_dkim

EmailAuth:: ensure_dkim_keys_exist

EmailAuth:: fetch_dkim_private_keys

EmailAuth:: install_dkim_private_keys

EmailAuth:: install_spf_records

EmailAuth:: validate_current_dkims

EmailAuth:: validate_current_ptrs

EmailAuth:: validate_current_spfs

ExternalAuthentication

ExternalAuthentication:: add_authn_link

ExternalAuthentication:: configured_modules

ExternalAuthentication:: get_authn_links

ExternalAuthentication:: has_external_auth_modules_configured

ExternalAuthentication:: remove_authn_link

Features

Features:: get_feature_metadata

Features:: has_feature

Features:: list_features

Fileman

Fileman:: autocompletedir

Fileman:: empty_trash

Fileman:: get_file_content

Fileman:: get_file_information

Fileman:: list_files

Fileman:: save_file_content

```
"https://downloads.wordpress.org/release/wordpress-4.5.9.zip",
  "php_version":
    "5.2.4",
  "packages": {
    "new_bundled":
      "https://downloads.wordpress.org/release/wordpress-4.5.9-new-bundled.zip",
      "partial": false,
      "rollback":
        false,
      "full":
        "https://downloads.wordpress.org/release/wordpress-4.5.9.zip",
        "no_content":
          "https://downloads.wordpress.org/release/wordpress-4.5.9-no-content.zip"
    },
    "locale": "en_US",
    "mysql_version":
      "5.0",
    "new_files": true,
    "new_bundled":
      "4.7",
    "partial_version":
      false,
    "current":
      "4.5.9",
    "version": "4.5.9"
  }, {
    "response":
      "autoupdate",
      "download":
        "https://downloads.wordpress.org/release/wordpress-4.4.10.zip",
        "php_version":
          "5.2.4",
          "locale": "en_US",
          "mysql_version":
            "5.0",
            "packages": {
              "no_content":
                "https://downloads.wordpress.org/release/wordpress-4.4.10-no-content.zip",
```

Fileman:: transcoding

Fileman:: upload_files

▼ Ftp

Ftp:: add_ftp

Ftp:: allows_anonymous_ftp

Ftp:: allows_anonymous_ftp_incoming

Ftp:: delete_ftp

Ftp:: ftp_exists

Ftp:: get_ftp_daemon_info

Ftp:: get_port

Ftp:: get_quota

Ftp:: get_welcome_message

Ftp:: kill_session

Ftp:: list_ftp

Ftp:: list_ftp_with_disk

Ftp:: list_sessions

Ftp:: passwd

Ftp:: server_name

Ftp:: set_anonymous_ftp

Ftp:: set_anonymous_ftp_incoming

Ftp:: set_homedir

Ftp:: set_quota

Ftp:: set_welcome_message

▼ Integration

Integration:: fetch_url

▼ KnownHosts

KnownHosts:: create

KnownHosts:: delete

KnownHosts:: update

KnownHosts:: verify

▼ LangPHP

LangPHP:: php_get_domain_handler

```
"partial": false,
"full":
"https://downloads.wordpress.org/release/wordpress-4.4.10.zip",
"rollback":
false,
"new_bundled":
"https://downloads.wordpress.org/release/wordpress-4.4.10-new-bundled.zip"
},
"new_bundled":
"4.7",
"partial_version":
false,
"new_files": true,
"version":
"4.4.10",
"current":
"4.4.10"
}, {
"download":
"https://downloads.wordpress.org/release/wordpress-4.3.11.zip",
"php_version":
"5.2.4",
"response":
"autoupdate",
"new_files": true,
"partial_version":
false,
"new_bundled":
"4.7",
"current":
"4.3.11",
"version":
"4.3.11",
"packages": {
"new_bundled":
"https://downloads.wordpress.org/release/wordpress-4.3.11-new-bundled.zip",
"partial": false,
"full":
"https://downloads.wordpress.org/release/wordpress-4.3.11.zip",
"rollback":
false,
```


LangPHP:: php_get_impacted_domains

LangPHP:: php_get_installed_versions

LangPHP:: php_get_system_default_version

LangPHP:: php_get_vhost_versions

LangPHP:: php_ini_get_user_basic_directives

LangPHP:: php_ini_get_user_content

LangPHP:: php_ini_get_user_paths

LangPHP:: php_ini_set_user_basic_directives

LangPHP:: php_ini_set_user_content

LangPHP:: php_set_vhost_versions

▼ LastLogin

LastLogin:: get_last_or_current_logged_in_ip

▼ Locale

Locale:: get_attributes

▼ Mailboxes

Mailboxes:: expunge_mailbox_messages

Mailboxes:: expunge_messages_for_mailbox_guid

Mailboxes:: get_mailbox_status

Mailboxes:: has_utf8_mailbox_names

Mailboxes:: set_utf8_mailbox_names

▼ Market

Market:: cancel_pending_ssl_certificate

Market:: create_shopping_cart

Market:: get_all_products

Market:: get_certificate_status_detail

```
"no_content":
"https://downloads.wordpress.org/release/wordpress-4.3.11-no-content.zip"
},
"locale": "en_US",
"mysql_version":
"5.0"
}, {
"new_files": true,
"new_bundled":
"4.7",
"partial_version":
false,
"current":
"4.2.15",
"version":
"4.2.15",
"packages": {
"new_bundled":
"https://downloads.wordpress.org/release/wordpress-4.2.15-new-bundled.zip",
"full":
"https://downloads.wordpress.org/release/wordpress-4.2.15.zip",
"rollback":
false,
"partial": false,
"no_content":
"https://downloads.wordpress.org/release/wordpress-4.2.15-no-content.zip"
},
"mysql_version":
"5.0",
"locale": "en_US",
"download":
"https://downloads.wordpress.org/release/wordpress-4.2.15.zip",
"php_version":
"5.2.4",
"response":
"autoupdate"
}, {
"response":
"autoupdate",
"php_version":
```

s

Market:: get_login_url

Market:: get_pending_ssl_certificates

Market:: get_provider_specific_dcv_constraints

Market:: get_providers_list

Market:: get_ssl_certificate_if_available

Market:: process_ssl_pending_queue

Market:: request_ssl_certificates

Market:: set_status_of_pending_queue_items

Market:: set_url_after_checkout

Market:: validate_login_token

▼ Mime

Mime:: add_handler

Mime:: add_hotlink

Mime:: add_mime

Mime:: add_redirect

Mime:: delete_handler

Mime:: delete_hotlink

Mime:: delete_mime

Mime:: delete_redirect

Mime:: list_handlers

Mime:: list_hotlinks

Mime:: list_mime

Mime:: list_redirects

Mime:: redirect_info

▼ ModSecurity

ModSecurity:: disable_all_domains

ModSecurity:: disable

```
"5.2.4",
  "download":
  "https://downloads.wordpress.org/release/wordpress-4.1.18.zip",
  "mysql_version":
  "5.0",
  "locale": "en_US",
  "packages": {
    "full":
    "https://downloads.wordpress.org/release/wordpress-4.1.18.zip",
    "rollback":
    false,
    "partial": false,
    "new_bundled":
    "https://downloads.wordpress.org/release/wordpress-4.1.18-new-bundled.zip",
    "no_content":
    "https://downloads.wordpress.org/release/wordpress-4.1.18-no-content.zip"
  },
  "version":
  "4.1.18",
  "current":
  "4.1.18",
  "new_bundled":
  "4.7",
  "partial_version":
  false,
  "new_files": true
}, {
  "version":
  "4.0.18",
  "current":
  "4.0.18",
  "new_files": true,
  "new_bundled":
  "4.7",
  "partial_version":
  false,
  "packages": {
    "rollback":
    false,
    "full":
    "https://downloads.wordpress.org/release/wordpress-4.0.18.zip",
```

ble_domains
ModSecurity:: enable_all_domains
ModSecurity:: enable_domains
ModSecurity:: has_modsecurity_installed
ModSecurity:: list_domains
▼ Mysql
Mysql:: add_host
Mysql:: add_host_note
Mysql:: check_database
Mysql:: create_database
Mysql:: create_user
Mysql:: delete_database
Mysql:: delete_host
Mysql:: delete_user
Mysql:: get_host_notes
Mysql:: get_privileges_on_database
Mysql:: get_restrictions
Mysql:: get_server_information
Mysql:: locate_server
Mysql:: rename_database
Mysql:: rename_user
Mysql:: repair_database
Mysql:: revoke_access_to_database
Mysql:: set_password
Mysql:: set_privileges_on_database
▼ Notifications
Notifications:: get_notifications_count
▼ NVData

```
"partial": false,  
  "new_bundled":  
  "https://downloads.wordpress.org/release/wordpress-4.0.18-new-bundled.zip",  
  "no_content":  
  "https://downloads.wordpress.org/release/wordpress-4.0.18-no-content.zip"  
},  
  "mysql_version":  
  "5.0",  
  "locale": "en_US",  
  "php_version":  
  "5.2.4",  
  "download":  
  "https://downloads.wordpress.org/release/wordpress-4.0.18.zip",  
  "response":  
  "autoupdate"  
}, {  
  "response":  
  "autoupdate",  
  "download":  
  "https://downloads.wordpress.org/release/wordpress-3.9.19.zip",  
  "php_version":  
  "5.2.4",  
  "packages": {  
    "no_content":  
    "https://downloads.wordpress.org/release/wordpress-3.9.19-no-content.zip",  
    "full":  
    "https://downloads.wordpress.org/release/wordpress-3.9.19.zip",  
    "rollback":  
    false,  
    "partial": false,  
    "new_bundled":  
    "https://downloads.wordpress.org/release/wordpress-3.9.19-new-bundled.zip"  
  },  
  "locale": "en_US",  
  "mysql_version":
```

```

NVData:: get
NVData:: set
▼ Parser
  Parser:: firstfile_re
  lative_uri
▼ PassengerApps
  PassengerApps:: d
  isable_application

  PassengerApps:: e
  dit_application

  PassengerApps:: e
  nable_application

  PassengerApps:: e
  nsure_deps

  PassengerApps:: li
  st_applications

  PassengerApps:: r
  egister_application

  PassengerApps:: u
  nregister_applicati
  on
▼ PasswdStrength
  PasswdStrength::
  get_required_stren
  gth
▼ Personalization
  Personalization::se
  t

  Personalization ::g
  et
▼ Postgresql
  Postgresql:: create
  _database

  Postgresql:: create
  _user

  Postgresql:: delete
  _database

  Postgresql:: get_re
  strictions

  Postgresql:: grant_
  all_privileges

  Postgresql:: renam
  e_database

  Postgresql:: renam
  e_user

  Postgresql:: renam
  e_user_no_passw
  ord

  Postgresql:: revok
  e_all_privileges

  Postgresql:: set_p
  assword
▼ Pushbullet

```

```

"5.0",
  "new_files": true,
  "new_bundled":
"4.7",
  "partial_version":
false,
  "current":
"3.9.19",
  "version":
"3.9.19"
}, {
  "new_files": true,
  "new_bundled":
"4.7",
  "partial_version":
false,
  "version":
"3.8.21",
  "current":
"3.8.21",
  "packages": {
    "no_content":
"https://downloads.wo
rdpress.org/release/w
ordpress-3.8.21-no-co
ntent.zip",
    "new_bundled":
"https://downloads.wo
rdpress.org/release/w
ordpress-3.8.21-new-b
undled.zip",
    "partial": false,
    "full":
"https://downloads.wo
rdpress.org/release/w
ordpress-3.8.21.zip",
    "rollback": false
  },
  "locale": "en_US",
  "mysql_version":
"5.0",
  "download":
"https://downloads.wo
rdpress.org/release/w
ordpress-3.8.21.zip",
  "php_version":
"5.2.4",
  "response":
"autoupdate"
}, {
  "packages": {
    "no_content":
"https://downloads.wo

```

- Pushbullet:: send_test_message
- ▼ Quota
 - Quota:: get_quota_info
- ▼ Resellers
 - Resellers:: list_accounts
- ▼ ResourceUsage
 - ResourceUsage:: get_usages
- ▼ Restore
 - Restore:: directory_listing
 - Restore:: get_users
 - Restore:: query_file_info
 - Restore:: restore_file
- ▼ Session
 - Session:: create_temp_user
- ▼ SiteTemplates
 - SiteTemplates:: list_site_templates
 - SiteTemplates:: list_user_settings
 - SiteTemplates:: publish
- ▼ SpamAssassin
 - SpamAssassin :: clear_spam_box
 - SpamAssassin:: get_symbolic_test_names
 - SpamAssassin:: get_user_preferences
 - SpamAssassin:: update_user_preference
- ▼ SSH
 - SSH:: get_port
- ▼ SSL
 - SSL:: add_autossl_excluded_domains
 - SSL:: can_ssl_redirect
 - SSL:: check_shared_cert
 - SSL:: delete_cert

```

rdpress.org/release/w
ordpress-3.7.21-no-co
ntent.zip",
    "rollback":
false,
    "full":
"https://downloads.wo
rdpress.org/release/w
ordpress-3.7.21.zip",
    "partial": false,
    "new_bundled":
"https://downloads.wo
rdpress.org/release/w
ordpress-3.7.21-new-b
undled.zip"
  },
  "locale": "en_US",
  "mysql_version":
"5.0",
  "version":
"3.7.21",
  "current":
"3.7.21",
  "new_files": true,
  "partial_version":
false,
  "new_bundled":
"4.7",
  "response":
"autoupdate",
  "php_version":
"5.2.4",
  "download":
"https://downloads.wo
rdpress.org/release/w
ordpress-3.7.21.zip"
}],

```

SSL:: delete_csr
 SSL:: delete_key
 SSL:: delete_ssl
 SSL:: disable_mail_sni
 SSL:: enable_mail_sni
 SSL:: fetch_best_for_domain
 SSL:: fetch_certificate_for_fqdns
 SSL:: fetch_key_and_certificate_for_certificate
 SSL:: find_certificates_for_key
 SSL:: find_csrs_for_key
 SSL:: generate_certificate
 SSL:: generate_csr
 SSL:: generate_key
 SSL:: get_autossl_excluded_domains
 SSL:: get_autossl_pending_queue
 SSL:: get_autossl_problems
 SSL:: get_certificate
 SSL:: get_cn_name
 SSL:: install_ssl
 SSL:: installed_hosts
 SSL:: installed_hosts
 SSL:: is_autossl_check_in_progress
 SSL:: is_mail_sni_supported
 SSL:: is_sni_supported
 SSL:: list_certs
 SSL:: list_csrs
 SSL:: list_keys

```

    "translations": []
  }
}

```

Note:

Use cPanel's *API Shell* interface (*cPanel >> Home >> Advanced >> API Shell*) to directly test cPanel API calls.

Parameters

Parameter	Type	Description	Possible values	Example
force	<i>Boolean</i>	Whether to force a reload from the remote API. Otherwise, the function returns information stored in local cache. This value defaults to 0.	<ul style="list-style-type: none"> 1 — Force reload. 0 — Read local cache. 	0
cache_time	<i>integer</i>	The length of time to cache the database between requests to wordpress.org. This value defaults to 86400.	A valid whole number, measured in seconds.	3600

Returns

Return	Type	Description	Possible values	Example
--------	------	-------------	-----------------	---------

SSL:: list_ssl_items
 SSL:: mail_sni_status
 SSL:: rebuild_mail_sni_config
 SSL:: rebuildssldb
 SSL:: remove_autossl_excluded_domains
 SSL:: set_autossl_excluded_domains
 SSL:: set_cert_friendly_name
 SSL:: set_csr_friendly_name
 SSL:: set_key_friendly_name
 SSL:: set_primary_ssl
 SSL:: set_ssl_share
 SSL:: show_cert
 SSL:: show_csr
 SSL:: show_key
 SSL:: start_autossl_check
 SSL:: toggle_ssl_redirects_for_domains
 SSL:: upload_cert
 SSL:: upload_key
▼ StatsBar
 StatsBar:: get_stats
▼ Styles
 Styles:: current
 Styles:: list
 Styles:: set_default
 Styles:: update
▼ SubDomain
 SubDomain:: add_subdomain
▼ Themes
 Themes:: get_theme_base
 Themes:: list
 Themes:: update
▼ Tokens
 Tokens:: create_fu

offers	array	This array contains the returned value from wordpress.org's Version Check API.		
--------	-------	--	--	--

Note
 :
 For additional information about the returned values, read WordPress's Version Check API documentation.

ll_access

Tokens:: list

Tokens:: rename

Tokens:: revoke

▼ TwoFactorAuth

TwoFactorAuth:: generate_user_configuration

TwoFactorAuth:: get_user_configuration

TwoFactorAuth:: remove_user_configuration

TwoFactorAuth:: set_user_configuration

▼ UserManager

UserManager:: check_account_conflicts

UserManager:: create_user

UserManager:: delete_user

UserManager:: dismiss_user

UserManager:: edit_user

UserManager:: list_users

UserManager:: lookup_service_account

UserManager:: lookup_user

UserManager:: merge_service_account

UserManager:: unlink_service_account

▼ UserTasks

UserTasks:: delete

UserTasks:: retrieve

▼ VersionControl

VersionControl:: create

VersionControl:: delete

VersionControl:: retrieve

VersionControl:: **update**

▼ VersionControlDeployment

VersionControlDeployment:: **create**

VersionControlDeployment:: **delete**

VersionControlDeployment:: **retrieve**

▼ WebDisk

WebDisk:: **delete_user**

WebDisk:: **set_home_dir**

WebDisk:: **set_password**

WebDisk:: **set_permissions**

▼ WebmailApps

WebmailApps:: **list_webmailapps**

▼ WebVhosts

WebVhost:: **list_domains**

WebVhost:: **list_ssl_capable_domains**

▼ WordPressBackup

WordPressBackup:: **any_running**

WordPressBackup:: **cancel**

WordPressBackup:: **cleanup**

WordPressBackup:: **get_available_backups**

WordPressBackup:: **is_running**

WordPressBackup:: **start**

▼ WordPressInstanceManager

WordPressInstanceManager:: **cancel_scan**

WordPressInstanceManager:: **cleanup_scan**

WordPressInstanceManager:: **change_admin_password**

WordPressInstanceManager:: **config**

ure_autoupdate

WordPressInstanceManager:: **get_api_version**

WordPressInstanceManager:: **get_instance_by_id**

WordPressInstanceManager:: **get_instances**

WordPressInstanceManager:: **get_latest_wordpress_version_from_wordpress_org**

WordPressInstanceManager:: **get_scan_results**

WordPressInstanceManager:: **is_installable_addon_available**

WordPressInstanceManager:: **start_scan**

▼ **WordPressRestore**

WordPressRestore:: **any_running**

WordPressRestore:: **cleanup**

WordPressRestore:: **start**