

# UAPI Functions - EmailAuth::validate\_current\_dkims

## Guide to UAPI

- Return Data
- Filter Output
- Sort Output
- Paginate Output
- Output Columns
- Calls from the WHM API
- Custom UAPI Modules

Backup  
Backup::  
fullbackup

p\_to\_ftp

Backup:: fullbacku  
p\_to\_homedir

Backup:: fullbacku  
p\_to\_scp\_with\_key

Backup:: fullbacku  
p\_to\_scp\_with\_pa  
ssword

Backup:: list\_back  
ups

### Bandwidth

Bandwidth:: get\_e  
nabled\_protocols

Bandwidth:: get\_re  
tention\_periods

Bandwidth:: query

### Batch

Batch:: strict

### Brand

Brand:: read

### Branding

Branding:: file

Branding:: get\_app  
lications

Branding:: get\_app  
lication\_informati  
on

Branding:: get\_ava  
ilable\_applications

Branding:: get\_info  
rmation\_for\_applic  
ations

## Description

This function retrieves and checks the Domain Keys Identified Mail (DKIM) records for one or more domains.

### Important:

When you disable the `MailSend` role, the system **disables** this function. For more information, read our [How to Use Server Profiles](#) documentation.

## Examples

### ▼ cPanel or Webmail Session URL

```
https://hostname.exam  
ple.com:2083/cpsess##  
▼ #####/execute/Emai  
lAuth/validate_curren  
t_dkims?domain=exampl  
e.com
```

### Note:

This example calls the UAPI function via a cPanel session. For more information, read our [Guide to UAPI](#) documentation.

## Func tion infor mati on

## About this mod ule

The `EmailAuth` module manages email authentication to ensure email deliverability.

## About t UAPI

- Branding:: image
- Branding:: include
- Branding:: spritelist
- CacheBuster
  - CacheBuster:: read
  - CacheBuster:: update
- Chkserverd
  - Chkserverd:: get\_external\_ports
  - Chkserverd:: get\_external\_ports\_ssl
- Chrome
  - Chrome:: get\_domain
- Contactus
  - Contactus:: is\_enabled
- cPAddons
  - cPAddons:: get\_available\_addons
  - cPAddons:: get\_instance\_settings
  - cPAddons:: list\_addon\_instances
- cPGreyList
  - cPGreyList:: disable\_all\_domains
  - cPGreyList:: disable\_domains
  - cPGreyList:: enable\_all\_domains
  - cPGreyList:: enable\_domains
  - cPGreyList:: has\_greylisting\_enabled
  - cPGreyList:: list\_domains
- DAV
  - DAV:: disable\_shared\_global\_addressbook
  - DAV:: enable\_shared\_global\_addressbook
  - DAV:: get\_calendar\_contacts\_config
  - DAV:: has\_shared\_global\_addressbook
  - DAV:: is\_dav\_service\_enabled

## LiveAPI PHP Class

```

$cpanel = new
CPANEL(); // Connect
to cPanel - only do
this once.

// Retrieve a
domain's DKIM
records.
$poll =
$cpanel->uapi(
    'EmailAuth',
    'validate_current_dki
ms',
    array(
        'domain' =>
        'example.com'
    )
);

```

**Note:**  
For more information, read our [Guide to the LiveAPI System](#).

UAPI accesses and modifies data for cPanel accounts.

**Notes:**

- The
- Ur
- int
- mi
- us
- 20
- or
- 20
- ).'
- 20
- or
- 20
- ).

**Find a function**

•

DAV:: is\_horde\_enabled

#### ▼ DCV

DCV:: check\_domains\_via\_dns

DCV:: check\_domains\_via\_http

DCV:: ensure\_domains\_can\_pass\_dcv

#### ▼ DomainInfo

DomainInfo:: domains\_data

DomainInfo:: list\_domains

DomainInfo:: main\_domain\_builtin\_subdomain\_aliases

DomainInfo:: single\_domain\_data

#### ▼ DNS

DNS:: ensure\_domains\_reside\_only\_locally

DNS:: has\_local\_authority

#### ▼ DNSSEC

DNSSEC:: disable\_dnssec

DNSSEC:: enable\_dnssec

DNSSEC:: fetch\_ds\_records

DNSSEC:: set\_nsec3

DNSSEC:: unset\_nsec3

#### ▼ Email

Email:: account\_name

Email:: add\_auto\_responder

Email:: add\_domain\_forwarder

Email:: add\_forwarder

Email:: add\_list

Email:: add\_mailman\_delegates

Email:: add\_mx

Email:: add\_pop

Email:: add\_spam\_filter

#### ▼ LiveAPI Perl Module

```
my $cpliveapi =  
Cpanel::LiveAPI->new(  
); # Connect to  
cPanel - only do this  
once.
```

```
# Retrieve a domain's  
DKIM records.  
my $poll =  
$cpliveapi->uapi(  
    'EmailAuth',  
    'validate_current_dki  
ms',  
    {  
        'domain' =>  
        'example.com'  
    }  
);
```

#### Note:

For more information, read our [Guide to the LiveAPI System](#).

#### ▼ cPanel Template Toolkit

```
<!-- Retrieve a  
domain's DKIM  
records. -->  
[% data = execute(  
    'EmailAuth',  
    'validate_current_dki  
ms', { 'domain' =>  
    'example.com' } ) %]  
[% FOREACH q =  
    data.validate_current  
_dkims %]  
    <p>  
        [% q %]  
    </p>  
[% END %]
```

#### Note:

For more information, read our [Guide to Template Toolkit](#) documentation.

- UAPI Functions - DCV: ensure\_domains\_can\_pass\_dcv - This function indicates whether the account's domains can pass a Domain Control Validation (DCV) check.

- UAPI Modules - DCV - The DCV module checks Domain Control Validation (DCV).

Email:: browse\_mailbox

Email:: change\_mx

Email:: check\_fastmail

Email:: check\_pipe\_forwarder

Email:: delete\_auto\_responder

Email:: delete\_domain\_forwarder

Email:: delete\_filter

Email:: delete\_forwarder

Email:: delete\_held\_messages

Email:: delete\_list

Email:: delete\_mx

Email:: delete\_pop

Email:: disable\_filter

Email:: disable\_mailbox\_autocreate

Email:: disable\_spam\_assassin

Email:: disable\_spam\_autodelete

Email:: disable\_spam\_box

Email:: dispatch\_client\_settings

Email:: edit\_pop\_quota

Email:: enable\_filter

Email:: enable\_mailbox\_autocreate

Email:: enable\_spam\_assassin

Email:: enable\_spam\_box

Email:: fetch\_charmaps

Email:: fts\_rescan\_mailbox

Email:: generate\_mailman\_opt

Email:: get\_auto\_responder

Email:: get\_chase

## Command Line

```
uapi --user=username
EmailAuth
validate_current_dkim
s domain=example.com
```

**Notes:**

- You **must** URI-encode values.
- username represents your account-level username.
- For more information and additional output options, read our [Guide to UAPI](#) documentation or run the `uapi --help` command.
- If you run CloudLinux™, you **must** use the full path of the `uapi` command:

```
/usr/local
/cpanel/bin/uapi
```

## Output (JSON)

```
{
  "apiversion": 3,
  "module":
  "EmailAuth",
  "func":
  "validate_current_dkim",
  "result": {
    "data": [
      {
        "domain":
        "default._domainkey.example.com",
        "state":
        "VALID",

        "validity_cache_update": "valid",

        "expected": "v=DKIM1;
k=rsa;
p=MIGfMA0GCSqGSIb3DQE
BAQUAA4GNADCBiQKBgQDw
5nw4NP1RsWXlfmiMzByDf
```

- UAPI Modules - DNS - The DNS module checks DNS resolution issues.
- UAPI Functions - DCV: check\_domain\_s\_via\_dns - This function checks whether the account's domains can pass Domain Control Validation (DCV) via a DNS request.

ts  
Email: get\_client\_settings  
Email: get\_default\_email\_quota  
Email: get\_default\_email\_quota\_mib  
Email: get\_disk\_usage  
Email: get\_filter  
Email: get\_held\_message\_count  
Email: get\_mailbox\_autocreate  
Email: get\_mailman\_delegates  
Email: get\_main\_account\_disk\_usage  
Email: get\_main\_account\_disk\_usage\_bytes  
Email: get\_max\_email\_quota  
Email: get\_max\_email\_quota\_mib  
Email: get\_pop\_quota  
Email: get\_spam\_settings  
Email: get\_webmail\_settings  
Email: has\_delegated\_mailman\_lists  
Email: has\_plaintext\_authentication  
Email: hold\_outgoing  
Email: is\_integer  
Email: list\_autoresponders  
Email: list\_default\_address  
Email: list\_domain\_forwarders  
Email: list\_filters  
Email: list\_filters\_backups  
Email: list\_forwarders  
Email: list\_forward

```
OT16QCZO\xJtrPZKskZF
8\sU0zWGTqKUOErlYJfo
JzMDUv3\zzjGswc2nEmY
qxxoQZaBkN4QaS6MvJQxy
sAr+sK8C248\r9zMperQ
dhJedUVEjtpFQHJwgqPHy
1tQMxY37L7sQjdxmQ5WnQ
1acXiwIDAQAB\\\"

"records": [
    {
        "state": "VALID",

        "current": "v=DKIM1;
k=rsa;
p=MIGfMA0GCSqGSIb3DQE
BAQUAA4GNADCBiQKBgQDw
5nw4NP1RsWXlfmiMzByDf
OT16QCZO\xJtrPZKskZF
8\sU0zWGTqKUOErlYJfo
JzMDUv3\zzjGswc2nEmY
qxxoQZaBkN4QaS6MvJQxy
sAr+sK8C248\r9zMperQ
dhJedUVEjtpFQHJwgqPHy
1tQMxY37L7sQjdxmQ5WnQ
1acXiwIDAQAB\\\"
    }
]
},
"errors": null,
"messages": null,
"metadata": {

"transformed": 1
},
"status": 1,
```

ers\_backups  
 Email:: list\_lists  
 Email:: list\_mail\_domains  
 Email:: list\_mxns  
 Email:: list\_pops  
 Email:: list\_pops\_with\_disk  
 Email:: list\_system\_filter\_info  
 Email:: passwd\_list  
 Email:: passwd\_pop  
 Email:: release\_outgoing  
 Email:: remove\_mailman\_delegates  
 Email:: reorder\_filters  
 Email:: set\_always\_accept  
 Email:: set\_default\_address  
 Email:: set\_list\_privacy\_options  
 Email:: stats\_db\_status  
 Email:: store\_filter  
 Email:: suspend\_incoming  
 Email:: suspend\_login  
 Email:: suspend\_outgoing  
 Email:: trace\_filter  
 Email:: unsuspend\_incoming  
 Email:: unsuspend\_login  
 Email:: unsuspend\_outgoing  
 Email:: verify\_password  
 EmailAuth  
 EmailAuth:: disable\_dkim  
 EmailAuth:: enable\_dkim  
 EmailAuth:: ensure\_dkim\_keys\_exist

```

    "warnings": null
  }
}
  
```

**Note:**  
 Use cPanel's *API Shell* interface (*cPanel >> Home >> Advanced >> API Shell*) to directly test cPanel API calls.

## Parameters

Parameter	Type	Description	Possible values	Example
-----------	------	-------------	-----------------	---------

- EmailAuth:: fetch\_dkim\_private\_keys
- EmailAuth:: install\_dkim\_private\_keys
- EmailAuth:: install\_spf\_records
- EmailAuth:: validate\_current\_dkims
- EmailAuth:: validate\_current\_ptrs
- EmailAuth:: validate\_current\_spfs
- ExternalAuthentication:: add\_auth\_link
  - ExternalAuthentication:: configured\_modules
  - ExternalAuthentication:: get\_auth\_links
  - ExternalAuthentication:: has\_external\_auth\_modules\_configured
  - ExternalAuthentication:: remove\_auth\_link
- Features:: get\_feature\_metadata
  - Features:: has\_feature
  - Features:: list\_features
- Fileman:: autocompletedir
  - Fileman:: empty\_trash
  - Fileman:: get\_file\_content
  - Fileman:: get\_file\_information
  - Fileman:: list\_files
  - Fileman:: save\_file\_content
  - Fileman:: transcoding
  - Fileman:: upload\_files

domain	<i>string</i>	<p><b>Required</b></p> <p>The domain for which to check the DKIM records.</p> <div style="border: 1px solid orange; padding: 5px; margin: 10px 0;"> <p><b>Note</b></p> <p>: To check multiple domains, duplicate the parameter. For example, use the domain=example.com, domain=example2.com, and domain=example3.com parameters.</p> </div>	A valid domain that exists on the cPanel account.	example.com
--------	---------------	--	---	-------------

## Returns

Return	Type	Description	Possible values	Example
data	<i>array of hashes</i>	An array that contains information about the domain's DKIM records.	Each hash contains the domain, state, and expected, and validity_cache_update returns, and the records array of hashes.	
domain	<i>string</i>	<p>The domain that the function used to check the DKIM record.</p> <p>This function returns this value in the data array.</p>	The value of the domain parameter with a default._domainkey prefix.	default._domainkey.example.com

- ▼ **Ftp**
  - Ftp:: add\_ftp
  - Ftp:: allows\_anonymous\_ftp
  - Ftp:: allows\_anonymous\_ftp\_incoming
  - Ftp:: delete\_ftp
  - Ftp:: ftp\_exists
  - Ftp:: get\_ftp\_daemon\_info
  - Ftp:: get\_port
  - Ftp:: get\_quota
  - Ftp:: get\_welcome\_message
  - Ftp:: kill\_session
  - Ftp:: list\_ftp
  - Ftp:: list\_ftp\_with\_disk
  - Ftp:: list\_sessions
  - Ftp:: passwd
  - Ftp:: server\_name
  - Ftp:: set\_anonymous\_ftp
  - Ftp:: set\_anonymous\_ftp\_incoming
  - Ftp:: set\_homedir
  - Ftp:: set\_quota
  - Ftp:: set\_welcome\_message
- ▼ **Integration**
- Integration:: fetch\_url
- ▼ **KnownHosts**
- KnownHosts:: create
- KnownHosts:: delete
- KnownHosts:: update
- KnownHosts:: verify
- ▼ **LangPHP**
- LangPHP:: php\_get\_domain\_handler
- LangPHP:: php\_get\_impacted\_domains
- LangPHP:: php\_get\_installed\_version

state	string	<p>The domain's DKIM record status.</p> <p>This function returns this value in the data array.</p>	<ul style="list-style-type: none"> <li>• VALID — The DKIM record is valid.</li> <li>• MALFORMED — A single DKIM record exists, but the record does not match the expected DKIM specifications.</li> <li>• MISMATCH — A DKIM record exists, but it does not match the expected public key.</li> <li>• MISSING — No DKIM record exists for the domain.</li> <li>• MULTIPLE — Multiple DKIM records exist.</li> <li>• NOPUB — No key exists on the local server for the domain.</li> </ul>	VALID
expected	string	<p>The DKIM record's contents.</p> <p>This function returns this value in the data array.</p>	A valid string.	<ul style="list-style-type: none"> <li>▼ <a href="#">Click to view...</a></li> <li>v=DKIM1 ;</li> <li>k=rsa ;</li> <li>p=MIGfMA0GCSqGSIb3DQEBQUAA4GNADCBiQKBgQDw5nw4NP1R sWx1fmiMzB yDEOT16QCZ O\ /xJtrPZK skZF8\ /sU0 zWGTqKUOErl yJfoJzMDU v3\ /zzjGsw c2nEmYqxzo QZaBkN4QaS 6MvJQxysAr +sK8C248\ /r9zMperQdh JedUVEjtpF QHJwgqpHy1 tQMxY37L7s QjdxmQ5WnQ 1acXiwIDAQ AB</li> </ul>



S

LangPHP:: `php_get_system_default_version`

LangPHP:: `php_get_vhost_versions`

LangPHP:: `php_ini_get_user_basic_directives`

LangPHP:: `php_ini_get_user_content`

LangPHP:: `php_ini_get_user_paths`

LangPHP:: `php_ini_set_user_basic_directives`

LangPHP:: `php_ini_set_user_content`

LangPHP:: `php_set_vhost_versions`

▼ LastLogin

LastLogin:: `get_last_or_current_logged_in_ip`

▼ Locale

Locale:: `get_attributes`

▼ Mailboxes

Mailboxes:: `expunge_mailbox_messages`

Mailboxes:: `expunge_messages_for_mailbox_guid`

Mailboxes:: `get_mailbox_status`

Mailboxes:: `has_utf8_mailbox_names`

Mailboxes:: `set_utf8_mailbox_names`

▼ Market

Market:: `cancel_pending_ssl_certificate`

Market:: `create_shipping_cart`

Market:: `get_all_products`

Market:: `get_certificate_status_details`

Market:: `get_login_url`

Market:: `get_pending_ssl_certificates`

<p>validity _cache_update</p>	<p>string</p>	<p>The result of the DKIM record's validity cache update operation.</p> <p>This function returns this value in the data array.</p>	<ul style="list-style-type: none"> <li>• <code>set</code> — The domain is invalid but passed its validity check. The validity check now passes the domain as valid.</li> <li>• <code>unset</code> — The domain is invalid and did <b>not</b> pass its validity check. The validity check does <b>not</b> pass the domain as valid.</li> <li>• <code>valid</code> — The domain is valid and passed its validity check. There are no changes required.</li> <li>• <code>invalid</code> — The domain is invalid and failed its validity check. There are no changes required.</li> <li>• <code>none</code> — The domain is invalid, but the system will <b>not</b> take further action.</li> <li>• <code>error</code> — The domain's validity check operation failed.</li> </ul>	<p>valid</p>
<p>records</p>	<p>array of hashes</p>	<p>The domain's DNS DKIM TXT records .</p> <div data-bbox="732 1335 873 1686" style="border: 1px solid red; padding: 5px; margin: 10px 0;"> <p><b>Important:</b> This function may fail to preserve white space in DKIM records.</p> </div> <p>This function returns this value in the data array.</p>	<p>Each hash contains the current, reason, and state returns.</p>	

Market:: get\_provider\_specific\_dcv\_constraints

Market:: get\_providers\_list

Market:: get\_ssl\_certificate\_if\_available

Market:: process\_ssl\_pending\_queue

Market:: request\_ssl\_certificates

Market:: set\_status\_of\_pending\_queue\_items

Market:: set\_url\_after\_checkout

▼ Mime

Mime:: add\_handler

Mime:: add\_hotlink

Mime:: add\_mime

Mime:: add\_redirect

Mime:: delete\_handler

Mime:: delete\_hotlink

Mime:: delete\_mime

Mime:: delete\_redirect

Mime:: list\_handlers

Mime:: list\_hotlinks

Mime:: list\_mime

Mime:: list\_redirects

Mime:: redirect\_info

▼ ModSecurity

ModSecurity:: disable\_all\_domains

ModSecurity:: disable\_domains

ModSecurity:: enable\_all\_domains

ModSecurity:: enable\_domains

current	string	<p>The domain's DKIM TXT record data contents.</p> <div style="border: 1px solid red; padding: 5px; margin: 10px 0;"> <p><b>Important:</b> This function may fail to preserve white space in DKIM records.</p> </div> <p>This function returns this value in the records array.</p>	<p>The full contents of the domain's DKIM TXT record.</p>	<p>▼ <a href="#">Click to view...</a></p> <pre>v=DKIM1; k=rsa; p=MIGfMA0G CSqGSIb3DQ EBAQUAA4GN ADCBiQKBgQ Dw5nw4NP1R sWX1fmiMzB yDFOT16QCZ O\ /xJtrP2K skZF8\ /sU0 zWGTqKUOE lyJfoJzMDU v3\ /zzjGsw c2nEmYqxox QZaBkN4QaS 6MvJQxysAr +sK8C248\ / r9zMperQdh JedUVEjtpF QHJwgqpHy1 tQMxY37L7s QjdxmQ5WnQ lacXiwIDAQ AB</pre>
reason	string	<p>The reason why the DKIM TXT record is <b>not</b> correct, if one exists.</p> <div style="border: 1px solid orange; padding: 5px; margin: 10px 0;"> <p><b>Note:</b> This function <b>only</b> returns this value when this hash's state return is the PERMFAIL value.</p> </div> <p>This function returns this value in the records array.</p>	<p>An error message.</p> <div style="border: 1px solid orange; padding: 5px; margin: 10px 0;"> <p><b>Note:</b> If no errors exist, the function does <b>not</b> return this value.</p> </div>	<p>▼ <a href="#">Click to view...</a></p> <pre>example.com: The DKIM version must be "DKIM1".</pre>
state	string	<p>The DKIM TXT record's status.</p> <p>This function returns this value in the records array.</p>	<ul style="list-style-type: none"> <li>VALID — The DKIM TXT record matches the local server's public key.</li> <li>MISMATCH — The DKIM TXT record does <b>not</b> match the local server's public key.</li> <li>PERMFAIL — Multiple DKIM TXT records for the domain exist or a misconfigured DKIM TXT record exists.</li> </ul>	<p>VALID</p>

ModSecurity:: has  
\_modsecurity\_inst  
alled

ModSecurity:: list\_  
domains

▼ Mysql

Mysql:: add\_host

Mysql:: add\_host\_  
note

Mysql :: check\_dat  
abase

Mysql:: create\_dat  
abase

Mysql:: create\_use  
r

Mysql:: delete\_dat  
abase

Mysql:: delete\_hos  
t

Mysql:: delete\_use  
r

Mysql:: get\_host\_n  
otes

Mysql:: get\_privile  
ges\_on\_database

Mysql:: get\_restrict  
ions

Mysql:: get\_server\_  
information

Mysql:: locate\_ser  
ver

Mysql:: rename\_d  
atabase

Mysql:: rename\_us  
er

Mysql:: repair\_dat  
abase

Mysql:: revoke\_ac  
cess\_to\_database

Mysql:: set\_passw  
ord

Mysql:: set\_privile  
ges\_on\_database

▼ Notifications

Notifications:: get\_  
notifications\_count

▼ NVData

NVData:: get

NVData:: set

▼ Parser

Parser:: firstfile\_rel  
ative\_uri

- ▼ PassengerApps
  - PassengerApps:: disable\_application
  - PassengerApps:: edit\_application
  - PassengerApps:: enable\_application
  - PassengerApps:: ensure\_deps
  - PassengerApps:: list\_applications
  - PassengerApps:: register\_application
  - PassengerApps:: unregister\_application
- ▼ PasswdStrength
  - PasswdStrength:: get\_required\_strength
- ▼ Personalization
  - Personalization::set
  - Personalization::get
- ▼ Postgresql
  - Postgresql:: create\_database
  - Postgresql:: create\_user
  - Postgresql:: delete\_database
  - Postgresql:: get\_restrictions
  - Postgresql:: grant\_all\_privileges
  - Postgresql:: rename\_database
  - Postgresql:: rename\_user
  - Postgresql:: rename\_user\_no\_password
  - Postgresql:: revoke\_all\_privileges
  - Postgresql:: set\_password
- ▼ Pushbullet
  - Pushbullet:: send\_test\_message
- ▼ Quota
  - Quota:: get\_quota\_info

- ▼ Resellers
  - Resellers:: list\_accounts
- ▼ ResourceUsage
  - ResourceUsage:: get\_usages
- ▼ Restore
  - Restore:: directory\_listing
  - Restore:: get\_users
  - Restore:: query\_file\_info
  - Restore:: restore\_file
- ▼ Session
  - Session:: create\_temp\_user
- ▼ SiteTemplates
  - SiteTemplates:: list\_site\_templates
  - SiteTemplates:: list\_user\_settings
  - SiteTemplates:: publish
- ▼ SpamAssassin
  - SpamAssassin :: clear\_spam\_box
  - SpamAssassin:: get\_symbolic\_test\_names
  - SpamAssassin:: get\_user\_preferences
  - SpamAssassin:: update\_user\_preference
- ▼ SSH
  - SSH:: get\_port
- ▼ SSL
  - SSL:: add\_autossl\_excluded\_domains
  - SSL:: can\_ssl\_redirect
  - SSL:: check\_shared\_cert
  - SSL:: delete\_cert
  - SSL:: delete\_csr
  - SSL:: delete\_key
  - SSL:: delete\_ssl
  - SSL :: disable\_mail\_sni

SSL:: enable\_mail  
\_sni

SSL:: fetch\_best\_f  
or\_domain

SSL:: fetch\_cert\_in  
fo

SSL:: fetch\_certific  
ates\_for\_fqdns

SSL:: fetch\_key\_a  
nd\_cabundle\_for\_  
certificate

SSL:: find\_certifica  
tes\_for\_key

SSL:: find\_csrs\_for  
\_key

SSL:: generate\_ce  
rt

SSL:: generate\_cs  
r

SSL:: generate\_ke  
y

SSL:: get\_autossl\_  
excluded\_domains

SSL:: get\_autossl\_  
pending\_queue

SSL:: get\_autossl\_  
problems

SSL:: get\_cabundl  
e

SSL:: get\_cn\_nam  
e

SSL:: install\_ssl

SSL:: installed\_ho  
st

SSL:: installed\_ho  
sts

SSL:: is\_autossl\_c  
heck\_in\_progress

SSL:: is\_mail\_sni\_  
supported

SSL:: is\_sni\_supp  
orted

SSL:: list\_certs

SSL:: list\_csrs

SSL:: list\_keys

SSL:: list\_ssl\_item  
s

SSL:: mail\_sni\_sta  
tus

SSL:: rebuild\_mail  
\_sni\_config

SSL:: rebuildssldb

SSL:: remove\_aut  
ossl\_excluded\_do  
mains

SSL:: set\_autossl\_  
excluded\_domains

SSL:: set\_cert\_frie  
ndly\_name

SSL:: set\_csr\_frien  
dly\_name

SSL:: set\_key\_frie  
ndly\_name

SSL:: set\_primary  
\_ssl

SSL:: set\_ssl\_shar  
e

SSL:: show\_cert

SSL:: show\_csr

SSL:: show\_key

SSL:: start\_autossl\_  
\_check

SSL:: toggle\_ssl\_r  
edirects\_for\_doma  
ins

SSL:: upload\_cert

SSL:: upload\_key

▼ StatsBar

StatsBar:: get\_stat  
s

▼ Styles

Styles:: current

Styles:: list

Styles:: set\_default

Styles:: update

▼ SubDomain

SubDomain:: adds  
ubdomain

▼ Themes

Themes:: get\_the  
me\_base

Themes:: list

Themes:: update

▼ Tokens

Tokens:: create\_fu  
ll\_access

Tokens:: list

Tokens:: rename

Tokens:: revoke

▼ TwoFactorAuth

TwoFactorAuth:: generate\_user\_configuration

TwoFactorAuth:: get\_user\_configuration

TwoFactorAuth:: remove\_user\_configuration

TwoFactorAuth:: set\_user\_configuration

▼ UserManager

UserManager:: check\_account\_conflicts

UserManager:: create\_user

UserManager:: delete\_user

UserManager:: dismiss\_user

UserManager:: edit\_user

UserManager:: list\_users

UserManager:: lookup\_service\_account

UserManager:: lookup\_user

UserManager:: merge\_service\_account

UserManager:: unlink\_service\_account

▼ UserTasks

UserTasks:: delete

UserTasks:: retrieve

▼ VersionControl

VersionControl:: create

VersionControl:: delete

VersionControl:: retrieve

VersionControl:: update

▼ VersionControlDeployment

VersionControlDeployment:: create



VersionControlDeployment:: delete

VersionControlDeployment:: retrieve

▼ WebDisk

WebDisk:: delete\_user

WebDisk:: set\_homedir

WebDisk:: set\_password

WebDisk:: set\_permissions

▼ WebmailApps

WebmailApps:: list\_webmailapps

▼ WebVhosts

WebVhost:: list\_domains

WebVhost:: list\_ssl\_capable\_domains

▼ WordPressBackup

WordPressBackup:: any\_running

WordPressBackup:: cancel

WordPressBackup:: cleanup

WordPressBackup:: get\_available\_backups

WordPressBackup:: is\_running

WordPressBackup:: start

▼ WordPressInstance

Manager

WordPressInstanceManager:: cancel\_scan

WordPressInstanceManager:: cleanup\_scan

WordPressInstanceManager:: change\_admin\_password

WordPressInstanceManager:: configure\_autoupdate

WordPressInstanceManager:: get\_api\_version

WordPressInstanceManager:: get\_in

stance\_by\_id

WordPressInstanceManager::get\_instances

WordPressInstanceManager::get\_latest\_wordpress\_version\_from\_wordpress\_org

WordPressInstanceManager::get\_scan\_results

WordPressInstanceManager::is\_installable\_addon\_available

WordPressInstanceManager::start\_scan

▼ WordPressRestore

WordPressRestore::any\_running

WordPressRestore::cleanup

WordPressRestore::start