

11.44 Change Log

11.43.0.8

2014-05-06

- Fixed case 52532: Clean out virtfs directories for users that don't exist anymore.
- Fixed case 60053: Fix Bandwidth Usage display pie in WHM.
- Fixed case 61177: Block logaholic updates on DNSONLY systems.
- Fixed case 62970: Validate altered cpanel.config on root access use validated cache when unaltered.
- Fixed case 66673: Update cPanel-TaskQueue RPM to 0.605-1.cp1136.
- Fixed case 71241: Update FCGIWrapper -> FcgidWrapper.
- Fixed case 74837: Do not use local IPs when transferring an account on a NAT server.
- Fixed case 83405: Prevent user from enabling suEXEC when Apache MPM Itk is installed.
- Fixed case 85997: Fixed mail client configuration instructions text.
- Fixed case 86741: Remove Legacy RedHat 7.2 ndbmcheck script from cPanel.
- Fixed case 86745: Remove support for Mandrake msec (scripts/mseclocal).
- Fixed case 87149: Update Cpanel::Sync::v2 to handle symlink to directory upgrade.
- Fixed case 87353: Impose more robust email address validation for Horde.
- Fixed case 87733: Add validation for cpanel.config internal php.ini settings.
- Fixed case 87889: Mkdir error in Cpanel::Template::process_template.
- Fixed case 88745: Make cpsrvd report errors from API calls and forked processes.
- Fixed case 88877: Restore removed fallback to POSIX when Cpanel::POSIX::Tiny is missing.
- Fixed case 89029: Transferred accounts honor new backup enabled setting.
- Fixed case 89997: Manage multiple cPanel servers update preferences.
- Fixed case 90029: Modified UI to report actually-created database names.
- Fixed case 90089: Enhanced logging for backup transports.
- Fixed case 90405: Improved usability of Unlimited radio controls on Modify Account page.
- Fixed case 90685: Removed duplicate compressed option of type on backup configuration page.
- Fixed case 90901: Nativessl-install not installing SSLeay.
- Fixed case 91093: Optimize memory calculations in Status.pm.
- Fixed case 91265: Add one one button to remove Frontpage from the system.
- Fixed case 92397: Updated example IP used in cPanel to match documentation standards.
- Fixed case 93361: Do explicit utf-8 for icontact email (subject, body, etc).
- Fixed case 93533: Repaired misspelled verbage in virus scan.
- Fixed case 93549: Improve find_last_case_from_commit from automerge daemon.
- Fixed case 93777: Update cpanel-mysql to 5.1.73-1.cp1136.
- Fixed case 94177: Added more validation to Tweak Settings
- Fixed case 94325: Updated SMTP SSL port configuration for Mac Mail.
- Fixed case 94345: Remove support for cPanel MySQL 5.1 RPMs.
- Fixed case 94493: Added sanity checks to ensure that cPanel PHP sessions can be created.
- Fixed case 94697: Don't fail to search tables when Enter is hit.
- Fixed case 94809: Updated restore options for incremental backups.
- Fixed case 94901: Updated options in named.conf template.
- Fixed case 94973: Prevent DoS when making user backups.
- Fixed case 95261: Pass the force flag into the domain validator.
- Fixed case 95289: Fixed issue with feature check on User Filters application.
- Fixed case 95321: Support virus scanning on files with newline in name.
- Fixed case 95373: Update Help for Apache SpamAssassin in cPanel.
- Fixed case 95413: Rotate roundcube error log file via Cpanel::Logd.
- Fixed case 95437: Update cpanel-php54 to 5.4.23-4.cp1142.
- Fixed case 95505: Add DKIM key and SPF of subdomain to root domain dns records.
- Fixed case 95545: Avoid corrupting httpd.conf during main IP migration.
- Fixed case 95549: Provide an accurate integration log.
- Fixed case 95589: Remove dnsonly_unattended_mysql_upgrade from 11.44.
- Fixed case 95621: Corrected issue with Optimize website procedure.
- Fixed case 95813: Properly dump MySQL 5.6 databases for 5.5.
- Fixed case 95913: Fix warning when killing an account logged via ssh.
- Fixed case 95945: Update cpanel-mydns to 1.2.8.31-7.cp1136.
- Fixed case 96025: Don't create .htaccess on loading the File Manager.
- Fixed case 96117: Update users .my.cnf when Synchronize MySQL password is selected.
- Fixed case 96169: Adjust MySQL socket if required when running scripts/runweblogs.
- Fixed case 96197: Only adjust the mysql socket for a localhost.
- Fixed case 96225: Updated the (re)build process of the ssl datastores.
- Fixed case 96333: Clean unused symlinks.
- Fixed case 96397: Mailperm should only restart cpsrvd when needed.
- Fixed case 96465: Add AAAA records for new subdomains when IPv6 is enabled.
- Fixed case 96473: Updated subdomain creation/removal to use the corrent parent domain zonefile.
- Fixed case 96489: Updated bin/updateeximstats for MySQL 5.6 use.
- Fixed case 96513: Generate Logaholic DB names using the macaddr of ETHDEV.
- Fixed case 96517: Update Horde data when domain name is changed.
- Fixed case 96725: Handle multiple entries in .pgpass correctly.
- Fixed case 96745: Add or remove AAAA records for subdomains depending on IPv6.
- Fixed case 96753: Fixed IPv6 handling of addon/subdomains.
- Fixed case 96769: Don't warn about nonexistent .htaccess files on restore.
- Fixed case 96789: Don't destroy files with an odd spamd PID filename.

- Fixed case 96897: Fixed issue with From and Subject fields swapped in autoresponder.
- Fixed case 96953: Improved support for right-to-left languages on Configuration Cluster page.
- Fixed case 97241: Removed unused, unexecutable binaries.
- Fixed case 97385: Fix error handling logic to not report non-error.
- Fixed case 97593: Disable the ssh key selection on the transfer tool page when needed.
- Fixed case 97605: Transfer/restore progress monitor: Ignore XHR failures in the UI on page reload.
- Fixed case 97609: Check the actual mysql server version to determine how to parse.
- Fixed case 97645: Assure needed dirs are present for verify_api_dist_spec_files prior to run.
- Fixed case 97661: API unpark calls without subdomain return inconsistent messages.
- Fixed case 97721: SSH Key Passphrase dropdown snaps instead of slides.
- Fixed case 97761: Update Cpanel::Usage to understand --.
- Fixed case 97773: The domainsips file gets out of sync on a transfer restore.
- Fixed case 97777: Update dedicated IP usage cache after account restore.
- Fixed case 97781: Improve handling of failure for subsequent queues.
- Fixed case 97785: Cpanel::Mysql::updatehosts fails if there are no mysql users.
- Fixed case 97789: The transfer summary message is misleading about warnings.
- Fixed case 97801: Only restore zones for domains the user owns.
- Fixed case 97817: Add a newline in the virtfs removal message.
- Fixed case 97885: Convert table_cache to table_open_cache in /etc/my.cnf.
- Fixed case 97893: Improve child process failure reporting.
- Fixed case 97945: Errors when restoring resellers privs from a plesk transfer.
- Fixed case 98081: CPanel update now using proper logger when dealing with tiers issues.
- Fixed case 98105: Exim cannot filter mail generated by Subject: =?utf-8?
- Fixed case 98173: Updated validation to disallow malformed SSL crt/key headers.
- Fixed case 98177: Ensure that iContact subjects comply with RFC 2047.
- Fixed case 98249: Use jQuery 1.10.2 with configuration cluster.
- Fixed case 98257: Narrow lines in DeliveryReporter.pm.
- Fixed case 98277: Update courier-authlib to newer version.
- Fixed case 98289: Normalizing domains on account restore/transfer.
- Fixed case 98301: Transferring an account with dedicated IP prevents deselection of the IP.
- Fixed cases 98309,95669: Allow DB object type specification to be included in MySQL grant statement.
- Fixed case 98313: Repair program logic for scripts/fixmailinglistperms.
- Fixed cases 98317,85549: Remove unnecessary warning when unsuspending user.
- Fixed case 98397: IContact pollutes STDOUT.
- Fixed case 98425: Incremental pkgacct and roundcube restore fix.
- Fixed case 98453: Fix findbin-related error messages.
- Fixed case 98461: Fix misspelled "supress" in Cpanel::Carp usage.
- Fixed case 98469: Fix memory management bug in libvirtfs.c.
- Fixed case 98481: Added text to clarify usage of renaming tools.
- Fixed case 98637: Custom .bashrc interferes with root transfers.
- Fixed case 98653: Make enqueueing an item twice return a failure msg.
- Fixed case 98657: Added a session_type to created sessions.
- Fixed case 98689: Move Cpanel::JSON http client to Cpanel::JSON::HttpRequest.
- Fixed case 98701: Removed base/cjt/.js file.
- Fixed case 98929: Avoid A double lock from CpanelConfig Update Blocker.
- Fixed case 98989: Only show link to upgrade if reseller has access.
- Fixed case 99029: Only accept Int values when modifying quotas.
- Fixed case 99085: Spurious error on cPanel MySQL page with Remote MySQL.
- Fixed case 99093: Remove tablename backticks where SQL is sent to mysql via shell.
- Fixed case 99097: Stop validating mysql-version.
- Fixed case 99141: Prevent mangling of my.cnf file on MySQL upgrade.
- Fixed case 99149: Adjusted text in tweak settings for API Shell.
- Fixed case 99177: Added spacing to the Metrics Editor table.
- Fixed case 99233: Open custom_mailips information in a new window/tab.
- Fixed case 99257: Fix Configuration Cluster module load problem.
- Fixed case 99273: Create /etc/digestshadow on install.
- Fixed case 99281: Eliminate log warnings created by new Squirrelmail users.
- Fixed case 99289: Updated backup.pl to use Whostmgr::Remote for scp.
- Fixed case 99337: Correct missing locale string tag in advanced zone editor.
- Fixed case 99345: Remove extra checkmailman run when removing a mailing list.
- Fixed case 99433: Multiple double escaping the transfer session setup.
- Fixed case 99437: Update MySQL::Diff from upstream.
- Fixed case 99453: Fixed issue with checkbox selection in change password page.
- Fixed case 99461: Paper Lantern Track Delivery page has issues with top pagination.
- Fixed case 99473: Disable Frontpage updates during maintenance when disabled.
- Fixed case 99541: Fixed the validation for minimum spamassassin score in BoxTrapper.
- Fixed case 99605: Adjustment of Force Reboot Text.
- Fixed case 99609: Adjustment of maketext string for Manage Database*.
- Fixed case 99621: Add new locale strings to the queue.
- Fixed case 99657: Removed --override from scripts/restorepkg --help.
- Fixed case 99681: Reworked the browser classification system in the gather.
- Fixed case 99705: Remove en from Analog locale options.
- Fixed case 99709: Adjusted login popup properties to match login style changes.
- Fixed case 99713: Make pkgacct not care about deprecated messages.
- Fixed case 99761: Remove use of deprecated function Whostmgr::Accounts::Shell::get_shel.
- Fixed case 99833: Fixed issue with MySQL user privileges not getting saved.
- Fixed case 99841: Fix extra / character in webalizer stats url.
- Fixed case 99933: Initialize locale object before trying to use it.
- Fixed case 99981: Remove pm file checking from CpConfGuard.

- Fixed case 99985: Unaligned block error causes xfer streaming to fail.
- Fixed case 100021: Cpanel::Api2::Exec fails when it tries to stringify a Cpanel::Exception.
- Fixed case 100025: Cpanel::AdminBin::Server fails to set 'statusmsg' on adminbin error.
- Fixed case 100033: Logaholic adminbin fails if the password contains a space.
- Fixed case 100041: Missing cpanel_xmlapi_* calls to xml-api return a cryptic error.
- Fixed case 100133: Fixed Address Importer bug, as well as issue in Cpanel::Template.pm.
- Fixed case 100209: Fix token display on Paper Lantern.
- Fixed case 100497: Suppress tracebacks for missing databases during pkgacct.
- Fixed case 100509: Remove deprecated message from cpwrap until cPanel code doesn't cause the msg.
- Fixed case 100557: Pre-fill ticket form for server on cPanel Customer Portal.
- Fixed case 100565: Changing session creation use_ssl to unencrypted.
- Fixed case 100597: Pass ticket system error to UI on connection test.
- Fixed case 100605: Conditionally displays restorepkg help text.
- Fixed case 100785: Text cleanups and correct error response in PostgreSQL restore module.
- Fixed case 100797: Cpanel::CPAN::Try::Tiny undoes overload fallback in Cpanel::Exception.
- Fixed case 100801: Fixed the javascript error coming from the notice on the Web Disk page.
- Implemented case 49219: Remove All legacy support for Non RedHat 5-6 systems.
- Implemented case 83677: Added bootstrap to the master template by setting a theme property.
- Implemented case 83965: Converted Paper lantern to template toolkit.
- Implemented case 87197: Improvements to Paper Lantern Theme.
- Implemented case 87513: Upgrade Locale::Maketext::Utils 0.41 to avoid uninitialized value error.
- Implemented case 88125: Implemented access log filtering. Implemented DNS only check. Duration fix.
- Implemented case 90393: Improvements to Paper Lantern.
- Implemented case 93229: Initial iteration of locking EasyApache upgrades to cP/WHM Version.
- Implemented case 93613: IPv6 improvements: bug fixes and feature requests via the ticket system.
- Implemented case 93809: Update angular, chosen, and bootstrap rpms.
- Implemented case 94445: Oldest supported cP/WHM version is determined by \${HTTUPDATE}/TIERS_HISTORY.
- Implemented case 94685: Warn about upgrade blockers at the end of upcp process.
- Implemented case 95141: Make max_input_vars php.ini directive configurable.
- Implemented case 95613: Update MySQL55 to 5.5.37-1.cp1136.
- Implemented case 96777: ID DOM elements in Paper Lantern.
- Implemented case 97285: WHM Authorize Feature for ticket system pubkeys.
- Implemented case 97329: New Transfer Restore System.
- Implemented case 97521: Implement Standard Hook calling around UAPI calls.
- Implemented case 97837: Improvements to the WHM Authorize Feature for ticket system pubkeys.
- Implemented case 100077: Add support for the 'whostmgrd' service to create_user_session.
- Implemented case 100589: Add run until error tools to help debug smoker failures.