

WHM API 0 Functions - generatessl

Guide to WHM API 0

Return Data

accountsummary
applist
createacct
domainuserdata
editquota
limitbw
listaccts
listsuspended
modifyacct
myprivs
passwd
removeacct
showbw
suspendacct
unsuspendacct
adddns
addzonerecord
dumpzone
editzonerecord
getzonerecord
killdns
listzones
lookupnsip
lookupnsips
removezonerecord
resetzone
setresolvers
addip
delip
listips
setsiteip
deliver_mail_queue
deliver_messages_mail_queue

Description

This function generates a private key file, a certificate signing request (CSR), and a self-signed SSL certificate.

Examples

```
https://hostname.example.com:2087/cpsess#####/json-api/generatessl?xemail=user@example.com&host=example.com&country=US&state=Texas&city=Houston&co=The%20Justice%20League&cod=Aquaman%27s%20Wading%20Pool&email=user@example.com&pass=12345luggage&keysize=2048
```

```
https://hostname.example.com:2087/cpsess#####/xml-api/generatessl?xemail=user@example.com&host=example.com&country=US&state=Texas&city=Houston&co=The%20Justice%20League&cod=Aquaman%27s%20Wading%20Pool&email=user@example.com&pass=12345luggage&keysize=2048
```

```
whmapi0 generatessl xemail=user@example.com host=example.com country=US state=Texas city=Houston co="The Justice League" cod="Aquaman's Wading Pool" email=user@example.com pass=12345luggage keysize=2048
```



Notes:

- You **must** [URI-encode](#) values.
- For more information and additional output options, read our [Guide to WHM API 0](#) documentation or run the `whmapi0 --help` command.
- If you run CloudLinux™, you **must** use the full path of the `whmapi0` command:

```
/usr/local/cpanel/bin/whmapi0
```

Function information

API Version:
WHM API 0
WHM API 1
Equivalent:
[generatessl](#)



Important:

We **strongly** recommend that you use WHM API 1. WHM API 0 is **deprecated**.

Available in:
WHM 11+
Methods:
GET, POST
Required Parameters:
xemail, host
Return Formats:
JSON, XML



Important:

cPanel & WHM version 66 **deprecated** XML output.

About WHM API 0

WHM API 0 performs functions and accesses data in WHM.

[exim_configuration_check](#)
[fetch_doc_key](#)
[purge_mail_queue](#)
[remove_in_progress_exim_config_edit](#)
[remove_messages_mail_queue](#)
[unfreeze_messages_mail_queue](#)
[validate_current_installed_exim_config](#)
[validate_exim_configuration_syntax](#)
[addpkg](#)
[changepackage](#)
[editpkg](#)
[getfeaturelist](#)
[killpkg](#)
[listpkgs](#)
[acctcounts](#)
[getresellerrips](#)
[listaccls](#)
[listresellers](#)
[resellerstats](#)
[saveacllist](#)
[setaccls](#)
[setresellerrips](#)
[setresellerlimits](#)
[setresellermainip](#)
[setresellername_servers](#)
[setresellerpackage_limit](#)
[setupreseller](#)
[suspendreseller](#)
[terminatereseller](#)
[unsetupreseller](#)

```

{
  "results":{
    "statusmsg":"Key, Certificate, and CSR generated OK",
    "csr_id":"
example_com_d7f16_18985_3de1922971c6654c97a80fb68a0e42b4",
    "cert":"-----BEGIN CERTIFICATE-----
gCJZqVglozhK1LZanRtlDm2EFA1x0js5Z
2A04vg7axd93FBUEMXqJCgb/cSV88Gu
.....
gCJZqVglozhK1LZanRtlDm2EFA1x0js5Z
2A04vg7axd93FBUEMXqJCgb/cSV88Gu
-----END CERTIFICATE-----\n",
    "key_id":"
d7f16_18985_49a8e3c92b057fe6105ef388c0e10c3f",
    "status":1,
    "args":{
      "state":"TX",
      "country":"US",
      "xemail":"owner@example.com",
      "host":"example.com",
      "cod":"Web",
      "city":"Houston",
      "pass":"password",
      "co":"Domain LLC",
      "email":"admin@example.com",
      "keysize":"2048"
    },
    "csrfile":"/etc/ssl/certs/example.com.csr",
    "csr":"-----BEGIN CERTIFICATE REQUEST-----
gCJZqVglozhK1LZanRtlDm2EFA1x0js5Z
2A04vg7axd93FBUEMXqJCgb/cSV88Gu
.....
gCJZqVglozhK1LZanRtlDm2EFA1x0js5Z
2A04vg7axd93FBUEMXqJCgb/cSV88Gu,
\n-----END CERTIFICATE REQUEST-----\n",
    "key":"-----BEGIN RSA PRIVATE KEY-----
gCJZqVglozhK1LZanRtlDm2EFA1x0js5Z
2A04vg7axd93FBUEMXqJCgb/cSV88Gu
.....
gCJZqVglozhK1LZanRtlDm2EFA1x0js5Z
2A04vg7axd93FBUEMXqJCgb/cSV88Gu
-----END RSA PRIVATE KEY-----\n",
    "file_test":"DUMMY",
    "fglob":"DUMMY",
    "uniq":"DUMMY",
    "includes":"DUMMY",
    "wildcard_safe":"DUMMY",
    "keyfile":"/var/cpanel/ssl/system/keys
/d7f16_18985_49a8e3c92b057fe6105ef388c0e10c3f.key",
    "message":"Key, Certificate, and CSR generated OK",
    "certfile":"/etc/ssl/certs/example.com.crt",
    "sender_host":"host.example.com",
    "email_status":1,
    "sender":"admin",
    "cert_id":"
example_com_d7f16_18985_1519836779_d2bc8e47772377cf94a8b3b
f57417f6e"
  }
}

```

```

<results>
<cert>
-----BEGIN CERTIFICATE-----
gCJZqVglozhK1LZanRtlDm2EFA1x0js5Z
2A04vg7axd93FBUEMXqJCgb/cSV88Gu
.....
gCJZqVglozhK1LZanRtlDm2EFA1x0js5Z
2A04vg7axd93FBUEMXqJCgb/cSV88Gu

```

Warning:

WHM API 0 is **depre-
cated**. We strongly
recommen-
d that you
use the
equivalent
WHM API
1 function
instead.

Notes:

- S
o
m
e
f
u
n
c
t
i
o
n
s
a
n
d
p
a
r
a
m
e
t
e
r
s
m
a
y
r
e
q
u
i
r
e
t
h
a
t
y
o
u
a
u
t
h
e
n
t
i
c
a
t
e
a
s
t
h
e
r
o
u
t
u
s
e
r.

unsuspendreseller
configureservice
gethostname
getlanglist
loadavg
nvget
nvset
reboot
restartservice
servicestatus
sethostname
fetchsslinfo
generatessl
installssl
listcrts
get_available_tiers
set_cpanel_updates
set_tier
version

```
-----END CERTIFICATE-----
</cert>

<cert_id>example_com_d7f16_18985_1519836779_d2bc8e47772377
cf94a8b3bf57417f6e</cert_id>
  <certfile>/var/cpanel/ssl/system/certs
/example_com_d7f16_18985_1519836779_d2bc8e47772377cf94a8b3
bf57417f6e.crt</certfile>
  <csr>
    -----BEGIN CERTIFICATE REQUEST-----
    gCJZqVglozhK1LZanRtlDm2EFA1x0js5Z
    2A04vg7axd93FBUEMXqJCgb/cSV88Gu
    .....
    gCJZqVglozhK1LZanRtlDm2EFA1x0js5Z
    2A04vg7axd93FBUEMXqJCgb/cSV88Gu
    -----END CERTIFICATE REQUEST-----
  </csr>

<csr_id>example_com_d7f16_18985_3de1922971c6654c97a80fb68a
0e42b4</csr_id>
  <csrfile>/var/cpanel/ssl/system/csrs
/example_com_d7f16_18985_3de1922971c6654c97a80fb68a0e42b4.
csr</csrfile>
  <key>
    -----BEGIN RSA PRIVATE KEY-----
    gCJZqVglozhK1LZanRtlDm2EFA1x0js5Z
    2A04vg7axd93FBUEMXqJCgb/cSV88Gu
    .....
    gCJZqVglozhK1LZanRtlDm2EFA1x0js5Z
    2A04vg7axd93FBUEMXqJCgb/cSV88Gu
    -----END RSA PRIVATE KEY-----
  </key>
  <args>
    <city>Houston</city>
    <co>Domain LLC</co>
    <cod>Web</cod>
    <country>US</country>
    <email>admin@example.com</email>
    <host>example.com</host>
    <pass>password</pass>
    <state>TX</state>
    <xemail>owner@domain.com</xemail>
    <keysize>2048</keysize>
  </args>





<key_id>d7f16_18985_49a8e3c92b057fe6105ef388c0e10c3f<
/key_id>
  <file_test>DUMMY</file_test>
  <fglob>DUMMY</fglob>
  <file_test>DUMMY</file_test>
    <includes>DUMMY</includes>
    <wildcard_safe>DUMMY</wildcard_safe>
  <keyfile>/var/cpanel/ssl/system/keys
/d7f16_18985_49a8e3c92b057fe6105ef388c0e10c3f.key<
/keyfile>
  <message>Key, Certificate, and CSR generated OK<
/message>
  <sender>admin</sender>
  <sender_host>host.example.com</sender_host>
  <status>1</status>
  <statusmsg>Key, Certificate, and CSR generated OK<
/statusmsg>
</results>
```

• Y
o
u
m
u
s
t
u
s
e
t
h
e
a
p
p
r
o
p
r
i
a
t
e
W
H
M
p
o
r
t
s
(
2
0
8
6
o
r
2
0
8
7
)
t
o
c
a
l
l
W
H
M
A
P
I
f
u
n
c
t
i
o
n
s.

Find a function

Related functions

Parameters

Return	Type	Description	Possible values	Example
xemail	string	Required The email address that will receive the certificate.	A valid email address.	user@example.com
host	string	Required The certificate's domains.	A comma-delimited list of valid domain names.	example.com
country	string	The certificate's country. <div style="border: 1px solid #ccc; padding: 5px; margin: 5px 0;">  Note: This parameter is required in cPanel & WHM 11.56 and earlier. </div> <p>If you do not use this parameter, your CSR will not include this field.</p>	A valid two-character ISO-3166 country code .	US
state	string	The certificate's state or province name. <div style="border: 1px solid #ccc; padding: 5px; margin: 5px 0;">  Note: This parameter is required in cPanel & WHM 11.56 and earlier. </div> <p>If you do not use this parameter, your CSR will not include this field.</p>	A valid string that contains the full name of the state or province.	Texas
city	string	The certificate's city or locality. <div style="border: 1px solid #ccc; padding: 5px; margin: 5px 0;">  Note: This parameter is required in cPanel & WHM 11.56 and earlier. </div> <p>If you do not use this parameter, your CSR will not include this field.</p>	A valid string that contains the full name of the city or locality.	Houston
co	string	The certificate's organization. <div style="border: 1px solid #ccc; padding: 5px; margin: 5px 0;">  Note: This parameter is required in cPanel & WHM 11.56 and earlier. </div> <p>If you do not use this parameter, your CSR will not include this field.</p>	A valid string.	The Justice League
cod	string	The department of the organization that owns the certificate. If you do not use this parameter, your CSR will not include this field.	A valid string.	Aquaman's Wading Pool
email	string	The certificate's contact email address. If you do not use this parameter, your CSR will not include this field.	A valid email address.	user@example.com

- [Manage Certificate Sharing](#)
- [WHM API 0 Functions - listcrts](#) — This function lists the server's domains with installed SSL certificates.
- [WHM API 1 Functions - listcrts](#) — This function lists the server's domains with installed SSL certificates.
- [WHM API 1 Functions - rebuildinstalledssl](#) — This function rebuilds the database of installed SSL certificates.
- [WHM API 1 Functions - rebuildusersssl](#) — This function rebuilds the database of SSL certificate users.



pass	<i>string</i>	The certificate's passphrase. This value defaults to null.	A valid and secure password.	12345lugg age
keysize	<i>integer</i>	The size of the certificate's key. If you do not use this parameter, your CSR will not include this value.	A valid positive integer that represents the size of the key, in bits.	2048



Returns



Return	Type	Description	Possible values	Example
results	<i>hash</i>	A hash of certificate information. The function returns this value in the generatedssl hash.	This hash includes the cert, certfile, csr, csrfile, key, args, keyfile, message, statusmsg, includes, uniq, fglob, status, file_test, wildcard_safe, sender, email_status, and sender_host returns.	
cert	<i>string</i>	The certificate's text. The function returns this value in the results hash.	A certificate file in Base64 PEM format.	<pre> -----BEGIN CERTIFICATE----- MIIECTCCAvGgAwIBAgIJAIbGEXBsc2s UMA0GCSqGSIb3DQEBBQUAMI GaMRyWFA YD VQQDEw10ZXN0c2ltb24uY29tMRyWFAY DVQQL Ew1Eb2NlbnVudGF0aW9uMQ4wDA YD VQQIEwVUZhhczEPMA0GA1UEChMGY1B hbmVsMSgwJgYJKoZIhvcNAQkBFhlsYX Vy ZWSjZS5zaW1vbkbjcgFuZWwubmVOMQs wCQYDVQQGEwJVUzEQMA4GA1UEBxMHS G91 c3Rvb jAeFw0xMzA3MTAxNzE1MTNaFw0 xNDA3MTAxNzE1MTNaMIGaMRyWFAyDVQ QD Ew10ZXN0c2ltb24uY29tMRyWFAYDVQ LEw1Eb2NlbnVudGF0aW9uMQ4wDAYDVQ QI EwVUZhhczEPMA0GA1UEChMGY1BhbmV sMSgwJgYJKoZIhvcNAQkBFhlsYXVyZW 5j ZS5zaW1vbkbjcgFuZWwubmVOMQswCQY DVQQGEwJVUzEQMA4GA1UEBxMHS91c3 Rv bjCCASIdQYJKoZIhvcNAQEBBQADgGE PADCCAQoCggEBAOAPToieEINwyBVq /3ie RkZiAE2LCSHqSm6w8u9LkVrnXDvEfMc WpNKDGF /21HaY0jSv3y1U7gjtJMU30PVV FiZZV+04Q+mYfWb5Qv53 /zhGS5t2W5wYLVk2wvBFCgZpCmyS5y DYHibaMCMnSyt jCFvqutmxVIPY5B1kzHCssqhxDaN4XP pZKXfb56fK2U4p21W+519urkKgBWW Ea F1 1NBvzT7kUNEFUjKkj8chM+K16N1b7iJ Q15sxWav+nw1Txcjy4UIDjqZDM+HV Tm_sORH613YzA9vkF0jYgNQMFq /JdK+K7c5cRGAYsBEncl6dMTJdyqKjc TMrywamct9 p4kCAwEAAANQME4wHQYDVR0BBYEFPM ow0vJpeoHxiTVXt.cnUeS6AyxgMB8GAL Ud IwQYMBaAFFMow0vJpeoHxiTVXt.cnUeS 6AyxgMAWGA1UGewQFMAMBAf8wDQYJKo ZI hvcNAQEFBQADggEBAHRf+O4RxoHAGLn fr73zeU43+dj80msXak7Or65K7ojEyY v1 1rjcxseXfht7W3xwOqLjMPhRzUwAk1F Ocyb2q+kpEumXNwN1IwzGBSyk+rmlY dU_y3iKhGqbViToPQoQRQwTABp3B /1MQDcMcFsneQWuHCHS9DhCYLc15Ig upzmACDyN YNIqb6fgo6RngY7k6AEX1wzWzjWxw71 TeLAUJeYPPFjWDZuej1pa7UIHav0D14 47 rLRkvSYTmUwVj+oaejooc2NxxVDy9 d/S9Rx0+k1B /10LCQSV36XvvIzPHP1mYJ jpuRyTUgkCS9p1f45mCRUYF /Fl4yEYOW2TNQEmw= -----END CERTIFICATE----- </pre>



certfile	string	The certificate's location. The function returns this value in the result's hash.	A valid absolute file path.	/var/cpanel/ssl/system/certs/example_com_e0054_da789_1405012513_401c27501f5e0dd8d1b1d9caa902a0c8.crt
csr	string	The CSR's text. The function returns this value in the result's hash.	A CSR file in Base64 PEM format.	-----BEGIN CERTIFICATE REQUEST----- MIIC4CCAcgCAQAwZoxFjAUBgNVBAMTDXRlc3RzaW1vbi5jb20xZjAUBgNVBASTDURvY3VtZW50YXRpb24xZjAUBgNVBAgTBVRleGFzMQ8wDQYDVQQKEWZjUGFuZWwxFDAmBgkqhkiG9w0BCQEQEWxhdXJlbnN1LnNpbW9uQG9wY51bC5uZXQxCzAJBgNVBAYTAlVTMRAwDgYDVQQHEwdlbnVzdG9uMIIBIjANBgkqhkiG9w0BAQEFAAOCAQ8A MIIBCgKCAQEAAVM6J4Qg3D1FWr/eJ5GRmIATYsJlepKbrDy70sq+udc08R8xxak_0oMZ/9mUdpjSNK/fLVTuCO0kxTfQ9VUWj11X7ThD6Z9Zv1C/nf/OEzLm3ZbnBgu8rbC8E9wuDokKbjLnIngdhtowIydLK2MJ++q62bFV89jkHWTMcKyyqHENo3hc+lkpd9vnp8rZTinaVb7nX26uQqAFZYRo+WU0G/NP5sq40QVSMoqPxyEz4qXo0hvuI1CXmzFZq/6fCVPEKPLhQgMmpdBkmZ4dVOazREfQXdjMD2+QXSNiA1AwWr810r4rtz1xEYDJIR41yXp0xMl3KoolxMyvLBqZy32niQIDAQABoAAwDQYJKoZIhvcNAQEFBQADggEBAEaCn+rg6qlhp6SEKuZg1G6z1M+1XQoTN3E6bTdm3rdlwxjgtyFFYGTy5Bvv_gUxrl6t3l2owZ2si8/K9v/ocVxdjcoFWSOWScfSc1od3i1LlYugbbol2aQsak3ygpGnZMHCUED1y4xyABAFoaXUurFiZj5u3P2mBAYGt2ez2afiplo5YpTRNCoTULVzKNKkyUnptBLOvlwGgerBmOoP4QdVhTSux09TECsipdlE1BVZr1FclDFvoP0ljFZ_WOTWz+k30202gK4w/tPP2VMVldNFrC0QoENu85ohTlnJj6F3mrMLCZ+1c8zYzr+S 6aAXFhHE6FweeunRAGjEJggoTPo= -----END CERTIFICATE REQUEST-----
csrfile	string	The CSR's location. The function returns this value in the result's hash.	A valid absolute file path.	/var/cpanel/ssl/system/csrs/example_com_e0054_da789_96b6625681492b7c43844b6ec37764de.csr



key	string	<p>The private key's text.</p> <p>The function returns this value in the result's hash.</p>	<p>A private key file in Base64 PEM format.</p>	<pre> -----BEGIN RSA PRIVATE KEY----- MIIEpAIBAAKCAQEAA4AVM6J4Qg3DIFWz /e35GRuLAtTIsJ IepKbrZy70sq+udcD8 R8 xxak0mZ/9mUdpjSNK /FlVTuCOOkxTFQ9VUWUJl1X7ThD6Zh9Z vlC/nf/OEZLm3Zb nBgu8rbC8E9wuDokKbJLnINgdhtowIy dLk2MJ++q62bFV89jkHWTMcKyqHENO 3h c+lkpd9vnp8rZTinaVb7nX26uQqAFZY Ro+WU0G /NPsq40QVSMoqPxyEz4qXo0hvu l1CXmzFZq /6fCVPEKPLhQgMmpdBkMz4dVOazREfQ XdjMD2+QXSNiA1AwWr810r4r tz1xYEDJIR41yXp0xMl3KoolxMyvLBq Zy32niQIDAQBAoIBAQCmbGmhWmPsMe oC t1WJFxFQD4goE0U6k+Kt7vjbOt14Pk6 v/B2yjaJulwSGpO59WLS4 /XrwI2se6IXr mba7u3VUEgWXLriNHoLy7 /SMTns+ZEKHAMG36eNe3tVdT7busTag 31r6sEMGGwCs IwpU+azoskOoylWLEX /m /uHWEsleaIEWWWtgHB+KZrrP7Rr9RYf VQ144DxmOxS3C a9+mST62WgAVPR6POWGEfZgnZ1 /eFWZPcQYbFrhwnnefNoYb1 /bmLZBo8rbNwXq OEouKfkrBzglKG /39WKPw8r-j4TIVzY0yOuFCWxcDWRko rhU80l/3FvwDa3uJpkip ngPr4TqxAoGBAPGELmxSuOYR97mDAXx rs037F2GChqWvI6m7 /ezWe9yn+bMpjSIW fsgtq4FsyqzPueEkDdQWi3xh6nu2WI /1T1875opGagELJmqs /u11tnva5wzuluC L6H85A5+HMOBvP3sm6COBkCvW92h7kx ynVIUJWhjfeZMN8gBFFpKIVFAoGBAO lp tXBmXLC/YKKvtHI3M16 /ZopvM8ZqU2HcAHaw214Refw9JJ/e3 /xTNFSerVTyCAQO 1AdWTzJKBN8 jmSYv1Mk1D3RpQPnr7wV zi46KR081AU41uMpqIGVOWhtyVnW /ZFLr c1DLIK8Cx8ahfoxfwzoM05SEQSooeZ fOLhsfDN1AoGBARQTUEINsj+75psgBA r6 ELGgItJ9yPBLVrr+cUzEpx9LDWVv jMi hpP4NX1gq8EOPWT+ewLHVmms jCyV6xw 8J XXF8e2xi f3in0m3D /wCze7u2T06rKM3B017hKnr ZmGoHnrq PU2osM4sOupshWX6d v1Q4EF1+EbK3YCW+VpCBsB9NAoGAQo+ uhNLODee56iKkzpjXWCsFTq6ar3hD5F 3P 63bukdnwhd2G1SPhXFbf+7M5GWW6Bzk 6rMvy7EOAVice2uvyFm8/4 /1WbmF8r+T7 LX1rPL05p /m701QpvP11TabiwqRkqtSEQhsRF0AK TojSW/yyHCZFAawUHV/Z9EKi HmKb97kCgYayzmF21t0HqnsOnRybop 603nqMtWGTQO4cxa93HUDpYa juK2K3D fr xUj61G3z /oKJGGE2JggZ6LBAhNJtJWJu2ox3pKG E63QJLJnVwb8y1NFYpe/crbLe PuBwIROL7drXxfv705btY7h6QI2d1 /UIAQPABxLoTM+ndQ/uPEdFA== -----END RSA PRIVATE KEY----- </pre>
-----	--------	---	---	---



args	/hash	<p>A hash of the parameters that generate the certificate.</p> <div data-bbox="688 218 795 766" style="border: 1px solid orange; padding: 5px;">  <p>Not e:</p> <p>We re m o v e d th is re tu rn in c P a n e l & W H M 1 . 5 0 .</p> </div> <p>The function returns this hash in the results hash.</p>	<p>This hash includes the x email, host, country, state, city, cod, email, and pass returns.</p>	
x e m a i l	string	<p>The email address that will receive the certificate.</p> <div data-bbox="688 945 795 1493" style="border: 1px solid orange; padding: 5px;">  <p>Not e:</p> <p>We re m o v e d th is re tu rn in c P a n e l & W H M 1 . 5 0 .</p> </div> <p>The function returns this value in the args hash.</p>	<p>A valid email address.</p>	<p>user@example.com</p>



<p>h o s t</p>	<p><i>string</i></p>	<p>The certificate's domains.</p> <div data-bbox="685 184 794 737" style="border: 1px solid orange; padding: 5px; margin: 10px 0;">  <p>N o t e:</p> <p>W e r e m o v e d t h i s r e t u r n i n c P a n e l & W H M 1 1. 5 0.</p> </div> <p>The function returns this value in the <code>args</code> hash.</p>	<p>A comma-delimited list of valid domain names.</p>	<p>example.com</p>
<p>c o u n t r y</p>	<p><i>string</i></p>	<p>The certificate's country.</p> <div data-bbox="685 877 794 1430" style="border: 1px solid orange; padding: 5px; margin: 10px 0;">  <p>N o t e:</p> <p>W e r e m o v e d t h i s r e t u r n i n c P a n e l & W H M 1 1. 5 0.</p> </div> <p>The function returns this value in the <code>args</code> hash.</p>	<p>A valid two-character ISO-3166 country code.</p>	<p>US</p>


<p>s t a t e</p>	<p><i>string</i></p>	<p>The certificate's state or province name.</p> <div data-bbox="685 201 794 751" style="border: 1px solid orange; padding: 5px; margin: 10px 0;">  <p>N o t e:</p> <p>W e r e m o v e d t h i s r e t u r n i n c P a n e l & W H M 1 . 5 0.</p> </div> <p>The function returns this value in the <code>args</code> hash.</p>	<p>A valid string that contains the full name of the state or province.</p>	<p>Texas</p>
<p>c i t y</p>	<p><i>string</i></p>	<p>The certificate's city or locality.</p> <div data-bbox="685 892 794 1442" style="border: 1px solid orange; padding: 5px; margin: 10px 0;">  <p>N o t e:</p> <p>W e r e m o v e d t h i s r e t u r n i n c P a n e l & W H M 1 . 5 0.</p> </div> <p>The function returns this value in the <code>args</code> hash.</p>	<p>A valid string that contains the full name of the city or locality.</p>	<p>Houston</p>

	<p>code</p> <p><i>string</i></p>	<p>The certificate's organization.</p> <div data-bbox="686 184 792 737" style="border: 1px solid orange; padding: 5px; margin: 10px 0;">  <p>Not e:</p> <p>W e r e m o v e d t h i s r e t u r n i n c P a n e l & W H M 1 . 5 0 .</p> </div> <p>The function returns this value in the args hash.</p>	<p>A valid string.</p>	<p>The Justice League</p>
	<p>code</p> <p><i>string</i></p>	<p>The department in the certificate's organization.</p> <div data-bbox="686 911 792 1463" style="border: 1px solid orange; padding: 5px; margin: 10px 0;">  <p>Not e:</p> <p>W e r e m o v e d t h i s r e t u r n i n c P a n e l & W H M 1 . 5 0 .</p> </div> <p>The function returns this value in the args hash.</p>	<p>A valid string.</p>	<p>Aquaman's Wading Pool</p>

email	<i>string</i>	<p>The certificate's contact email address.</p> <div data-bbox="686 205 792 751" style="border: 1px solid orange; padding: 5px;">  <p>Not e:</p> <p>We re mo v e d th is re tu rn in c P a n e l & W H M 1 . 5 0 .</p> </div> <p>The function returns this value in the <code>args</code> hash.</p>	A valid email address.	user@example.com
password	<i>string</i>	<p>The certificate's passphrase.</p> <div data-bbox="686 898 792 1444" style="border: 1px solid orange; padding: 5px;">  <p>Not e:</p> <p>We re mo v e d th is re tu rn in c P a n e l & W H M 1 . 5 0 .</p> </div> <p>The function returns this value in the <code>args</code> hash.</p>	A secure password.	123451uggage
keyfile	<i>string</i>	<p>The private key's location.</p> <p>The function returns this value in the <code>result</code> hash.</p>	A valid absolute file path.	/var/cpanel/ssl/system/keys/e0054_da789_101721a053024156a34e0df8a9c388d4.key
message	<i>string</i>	<p>Detailed results of the request.</p> <p>The function returns this value in the <code>result</code> hash.</p>	A valid string.	Key, Certificate, and CSR generated OK
statusmsg	<i>string</i>	<p>Information about the status of the request.</p> <p>The function returns this value in the <code>result</code> hash.</p>	A valid string.	Key, Certificate, and CSR generated OK

includes	<i>string</i>	<p>Internal variable for WHM communication.</p> <div data-bbox="686 205 794 751" style="border: 1px solid orange; padding: 5px;"> <p> Not e:</p> <p>W e r e m o v e d t h i s r e t u r n i n c P a n e l & W H M 1 . 5 0 .</p> </div> <p>The function returns this value in the <code>result</code> hash.</p>		
uniq	<i>string</i>	<p>Internal variable for WHM communication.</p> <div data-bbox="686 913 794 1459" style="border: 1px solid orange; padding: 5px;"> <p> Not e:</p> <p>W e r e m o v e d t h i s r e t u r n i n c P a n e l & W H M 1 . 5 0 .</p> </div> <p>The function returns this value in the <code>result</code> hash.</p>		

fglob	<i>string</i>	<p>Internal variable for WHM communication.</p> <div data-bbox="686 205 792 751" style="border: 1px solid orange; padding: 5px;">  <p>N o t e:</p> <p>W e r e m o v e d t h i s r e t u r n i n c P a n e l & W H M 1 1. 5 0.</p> </div> <p>The function returns this value in the <code>result</code> hash.</p>	
status	<i>Boolean</i>	<p>Whether the function succeeded.</p> <p>The function returns this value in the <code>result</code> hash.</p>	<p>1</p> <ul style="list-style-type: none"> • 1 — Success. • 0 — Failure.
file_test	<i>string</i>	<p>Internal variable for WHM communication.</p> <div data-bbox="686 1060 792 1606" style="border: 1px solid orange; padding: 5px;">  <p>N o t e:</p> <p>W e r e m o v e d t h i s r e t u r n i n c P a n e l & W H M 1 1. 5 0.</p> </div> <p>The function returns this value in the <code>result</code> hash.</p>	

wildcard_safe	<i>Boolean</i>	<p>Internal variable for WHM communication.</p> <div style="border: 1px solid orange; padding: 5px; margin: 10px 0;">  <p>N o t e:</p> <p>W e r e m o v e d t h i s r e t u r n i n c P a n e l & W H M 1 . 5 0.</p> </div> <p>The function returns this value in the results hash.</p>		
sender	<i>string</i>	<p>The username that generated the request.</p> <p>The function returns this value in the results hash.</p>	A valid username.	admin
sender_host	<i>string</i>	<p>The host that generated the request.</p> <p>The function returns this value in the results hash.</p>	A valid hostname.	hostname.example.com