

UAPI Functions - Market:: set_status_of_pending_queue_items

Guide to UAPI

[Return Data](#)

[Filter Output](#)

[Sort Output](#)

[Paginate Output](#)

[Output Columns](#)

[Calls from the WHM API](#)

[Custom UAPI Modules](#)

Backup:: [fullbackup_to_ftp](#)

Backup:: [fullbackup_to_homedir](#)

Backup:: [fullbackup_to_scp_with_key](#)

Backup:: [fullbackup_to_scp_with_password](#)

Backup:: [list_backups](#)

Bandwidth:: [get_enabled_protocols](#)

Bandwidth:: [get_retention_periods](#)

Bandwidth:: [query](#)

Batch:: [strict](#)

BoxTrapper:: [blacklist_messages](#)

BoxTrapper:: [delete_messages](#)

BoxTrapper:: [deliver_messages](#)

BoxTrapper:: [get_configuration](#)

BoxTrapper:: [get_log](#)

BoxTrapper:: [get_message](#)

BoxTrapper:: [get_status](#)

BoxTrapper:: [ignore_messages](#)

BoxTrapper:: [list_queued_messages](#)

Description

This function sets the status of an item or items in the cPanel Market pending queue.

Examples

```
https://hostname.example.com:2083/cpsess#####/execute/Market/set_status_of_pending_queue_items?provider=cPStore&order_item_id=8675309&status=confirmed
```



Note:

This example calls the UAPI function via a cPanel session. For more information, read our [Guide to UAPI](#) documentation.

```
$cpanel = new CPANEL(); // Connect to cPanel - only do this once.
```

```
// Set the status of 8675309 item in the queue to confirmed status.  
$davidbowielives = $cpanel->uapi(  
    'Market', 'set_status_of_pending_queue_items',  
    array(  
        'provider'      => 'cPStore',  
        'order_item_id' => '8675309',  
        'status'       => 'confirmed'  
    )  
);
```



Note:

For more information, read our [Guide to the LiveAPI System](#).

Function information

Module:
Market

API Version:
[UAPI Available in:](#)
cPanel 56+
Methods:
GET, POST
Required Parameters:

provider, order_item_id, status

Return Format:
JSON, XML

Legacy Equivalents:

(none)

About this module

The Market module manages connections to cPanel Market providers.

About UAPI

UAPI accesses and modifies data for cPanel accounts.



Notes:

BoxTrapper:: [process_messages](#)

BoxTrapper:: [save_configuration](#)

BoxTrapper:: [set_status](#)

BoxTrapper:: [whitelist_messages](#)

Brand:: [read](#)

Branding:: [file](#)

Branding:: [get_applications](#)

Branding:: [get_application_information](#)

Branding:: [get_available_applications](#)

Branding:: [get_information_for_applications](#)

Branding:: [image](#)

Branding:: [include](#)

Branding:: [spritelist](#)

CacheBuster:: [read](#)

CacheBuster:: [update](#)

Chkservd:: [get_exit_ports](#)

Chkservd:: [get_exit_ports_ssl](#)

Chrome:: [get_dom](#)

Contactus:: [is_enabled](#)

cPAddons:: [get_available_addons](#)

cPAddons:: [get_instance_settings](#)

cPAddons:: [list_addon_instances](#)

cPGreyList:: [disable_all_domains](#)

cPGreyList:: [disable_domains](#)

cPGreyList:: [enable_all_domains](#)

cPGreyList:: [enable_domains](#)

cPGreyList:: [has_greylisting_enabled](#)

cPGreyList:: [list_domains](#)

```
my $cpliveapi = Cpanel::LiveAPI->new(); # Connect to cPanel - only do this once.
```

```
# Set the status of 8675309 item in the queue to confirmed status
my $davidbowielives = $cpliveapi->uapi(
    'Market', 'set_status_of_pending_queue_items',
    {
        'provider'      => 'cPStore',
        'order_item_id' => '8675309',
        'status'        => 'confirmed'
    }
);
```



Note:

For more information, read our [Guide to the LiveAPI System](#).

```
<!-- Set the status of 8675309 item in the queue to confirmed status -->
[% execute('Market', 'set_status_of_pending_queue_items',
{ provider =>
'cPStore','order_item_id'=>'8675309','status' =>
'confirmed' } ) %]
```



Note:

For more information, read our [Guide to Template Toolkit documentation](#).

```
uapi --user=username Market
set_status_of_pending_queue_items provider=cPStore
order_item_id=8675309 status=confirmed
```



Notes:

- You **must** [URI-encode](#) values.
- `username` represents your account-level username.
- For more information and additional output options, read our [Guide to UAPI](#) documentation or run the `uapi --help` command.
- If you run CloudLinux™, you **must** use the full path of the `uapi` command:

```
/usr/local/cpanel/bin/uapi
```

- These functions may require specific features.
- To enable or disable features, use WHM's [Feature Manager](#) interface.
- Unless you call this API via the WHM

DAV:: disable_shared_global_addressbook

DAV:: enable_shared_global_addressbook

DAV:: get_calendar_contacts_config

DAV:: has_shared_global_addressbook

DAV:: is_dav_service_enabled

DAV:: is_horde_enabled

DCV:: check_domains_via_dns

DCV:: check_domains_via_http

DCV:: ensure_domains_can_pass_dcv

DomainInfo:: domain_data

DomainInfo:: list_domains

DomainInfo:: main_domain_builtin_subdomain_aliases

DomainInfo:: single_domain_data

DNS:: ensure_domains_reside_only_locally

DNS:: has_local_authority

DNSSEC:: disable_dnssec

DNSSEC:: enable_dnssec

DNSSEC:: fetch_ds_records

DNSSEC:: set_nsec3

DNSSEC:: unset_nsec3

Email:: account_name

Email:: add_auto_responder

Email:: add_domain_forwarder

Email:: add_forwarder

Email:: add_list

Email:: add_mailman_delegates

Email:: add_mx

Success:

```
{
  "messages":null,
  "errors":null,
  "status":1,
  "metadata":{
  }
}
```

Failure:

```
{
  "data":{
    "error_type":"EntryDoesNotExist",
    "order_item_ids":[
      8675309,
      5551212
    ]
  },
  "messages":null,
  "errors":null,
  "status":1,
  "metadata":{
  }
}
```



Note:

Use cPanel's *API Shell* interface (*cPanel >> Home >> Advanced >> API Shell*) to directly test cPanel API calls.

Parameters

Parameter	Type	Description	Possible values	Example
provider	string	Required The cPanel Market provider's name.	A valid string.	cPStore
order_item_id	string	Required The ID of the ordered item.	A valid string.	8675309

Note:
To set the status for multiple items, duplicate or increment the parameter name. For example, to change the status for three certificates, use the `order_item_id` parameter multiple times or use the `order_item_id-1`, `order_item_id-2`, and `order_item_id-3` parameters.

M
A
P
I
,
y
o
u
m
u
s
t
u
s
e
t
h
e
a
p
p
r
o
p
r
i
a
t
e
c
P
a
n
e
l
p
o
r
t
s
(
2
0
8
2
o
r
2
0
8
3
).
Y
o
u
c
a
n
a
l
s
o
c
a
l
l
s
o
m
e
f
u
n
c
t
i
o
n
s
v
i
a
c
P
a
n
e
l
'
s
W
e
b
m
a
i
l
p
o
r
t
s
(
2
0
9
5
o
r
2
0
9
6
).

Email: [add_pop](#)

Email: [add_spam_filter](#)

Email: [browse_mailbox](#)

Email: [change_mx](#)

Email: [check_fastmail](#)

Email: [check_pipe_forwarder](#)

Email: [delete_auto_responder](#)

Email: [delete_domain_forwarder](#)

Email: [delete_filter](#)

Email: [delete_forwarder](#)

Email: [delete_held_messages](#)

Email: [delete_list](#)

Email: [delete_mx](#)

Email: [delete_pop](#)

Email: [disable_filter](#)

Email: [disable_mailbox_autocreate](#)

Email: [disable_spam_assassin](#)

Email: [disable_spam_autodelete](#)

Email: [disable_spam_box](#)

Email: [dispatch_client_settings](#)

Email: [edit_pop_quota](#)

Email: [enable_filter](#)

Email: [enable_mailbox_autocreate](#)

Email: [enable_spam_assassin](#)

Email: [enable_spam_box](#)

Email: [fetch_charmaps](#)

Email: [fts_rescan_mailbox](#)

Email: [generate_mailman_otp](#)

Email: [get_auto_responder](#)

Email: [get_charsets](#)

status	string	Required The new status of the item in the cPanel Market pending queue.	<ul style="list-style-type: none"> confirmed — The system confirmed payment for the item with the provider. 	confirmed
--------	--------	---	--	-----------

Returns



Note:

The function **only** returns these values if the user or users do **not** have the `order_item_id` item in the cPanel Market pending queue.

Return	Type	Description	Possible values	Example
error_type	string	The type of error that the function encountered. <div data-bbox="615 919 651 957" data-label="Image"></div> Note: We introduced this return in cPanel & WHM version 56.1.	<ul style="list-style-type: none"> EntryDoesNotExist — The returned <code>order_item_ids</code> do not exist in the cPanel Market pending queue for the user. 	cpStore
order_item_ids	array	An array that lists order item IDs which do not exist in the cPanel Market pending queue for the user. <div data-bbox="615 1289 651 1327" data-label="Image"></div> Note: We introduced this return in cPanel & WHM version 56.1.	A list of order item IDs.	8675309

Find a function

Related functions

- [UAPI Functions - SSL::delete_cert](#) — This function deletes an SSL certificate.
- [UAPI Functions - SSL::delete_ssl](#) — This function removes SSL from a domain.
- [UAPI Functions - SSL::fetch_best_for_domain](#) — This function retrieves the best-available certificate for the domain.
- [UAPI Functions - SSL::fetch_cert_info](#) — This function retrieves all of a certificate's available information.
- [UAPI Functions - SSL::fetch_key_and_cabundle_for_certificate](#) — This function extracts the private key and CA bundle information from a certificate.

Email: [get_client_settings](#)

Email: [get_default_email_quota](#)

Email: [get_default_email_quota_mib](#)

Email: [get_disk_usage](#)

Email: [get_filter](#)

Email: [get_held_message_count](#)

Email: [get_mailbox_autocreate](#)

Email: [get_mailman_delegates](#)

Email: [get_main_account_disk_usage](#)

Email: [get_main_account_disk_usage_bytes](#)

Email: [get_max_email_quota](#)

Email: [get_max_email_quota_mib](#)

Email: [get_pop_quota](#)

Email: [get_spam_settings](#)

Email: [get_webmail_settings](#)

Email: [has_delegated_mailman_lists](#)

Email: [has_plaintext_authentication](#)

Email: [hold_outgoing](#)

Email: [is_integer](#)

Email: [list_auto_responders](#)

Email: [list_default_address](#)

Email: [list_domain_forwarders](#)

Email: [list_filters](#)

Email: [list_filters_backups](#)

Email: [list_forwarders](#)

Email: [list_forwarders_backups](#)

Email: [list_lists](#)

Email: [list_mail_domains](#)

Email: [list_mx](#)s

Email: [list_pops](#)

Email: [list_pops_wit](#)
[h_disk](#)

Email: [list_system_](#)
[filter_info](#)

Email: [passwd_list](#)

Email: [passwd_pop](#)

Email: [release_out](#)
[going](#)

Email: [remove_mail](#)
[man_delegates](#)

Email: [reorder_filters](#)

Email: [set_always_](#)
[accept](#)

Email: [set_default_](#)
[address](#)

Email: [set_list_priv](#)
[acy_options](#)

Email: [stats_db_sta](#)
[tus](#)

Email: [store_filter](#)

Email: [suspend_inc](#)
[oming](#)

Email: [suspend_log](#)
[in](#)

Email: [suspend_out](#)
[going](#)

Email: [trace_filter](#)

Email: [unsuspend_i](#)
[ncoming](#)

Email: [unsuspend_l](#)
[ogin](#)

Email: [unsuspend_](#)
[outgoing](#)

Email: [verify_pass](#)
[word](#)

EmailAuth: [disable_](#)
[dkim](#)

EmailAuth: [enable_](#)
[dkim](#)

EmailAuth: [ensure_](#)
[dkim_keys_exist](#)

EmailAuth: [fetch_d](#)
[kim_private_keys](#)

EmailAuth: [install_d](#)
[kim_private_keys](#)

EmailAuth: [install_s](#)
[pf_records](#)

EmailAuth: [validate_](#)
[current_dkims](#)

EmailAuth:: validate
_current_ptrs

EmailAuth:: validate
_current_spfs

ExternalAuthenticati
on:: add_authn_link

ExternalAuthenticati
on:: configured_mo
dules

ExternalAuthenticati
on:: get_authn_links

ExternalAuthenticati
on:: has_external_a
uth_modules_config
ured

ExternalAuthenticati
on:: remove_authn_
link

Features:: get_featu
re_metadata

Features:: has_feat
ure

Features:: list_featu
res

Fileman:: autocompl
etedir

Fileman:: empty_tra
sh

Fileman:: get_file_c
ontent

Fileman:: get_file_in
formation

Fileman:: list_files

Fileman:: save_file_
content

Fileman:: transcode

Fileman:: upload_fil
es

Ftp:: add_ftp

Ftp:: allows_anony
mous_ftp

Ftp:: allows_anony
mous_ftp_incoming

Ftp:: delete_ftp

Ftp:: ftp_exists

Ftp:: get_ftp_daemo
n_info

Ftp:: get_port

Ftp:: get_quota

Ftp:: get_welcome_
message

Ftp:: kill_session

Ftp:: [list_ftp](#)

Ftp:: [list_ftp_with_dir](#)

Ftp:: [list_sessions](#)

Ftp:: [passwd](#)

Ftp:: [server_name](#)

Ftp:: [set_anonymous_ftp](#)

Ftp:: [set_anonymous_ftp_incoming](#)

Ftp:: [set_homedir](#)

Ftp:: [set_quota](#)

Ftp:: [set_welcome_message](#)

Gpg:: [delete_keypair](#)

Gpg:: [export_public_key](#)

Gpg:: [export_secret_key](#)

Gpg:: [generate_key](#)

Gpg:: [import_key](#)

Gpg:: [list_public_keys](#)

Gpg:: [list_secret_keys](#)

ImageManager:: [convert_file](#)

ImageManager:: [create_thumbnails](#)

ImageManager:: [get_dimensions](#)

ImageManager:: [resize_image](#)

Integration:: [fetch_url](#)

KnownHosts:: [create](#)

KnownHosts:: [delete](#)

KnownHosts:: [update](#)

KnownHosts:: [verify](#)

LangPHP:: [php_get_domain_handler](#)

LangPHP:: [php_get_impacted_domains](#)

LangPHP:: [php_get_installed_versions](#)

LangPHP:: [php_get_system_default_version](#)

LangPHP:: [php_get_vhost_versions](#)

LangPHP:: [php_ini_get_user_basic_directives](#)

LangPHP:: [php_ini_get_user_content](#)

LangPHP:: [php_ini_get_user_paths](#)

LangPHP:: [php_ini_set_user_basic_directives](#)

LangPHP:: [php_ini_set_user_content](#)

LangPHP:: [php_set_vhost_versions](#)

LastLogin:: [get_last_or_current_logged_in_ip](#)

Locale:: [get_attributes](#)

Locale:: [list_locales](#)

Locale:: [set_locale](#)

Mailboxes:: [expunge_mailbox_messages](#)

Mailboxes:: [expunge_messages_for_mailbox_guid](#)

Mailboxes:: [get_mailbox_status_list](#)

Mailboxes:: [has_utf8_mailbox_names](#)

Mailboxes:: [set_utf8_mailbox_names](#)

Market:: [cancel_pending_ssl_certificate](#)

Market:: [create_shopping_cart](#)

Market:: [get_all_products](#)

Market:: [get_certificate_status_details](#)

Market:: [get_login_url](#)

Market:: [get_pending_ssl_certificates](#)

Market:: [get_provider_specific_dcv_constraints](#)

Market:: [get_providers_list](#)

Market:: [get_ssl_certificate_if_available](#)

Market:: [process_ssl_pending_queue](#)

Market:: request_ssl
_certificates

Market:: set_status_
of_pending_queue_i
tems

Market:: set_url_aft
er_checkout

Market:: validate_lo
gin_token

Mime:: add_handler

Mime:: add_hotlink

Mime:: add_mime

Mime:: add_redirect

Mime:: delete_handl
er

Mime:: delete_hotlink

Mime:: delete_mime

Mime:: delete_redir
ect

Mime:: list_handlers

Mime:: list_hotlinks

Mime:: list_mime

Mime:: list_redirects

Mime:: redirect_info

ModSecurity:: disabl
e_all_domains

ModSecurity:: disabl
e_domains

ModSecurity:: enabl
e_all_domains

ModSecurity:: enabl
e_domains

ModSecurity:: has_
modsecurity_installed

ModSecurity:: list_d
omains

Mysql:: add_host

Mysql:: add_host_n
ote

Mysql:: check_data
base

Mysql:: create_data
base

Mysql:: create_user

Mysql:: delete_data
base

Mysql:: delete_host

Mysql:: delete_user

Mysql::dump_database_schema

Mysql::get_host_notes

Mysql::get_privileges_on_database

Mysql::get_restrictions

Mysql::get_server_information

Mysql::list_databases

Mysql::list_routines

Mysql::list_users

Mysql::locate_server

Mysql::rename_database

Mysql::rename_user

Mysql::repair_database

Mysql::revoke_access_to_database

Mysql::set_password

Mysql::set_privileges_on_database

Mysql::update_privileges

Notifications::get_notifications_count

NVData::get

NVData::set

Parser::firstfile_relative_uri

PassengerApps::disable_application

PassengerApps::edit_application

PassengerApps::enable_application

PassengerApps::ensure_deps

PassengerApps::list_applications

PassengerApps::register_application

PassengerApps::unregister_application

PasswdStrength::get_required_strength

Personalization::set

Personalization ::get

Postgresql:: create_
database

Postgresql:: create_
user

Postgresql:: delete_
database

Postgresql:: get_res
trictions

Postgresql:: grant_a
ll_privileges

Postgresql:: rename_
database

Postgresql:: rename_
user

Postgresql:: rename_
user_no_password

Postgresql:: revoke_
all_privileges

Postgresql:: set_pas
sword

Pushbullet:: send_te
st_message

Quota:: get_quota_i
nfo

Resellers:: list_acc
ounts

ResourceUsage:: g
et_usages

Restore:: directory_l
isting

Restore:: get_users

Restore:: query_file
_info

Restore:: restore_file

ServerInformation::
get_information

Session:: create_te
mp_user

SiteTemplates:: list_
site_templates

SiteTemplates:: list_
user_settings

SiteTemplates:: pub
lish

SpamAssassin :: cle
ar_spam_box

SpamAssassin:: get_
symbolic_test_na
mes

SpamAssassin:: get_
user_preferences

SpamAssassin:: update_user_preference

SSH:: get_port

SSL:: add_autossl_excluded_domains

SSL:: can_ssl_redirect

SSL:: check_shared_cert

SSL:: delete_cert

SSL:: delete_csr

SSL:: delete_key

SSL:: delete_ssl

SSL:: disable_mail_sni

SSL:: enable_mail_sni

SSL:: fetch_best_for_domain

SSL:: fetch_cert_info

SSL:: fetch_certificates_for_fqdns

SSL:: fetch_key_and_cabundle_for_certificate

SSL:: find_certificates_for_key

SSL:: find_csrs_for_key

SSL:: generate_cert

SSL:: generate_csr

SSL:: generate_key

SSL:: get_autossl_excluded_domains

SSL:: get_autossl_pending_queue

SSL:: get_autossl_problems

SSL:: get_cabundle

SSL:: get_cn_name

SSL:: install_ssl

SSL:: installed_host

SSL:: installed_hosts

SSL:: is_autossl_check_in_progress

SSL:: is_mail_sni_supported

SSL:: is_sni_supported

SSL:: list_certs
SSL:: list_csrs
SSL:: list_keys
SSL:: list_ssl_items
SSL:: mail_sni_status
SSL:: rebuild_mail_sni_config
SSL:: rebuildssldb
SSL:: remove_autossl_excluded_domains
SSL:: set_autossl_excluded_domains
SSL:: set_cert_friendly_name
SSL:: set_csr_friendly_name
SSL:: set_key_friendly_name
SSL:: set_primary_ssl
SSL:: set_ssl_share
SSL:: show_cert
SSL:: show_csr
SSL:: show_key
SSL:: start_autossl_check
SSL:: toggle_ssl_rejects_for_domains
SSL:: upload_cert
SSL:: upload_key
StatsBar:: get_stats
Styles:: current
Styles:: list
Styles:: set_default
Styles:: update
SubDomain:: addsubdomain
Themes:: get_theme_base
Themes:: list
Themes:: update
Tokens:: create_full_access
Tokens:: list
Tokens:: rename

Tokens:: [revoke](#)

TwoFactorAuth:: [generate_user_configuration](#)

TwoFactorAuth:: [get_user_configuration](#)

TwoFactorAuth:: [remove_user_configuration](#)

TwoFactorAuth:: [set_user_configuration](#)

UserManager:: [check_account_conflicts](#)

UserManager:: [create_user](#)

UserManager:: [delete_user](#)

UserManager:: [dismiss_user](#)

UserManager:: [edit_user](#)

UserManager:: [list_users](#)

UserManager:: [lookup_service_account](#)

UserManager:: [lookup_user](#)

UserManager:: [merge_service_account](#)

UserManager:: [unlink_service_account](#)

UserTasks:: [delete](#)

UserTasks:: [retrieve](#)

VersionControl:: [create](#)

VersionControl:: [delete](#)

VersionControl:: [retrieve](#)

VersionControl:: [update](#)

VersionControlDeployment:: [create](#)

VersionControlDeployment:: [delete](#)

VersionControlDeployment:: [retrieve](#)

WebDisk:: [delete_user](#)

WebDisk:: [set_home_dir](#)

WebDisk:: [set_password](#)

WebDisk:: [set_permissions](#)

WebmailApps:: [listwebmailapps](#)

WebVhost:: [listdomains](#)

WebVhost:: [list_ssl_capable_domains](#)

WordPressBackup:: [any_running](#)

WordPressBackup:: [cancel](#)

WordPressBackup:: [cleanup](#)

WordPressBackup:: [get_available_backups](#)

WordPressBackup:: [is_running](#)

WordPressBackup:: [start](#)

WordPressInstance
Manager:: [cancel_scan](#)

WordPressInstance
Manager:: [cleanup_scan](#)

WordPressInstance
Manager:: [change_admin_password](#)

WordPressInstance
Manager:: [configure_autoupdate](#)

WordPressInstance
Manager:: [get_api_version](#)

WordPressInstance
Manager:: [get_instance_by_id](#)

WordPressInstance
Manager:: [get_instances](#)

WordPressInstance
Manager:: [get_latest_wordpress_version_from_wordpress_org](#)

WordPressInstance
Manager:: [get_scan_results](#)

WordPressInstance
Manager:: [is_installable_addon_available](#)

WordPressInstance
Manager:: [start_scan](#)

WordPressRestore:: [any_running](#)

WordPressRestore::
cleanup

WordPressRestore::
start