

WHM API 1 Functions - backup_destination_add

Guide to WHM API 1

[Return Data](#)

[Filter Output](#)

[Sort Output](#)

[Paginate Output](#)

[Output Columns](#)

[Call cPanel API 2 and UAPI](#)

[restore_modules_summary](#)

[restore_queue_activate](#)

[restore_queue_add_task](#)

[restore_queue_clear_all_completed_tasks](#)

[restore_queue_clear_all_failed_tasks](#)

[restore_queue_clear_all_pending_tasks](#)

[restore_queue_clear_all_tasks](#)

[restore_queue_clear_completed_task](#)

[restore_queue_clear_pending_task](#)

[restore_queue_is_active](#)

[restore_queue_list_active](#)

[restore_queue_list_completed](#)

[restore_queue_list_pending](#)

[restore_queue_state](#)

[restoreaccount](#)

[verify_new_username_for_restore](#)

[accountsummary](#)

Description

This function adds a backup destination.

Examples

Function information

API Version: WHM API 1
Available in: WHM 11.38+
Methods: GET, POST
Required Parameters: name, type, disabled
Return Format: JSON, XML

! Important:

cPanel & WHM version 66 **deprecated** XML output.

About WHM API 1

WHM API 1 performs functions and accesses data in WHM.

! Notes:

applist
 createacct
 domainuserdata
 editquota
 forcepasswordchange
 get_current_users_count
 get_disk_usage
 get_domain_info
 getdomainowner
 get_maximum_users
 getminimumpasswordstrengths
 has_digest_auth
 has_mycnf_for_cpuser
 limitbw
 list_users
 listaccts
 listlockedaccounts
 listsuspended
 modifyacct
 myprivs
 passwd
 quota_enabled
 removeacct
 set_digest_auth
 showbw
 suspendacct
 unsuspendacct
 untrack_acct_id
 verify_new_username
 convert_addon_fetch_conversion_details

```
https://hostname.example.com:2087/cpsess#####/json-api/json-api/backup_destination_add?api.version=1&name=destination%20name&type=Local&path=%2Fmylocaldir&mount=0&no_mount_fail=0
```

```
https://hostname.example.com:2087/cpsess#####/xml-api/backup_destination_add?api.version=1&name=destination%20name&type=Local&path=%2Fmylocaldir&mount=0&no_mount_fail=0
```

```
whmapil backup_destination_add name=destination_name type=Local path=%2Fmylocaldir mount=0 no_mount_fail=0
```

Notes:

- Unless otherwise noted, you **must** [URI-encode](#) values.
- For more information and additional output options, read our [Guide to WHM API 1](#) documentation or run the `whmapil --help` command.
- If you run CloudLinux™, you **must** use the full path of the `whmapil` command:

```
/usr/local/cpanel/bin/whmapil
```

```
{
  "data": {
    "id": "1111111"
  },
  "metadata": {
    "version": 1,
    "reason": "OK",
    "result": 1,
    "command": "backup_destination_add"
  }
}
```

```
<result>
  <data>
    <id>111111</id>
  </data>
  <metadata>
    <version>1</version>
    <reason>OK</reason>
    <result>1</result>
    <command>backup_destination_add</command>
  </metadata>
</result>
```

Note:

Use WHM's *API Shell* interface (*WHM >> Home >> Development >> API Shell*) to directly test WHM API calls.

• Some functions and parameters may require that you authenticate as the router user.

[convert_addon_fetch_domain_details](#)

[convert_addon_get_conversion_status](#)

[convert_addon_initiate_conversion](#)

[convert_addon_list_addon_domains](#)

[convert_addon_list_conversions](#)

[api_token_create](#)

[api_token_list](#)

[api_token_revoke](#)

[api_token_update](#)

[disable_authentication_provider](#)

[disable_failing_authentication_providers](#)

[enable_authentication_provider](#)

[get_available_authentication_providers](#)

[get_login_url](#)

[get_provider_client_configurations](#)

[get_provider_configuration_fields](#)

[get_provider_display_configurations](#)

[get_users_authn_linked_accounts](#)


[link_user_authn_provider](#)

[set_provider_client_configurations](#)

[set_provider_display_configurations](#)

[twofactorauth_disable_policy](#)

Parameters

Parameter	Type	Description	Possible values	Example
name	string	Required The backup destination's name.	A valid string.	destination_name
type	string	Required The type of transport. <div data-bbox="630 489 844 720" style="border: 1px solid #ccc; padding: 5px; margin-top: 10px;"><p> Note: This value determines which parameters you can use with the function.</p></div>		Local

• You must use the appropriate WHM ports (2086 or 2087) to call WHM API functions.

Find a function

Related functions

twofactorauth
_enable_policy

twofactorauth
_generate_tfa_config

twofactorauth
_get_issuer

twofactorauth
_get_user_configs

twofactorauth
_policy_status

twofactorauth
_remove_user_config

twofactorauth
_set_issuer

twofactorauth
_set_tfa_config

unlink_user_authn_provider

validate_login_token

backup_config_get

backup_config_set

backup_date_list

backup_destination_add

backup_destination_delete

backup_destination_get

backup_destination_list

backup_destination_set

backup_destination_validate

backup_get_transport_status

backup_list_transported

backup_set_list

backup_set_list_combined

backup_skip_users_all

- Custom
- FTP
- Local
- SFTP
- WebDAV
- AmazonS3



Note:

We added this transport type in cPanel & WHM version 11.42.

- Rsync



Note:

We added this transport type in cPanel & WHM version 66.

- GoogleDrive



Note:

We added these transport types in cPanel & WHM version 66.

- S3Compatible



Note:

We added this transport type in cPanel & WHM version 74.

- Backblaze



Note:

We added this transport type in cPanel & WHM version 78.

- [WHM API 1 Functions - toggle_user_backup_state](#) — This function enables or disables legacy backups for a user.
- [WHM API 1 Functions - backup_user_list](#) — This function lists users with a backup file on a specified date.
- [WHM API 1 Functions - backup_date_list](#) — This function lists all dates that contain backup files.
- [WHM API 1 Functions - list_cparchive_files](#) — This function lists all available cpanel files.
- [WHM API 1 Functions - backup_skip_users_all_status](#) — This function checks each user's backup configuration status while the [backup_skip_users_all](#) function runs.

backup_skip_users_all_status

backup_user_list

convert_and_migrate_from_legacy_config

get_users_with_backup_metadata

list_cparchive_files

start_background_pkgacct

toggle_user_backup_state

participate_in_analytics

cphulk_status

create_cphulk_record

delete_cphulk_record

disable_cphulk

enable_cphulk

flush_cphulk_login_history

flush_cphulk_login_history_for_ips

get_countries_with_known_ip_ranges

get_cphulk_brules

get_cphulk_excessive_brutes

get_cphulk_failed_logins

get_cphulk_user_brutes

load_cphulk_config

read_cphulk_records

save_cphulk_config

set_cphulk_config_key

background_mysql_upgrade_status



Warning:

Use any of these encrypted connections to transfer system backup files:

- Amazon S3™
- Backblaze
- GoogleDrive
- Rsync
- S3 Compatible
- SFTP
- WebDAV with SSL enabled

disabled	<i>Boolean</i>	Required Whether to disable the backup destination.	<ul style="list-style-type: none"> • 1 — Disable the backup destination. • 0 — Enable the backup destination. 	0
upload_system_backup	<i>string</i>	Whether to upload system backups. This parameter defaults to <i>off</i> .	<ul style="list-style-type: none"> • <i>on</i> — Enabled. • <i>off</i> — Disabled. 	<i>on</i>

Additional AmazonS3 parameters



Note:

We added the `AmazonS3` type in cPanel & WHM version 11.42.

Parameter	Type	Description	Possible values	Example
<code>folder</code>	<i>string</i>	The path to the backups directory on the remote server. This parameter defaults to a blank value.	A valid file path, relative to the root directory.	<code>subfolder</code>
<code>bucket</code>	<i>string</i>	Required The Amazon S3™ bucket.	A valid string.	<code>ChockFullOfNuts</code>
<code>aws_access_key_id</code>	<i>string</i>	Required The Amazon S3 Access Key ID.	A valid string.	<code>123456789</code>
<code>timeout</code>	<i>integer</i>	Required The session timeout.	A positive integer between 30 and 300, measured in seconds.	<code>30</code>
<code>password</code>	<i>string</i>	Required The Amazon S3 Access Key's password.	A secure password.	<code>12345!uggage</code>

Additional Backblaze parameters



Note:

We added the `Backblaze` type in cPanel & WHM version 78.

current_mysql_version

installable_mysql_versions

latest_available_mysql_version

list_database_users

list_databases

list_mysql_databases_and_users

remote_mysql_create_profile

remote_mysql_create_profile_via_ssh

remote_mysql_delete_profile

remote_mysql_initiate_profile_activation

remote_mysql_monitor_profile_activation

remote_mysql_read_profile

remote_mysql_read_profiles

remote_mysql_update_profile

remote_mysql_validate_profile

rename_mysql_database

rename_mysql_user

rename_postgresql_database

rename_postgresql_user

set_local_mysql_root_password

set_mysql_password

set_postgresql_password

Parameter	Type	Description	Possible values	Example
application_key	string	Required The application key's name.	A valid string.	A123b45CD678e9
application_key_id	string	Required The application key ID that authenticates the Backblaze B2 account.	A valid string.	12a345B678c9
bucket_id	string	Required The bucket's ID string.	A valid string.	a12b34cd5678e9f
bucket_name	string	Required The bucket's name.	A valid string.	ChockFullOfNuts
path	string	The path to the backups directory on the remote server. If you do not use this parameter, the system will not set a value.	A valid file path.	backups
timeout	integer	The session timeout. This parameter defaults to 180.	A positive integer between 30 and 300, measured in seconds.	180

Additional custom parameters

Parameter	Type	Description	Possible values	Example
script	string	Required The name of the user-supplied transport solution script.	A valid absolute file path.	/home/backup/ /beammeupscotty.pl
host	string	Required The remote server's hostname.	A valid hostname.	backups. example.com
path	string	Required The path to the backups directory on the remote server.	A valid file path.	/backups
timeout	integer	The session timeout. This parameter defaults to 30.	A positive integer between 30 and 300, measured in seconds.	300
username	string	Required The remote server account's username.	A valid username.	username
password	string	Required The remote server account's password.	A secure password.	12345luggage

Additional FTP parameters

Parameter	Type	Description	Possible values	Example
host	string	Required The remote server's hostname.	A valid hostname.	backups. example. com

start_background_mysql_upgrade

adddns

addzonerecord

addzonerecord (Reverse DNS)

create_parser_domain_for_user

dumpzone

editzonerecord

get_nameserver_config

getzonerecord

has_local_authority

killdns

listmxs

listzones

lookupnsip

lookupnsips

removezonerecord

resetzone

resolvedomainname

savemxs

setresolvers

update_nameservers_config

ea4_get_currently_installed_packages

ea4_get_ea_pkgs_state

ea4_list_profiles

ea4_metainfo

ea4_migration

ea4_pre_migrate_check

ea4_recommendations

ea4_save_profile

ea4_tomcat85_add

port	<i>integer</i>	The remote server's FTP port. This parameter defaults to 21.	A positive integer.	21
path	<i>string</i>	Required The path to the backups directory on the remote server.	A valid file path.	/backups
passive	<i>Boolean</i>	Whether to use passive FTP. This parameter defaults to 1.	<ul style="list-style-type: none"> • 1 — Use passive FTP. • 0 — Use active FTP. 	1
timeout	<i>integer</i>	The session timeout. This parameter defaults to 30.	A positive integer between 30 and 300, measured in seconds.	300
username	<i>string</i>	Required The remote server account's username.	A valid username.	username
password	<i>string</i>	Required The remote server account's password.	A secure password.	12345luggage

Additional GoogleDrive parameters



Note:

We added the GoogleDrive type in cPanel & WHM version 66.

Parameter	Type	Description	Possible values	Example
folder	<i>string</i>	The path to the backups directory on the remote server. This parameter defaults to a blank value.	A valid file path, relative to the root directory.	subfolder
client_id	<i>string</i>	Required The Google Drive client ID.	A valid string.	aBcdeFgHIjKl123
client_secret	<i>string</i>	Required The Google Drive client secret.	A valid string.	aBcde123FgHIjK456
timeout	<i>integer</i>	The session timeout. This parameter defaults to 30.	A positive integer between 30 and 300, measured in seconds.	300

Additional local parameters

Parameter	Type	Description	Possible values	Example
mount	<i>Boolean</i>	Whether the path is mounted. This parameter defaults to 0.	<ul style="list-style-type: none"> • 1 — The path is mounted. • 0 — The path is not mounted. 	0

ea4_tomcat8
5_list

ea4_tomcat8
5_rem

cpgreylist_is_
server_netblo
ck_trusted

cpgreylist_list
_entries_for_
common_mai
l_provider

cpgreylist_lo
ad_common_
mail_provid
er_s_config

cpgreylist_sa
ve_common_
mail_provid
er_s_config

cpgreylist_st
atus

cpgreylist_tru
st_entries_for
_common_m
ail_provider

cpgreylist_un
trust_entries_
for_common_
_mail_provid
er

create_cpgre
ylist_trusted_
host

delete_cpgre
ylist_trusted_
host

disable_cpgr
eylist

enable_cpgr
eylist

load_cpgreyli
st_config

read_cpgreyli
st_deferred_
entries

read_cpgreyli
st_trusted_ho
st

save_cpgreyli
st_config

batch

cpanel

create_integr
ation_group

create_integr
ation_link

path	<i>string</i>	Required The path to the backups directory.	A valid absolute file path.	/home /backups
no_mount_fail	<i>Boolean</i>	Whether to fail the backup attempt if the mount fails. This parameter defaults to a blank value.	<ul style="list-style-type: none"> 1 — Fail the backup attempt. 0 — Do not fail the backup attempt. 	0

Additional s3Compatible parameters



Note:

We added the `S3Compatible` type in cPanel & WHM version 74.

Parameter	Type	Description	Possible values	Example
host	<i>string</i>	Required The S3-compatible provider's server.	A valid string.	www. s3example. .com
folder	<i>string</i>	The path to the backups directory on the remote server. This parameter defaults to a blank value.	A valid file path, relative to the root directory.	subfolder
bucket	<i>string</i>	Required The S3-compatible bucket.	A valid string.	ChockFull OfNuts
aws_access_key_id	<i>string</i>	Required The S3-compatible provider key ID.	A valid string.	123456789
timeout	<i>integer</i>	Required The session timeout.	A positive integer between 30 and 300, measured in seconds.	300
password	<i>string</i>	Required The S3-compatible provider key's password or secret.	A secure password.	123451ugg age

Additional sftp parameters

Parameter	Type	Description	Possible values	Example
host	<i>string</i>	Required The remote server's hostname.	A valid hostname.	backups. example. .com
port	<i>integer</i>	The remote server's FTP port. This parameter defaults to 21.	A positive integer.	21
path	<i>string</i>	Required The path to the backups directory on the remote server.	A valid file path.	/backups
timeout	<i>integer</i>	The session timeout. This value defaults to 30.	A positive integer between 30 and 300, measured in seconds.	300
username	<i>string</i>	Required The remote server account's username.	A valid username.	username

get_integrati
n_link_user_
config

list_integrati
n_groups

list_integrati
n_links

remove_integ
ration_group

remove_integ
ration_link

update_integ
ration_link_to
ken

addips

delip

get_public_ip

get_shared_ip

ipv6_disable
_account

ipv6_enable_
account

ipv6_range_a
dd

ipv6_range_e
dit

ipv6_range_li
st

ipv6_range_r
emove

ipv6_range_u
sage

listips

nat_checkip

nat_set_publi
c_ip

setsiteip

disable_dkim

disable_mail_
_sni

emailtrack_s
earch

emailtrack_st
ats

emailtrack_u
ser_stats

enable_dkim

enable_mail_
_sni

ensure_dkim_
_keys_exist

authtype	<i>string</i>	Required The authorization type.	<ul style="list-style-type: none">passwordkey	password
password	<i>string</i>	If the authtype parameter's value is password, the remote server account's password. This parameter defaults to a blank value.	A secure password.	12345lugg age
privatekey	<i>string</i>	If the authtype parameter's value is key, the path to the private key file. This parameter defaults to a blank value.	A valid absolute file path.	/home /backups /key
passphrase	<i>string</i>	If the authtype parameter's value is key, the private key file's passphrase. This parameter defaults to a blank value.	A secure passphrase.	12345lugg age

Additional webdav parameters

Parameter	Type	Description	Possible values	Example
host	<i>string</i>	Required The remote server's hostname.	A valid hostname.	backups. example. com
port	<i>integer</i>	The remote server's FTP port. This parameter defaults to 21.	A positive integer.	21
path	<i>string</i>	Required The path to the backups directory on the remove server.	A valid file path.	/backups
ssl	<i>Boolean</i>	Whether to use SSL. This parameter defaults to 1.	<ul style="list-style-type: none">1 — Use SSL.0 — Do not use SSL.	1
timeout	<i>integer</i>	The session timeout. This parameter defaults to 30.	A positive integer between 30 and 300, measured in seconds.	300
username	<i>string</i>	Required The remote server account's username.	A valid username.	username
password	<i>string</i>	Required The remote server account's password.	A secure password.	12345lugg age

Returns

Return	Type	Description	Possible values	Example
id	<i>string</i>	The backup destination's ID.	A valid string.	11111111

exim_configuration_check

expunge_mailbox_messages

expunge_messages_for_mailbox_guid

fetch_dkim_private_keys

fetch_mail_queue

generate_mobileconfig

get_mailbox_status

get_mailbox_status_list

get_unique_recipient_count_per_sender_for_user

get_unique_sender_recipient_count_per_user

get_user_email_forward_destination

hold_outgoing_email

install_dkim_private_keys

install_spf_records

is_sni_supported

list_pops_for

mail_sni_status

rebuild_mail_sni_config

release_outgoing_email

save_spamd_config

set_user_email_forward_destination

suspend_outgoing_email

unsuspend_outgoing_email

validate_current_installed_exim_config

validate_curr
ent_dkims

validate_curr
ent_ptr

validate_curr
ent_spfs

validate_exi
m_configurati
on_syntax

disable_mark
et_provider

enable_mark
et_provider

get_adjusted
_market_pro
viders_produ
cts

get_market_
providers_co
mmission_co
nfig

get_market_
providers_list

get_market_
providers_pr
oduct_metad
ata

get_market_
providers_pr
oducts

set_market_p
roduct_attri
bute

set_market_p
rovider_com
mission_id

modsec_add
_rule

modsec_add
_vendor

modsec_ass
emble_config
_text

modsec_batc
h_settings

modsec_che
ck_rule

modsec_clon
e_rule

modsec_depl
oy_all_rule_c
hanges

modsec_depl
oy_rule_chan
ges

modsec_depl
oy_settings_
changes

modsec_disable_rule

modsec_disable_vendor

modsec_disable_vendor_configs

modsec_disable_vendor_updates

modsec_discard_all_rule_changes

modsec_discard_rule_changes

modsec_edit_rule

modsec_enable_vendor

modsec_enable_vendor_configs

modsec_enable_vendor_updates

modsec_get_config_text

modsec_get_configs

modsec_get_configs_with_changes_pending

modsec_get_log

modsec_get_rules

modsec_get_settings

modsec_get_vendors

modsec_is_installed

modsec_make_config_active

modsec_make_config_inactive

modsec_preview_vendor

modsec_remove_rule

modsec_remove_setting

modsec_remove_vendor

modsec_report_rule

modsec_set_config_text

modsec_set_setting

modsec_undisable_rule

modsec_update_vendor

_getpkgextensionform

add_override_features_for_user

addpkg

addpkgext

changepackage

create_featurelist

delete_featurelist

delpkgext

editpkg

get_available_applications

get_available_featurelists

get_feature_metadata

get_feature_names

get_featurelist_data

get_featurelists

get_users_features_settings

getfeaturelist

getpkginfo

killpkg

listpkgs

manage_features

matchpkgs

read_featurelist

remove_override_features_for_user

update_feature_relist

verify_user_has_feature

convert_all_domains_to_fpm

get_fpm_count_and_utilization

is_conversion_in_progress

php_get_defaults_to_fpm

php_get_handlers

php_get_affected_domains

php_get_installed_versions

php_get_old_fpm_flag

php_get_system_default_version

php_get_hosts_by_version

php_get_host_versions

php_ini_get_content

php_ini_get_directives

php_ini_set_content

php_ini_set_directives

php_fpm_config_get

php_fpm_config_set

php_set_defaults_to_fpm

php_set_handler

php_set_old_fpm_flag

php_set_session_save_path

php_set_sys
tem_default_v
ersion

php_set_vho
st_versions

acctcounts

get_public_c
ontact

getresellerips

listacfs

listresellers

resellerstats

saveacflist

set_public_c
ontact

setacfs

setresellerips

setresellerlim
its

setresellerma
inip

setresellerna
meservers

setresellerpa
ckagelimit

setupreseller

suspendresel
ler

terminateres
eller

unsetupresell
er

unsuspendre
seller

delete_rpm_v
ersion

edit_rpm_ver
sion

get_rpm_ver
sion_data

install_rpm_p
lugin

list_rpms

package_ma
nager_fixcac
he

package_ma
nager_get_b
uild_log

package_ma
nager_get_p
ackage_info

package_ma
nager_is_per
forming_actio
ns

package_ma
nager_list_pa
ckages

package_ma
nager_resolv
e_actions

package_ma
nager_submit
_actions

package_ma
nager_upgra
de

uninstall_rpm
_plugin

delete_hook

edit_hook

list_hooks

reorder_hooks

accesshash

authorizessh
key

check_remot
e_ssh_conne
ction

convertopens
shtoputty

deletesshkey

fetch_securit
y_advice

generatesshk
eypair

importsshkey

listsshkeys

add_configcl
usterserver

configurebac
kgroundproc
esskiller

configureserv
ice

cors_proxy_g
et

create_user_
session

delete_config
clusterserver

enable_monit
or_all_enable
d_services

get_all_contact_importances

get_application_list

get_application_contact_event_importance

get_application_contact_importance

get_available_profiles

get_current_profile

get_password_strength

get_remote_access_hash

get_service_config

get_service_config_key

get_tcp4_sockets

get_tcp6_sockets

get_tweaksetting

get_udp4_sockets

get_udp6_sockets

get_update_availability

get_users_links

getdiskusage

gethostname

is_role_enabled

list_configclusterservers

loadavg

nvget

nvset

personalization_get

personalization_set

purchase_a_l
icense

reboot

remove_in_p
rogress_exim
_config_edit

restartservice

restore_conf
g_from_file

restore_conf
g_from_uplo
ad

run_cpkeyclt

send_test_po
sturl

send_test_pu
shbullet_note

servicestatus

set_applicati
on_contact_e
vent_importa
nce

set_applicati
on_contact_i
mportance

set_primary_
servername

set_service_
config_key

set_tweakset
ting

sethostname

setminimump
asswordstren
gths

start_profile_
activation

system_need
s_reboot

systemloada
vg

update_conf
gclusterserver

update_conta
ct_email

verify_aim_a
ccess

verify_icq_ac
cess

verify_oscar_
access

verify_posturl
_access

verify_pushb
ullet_access

delete_ssl_v
host

disable_auto
ssl

fetch_service
_ssl_compon
ents

fetch_ssl_cer
tificates_for_f
qdns

fetch_ssl_vh
osts

fetch_vhost_
ssl_compone
nts

fetchcrtinfo

fetchsslinfo

generatessl

get_autossl_
check_sched
ule

get_autossl_
log

get_autossl_
ogs_catalog

get_autossl_
metadata

get_autossl_
pending_que
ue

get_autossl_
pending_que
ue_for_doma
in

get_autossl_
pending_que
ue_for_user

get_autossl_
problems_for
_domain

get_autossl_
problems_for
_user

get_autossl_
providers

get_best_ssl
domain_for_s
ervice

install_servic
e_ssl_certific
ate

installssl

listcrts

rebuildinstall
edssldb

rebuilduserss
ldb

reset_autossl
_provider

reset_service
_ssl_certificate

set_autossl_
metadata

set_autossl_
metadata_key

set_autossl_
provider

start_autossl
_check_for_a
ll_users

start_autossl
_check_for_o
ne_user

generate_cp
anel_plugin

list_styles

load_style

remove_logo

remove_style

save_style

set_default

ticket_create
_stub_ticket

ticket_get_su
pport_agree
ment

ticket_get_su
pport_info

ticket_grant

ticket_list

ticket_remov
e_closed

ticket_revoke

ticket_ssh_te
st

ticket_ssh_te
st_start

ticket_update
_service_agr
eement_appr
oval

ticket_validat
e_oauth2_co
de

ticket_whiteli
st_check

ticket_whiteli
st_setup

ticket_whiteli
st_unsetup

abort_transfe
r_session

analyze_tran
sfer_session
_remote

available_tra
nsfer_modules

create_remot
e_root_transf
er_session

create_remot
e_user_trans
fer_session

delete_accou
nt_archives

enqueue_tra
nsfer_item

fetch_transfe
r_session_log

get_transfer_
session_state

pause_transf
er_session

remote_basic
_credential_c
heck

retrieve_tran
sfer_session
_remote_ana
lysis

start_transfer
_session

transfer_mod
ule_schema

validate_syst
em_user

accept_eula

get_available
_tiers

get_current_l
ts_expiration
_status

get_lts_wexpi
re

getlongterms
upport

installed_ver
sions

set_cpanel_u
pdates

set_tier

update_upda
teconf

version