

# WHM API 1 Functions - `_getpkgextensionform`

## Guide to WHM API 1

[Return Data](#)

[Filter Output](#)

[Sort Output](#)

[Paginate Output](#)

[Output Columns](#)

[Call cPanel API 2 and UAPI](#)

[restore\\_modules\\_summary](#)

[restore\\_queue\\_activate](#)

[restore\\_queue\\_add\\_task](#)

[restore\\_queue\\_clear\\_all\\_completed\\_tasks](#)

[restore\\_queue\\_clear\\_all\\_failed\\_tasks](#)

[restore\\_queue\\_clear\\_all\\_pending\\_tasks](#)

[restore\\_queue\\_clear\\_all\\_tasks](#)

[restore\\_queue\\_clear\\_completed\\_task](#)

[restore\\_queue\\_clear\\_pending\\_task](#)

[restore\\_queue\\_is\\_active](#)

[restore\\_queue\\_list\\_active](#)

[restore\\_queue\\_list\\_completed](#)

[restore\\_queue\\_list\\_pending](#)

[restore\\_queue\\_state](#)

[restoreaccount](#)

[verify\\_new\\_username\\_for\\_restore](#)

[accountsummary](#)

## Description

This function retrieves a hosting plan's package extension templates.

When you call this function, the system checks the hosting plan's `_PACKAGE_EXTENSIONS` value.

The function returns the contents of the `/var/cpanel/packages/extensions/name.tt2` file for each package extension in the list, where `name` represents the package extension's name.

For more information, read our [Guide to Package Extensions](#).

## Examples

```
https://hostname.example.com:2087/cpsess#####/json-api/_getpkgextensionform?api.version=1&pkg=package1
```

```
https://hostname.example.com:2087/cpsess#####/xml-api/_getpkgextensionform?api.version=1&pkg=package1
```

```
whmapil _getpkgextensionform pkg=package1
```

### Notes:

- Unless otherwise noted, you **must** [URI-encode](#) values.
- For more information and additional output options, read our [Guide to WHM API 1](#) documentation or run the `whmapil --help` command.
- If you run CloudLinux™, you **must** use the full path of the `whmapil` command:

```
/usr/local/cpanel/bin/whmapil
```

## Function information

**API Version:** [WHM API 1](#)  
**Available in:** WHM 11.40+  
**Methods:** GET, POST  
**Required Parameters:** `pkg`  
**Return Format:** JSON, XML

### Important:

cPanel & WHM version 66 **deprecated** XML output.

## About WHM API 1

WHM API 1 performs functions and accesses data in WHM.

### Notes:

applist  
createacct  
domainuserdata  
editquota  
forcepasswordchange  
get\_current\_users\_count  
get\_disk\_usage  
get\_domain\_info  
getdomainowner  
get\_maximum\_users  
getminimumpasswordstrengths  
has\_digest\_auth  
has\_mycnf\_for\_cpuser  
limitbw  
list\_users  
listaccts  
listlockedaccounts  
listsuspended  
modifyacct  
myprivs  
passwd  
quota\_enabled  
removeacct  
set\_digest\_auth  
showbw  
suspendacct  
unsuspendacct  
untrack\_acct\_id  
verify\_new\_username  
convert\_addon\_fetch\_conversion\_details

```
{
  "data":{
    "html":"<div class="fatBorder" id="dog_Extension"
>\n<fieldset class="groupEditor">\n<div class="
propertyGroup">\n<h3>Dog Settings</h3>\n<div class="
propertyEditor">\n  <div class="propertyLabel">Dog
Species</div>\n    <div class="propertyValue"><input id="
dog_species" type="text" name="dog_species" value="
dalmatian"></div>\n  </div>\n\n<div class="propertyEditor"
>\n    <div class="propertyLabel">Tail Length</div>\n
<div class="propertyValue">\n      <input type="
radio" id="dogTailLengthTiny" name="dog_tail_length"
value="tiny">\n        <label for="dogTailLengthTiny"
>Tiny</label><br>\n          <input type="radio" id="
dogTailLengthNormal" name="dog_tail_length" value="normal"
>\n            <label for="dogTailLengthNormal">Normal<
/label><br>\n              <input type="radio" id="
dogTailLengthLong" name="dog_tail_length" value="long"
>\n                <label for="dogTailLengthLong">Long<
/label>\n          </div>\n        </div>\n\n<div class="propertyEditor"
>\n    <div class="propertyLabel"><label for="dog_spots"
>Has Spots</label></div>\n    <div class="propertyValue"
>\n      <input id="dog_spots" type="checkbox"
name="dog_spots" value="y" checked="checked">\n    <
/div>\n  </div>\n\n</div>\n</fieldset>\n</div>\n"
  },
  "metadata":{
    "version":1,
    "reason":"OK",
    "result":1,
    "command":"_getpkgextensionform"
  }
}
```

```
<result>
  <data>
    <html>
      <div class="fatBorder" id="dog_Extension">
        <fieldset class="groupEditor"> <div class="propertyGroup"
> <h3>Dog Settings</h3> <div class="propertyEditor"> <div
class="propertyLabel">Dog Species</div> <div class="
propertyValue"><input id="dog_species" type="text" name="
dog_species" value="dalmatian"></div> </div> <div class="
propertyEditor"> <div class="propertyLabel">Tail Length<
/div> <div class="propertyValue"> <input type="radio" id="
dogTailLengthTiny" name="dog_tail_length" value="tiny">
<label for="dogTailLengthTiny">Tiny</label><br> <input
type="radio" id="dogTailLengthNormal" name="
dog_tail_length" value="normal"> <label for="
dogTailLengthNormal">Normal</label><br> <input type="
radio" id="dogTailLengthLong" name="dog_tail_length"
value="long"> <label for="dogTailLengthLong">Long</label>
</div> </div> <div class="propertyEditor"> <div class="
propertyLabel"><label for="dog_spots">Has Spots</label><
/div> <div class="propertyValue"> <input id="dog_spots"
type="checkbox" name="dog_spots" value="y" checked="
checked"> </div> </div> </div> </fieldset> </div>
      </html>
    </data>
    <metadata>
      <version>1</version>
      <reason>OK</reason>
      <result>1</result>
      <command>_getpkgextensionform</command>
    </metadata>
  </result>
```

• S  
o  
m  
e  
f  
u  
n  
c  
t  
i  
o  
n  
s  
a  
n  
d  
p  
a  
r  
a  
m  
e  
t  
e  
r  
s  
m  
a  
y  
r  
e  
q  
u  
i  
r  
e  
t  
h  
a  
t  
y  
o  
u  
a  
u  
t  
h  
e  
n  
t  
i  
c  
a  
t  
e  
a  
s  
t  
h  
e  
r  
o  
t  
u  
s  
e  
r.

convert\_addon\_fetch\_domain\_details

convert\_addon\_get\_conversion\_status

convert\_addon\_initiate\_conversion

convert\_addon\_list\_addon\_domains

convert\_addon\_list\_conversions

api\_token\_create

api\_token\_list

api\_token\_revoke

api\_token\_update

disable\_authentication\_provider

disable\_failing\_authentication\_providers

enable\_authentication\_provider

get\_available\_authentication\_providers

get\_login\_url

get\_provider\_client\_configurations

get\_provider\_configuration\_fields

get\_provider\_display\_configurations

get\_users\_authn\_linked\_accounts

link\_user\_authn\_provider

set\_provider\_client\_configurations

set\_provider\_display\_configurations

twofactorauth\_disable\_policy



**Note:**

Use WHM's *API Shell* interface (*WHM >> Home >> Development >> API Shell*) to directly test WHM API calls.

### Parameters

Parameter	Type	Description	Possible values	Example
pkg	string	<b>Required</b> The hosting plan's name.	A valid hosting plan name on the server.	package1

### Returns



**Note:**

This function returns only metadata if the hosting plan does not use package extensions, or if the extensions' template files are empty.

Return	Type	Description	Possible values	Example
html	string	The source code for the hosting plan's extensions' templates.	HTML and Template Toolkit code for one or more package extension forms.	<pre>&lt;div class="fatBorder" id="dog_Extension"&gt; &lt;fieldset class="groupEditor"&gt; &lt;div class="propertyGroup"&gt; &lt;h3&gt;Dog Settings&lt;/h3&gt; &lt;div class="propertyEditor"&gt; &lt;div class="propertyLabel"&gt;Dog Species&lt;/div&gt; &lt;div class="propertyValue"&gt;&lt;input id="dog_species" type="text" name="dog_species" value="dalmatian"&gt;&lt;/div&gt; &lt;/div&gt; &lt;div class="propertyEditor"&gt; &lt;div class="propertyLabel"&gt;Tail Length&lt;/div&gt; &lt;div class="propertyValue"&gt; &lt;input type="radio" id="dogTailLengthTiny" name="dog_tail_length" value="tiny"&gt; &lt;label for="dogTailLengthTiny"&gt;Tiny&lt;/label&gt;&lt;br&gt; &lt;input type="radio" id="dogTailLengthNormal" name="dog_tail_length" value="normal"&gt; &lt;label for="dogTailLengthNormal"&gt;Normal&lt;/label&gt;&lt;br&gt; &lt;input type="radio" id="dogTailLengthLong" name="dog_tail_length" value="long"&gt; &lt;label for="dogTailLengthLong"&gt;Long&lt;/label&gt; &lt;/div&gt; &lt;/div&gt; &lt;div class="propertyEditor"&gt; &lt;div class="propertyLabel"&gt;&lt;label for="dog_spots"&gt;Has Spots&lt;/label&gt;&lt;/div&gt; &lt;div class="propertyValue"&gt; &lt;input id="dog_spots" type="checkbox" name="dog_spots" value="y" checked="checked"&gt; &lt;/div&gt; &lt;/div&gt; &lt;/div&gt; &lt;/fieldset&gt; &lt;/div&gt;</pre>

• You must use the appropriate WHM ports (2086 or 2087) to call WHM API functions.

Find a function

Related functions

twofactorauth  
\_enable\_policy

twofactorauth  
\_generate\_tfa\_config

twofactorauth  
\_get\_issuer

twofactorauth  
\_get\_user\_configs

twofactorauth  
\_policy\_status

twofactorauth  
\_remove\_user\_config

twofactorauth  
\_set\_issuer

twofactorauth  
\_set\_tfa\_config

unlink\_user\_authn\_provider

validate\_login\_token

backup\_config\_get

backup\_config\_set

backup\_date\_list

backup\_destination\_add

backup\_destination\_delete

backup\_destination\_get

backup\_destination\_list

backup\_destination\_set

backup\_destination\_validate

backup\_get\_transport\_status

backup\_list\_transported

backup\_set\_list

backup\_set\_list\_combined

backup\_skip\_users\_all

- [WHM API 1 Functions - changepackage](#) — This function changes a cPanel account's hosting plan (package).
- [WHM API 1 Functions - killpkg](#) — This function deletes a hosting plan (package).
- [WHM API 1 Functions - \\_getpkgextensionform](#) — This function retrieves a hosting plan's package extension templates.
- [WHM API 1 Sections - Packages](#) — Package functions allow you to manage hosting plans for resellers and cPanel users.
- [WHM API 1 Functions - addpkgext](#) — This function adds a package extension to a hosting plan (package).

backup\_skip  
\_users\_all\_st  
atus

backup\_user  
\_list

convert\_and\_  
migrate\_from  
\_legacy\_conf  
ig

get\_users\_wi  
th\_backup\_m  
etadata

list\_cparchive  
\_files

start\_backgro  
und\_pkgacct

toggle\_user\_  
backup\_state

participate\_in  
\_analytics

cphulk\_status

create\_cphul  
k\_record

delete\_cphul  
k\_record

disable\_cphu  
lk

enable\_cphulk

flush\_cphulk  
\_login\_history

flush\_cphulk  
\_login\_histor  
y\_for\_ips

get\_countries  
\_with\_known  
\_ip\_ranges

get\_cphulk\_b  
rutes

get\_cphulk\_e  
xcessive\_bru  
tes

get\_cphulk\_f  
ailed\_logins

get\_cphulk\_u  
ser\_brutes

load\_cphulk\_  
config

read\_cphulk\_  
records

save\_cphulk  
\_config

set\_cphulk\_c  
onfig\_key

background\_  
mysql\_upgra  
de\_status

current\_mysql  
\_version

installable\_m  
ysql\_versions

latest\_availa  
ble\_mysql\_v  
ersion

list\_database  
\_users

list\_databases

list\_mysql\_da  
tabases\_and  
\_users

remote\_mysql  
\_create\_profi  
le

remote\_mysql  
\_create\_profi  
le\_via\_ssh

remote\_mysql  
\_delete\_profi  
le

remote\_mysql  
\_initiate\_prof  
ile\_activation

remote\_mysql  
\_monitor\_pr  
ofile\_activation

remote\_mysql  
\_read\_profile

remote\_mysql  
\_read\_profiles

remote\_mysql  
\_update\_pro  
file

remote\_mysql  
\_validate\_pr  
ofile

rename\_mys  
ql\_database

rename\_mys  
ql\_user

rename\_post  
gresql\_datab  
ase

rename\_post  
gresql\_user

set\_local\_my  
sql\_root\_pas  
sword

set\_mysql\_p  
assword

set\_postgres  
ql\_password

start\_backgro  
und\_mysql\_u  
pgrade

adddns

addzonereco  
rd

addzonereco  
rd (Reverse  
DNS)

create\_parke  
d\_domain\_fo  
r\_user

dumpzone

editzonerecord

get\_nameser  
ver\_config

getzonerecord

has\_local\_au  
thority

killdns

listmxs

listzones

lookupnsip

lookupnsips

removezoner  
ecord

resetzone

resolvedomai  
nname

savemxs

setresolvers

update\_nam  
eservers\_con  
fig

ea4\_get\_curr  
ently\_installe  
d\_packages

ea4\_get\_ea\_  
pkgs\_state

ea4\_list\_profi  
les

ea4\_metainfo

ea4\_migration

ea4\_pre\_mig  
rate\_check

ea4\_recomm  
endations

ea4\_save\_pr  
ofile

ea4\_tomcat8  
5\_add

ea4\_tomcat8  
5\_list

ea4\_tomcat8  
5\_rem

cpgreylist\_is\_  
server\_netblo  
ck\_trusted

cpgreylist\_list  
\_entries\_for\_  
common\_mai  
l\_provider

cpgreylist\_lo  
ad\_common\_  
mail\_provide  
r\_s\_config

cpgreylist\_sa  
ve\_common\_  
mail\_provide  
r\_s\_config

cpgreylist\_st  
atus

cpgreylist\_tru  
st\_entries\_for  
\_common\_m  
ail\_provider

cpgreylist\_un  
trust\_entries\_  
for\_common\_  
\_mail\_provid  
er

create\_cpgre  
ylist\_trusted\_  
host

delete\_cpgre  
ylist\_trusted\_  
host

disable\_cpgr  
eylist

enable\_cpgr  
eylist

load\_cpgreyli  
st\_config

read\_cpgreyli  
st\_deferred\_  
entries

read\_cpgreyli  
st\_trusted\_ho  
st

save\_cpgreyli  
st\_config

batch

cpanel

create\_integr  
ation\_group

create\_integr  
ation\_link



get\_integratio  
n\_link\_user\_  
config

list\_integratio  
n\_groups

list\_integratio  
n\_links

remove\_integ  
ration\_group

remove\_integ  
ration\_link

update\_integ  
ration\_link\_to  
ken

addips

delip

get\_public\_ip

get\_shared\_ip

ipv6\_disable\_  
\_account

ipv6\_enable\_  
account

ipv6\_range\_a  
dd

ipv6\_range\_e  
dit

ipv6\_range\_li  
st

ipv6\_range\_r  
emove

ipv6\_range\_u  
sage

listips

nat\_checkip

nat\_set\_publi  
c\_ip

setsiteip

disable\_dkim

disable\_mail\_  
\_sni

emailtrack\_s  
earch

emailtrack\_st  
ats

emailtrack\_u  
ser\_stats

enable\_dkim

enable\_mail\_  
sni

ensure\_dkim\_  
\_keys\_exist

exim\_configuration\_check

expunge\_mailbox\_messages

expunge\_messages\_for\_mailbox\_guid

fetch\_dkim\_private\_keys

fetch\_mail\_queue

generate\_mobileconfig

get\_mailbox\_status

get\_mailbox\_status\_list

get\_unique\_recipient\_count\_per\_sender\_for\_user

get\_unique\_sender\_recipient\_count\_per\_user

get\_user\_email\_forward\_destination

hold\_outgoing\_email

install\_dkim\_private\_keys

install\_spf\_records

is\_sni\_supported

list\_pops\_for

mail\_sni\_status

rebuild\_mail\_sni\_config

release\_outgoing\_email

save\_spamd\_config

set\_user\_email\_forward\_destination

suspend\_outgoing\_email

unsuspend\_outgoing\_email

validate\_current\_installed\_exim\_config

validate\_curr  
ent\_dkims

validate\_curr  
ent\_ptr

validate\_curr  
ent\_spfs

validate\_exi  
m\_configurati  
on\_syntax

disable\_mark  
et\_provider

enable\_mark  
et\_provider

get\_adjusted  
\_market\_pro  
viders\_produ  
cts

get\_market\_  
providers\_co  
mmission\_co  
nfig

get\_market\_  
providers\_list

get\_market\_  
providers\_pr  
oduct\_metad  
ata

get\_market\_  
providers\_pr  
oducts

set\_market\_p  
roduct\_attri  
bute

set\_market\_p  
rovider\_com  
mission\_id

modsec\_add  
\_rule

modsec\_add  
\_vendor

modsec\_ass  
emble\_config  
\_text

modsec\_batc  
h\_settings

modsec\_che  
ck\_rule

modsec\_clon  
e\_rule

modsec\_depl  
oy\_all\_rule\_c  
hanges

modsec\_depl  
oy\_rule\_chan  
ges

modsec\_depl  
oy\_settings\_  
changes

modsec\_disable\_rule

modsec\_disable\_vendor

modsec\_disable\_vendor\_configs

modsec\_disable\_vendor\_updates

modsec\_discard\_all\_rule\_changes

modsec\_discard\_rule\_changes

modsec\_edit\_rule

modsec\_enable\_vendor

modsec\_enable\_vendor\_configs

modsec\_enable\_vendor\_updates

modsec\_get\_config\_text

modsec\_get\_configs

modsec\_get\_configs\_with\_changes\_pending

modsec\_get\_log

modsec\_get\_rules

modsec\_get\_settings

modsec\_get\_vendors

modsec\_is\_installed

modsec\_make\_config\_active

modsec\_make\_config\_inactive

modsec\_preview\_vendor

modsec\_remove\_rule

modsec\_remove\_setting

modsec\_remove\_vendor

modsec\_report\_rule

modsec\_set\_config\_text

modsec\_set\_setting

modsec\_undisable\_rule

modsec\_update\_vendor

\_getpkgextensionform

add\_override\_features\_for\_user

addpkg

addpkgext

changepackage

create\_featurelist

delete\_featurelist

delpkgext

editpkg

get\_available\_applications

get\_available\_featurelists

get\_feature\_metadata

get\_feature\_names

get\_featurelist\_data

get\_featurelists

get\_users\_features\_settings

getfeaturelist

getpkginfo

killpkg

listpkgs

manage\_features

matchpkgs

read\_featurelist

remove\_override\_features\_for\_user

update\_feature\_relist

verify\_user\_has\_feature

convert\_all\_domains\_to\_fpm

get\_fpm\_count\_and\_utilization

is\_conversion\_in\_progress

php\_get\_defaults\_to\_fpm

php\_get\_handlers

php\_get\_affected\_domains

php\_get\_installed\_versions

php\_get\_old\_fpm\_flag

php\_get\_system\_default\_version

php\_get\_hosts\_by\_version

php\_get\_host\_versions

php\_ini\_get\_content

php\_ini\_get\_directives

php\_ini\_set\_content

php\_ini\_set\_directives

php\_fpm\_config\_get

php\_fpm\_config\_set

php\_set\_defaults\_to\_fpm

php\_set\_handler

php\_set\_old\_fpm\_flag

php\_set\_session\_save\_path

php\_set\_sys  
tem\_default\_v  
ersion

php\_set\_vho  
st\_versions

acctcounts

get\_public\_c  
ontact

getresellerips

listacfs

listresellers

resellerstats

saveacflist

set\_public\_c  
ontact

setacfs

setresellerips

setresellerlim  
its

setresellerma  
inip

setresellerna  
meservers

setresellerpa  
ckagelimit

setupreseller

suspendresel  
ler

terminateres  
eller

unsetupresell  
er

unsuspendre  
seller

delete\_rpm\_v  
ersion

edit\_rpm\_ver  
sion

get\_rpm\_ver  
sion\_data

install\_rpm\_p  
lugin

list\_rpms

package\_ma  
nager\_fixcac  
he

package\_ma  
nager\_get\_b  
uild\_log

package\_ma  
nager\_get\_p  
ackage\_info

package\_ma  
nager\_is\_per  
forming\_actio  
ns

package\_ma  
nager\_list\_pa  
ckages

package\_ma  
nager\_resolv  
e\_actions

package\_ma  
nager\_submit  
\_actions

package\_ma  
nager\_upgra  
de

uninstall\_rpm  
\_plugin

delete\_hook

edit\_hook

list\_hooks

reorder\_hooks

accesshash

authorizessh  
key

check\_remot  
e\_ssh\_conne  
ction

convertopens  
shtoputty

deletesshkey

fetch\_securit  
y\_advice

generatesshk  
eypair

importsshkey

listsshkeys

add\_configcl  
usterserver

configurebac  
kgroundproc  
esskiller

configureserv  
ice

cors\_proxy\_g  
et

create\_user\_  
session

delete\_config  
clusterserver

enable\_monit  
or\_all\_enable  
d\_services



get\_all\_contact\_importances

get\_application\_list

get\_application\_contact\_event\_importance

get\_application\_contact\_importance

get\_available\_profiles

get\_current\_profile

get\_password\_strength

get\_remote\_access\_hash

get\_service\_config

get\_service\_config\_key

get\_tcp4\_sockets

get\_tcp6\_sockets

get\_tweaksetting

get\_udp4\_sockets

get\_udp6\_sockets

get\_update\_availability

get\_users\_links

getdiskusage

gethostname

is\_role\_enabled

list\_configclusterservers

loadavg

nvget

nvset

personalization\_get

personalization\_set

purchase\_a\_l  
icense

reboot

remove\_in\_p  
rogress\_exim  
\_config\_edit

restartservice

restore\_conf  
g\_from\_file

restore\_conf  
g\_from\_uplo  
ad

run\_cpkeyclt

send\_test\_po  
sturl

send\_test\_pu  
shbullet\_note

servicestatus

set\_applicati  
on\_contact\_e  
vent\_importa  
nce

set\_applicati  
on\_contact\_i  
mportance

set\_primary\_  
servername

set\_service\_  
config\_key

set\_tweakset  
ting

sethostname

setminimump  
asswordstren  
gths

start\_profile\_  
activation

system\_need  
s\_reboot

systemloada  
vg

update\_conf  
gclusterserver

update\_conta  
ct\_email

verify\_aim\_a  
ccess

verify\_icq\_ac  
cess

verify\_oscar\_  
access

verify\_posturl  
\_access

verify\_pushb  
ullet\_access

delete\_ssl\_v  
host

disable\_auto  
ssl

fetch\_service  
\_ssl\_compon  
ents

fetch\_ssl\_cer  
tificates\_for\_f  
qdns

fetch\_ssl\_vh  
osts

fetch\_vhost\_  
ssl\_compone  
nts

fetchcrtinfo

fetchsslinfo

generatessl

get\_autossl\_  
check\_sched  
ule

get\_autossl\_  
log

get\_autossl\_  
ogs\_catalog

get\_autossl\_  
metadata

get\_autossl\_  
pending\_que  
ue

get\_autossl\_  
pending\_que  
ue\_for\_doma  
in

get\_autossl\_  
pending\_que  
ue\_for\_user

get\_autossl\_  
problems\_for  
\_domain

get\_autossl\_  
problems\_for  
\_user

get\_autossl\_  
providers

get\_best\_ssl  
domain\_for\_s  
ervice

install\_servic  
e\_ssl\_certific  
ate

installssl

listcrts

rebuildinstall  
edssldb

rebuilduserss  
ldb

reset\_autossl  
\_provider

reset\_service  
\_ssl\_certificate

set\_autossl\_  
metadata

set\_autossl\_  
metadata\_key

set\_autossl\_  
provider

start\_autossl  
\_check\_for\_a  
ll\_users

start\_autossl  
\_check\_for\_o  
ne\_user

generate\_cp  
anel\_plugin

list\_styles

load\_style

remove\_logo

remove\_style

save\_style

set\_default

ticket\_create  
\_stub\_ticket

ticket\_get\_su  
pport\_agree  
ment

ticket\_get\_su  
pport\_info

ticket\_grant

ticket\_list

ticket\_remov  
e\_closed

ticket\_revoke

ticket\_ssh\_te  
st

ticket\_ssh\_te  
st\_start

ticket\_update  
\_service\_agr  
eement\_appr  
oval

ticket\_validat  
e\_oauth2\_co  
de

ticket\_whiteli  
st\_check

ticket\_whiteli  
st\_setup

ticket\_whiteli  
st\_unsetup

abort\_transfe  
r\_session

analyze\_tran  
sfer\_session  
\_remote

available\_tra  
nsfer\_modules

create\_remot  
e\_root\_transf  
er\_session

create\_remot  
e\_user\_trans  
fer\_session

delete\_accou  
nt\_archives

enqueue\_tra  
nsfer\_item

fetch\_transfe  
r\_session\_log

get\_transfer\_  
session\_state

pause\_transf  
er\_session

remote\_basic  
\_credential\_c  
heck

retrieve\_tran  
sfer\_session  
\_remote\_ana  
lysis

start\_transfer  
\_session

transfer\_mod  
ule\_schema

validate\_syst  
em\_user

accept\_eula

get\_available  
\_tiers

get\_current\_l  
ts\_expiration  
\_status

get\_lts\_wexpi  
re

getlongterms  
upport

installed\_ver  
sions

set\_cpanel\_u  
pdates

set\_tier

update\_upda  
teconf

version