

# WHM API 1 Functions - get\_service\_config

## Guide to WHM API 1

[Return Data](#)

[Filter Output](#)

[Sort Output](#)

[Paginate Output](#)

[Output Columns](#)

[Call cPanel API 2 and UAPI](#)

[restore\\_modules\\_summary](#)

[restore\\_queue\\_activate](#)

[restore\\_queue\\_add\\_task](#)

[restore\\_queue\\_clear\\_all\\_completed\\_tasks](#)

[restore\\_queue\\_clear\\_all\\_failed\\_tasks](#)

[restore\\_queue\\_clear\\_all\\_pending\\_tasks](#)

[restore\\_queue\\_clear\\_all\\_tasks](#)

[restore\\_queue\\_clear\\_completed\\_task](#)

[restore\\_queue\\_clear\\_pending\\_task](#)

[restore\\_queue\\_is\\_active](#)

[restore\\_queue\\_list\\_active](#)

[restore\\_queue\\_list\\_completed](#)

[restore\\_queue\\_list\\_pending](#)

[restore\\_queue\\_state](#)

[restoreaccount](#)

[verify\\_new\\_username\\_for\\_restore](#)

## Description

This function returns a service's configuration settings.

## Examples

```
https://hostname.example.com:2087/cpsess#####/json-api/get_service_config?api.version=1&service=dovecot
```

```
https://hostname.example.com:2087/cpsess#####/xml-api/get_service_config?api.version=1&service=dovecot
```

```
whmapil get_service_config service=dovecot
```



### Notes:

- Unless otherwise noted, you **must** [URI-encode](#) values.
- For more information and additional output options, read our [Guide to WHM API 1](#) documentation or run the `whmapil --help` command.
- If you run CloudLinux™, you **must** use the full path of the `whmapil` command:

```
/usr/local/cpanel/bin/whmapil
```

## Function information

### API

#### Version:

[WHM API 1](#)

#### Available in:

WHM 58+

#### Methods:

GET, POST

#### Required Parameters:

service

#### Return Format:

JSON, XML



### Important:

cPanel & WHM version 66 **deprecated** XML output.

## About WHM API 1

WHM API 1 performs functions and accesses data in WHM.



### Notes:

accountsummary  
applist  
createacct  
domainuserdata  
editquota  
forcepasswordchange  
get\_current\_users\_count  
get\_disk\_usage  
get\_domain\_info  
getdomainowner  
get\_maximum\_users  
getminimumpasswordstrengths  
has\_digest\_auth  
has\_myconf\_for\_cpuser  
limitbw  
list\_users  
listaccts  
listlockedaccounts  
listsuspended  
modifyacct  
myprivs  
passwd  
quota\_enabled  
removeacct  
set\_digest\_auth  
showbw  
suspendacct  
unsuspendacct  
untrack\_acct\_id  
verify\_new\_username  
convert\_addon\_fetch\_conversion\_details

```
{
  "data": {
    "login_max_processes_count": "50",
    "auth_cache_ttl": "3600",
    "mdbox_rotate_size": "2M",
    "auth_cache_negative_ttl": "3600",
    "ssl_protocols": "!SSLv2 !SSLv3",
    "login_processes_count": "2",
    "mailbox_idle_check_interval": "30",
    "mdbox_rotate_interval": "12w",
    "ipv6": "on",
    "protocols": "imap pop3",
    "login_process_per_connection": "no",
    "expire_trash_ttl": "30",
    "disable_plaintext_auth": "no",
    "mail_process_size": "256",
    "ssl_cipher_list": "ECDHE-RSA-AES128-GCM-SHA256:
ECDHE-ECDSA-AES128-GCM-SHA256:ECDHE-RSA-AES256-GCM-SHA384:
ECDHE-ECDSA-AES256-GCM-SHA384:DHE-RSA-AES128-GCM-SHA256:
DHE-DSS-AES128-GCM-SHA256:kEDH+AESGCM:ECDHE-RSA-AES128-
SHA256:ECDHE-ECDSA-AES128-SHA256:ECDHE-RSA-AES128-SHA:
ECDHE-ECDSA-AES128-SHA:ECDHE-RSA-AES256-SHA384:ECDHE-
ECDSA-AES256-SHA384:ECDHE-RSA-AES256-SHA:ECDHE-ECDSA-
AES256-SHA:DHE-RSA-AES128-SHA256:DHE-RSA-AES128-SHA:DHE-
DSS-AES128-SHA256:DHE-RSA-AES256-SHA256:DHE-DSS-AES256-
SHA:DHE-RSA-AES256-SHA:AES128-GCM-SHA256:AES256-GCM-
SHA384:AES128-SHA256:AES256-SHA256:AES128-SHA:AES256-SHA:
AES:CAMELLIA:DES-CBC3-SHA:!aNULL:!eNULL:!EXPORT:!DES:!
RC4:!MD5:!PSK:!aECDH:!EDH-DSS-DES-CBC3-SHA:!EDH-RSA-DES-
CBC3-SHA:!KRB5-DES-CBC3-SHA",
    "max_mail_processes": "512",
    "expire_trash": "1",
    "protocol_pop3": {
      "mail_max_userip_connections": "3"
    },
    "login_process_size": "64",
    "auth_cache_size": "8192",
    "protocol_imap": {
      "mail_max_userip_connections": "20",
      "imap_idle_notify_interval": "24"
    }
  },
  "metadata": {
    "result": 1,
    "command": "get_service_config",
    "reason": "OK",
    "version": 1
  }
}
```

- Some functions and parameters meters may require authentication.

[convert\\_addon\\_fetch\\_domain\\_details](#)

[convert\\_addon\\_get\\_conversion\\_status](#)

[convert\\_addon\\_initiate\\_conversion](#)

[convert\\_addon\\_list\\_addon\\_domains](#)

[convert\\_addon\\_list\\_conversions](#)

[api\\_token\\_create](#)

[api\\_token\\_list](#)

[api\\_token\\_revoke](#)

[api\\_token\\_update](#)

[disable\\_authentication\\_provider](#)

[disable\\_failing\\_authentication\\_providers](#)

[enable\\_authentication\\_provider](#)

[get\\_available\\_authentication\\_providers](#)

[get\\_login\\_url](#)

[get\\_provider\\_client\\_configurations](#)

[get\\_provider\\_configuration\\_fields](#)

[get\\_provider\\_display\\_configurations](#)

[get\\_users\\_authn\\_linked\\_accounts](#)

[link\\_user\\_authn\\_provider](#)

[set\\_provider\\_client\\_configurations](#)

[set\\_provider\\_display\\_configurations](#)

[twofactorauth\\_disable\\_policy](#)

```
<result>
  <metadata>
    <version>1</version>
    <result>1</result>
    <reason>OK</reason>
    <command>get_service_config</command>
  </metadata>
  <data>
    <auth_cache_ttl>3600</auth_cache_ttl>
    <ipv6>on</ipv6>
    <auth_cache_size>8192</auth_cache_size>
    <max_mail_processes>512</max_mail_processes>
    <mail_process_size>256</mail_process_size>
    <expire_trash_ttl>30</expire_trash_ttl>
    <login_processes_count>2</login_processes_count>
    <protocol_imap>
      <imap_idle_notify_interval>24<
/imap_idle_notify_interval>
      <mail_max_userip_connections>20<
/mail_max_userip_connections>
    </protocol_imap>
    <expire_trash>1</expire_trash>
    <ssl_protocols>!SSLv2 !SSLv3</ssl_protocols>
    <disable_plaintext_auth>no<
/disable_plaintext_auth>
    <login_process_per_connection>no<
/login_process_per_connection>
    <protocol_pop3>
      <mail_max_userip_connections>3<
/mail_max_userip_connections>
    </protocol_pop3>
    <mdbox_rotate_size>2M</mdbox_rotate_size>
    <mailbox_idle_check_interval>30<
/mailbox_idle_check_interval>
    <auth_cache_negative_ttl>3600<
/auth_cache_negative_ttl>
    <login_max_processes_count>50<
/login_max_processes_count>
    <login_process_size>64</login_process_size>
    <protocols>imap pop3</protocols>
    <ssl_cipher_list>
      ECDHE-RSA-AES128-GCM-SHA256: ECDHE-ECDSA-
AES128-GCM-SHA256: ECDHE-RSA-AES256-GCM-SHA384: ECDHE-ECDSA-
AES256-GCM-SHA384: DHE-RSA-AES128-GCM-SHA256: DHE-DSS-
AES128-GCM-SHA256: kEDH+AESGCM: ECDHE-RSA-AES128-SHA256:
ECDHE-ECDSA-AES128-SHA256: ECDHE-RSA-AES128-SHA: ECDHE-
ECDSA-AES128-SHA: ECDHE-RSA-AES256-SHA384: ECDHE-ECDSA-
AES256-SHA384: ECDHE-RSA-AES256-SHA: ECDHE-ECDSA-AES256-SHA:
DHE-RSA-AES128-SHA256: DHE-RSA-AES128-SHA: DHE-DSS-AES128-
SHA256: DHE-RSA-AES256-SHA256: DHE-DSS-AES256-SHA: DHE-RSA-
AES256-SHA: AES128-GCM-SHA256: AES256-GCM-SHA384: AES128-
SHA256: AES256-SHA256: AES128-SHA: AES256-SHA: AES: CAMELLIA:
DES-CBC3-SHA: !aNULL: !eNULL: !EXPORT: !DES: !RC4: !MD5: !PSK: !
aECDH: !EDH-DSS-DES-CBC3-SHA: !EDH-RSA-DES-CBC3-SHA: !KRB5-
DES-CBC3-SHA
    </ssl_cipher_list>
    <mdbox_rotate_interval>12w</mdbox_rotate_interval>
  </data>
</result>
```



**Note:**

Use WHM's *API Shell* interface (*WHM >> Home >> Development >> API Shell*) to directly test WHM API calls.

• You must use the appropriate WHM ports (2086 or 2087) to call WHM API functions.

Find a function

Related functions

[twofactorauth\\_enable\\_policy](#)

[twofactorauth\\_generate\\_tfa\\_config](#)

[twofactorauth\\_get\\_issuer](#)

[twofactorauth\\_get\\_user\\_configs](#)

[twofactorauth\\_policy\\_status](#)

[twofactorauth\\_remove\\_user\\_config](#)

[twofactorauth\\_set\\_issuer](#)

[twofactorauth\\_set\\_tfa\\_config](#)

[unlink\\_user\\_authn\\_provider](#)

[validate\\_login\\_token](#)

[backup\\_config\\_get](#)

[backup\\_config\\_set](#)

[backup\\_date\\_list](#)

[backup\\_destination\\_add](#)

[backup\\_destination\\_delete](#)

[backup\\_destination\\_get](#)

[backup\\_destination\\_list](#)

[backup\\_destination\\_set](#)

[backup\\_destination\\_validate](#)

[backup\\_get\\_transport\\_status](#)


[backup\\_list\\_transported](#)

[backup\\_set\\_list](#)


[backup\\_set\\_list\\_combined](#)


[backup\\_skip\\_users\\_all](#)

## Parameters

Parameter	Type	Description	Possible values	Example
service	string	<b>Required</b> The service's name.	A valid cPanel & WHM service name. <div style="border: 1px solid red; padding: 5px; margin-top: 10px;"> <b>Warning:</b> As of cPanel &amp; WHM version 58, only the dovecot service is compatible with this function.</div>	dovecot

## Returns

 **Note:**  
Each service outputs a different set of returns and values.

Return	Type	Description	Possible values	Example
key name	varies	A configuration key's setting. <div style="border: 1px solid orange; padding: 5px; margin-top: 10px;"> <b>Note:</b> The key name is the return's name.</div>	Varies, depending on the service and key.	This is what it sounds like when the dovecots cry.

- [WHM API 1 Functions - get\\_tweaksetting](#) — This function retrieves a value from the `/var/cpanel/cpanel.config` file.
- [WHM API 1 Functions - getdiskusage](#) — This function retrieves the server's drive partition information.
- [WHM API 1 Functions - systemloadavg](#) — This function retrieves the system's load average.
- [WHM API 1 Functions - loadavg](#) — This function retrieves the server's load average.
- [WHM API 1 Functions - gethostname](#) — This function retrieves the server's hostname.

backup\_skip  
\_users\_all\_st  
atus

backup\_user  
\_list

convert\_and\_  
migrate\_from  
\_legacy\_conf  
ig

get\_users\_wi  
th\_backup\_m  
etadata

list\_cparchive  
\_files

start\_backgro  
und\_pkgacct

toggle\_user\_  
backup\_state

participate\_in  
\_analytics

cphulk\_status

create\_cphul  
k\_record

delete\_cphul  
k\_record

disable\_cphu  
lk

enable\_cphulk

flush\_cphulk  
\_login\_history

flush\_cphulk  
\_login\_histor  
y\_for\_ips

get\_countries  
\_with\_known  
\_ip\_ranges

get\_cphulk\_b  
rutes

get\_cphulk\_e  
xcessive\_bru  
tes

get\_cphulk\_f  
ailed\_logins

get\_cphulk\_u  
ser\_brutes

load\_cphulk\_  
config

read\_cphulk\_  
records

save\_cphulk\_  
\_config

set\_cphulk\_c  
onfig\_key

background\_  
mysql\_upgra  
de\_status

current\_mysql  
\_version

installable\_m  
ysql\_versions

latest\_availa  
ble\_mysql\_v  
ersion

list\_database  
\_users

list\_databases

list\_mysql\_da  
tabases\_and  
\_users

remote\_mysql  
\_create\_profi  
le

remote\_mysql  
\_create\_profi  
le\_via\_ssh

remote\_mysql  
\_delete\_profi  
le

remote\_mysql  
\_initiate\_prof  
ile\_activation

remote\_mysql  
\_monitor\_pr  
ofile\_activation

remote\_mysql  
\_read\_profile

remote\_mysql  
\_read\_profiles

remote\_mysql  
\_update\_pro  
file

remote\_mysql  
\_validate\_pr  
ofile

rename\_mys  
ql\_database

rename\_mys  
ql\_user

rename\_post  
gresql\_datab  
ase

rename\_post  
gresql\_user

set\_local\_my  
sql\_root\_pas  
sword

set\_mysql\_p  
assword

set\_postgres  
ql\_password

start\_backgro  
und\_mysql\_u  
pgrade

adddns

addzonereco  
rd

addzonereco  
rd (Reverse  
DNS)

create\_parke  
d\_domain\_fo  
r\_user

dumpzone

editzonerecord

get\_nameser  
ver\_config

getzonerecord

has\_local\_au  
thority

killdns

listmxs

listzones

lookupnsip

lookupnsips

removezoner  
ecord

resetzone

resolvedomai  
nname

savemxs

setresolvers

update\_nam  
eservers\_con  
fig

ea4\_get\_curr  
ently\_installe  
d\_packages

ea4\_get\_ea\_  
pkgs\_state

ea4\_list\_profi  
les

ea4\_metainfo

ea4\_migration

ea4\_pre\_mig  
rate\_check

ea4\_recomm  
endations

ea4\_save\_pr  
ofile

ea4\_tomcat8  
5\_add

ea4\_tomcat8  
5\_list

ea4\_tomcat8  
5\_rem

cpgreylist\_is\_  
server\_netblo  
ck\_trusted

cpgreylist\_list  
\_entries\_for\_  
common\_mai  
l\_provider

cpgreylist\_lo  
ad\_common\_  
mail\_provide  
r\_s\_config

cpgreylist\_sa  
ve\_common\_  
mail\_provide  
r\_s\_config

cpgreylist\_st  
atus

cpgreylist\_tru  
st\_entries\_for  
\_common\_m  
ail\_provider

cpgreylist\_un  
trust\_entries\_  
for\_common\_  
\_mail\_provid  
er

create\_cpgre  
ylist\_trusted\_  
host

delete\_cpgre  
ylist\_trusted\_  
host

disable\_cpgr  
eylist

enable\_cpgr  
eylist

load\_cpgreyli  
st\_config

read\_cpgreyli  
st\_deferred\_  
entries

read\_cpgreyli  
st\_trusted\_ho  
st

save\_cpgreyli  
st\_config

batch

cpanel

create\_integr  
ation\_group

create\_integr  
ation\_link



get\_integratio  
n\_link\_user\_  
config

list\_integratio  
n\_groups

list\_integratio  
n\_links

remove\_integ  
ration\_group

remove\_integ  
ration\_link

update\_integ  
ration\_link\_to  
ken

addips

delip

get\_public\_ip

get\_shared\_ip

ipv6\_disable\_  
\_account

ipv6\_enable\_  
account

ipv6\_range\_a  
dd

ipv6\_range\_e  
dit

ipv6\_range\_li  
st

ipv6\_range\_r  
emove

ipv6\_range\_u  
sage

listips

nat\_checkip

nat\_set\_publi  
c\_ip

setsiteip

disable\_dkim

disable\_mail\_  
\_sni

emailtrack\_s  
earch

emailtrack\_st  
ats

emailtrack\_u  
ser\_stats

enable\_dkim

enable\_mail\_  
sni

ensure\_dkim\_  
\_keys\_exist

exim\_configuration\_check

expunge\_mailbox\_messages

expunge\_messages\_for\_mailbox\_guid

fetch\_dkim\_private\_keys

fetch\_mail\_queue

generate\_mobileconfig

get\_mailbox\_status

get\_mailbox\_status\_list

get\_unique\_recipient\_count\_per\_sender\_for\_user

get\_unique\_sender\_recipient\_count\_per\_user

get\_user\_email\_forward\_destination

hold\_outgoing\_email

install\_dkim\_private\_keys

install\_spf\_records

is\_sni\_supported

list\_pops\_for

mail\_sni\_status

rebuild\_mail\_sni\_config

release\_outgoing\_email

save\_spamd\_config

set\_user\_email\_forward\_destination

suspend\_outgoing\_email

unsuspend\_outgoing\_email

validate\_current\_installed\_exim\_config

validate\_curr  
ent\_dkims

validate\_curr  
ent\_ptr

validate\_curr  
ent\_spfs

validate\_exi  
m\_configurati  
on\_syntax

disable\_mark  
et\_provider

enable\_mark  
et\_provider

get\_adjusted  
\_market\_pro  
viders\_produ  
cts

get\_market\_  
providers\_co  
mmission\_co  
nfig

get\_market\_  
providers\_list

get\_market\_  
providers\_pr  
oduct\_metad  
ata

get\_market\_  
providers\_pr  
oducts

set\_market\_p  
roduct\_attri  
bute

set\_market\_p  
rovider\_com  
mission\_id

modsec\_add  
\_rule

modsec\_add  
\_vendor

modsec\_ass  
emble\_config  
\_text

modsec\_batc  
h\_settings

modsec\_che  
ck\_rule

modsec\_clon  
e\_rule

modsec\_depl  
oy\_all\_rule\_c  
hanges

modsec\_depl  
oy\_rule\_chan  
ges

modsec\_depl  
oy\_settings\_  
changes

modsec\_disable\_rule

modsec\_disable\_vendor

modsec\_disable\_vendor\_configs

modsec\_disable\_vendor\_updates

modsec\_discard\_all\_rule\_changes

modsec\_discard\_rule\_changes

modsec\_edit\_rule

modsec\_enable\_vendor

modsec\_enable\_vendor\_configs

modsec\_enable\_vendor\_updates

modsec\_get\_config\_text

modsec\_get\_configs

modsec\_get\_configs\_with\_changes\_pending

modsec\_get\_log

modsec\_get\_rules

modsec\_get\_settings

modsec\_get\_vendors

modsec\_is\_installed

modsec\_make\_config\_active

modsec\_make\_config\_inactive

modsec\_preview\_vendor

modsec\_remove\_rule

modsec\_remove\_setting

modsec\_remove\_vendor

modsec\_report\_rule

modsec\_set\_config\_text

modsec\_set\_setting

modsec\_undisable\_rule

modsec\_update\_vendor

\_getpkgextensionform

add\_override\_features\_for\_user

addpkg

addpkgext

changepackage

create\_featurelist

delete\_featurelist

delpkgext

editpkg

get\_available\_applications

get\_available\_featurelists

get\_feature\_metadata

get\_feature\_names

get\_featurelist\_data

get\_featurelists

get\_users\_features\_settings

getfeaturelist

getpkginfo

killpkg

listpkgs

manage\_features

matchpkgs

read\_featurelist

remove\_override\_features\_for\_user

update\_feature\_relist

verify\_user\_has\_feature

convert\_all\_domains\_to\_fpm

get\_fpm\_count\_and\_utilization

is\_conversion\_in\_progress

php\_get\_defaults\_to\_fpm

php\_get\_handlers

php\_get\_affected\_domains

php\_get\_installed\_versions

php\_get\_old\_fpm\_flag

php\_get\_system\_default\_version

php\_get\_hosts\_by\_version

php\_get\_host\_versions

php\_ini\_get\_content

php\_ini\_get\_directives

php\_ini\_set\_content

php\_ini\_set\_directives

php\_fpm\_config\_get

php\_fpm\_config\_set

php\_set\_defaults\_to\_fpm

php\_set\_handler

php\_set\_old\_fpm\_flag

php\_set\_session\_save\_path

php\_set\_sys  
tem\_default\_v  
ersion

php\_set\_vho  
st\_versions

acctcounts

get\_public\_c  
ontact

getresellerips

listacfs

listresellers

resellerstats

saveacflist

set\_public\_c  
ontact

setacfs

setresellerips

setresellerlim  
its

setresellerma  
inip

setresellerna  
meservers

setresellerpa  
ckagelimit

setupreseller

suspendresel  
ler

terminateres  
eller

unsetupresell  
er

unsuspendre  
seller

delete\_rpm\_v  
ersion

edit\_rpm\_ver  
sion

get\_rpm\_ver  
sion\_data

install\_rpm\_p  
lugin

list\_rpms

package\_ma  
nager\_fixcac  
he

package\_ma  
nager\_get\_b  
uild\_log

package\_ma  
nager\_get\_p  
ackage\_info

package\_ma  
nager\_is\_per  
forming\_actio  
ns

package\_ma  
nager\_list\_pa  
ckages

package\_ma  
nager\_resolv  
e\_actions

package\_ma  
nager\_submit  
\_actions

package\_ma  
nager\_upgra  
de

uninstall\_rpm  
\_plugin

delete\_hook

edit\_hook

list\_hooks

reorder\_hooks

accesshash

authorizessh  
key

check\_remot  
e\_ssh\_conne  
ction

convertopens  
shtoputty

deletesshkey

fetch\_securit  
y\_advice

generatesshk  
eypair

importsshkey

listsshkeys

add\_configcl  
usterserver

configurebac  
kgroundproc  
esskiller

configureserv  
ice

cors\_proxy\_g  
et

create\_user\_  
session

delete\_config  
clusterserver

enable\_monit  
or\_all\_enable  
d\_services



get\_all\_contact\_importances

get\_application\_list

get\_application\_contact\_event\_importance

get\_application\_contact\_importance

get\_available\_profiles

get\_current\_profile

get\_password\_strength

get\_remote\_access\_hash

get\_service\_config

get\_service\_config\_key

get\_tcp4\_sockets

get\_tcp6\_sockets

get\_tweaksetting

get\_udp4\_sockets

get\_udp6\_sockets

get\_update\_availability

get\_users\_links

getdiskusage

gethostname

is\_role\_enabled

list\_configclusterservers

loadavg

nvget

nvset

personalization\_get

personalization\_set

purchase\_a\_l  
icense

reboot

remove\_in\_p  
rogress\_exim  
\_config\_edit

restartservice

restore\_conf  
g\_from\_file

restore\_conf  
g\_from\_uplo  
ad

run\_cpkeyclt

send\_test\_po  
sturl

send\_test\_pu  
shbullet\_note

servicestatus

set\_applicati  
on\_contact\_e  
vent\_importa  
nce

set\_applicati  
on\_contact\_i  
mportance

set\_primary\_  
servername

set\_service\_  
config\_key

set\_tweakset  
ting

sethostname

setminimump  
asswordstren  
gths

start\_profile\_  
activation

system\_need  
s\_reboot

systemloada  
vg

update\_conf  
gclusterserver

update\_conta  
ct\_email

verify\_aim\_a  
ccess

verify\_icq\_ac  
cess

verify\_oscar\_  
access

verify\_posturl  
\_access

verify\_pushb  
ullet\_access

delete\_ssl\_v  
host

disable\_auto  
ssl

fetch\_service  
\_ssl\_compon  
ents

fetch\_ssl\_cer  
tificates\_for\_f  
qdns

fetch\_ssl\_vh  
osts

fetch\_vhost\_  
ssl\_compone  
nts

fetchcrtinfo

fetchsslinfo

generatessl

get\_autossl\_  
check\_sched  
ule

get\_autossl\_  
log

get\_autossl\_  
ogs\_catalog

get\_autossl\_  
metadata

get\_autossl\_  
pending\_que  
ue

get\_autossl\_  
pending\_que  
ue\_for\_doma  
in

get\_autossl\_  
pending\_que  
ue\_for\_user

get\_autossl\_  
problems\_for  
\_domain

get\_autossl\_  
problems\_for  
\_user

get\_autossl\_  
providers

get\_best\_ssl  
domain\_for\_s  
ervice

install\_servic  
e\_ssl\_certific  
ate

installssl

listcrts

rebuildinstall  
edssldb

rebuilduserss  
ldb

reset\_autossl  
\_provider

reset\_service  
\_ssl\_certificate

set\_autossl\_  
metadata

set\_autossl\_  
metadata\_key

set\_autossl\_  
provider

start\_autossl  
\_check\_for\_a  
ll\_users

start\_autossl  
\_check\_for\_o  
ne\_user

generate\_cp  
anel\_plugin

list\_styles

load\_style

remove\_logo

remove\_style

save\_style

set\_default

ticket\_create  
\_stub\_ticket

ticket\_get\_su  
pport\_agree  
ment

ticket\_get\_su  
pport\_info

ticket\_grant

ticket\_list

ticket\_remov  
e\_closed

ticket\_revoke

ticket\_ssh\_te  
st

ticket\_ssh\_te  
st\_start

ticket\_update  
\_service\_agr  
eement\_appr  
oval

ticket\_validat  
e\_oauth2\_co  
de

ticket\_whiteli  
st\_check

ticket\_whiteli  
st\_setup

ticket\_whiteli  
st\_unsetup

abort\_transfe  
r\_session

analyze\_tran  
sfer\_session  
\_remote

available\_tra  
nsfer\_modules

create\_remot  
e\_root\_transf  
er\_session

create\_remot  
e\_user\_trans  
fer\_session

delete\_accou  
nt\_archives

enqueue\_tra  
nsfer\_item

fetch\_transfe  
r\_session\_log

get\_transfer\_  
session\_state

pause\_transf  
er\_session

remote\_basic  
\_credential\_c  
heck

retrieve\_tran  
sfer\_session  
\_remote\_ana  
lysis

start\_transfer  
\_session

transfer\_mod  
ule\_schema

validate\_syst  
em\_user

accept\_eula

get\_available  
\_tiers

get\_current\_l  
ts\_expiration  
\_status

get\_lts\_wexpi  
re

getlongterms  
upport

installed\_ver  
sions

set\_cpanel\_u  
pdates

set\_tier

update\_upda  
teconf

version